


11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.200	44.30	-14.31	74.0	29.70	Peak	102.00	100	Horizontal	Pass
1**	1328.200	33.75	-14.31	54.0	20.25	AV	102.00	100	Horizontal	Pass
2	2856.600	48.04	-6.21	74.0	25.96	Peak	60.00	200	Horizontal	Pass
2**	2856.600	39.95	-6.21	54.0	14.05	AV	60.00	200	Horizontal	Pass
3	4223.750	50.44	-4.43	74.0	23.56	Peak	284.00	200	Horizontal	Pass
3**	4223.750	39.80	-4.43	54.0	14.20	AV	284.00	200	Horizontal	Pass
4	5796.500	103.71	-2.38	--	20.29	Peak	124.00	100	Horizontal	N/A
4**	5796.500	95.26	-2.38	--	-95.26	AV	124.00	100	Horizontal	N/A
5	7727.000	53.84	2.22	74.0	20.16	Peak	0.00	150	Horizontal	Pass
5**	7727.000	50.13	2.22	54.0	3.87	AV	0.00	150	Horizontal	Pass
6	12150.787	49.71	4.07	74.0	24.29	Peak	94.00	200	Horizontal	Pass
6**	12150.787	40.73	4.07	54.0	13.27	AV	94.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.500	44.47	-14.49	74.0	29.53	Peak	114.00	100	Vertical	Pass
1**	1331.500	35.85	-14.49	54.0	18.15	AV	114.00	100	Vertical	Pass
2	2856.100	48.68	-6.23	74.0	25.32	Peak	335.00	100	Vertical	Pass
2**	2856.100	39.33	-6.23	54.0	14.67	AV	335.00	100	Vertical	Pass
3	4295.500	49.01	-4.70	74.0	24.99	Peak	325.00	150	Vertical	Pass
3**	4295.500	41.07	-4.70	54.0	12.93	AV	325.00	150	Vertical	Pass
4	5792.250	101.99	-2.25	--	102.01	Peak	204.00	400	Vertical	N/A
4**	5792.250	94.14	-2.25	--	-94.14	AV	204.00	400	Vertical	N/A
5	7727.000	54.55	2.22	74.0	19.45	Peak	63.00	150	Vertical	Pass
5**	7727.000	50.08	2.22	54.0	3.92	AV	63.00	150	Vertical	Pass
6	12219.425	50.71	3.72	74.0	23.29	Peak	150.00	400	Vertical	Pass
6**	12219.425	40.37	3.72	54.0	13.63	AV	150.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.600	43.55	-14.50	74.0	30.45	Peak	27.00	150	Horizontal	Pass
1**	1499.600	32.99	-14.50	54.0	21.01	AV	27.00	150	Horizontal	Pass
2	2798.200	49.06	-6.99	74.0	24.94	Peak	335.00	200	Horizontal	Pass
2**	2798.200	38.38	-6.99	54.0	15.62	AV	335.00	200	Horizontal	Pass
3	4328.250	49.71	-4.60	74.0	24.29	Peak	264.00	100	Horizontal	Pass
3**	4328.250	40.30	-4.60	54.0	13.70	AV	264.00	100	Horizontal	Pass
4	5742.750	104.83	-2.58	--	19.17	Peak	124.00	300	Horizontal	N/A
4**	5742.750	97.90	-2.58	--	-97.90	AV	124.00	300	Horizontal	N/A
5	7660.250	52.78	1.95	74.0	21.22	Peak	358.00	150	Horizontal	Pass
5**	7660.250	50.44	1.95	54.0	3.56	AV	358.00	150	Horizontal	Pass
6	12268.349	50.47	3.68	74.0	23.53	Peak	77.00	100	Horizontal	Pass
6**	12268.349	40.95	3.68	54.0	13.05	AV	77.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.300	43.03	-14.53	74.0	30.97	Peak	135.00	400	Vertical	Pass
1**	1333.300	32.94	-14.53	54.0	21.06	AV	135.00	400	Vertical	Pass
2	2817.200	48.92	-6.55	74.0	25.08	Peak	177.00	100	Vertical	Pass
2**	2817.200	38.96	-6.55	54.0	15.04	AV	177.00	100	Vertical	Pass
3	4276.250	48.78	-4.65	74.0	25.22	Peak	213.00	100	Vertical	Pass
3**	4276.250	40.84	-4.65	54.0	13.16	AV	213.00	100	Vertical	Pass
4	5746.000	104.38	-2.48	--	98.62	Peak	203.00	100	Vertical	N/A
4**	5746.000	96.81	-2.48	--	-96.81	AV	203.00	100	Vertical	N/A
5	7660.000	54.92	1.96	74.0	19.08	Peak	358.00	150	Vertical	Pass
5**	7660.000	50.32	1.96	54.0	3.68	AV	358.00	150	Vertical	Pass
6	12322.263	49.83	4.21	74.0	24.17	Peak	119.00	400	Vertical	Pass
6**	12322.263	40.59	4.21	54.0	13.41	AV	119.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.500	43.15	-14.56	74.0	30.85	Peak	13.00	150	Horizontal	Pass
1**	1498.500	32.07	-14.56	54.0	21.93	AV	13.00	150	Horizontal	Pass
2	2746.000	48.87	-6.39	74.0	25.13	Peak	360.00	300	Horizontal	Pass
2**	2746.000	39.11	-6.39	54.0	14.89	AV	360.00	300	Horizontal	Pass
3	3806.250	49.98	-5.04	74.0	24.02	Peak	124.00	150	Horizontal	Pass
3**	3806.250	38.81	-5.04	54.0	15.19	AV	124.00	150	Horizontal	Pass
4	5783.750	104.47	-2.29	--	140.53	Peak	245.00	200	Horizontal	N/A
4**	5783.750	97.31	-2.29	--	-97.31	AV	245.00	200	Horizontal	N/A
5	7713.500	54.48	1.96	74.0	19.52	Peak	0.00	150	Horizontal	Pass
5**	7713.500	50.16	1.96	54.0	3.84	AV	0.00	150	Horizontal	Pass
6	12379.500	50.44	3.92	74.0	23.56	Peak	360.00	200	Horizontal	Pass
6**	12379.500	40.96	3.92	54.0	13.04	AV	360.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.300	46.07	-14.52	74.0	27.93	Peak	81.00	150	Vertical	Pass
1**	1499.300	32.27	-14.52	54.0	21.73	AV	81.00	150	Vertical	Pass
2	2804.100	48.64	-6.78	74.0	25.36	Peak	196.00	100	Vertical	Pass
2**	2804.100	39.74	-6.78	54.0	14.26	AV	196.00	100	Vertical	Pass
3	4283.500	49.53	-4.86	74.0	24.47	Peak	13.00	150	Vertical	Pass
3**	4283.500	39.79	-4.86	54.0	14.21	AV	13.00	150	Vertical	Pass
4	5783.750	103.30	-2.29	--	108.70	Peak	212.00	100	Vertical	N/A
4**	5783.750	95.07	-2.29	--	-95.07	AV	212.00	100	Vertical	N/A
5	7713.500	54.53	1.96	74.0	19.47	Peak	42.00	150	Vertical	Pass
5**	7713.500	50.34	1.96	54.0	3.66	AV	42.00	150	Vertical	Pass
6	12338.175	50.19	4.23	74.0	23.81	Peak	184.00	300	Vertical	Pass
6**	12338.175	40.57	4.23	54.0	13.43	AV	184.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.700	42.64	-14.34	74.0	31.36	Peak	229.00	200	Horizontal	Pass
1**	1328.700	35.07	-14.34	54.0	18.93	AV	229.00	200	Horizontal	Pass
2	2881.600	48.92	-6.06	74.0	25.08	Peak	39.00	150	Horizontal	Pass
2**	2881.600	40.58	-6.06	54.0	13.42	AV	39.00	150	Horizontal	Pass
3	4298.000	49.67	-4.72	74.0	24.33	Peak	248.00	150	Horizontal	Pass
3**	4298.000	40.42	-4.72	54.0	13.58	AV	248.00	150	Horizontal	Pass
4	5823.500	103.85	-2.29	--	--	Peak	267.00	400	Horizontal	N/A
4**	5823.500	96.43	-2.29	--	--	AV	267.00	400	Horizontal	N/A
5	7610.500	56.67	3.19	74.0	17.33	Peak	217.00	200	Horizontal	Pass
5**	7610.500	48.03	3.19	54.0	5.97	AV	217.00	200	Horizontal	Pass
6	12370.713	49.90	4.27	74.0	24.10	Peak	6.00	100	Horizontal	Pass
6**	12370.713	40.23	4.27	54.0	13.77	AV	6.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.800	46.90	-14.54	74.0	27.10	Peak	86.00	150	Vertical	Pass
1**	1498.800	32.92	-14.54	54.0	21.08	AV	86.00	150	Vertical	Pass
2	2714.500	48.56	-7.13	74.0	25.44	Peak	304.00	400	Vertical	Pass
2**	2714.500	38.84	-7.13	54.0	15.16	AV	304.00	400	Vertical	Pass
3	4309.000	49.09	-4.75	74.0	24.91	Peak	153.00	100	Vertical	Pass
3**	4309.000	39.57	-4.75	54.0	14.43	AV	153.00	100	Vertical	Pass
4	5823.000	102.66	-2.32	--	--	Peak	204.00	100	Vertical	N/A
4**	5823.000	95.26	-2.32	--	--	AV	204.00	100	Vertical	N/A
5	7610.250	56.99	3.19	74.0	17.01	Peak	174.00	100	Vertical	Pass
5**	7610.250	47.45	3.19	54.0	6.55	AV	174.00	100	Vertical	Pass
6	11774.113	49.75	2.05	74.0	24.25	Peak	194.00	400	Vertical	Pass
6**	11774.113	40.09	2.05	54.0	13.91	AV	194.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.800	43.65	-14.54	74.0	30.35	Peak	69.00	150	Horizontal	Pass
1**	1498.800	33.03	-14.54	54.0	20.97	AV	69.00	150	Horizontal	Pass
2	2862.100	48.52	-6.07	74.0	25.48	Peak	102.00	100	Horizontal	Pass
2**	2862.100	39.20	-6.07	54.0	14.80	AV	102.00	100	Horizontal	Pass
3	4214.750	48.82	-4.77	74.0	25.18	Peak	4.00	150	Horizontal	Pass
3**	4214.750	39.20	-4.77	54.0	14.80	AV	4.00	150	Horizontal	Pass
4	5752.000	104.01	-2.54	--	20.99	Peak	125.00	200	Horizontal	N/A
4**	5752.000	97.11	-2.54	--	-97.11	AV	125.00	200	Horizontal	N/A
5	7673.500	55.02	2.12	74.0	18.98	Peak	360.00	150	Horizontal	Pass
5**	7673.500	50.23	2.12	54.0	3.77	AV	360.00	150	Horizontal	Pass
6	11903.075	49.60	2.49	74.0	24.40	Peak	134.00	100	Horizontal	Pass
6**	11903.075	39.85	2.49	54.0	14.15	AV	134.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	46.01	-14.46	74.0	27.99	Peak	147.00	300	Vertical	Pass
1**	1330.500	33.53	-14.46	54.0	20.47	AV	147.00	300	Vertical	Pass
2	2726.900	49.28	-6.50	74.0	24.72	Peak	262.00	200	Vertical	Pass
2**	2726.900	39.37	-6.50	54.0	14.63	AV	262.00	200	Vertical	Pass
3	4299.000	49.54	-4.70	74.0	24.46	Peak	307.00	100	Vertical	Pass
3**	4299.000	39.93	-4.70	54.0	14.07	AV	307.00	100	Vertical	Pass
4	5757.500	102.82	-2.46	--	104.18	Peak	207.00	100	Vertical	N/A
4**	5757.500	94.51	-2.46	--	-94.51	AV	207.00	100	Vertical	N/A
5	7673.750	56.25	2.14	74.0	17.75	Peak	5.00	150	Vertical	Pass
5**	7673.750	50.28	2.14	54.0	3.72	AV	5.00	150	Vertical	Pass
6	12380.925	49.92	3.93	74.0	24.08	Peak	243.00	300	Vertical	Pass
6**	12380.925	41.00	3.93	54.0	13.00	AV	243.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1496.800	43.09	-14.65	74.0	30.91	Peak	18.00	150	Horizontal	Pass
1**	1496.800	32.83	-14.65	54.0	21.17	AV	18.00	150	Horizontal	Pass
2	2742.000	48.97	-6.40	74.0	25.03	Peak	226.00	100	Horizontal	Pass
2**	2742.000	39.42	-6.40	54.0	14.58	AV	226.00	100	Horizontal	Pass
3	4341.250	48.54	-4.44	74.0	25.46	Peak	303.00	200	Horizontal	Pass
3**	4341.250	39.36	-4.44	54.0	14.64	AV	303.00	200	Horizontal	Pass
4	5793.000	103.07	-2.25	--	141.93	Peak	245.00	400	Horizontal	N/A
4**	5793.000	95.03	-2.25	--	-95.03	AV	245.00	400	Horizontal	N/A
5	7727.000	53.90	2.22	74.0	20.10	Peak	274.00	150	Horizontal	Pass
5**	7727.000	50.12	2.22	54.0	3.88	AV	274.00	150	Horizontal	Pass
6	11938.700	49.92	3.11	74.0	24.08	Peak	103.00	200	Horizontal	Pass
6**	11938.700	40.49	3.11	54.0	13.51	AV	103.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.900	42.51	-14.47	74.0	31.49	Peak	238.00	200	Horizontal	Pass
1**	1330.900	32.67	-14.47	54.0	21.33	AV	238.00	200	Horizontal	Pass
2	2852.300	48.68	-6.58	74.0	25.32	Peak	7.00	400	Horizontal	Pass
2**	2852.300	38.76	-6.58	54.0	15.24	AV	7.00	400	Horizontal	Pass
3	4333.250	49.09	-4.56	74.0	24.91	Peak	256.00	100	Horizontal	Pass
3**	4333.250	40.14	-4.56	54.0	13.86	AV	256.00	100	Horizontal	Pass
4	5776.500	101.02	-2.24	--	144.98	Peak	246.00	300	Horizontal	N/A
4**	5776.500	92.59	-2.24	--	-92.59	AV	246.00	300	Horizontal	N/A
5	7700.500	53.39	2.15	74.0	20.61	Peak	266.00	150	Horizontal	Pass
5**	7700.500	50.39	2.15	54.0	3.61	AV	266.00	150	Horizontal	Pass
6	12245.787	49.81	3.80	74.0	24.19	Peak	157.00	200	Horizontal	Pass
6**	12245.787	40.81	3.80	54.0	13.19	AV	157.00	200	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.400	43.90	-14.34	74.0	30.10	Peak	133.00	400	Vertical	Pass
1**	1327.400	32.88	-14.34	54.0	21.12	AV	133.00	400	Vertical	Pass
2	2874.600	48.50	-6.45	74.0	25.50	Peak	215.00	300	Vertical	Pass
2**	2874.600	38.93	-6.45	54.0	15.07	AV	215.00	300	Vertical	Pass
3	4251.250	48.47	-4.66	74.0	25.53	Peak	360.00	200	Vertical	Pass
3**	4251.250	39.71	-4.66	54.0	14.29	AV	360.00	200	Vertical	Pass
4	5772.750	98.50	-2.26	--	104.50	Peak	203.00	400	Vertical	N/A
4**	5772.750	90.36	-2.26	--	-90.36	AV	203.00	400	Vertical	N/A
5	7700.250	54.77	2.13	74.0	19.23	Peak	34.00	150	Vertical	Pass
5**	7700.250	50.45	2.13	54.0	3.55	AV	34.00	150	Vertical	Pass
6	12227.500	50.41	3.73	74.0	23.59	Peak	206.00	300	Vertical	Pass
6**	12227.500	40.66	3.73	54.0	13.34	AV	206.00	300	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.400	43.90	-14.34	74.0	30.10	Peak	133.00	400	Vertical	Pass
1**	1327.400	32.88	-14.34	54.0	21.12	AV	133.00	400	Vertical	Pass
2	2874.600	48.50	-6.45	74.0	25.50	Peak	215.00	300	Vertical	Pass
2**	2874.600	38.93	-6.45	54.0	15.07	AV	215.00	300	Vertical	Pass
3	4251.250	48.47	-4.66	74.0	25.53	Peak	360.00	150	Vertical	Pass
3**	4251.250	39.71	-4.66	54.0	14.29	AV	360.00	150	Vertical	Pass
4	5772.750	98.50	-2.26	--	--	Peak	203.00	200	Vertical	N/A
4**	5772.750	90.36	-2.26	--	--	AV	203.00	200	Vertical	N/A
5	7700.250	55.40	2.13	74.0	18.60	Peak	34.00	150	Vertical	Pass
5**	7700.250	50.98	2.13	54.0	3.02	AV	34.00	150	Vertical	Pass
6	12536.963	51.19	4.05	74.0	22.81	Peak	186.00	150	Vertical	Pass
6**	12536.963	40.23	4.05	54.0	13.77	AV	186.00	150	Vertical	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1404.300	41.65	-14.18	74.0	32.35	Peak	112.00	200	Horizontal	Pass
1**	1404.300	32.22	-14.18	54.0	21.78	AV	112.00	200	Horizontal	Pass
2	2756.700	48.05	-6.71	74.0	25.95	Peak	356.00	100	Horizontal	Pass
2**	2756.700	38.96	-6.71	54.0	15.04	AV	356.00	100	Horizontal	Pass
3	4308.000	49.55	-4.70	74.0	24.45	Peak	171.00	100	Horizontal	Pass
3**	4308.000	40.20	-4.70	54.0	13.80	AV	171.00	100	Horizontal	Pass
4	5719.250	108.99	-2.62	--	124.01	Peak	233.00	300	Horizontal	N/A
4**	5719.250	101.02	-2.62	--	-101.02	AV	233.00	300	Horizontal	N/A
5	7626.750	53.25	3.01	74.0	20.75	Peak	315.00	150	Horizontal	Pass
5**	7626.750	50.79	3.01	54.0	3.21	AV	315.00	150	Horizontal	Pass
6	12341.975	50.19	4.19	74.0	23.81	Peak	337.00	400	Horizontal	Pass
6**	12341.975	41.42	4.19	54.0	12.58	AV	337.00	400	Horizontal	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.200	43.97	-14.53	74.0	30.03	Peak	102.00	100	Vertical	Pass
1**	1333.200	31.58	-14.53	54.0	22.42	AV	102.00	100	Vertical	Pass
2	2730.800	48.74	-6.31	74.0	25.26	Peak	1.00	100	Vertical	Pass
2**	2730.800	39.14	-6.31	54.0	14.86	AV	1.00	100	Vertical	Pass
3	4252.250	49.75	-4.65	74.0	24.25	Peak	62.00	200	Vertical	Pass
3**	4252.250	39.52	-4.65	54.0	14.48	AV	62.00	200	Vertical	Pass
4	5719.000	107.46	-2.63	--	94.54	Peak	202.00	400	Vertical	N/A
4**	5719.000	100.28	-2.63	--	-100.28	AV	202.00	400	Vertical	N/A
5	7626.750	55.96	3.01	74.0	18.04	Peak	360.00	150	Vertical	Pass
5**	7626.750	50.41	3.01	54.0	3.59	AV	360.00	150	Vertical	Pass
6	12199.000	50.70	3.60	74.0	23.30	Peak	39.00	200	Vertical	Pass
6**	12199.000	40.49	3.60	54.0	13.51	AV	39.00	200	Vertical	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1405.400	41.25	-14.17	74.0	32.75	Peak	187.00	200	Horizontal	Pass
1**	1405.400	32.81	-14.17	54.0	21.19	AV	187.00	200	Horizontal	Pass
2	2743.800	48.29	-6.40	74.0	25.71	Peak	351.00	300	Horizontal	Pass
2**	2743.800	39.38	-6.40	54.0	14.62	AV	351.00	300	Horizontal	Pass
3	4352.000	49.29	-4.45	74.0	24.71	Peak	1.00	100	Horizontal	Pass
3**	4352.000	39.79	-4.45	54.0	14.21	AV	1.00	100	Horizontal	Pass
4	5718.000	106.09	-2.66	--	127.91	Peak	234.00	300	Horizontal	N/A
4**	5718.000	98.61	-2.66	--	-98.61	AV	234.00	300	Horizontal	N/A
5	7627.000	54.05	2.99	74.0	19.95	Peak	274.00	150	Horizontal	Pass
5**	7627.000	50.49	2.99	54.0	3.51	AV	274.00	150	Horizontal	Pass
6	11937.037	49.88	3.12	74.0	24.12	Peak	111.00	100	Horizontal	Pass
6**	11937.037	40.86	3.12	54.0	13.14	AV	111.00	100	Horizontal	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.400	43.20	-14.34	74.0	30.80	Peak	149.00	300	Horizontal	Pass
1**	1327.400	32.86	-14.34	54.0	21.14	AV	149.00	300	Horizontal	Pass
2	2849.200	49.10	-6.74	74.0	24.90	Peak	58.00	300	Horizontal	Pass
2**	2849.200	38.76	-6.74	54.0	15.24	AV	58.00	300	Horizontal	Pass
3	4270.750	48.59	-4.74	74.0	25.41	Peak	173.00	100	Horizontal	Pass
3**	4270.750	39.17	-4.74	54.0	14.83	AV	173.00	100	Horizontal	Pass
4	5721.500	105.06	-2.61	--	96.94	Peak	202.00	200	Horizontal	N/A
4**	5721.500	98.72	-2.61	--	-98.72	AV	202.00	200	Horizontal	N/A
5	7626.750	56.23	3.01	74.0	17.77	Peak	360.00	150	Horizontal	Pass
5**	7626.750	50.76	3.01	54.0	3.24	AV	360.00	150	Horizontal	Pass
6	11899.275	49.90	2.39	74.0	24.10	Peak	47.00	300	Horizontal	Pass
6**	11899.275	41.11	2.39	54.0	12.89	AV	47.00	300	Horizontal	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1351.100	41.60	-14.20	74.0	32.40	Peak	334.00	300	Horizontal	Pass
1**	1351.100	32.33	-14.20	54.0	21.67	AV	334.00	300	Horizontal	Pass
2	2837.000	48.75	-6.39	74.0	25.25	Peak	297.00	400	Horizontal	Pass
2**	2837.000	39.97	-6.39	54.0	14.03	AV	297.00	400	Horizontal	Pass
3	4308.000	49.16	-4.70	74.0	24.84	Peak	272.00	150	Horizontal	Pass
3**	4308.000	39.89	-4.70	54.0	14.11	AV	272.00	150	Horizontal	Pass
4	5712.250	104.62	-2.83	--	127.38	Peak	232.00	200	Horizontal	N/A
4**	5712.250	96.51	-2.83	--	-96.51	AV	232.00	200	Horizontal	N/A
5	7613.750	53.73	3.10	74.0	20.27	Peak	313.00	150	Horizontal	Pass
5**	7613.750	50.48	3.10	54.0	3.52	AV	313.00	150	Horizontal	Pass
6	12119.912	49.92	3.84	74.0	24.08	Peak	199.00	400	Horizontal	Pass
6**	12119.912	40.48	3.84	54.0	13.52	AV	199.00	400	Horizontal	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.300	43.75	-14.35	74.0	30.25	Peak	140.00	400	Vertical	Pass
1**	1327.300	32.08	-14.35	54.0	21.92	AV	140.00	400	Vertical	Pass
2	2754.900	48.93	-6.60	74.0	25.07	Peak	155.00	100	Vertical	Pass
2**	2754.900	39.21	-6.60	54.0	14.79	AV	155.00	100	Vertical	Pass
3	4301.250	48.94	-4.78	74.0	25.06	Peak	51.00	150	Vertical	Pass
3**	4301.250	39.76	-4.78	54.0	14.24	AV	51.00	150	Vertical	Pass
4	5711.500	102.86	-2.85	--	91.14	Peak	194.00	100	Vertical	N/A
4**	5711.500	94.68	-2.85	--	-94.68	AV	194.00	100	Vertical	N/A
5	7613.750	54.25	3.10	74.0	19.75	Peak	357.00	150	Vertical	Pass
5**	7613.750	50.34	3.10	54.0	3.66	AV	357.00	150	Vertical	Pass
6	12015.887	50.44	3.02	74.0	23.56	Peak	0.00	100	Vertical	Pass
6**	12015.887	40.24	3.02	54.0	13.76	AV	0.00	100	Vertical	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1372.600	41.69	-14.34	74.0	32.31	Peak	73.00	400	Horizontal	Pass
1**	1372.600	32.18	-14.34	54.0	21.82	AV	73.00	400	Horizontal	Pass
2	2876.600	48.76	-6.32	74.0	25.24	Peak	44.00	200	Horizontal	Pass
2**	2876.600	38.91	-6.32	54.0	15.09	AV	44.00	200	Horizontal	Pass
3	4317.250	49.22	-4.76	74.0	24.78	Peak	274.00	100	Horizontal	Pass
3**	4317.250	39.69	-4.76	54.0	14.31	AV	274.00	100	Horizontal	Pass
4	5718.500	106.96	-2.66	--	126.04	Peak	233.00	100	Horizontal	N/A
4**	5718.500	98.05	-2.66	--	-98.05	AV	233.00	100	Horizontal	N/A
5	7627.000	53.10	2.99	74.0	20.90	Peak	274.00	150	Horizontal	Pass
5**	7627.000	50.57	2.99	54.0	3.43	AV	274.00	150	Horizontal	Pass
6	11952.474	50.50	3.14	74.0	23.50	Peak	179.00	300	Horizontal	Pass
6**	11952.474	41.42	3.14	54.0	12.58	AV	179.00	300	Horizontal	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.000	45.95	-14.53	74.0	28.05	Peak	94.00	200	Vertical	Pass
1**	1333.000	33.49	-14.53	54.0	20.51	AV	94.00	200	Vertical	Pass
2	2857.100	48.58	-6.19	74.0	25.42	Peak	334.00	400	Vertical	Pass
2**	2857.100	40.21	-6.19	54.0	13.79	AV	334.00	400	Vertical	Pass
3	4185.500	48.83	-4.96	74.0	25.17	Peak	264.00	100	Vertical	Pass
3**	4185.500	38.85	-4.96	54.0	15.15	AV	264.00	100	Vertical	Pass
4	5718.750	106.36	-2.65	--	97.64	Peak	204.00	200	Vertical	N/A
4**	5718.750	96.74	-2.65	--	-96.74	AV	204.00	200	Vertical	N/A
5	7627.000	52.28	2.99	74.0	21.72	Peak	346.00	150	Vertical	Pass
5**	7627.000	50.38	2.99	54.0	3.62	AV	346.00	150	Vertical	Pass
6	11947.963	51.14	3.10	74.0	22.86	Peak	210.00	200	Vertical	Pass
6**	11947.963	40.67	3.10	54.0	13.33	AV	210.00	200	Vertical	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1363.200	41.72	-14.27	74.0	32.28	Peak	138.00	200	Horizontal	Pass
1**	1363.200	32.25	-14.27	54.0	21.75	AV	138.00	200	Horizontal	Pass
2	2730.900	49.69	-6.32	74.0	24.31	Peak	266.00	100	Horizontal	Pass
2**	2730.900	39.08	-6.32	54.0	14.92	AV	266.00	100	Horizontal	Pass
3	4257.500	48.96	-4.51	74.0	25.04	Peak	142.00	150	Horizontal	Pass
3**	4257.500	39.70	-4.51	54.0	14.30	AV	142.00	150	Horizontal	Pass
4	5713.000	103.88	-2.78	--	18.12	Peak	122.00	300	Horizontal	N/A
4**	5713.000	95.87	-2.78	--	-95.87	AV	122.00	300	Horizontal	N/A
5	7613.500	53.46	3.12	74.0	20.54	Peak	264.00	150	Horizontal	Pass
5**	7613.500	50.83	3.12	54.0	3.17	AV	264.00	150	Horizontal	Pass
6	12388.287	50.27	4.18	74.0	23.73	Peak	191.00	300	Horizontal	Pass
6**	12388.287	41.20	4.18	54.0	12.80	AV	191.00	300	Horizontal	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.400	43.75	-14.39	74.0	30.25	Peak	104.00	400	Vertical	Pass
1**	1329.400	34.01	-14.39	54.0	19.99	AV	104.00	400	Vertical	Pass
2	2870.500	48.04	-6.53	74.0	25.96	Peak	13.00	400	Vertical	Pass
2**	2870.500	38.82	-6.53	54.0	15.18	AV	13.00	400	Vertical	Pass
3	4174.000	48.89	-4.77	74.0	25.11	Peak	360.00	200	Vertical	Pass
3**	4174.000	38.91	-4.77	54.0	15.09	AV	360.00	200	Vertical	Pass
4	5712.500	102.80	-2.81	--	99.20	Peak	202.00	300	Vertical	N/A
4**	5712.500	94.37	-2.81	--	-94.37	AV	202.00	300	Vertical	N/A
5	7613.500	54.74	3.12	74.0	19.26	Peak	29.00	150	Vertical	Pass
5**	7613.500	50.41	3.12	54.0	3.59	AV	29.00	150	Vertical	Pass
6	11944.875	49.83	3.10	74.0	24.17	Peak	102.00	400	Vertical	Pass
6**	11944.875	40.25	3.10	54.0	13.75	AV	102.00	400	Vertical	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1407.800	41.69	-14.07	74.0	32.31	Peak	107.00	400	Horizontal	Pass
1**	1407.800	32.32	-14.07	54.0	21.68	AV	107.00	400	Horizontal	Pass
2	2749.700	48.17	-6.32	74.0	25.83	Peak	161.00	400	Horizontal	Pass
2**	2749.700	39.39	-6.32	54.0	14.61	AV	161.00	400	Horizontal	Pass
3	4237.000	49.01	-4.92	74.0	24.99	Peak	250.00	150	Horizontal	Pass
3**	4237.000	39.09	-4.92	54.0	14.91	AV	250.00	150	Horizontal	Pass
4	5696.750	100.91	-2.34	--	20.09	Peak	121.00	200	Horizontal	N/A
4**	5696.750	92.42	-2.34	--	-92.42	AV	121.00	200	Horizontal	N/A
5	7587.000	52.21	1.86	74.0	21.79	Peak	271.00	150	Horizontal	Pass
5**	7587.000	50.72	1.86	54.0	3.28	AV	271.00	150	Horizontal	Pass
6	12233.437	50.35	3.80	74.0	23.65	Peak	0.00	300	Horizontal	Pass
6**	12233.437	40.43	3.80	54.0	13.57	AV	0.00	300	Horizontal	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.200	42.47	-14.31	74.0	31.53	Peak	132.00	200	Vertical	Pass
1**	1328.200	33.46	-14.31	54.0	20.54	AV	132.00	200	Vertical	Pass
2	2820.100	48.59	-6.42	74.0	25.41	Peak	320.00	300	Vertical	Pass
2**	2820.100	39.88	-6.42	54.0	14.12	AV	320.00	300	Vertical	Pass
3	4265.000	48.95	-4.66	74.0	25.05	Peak	66.00	100	Vertical	Pass
3**	4265.000	40.44	-4.66	54.0	13.56	AV	66.00	100	Vertical	Pass
4	5691.500	99.61	-2.70	--	102.39	Peak	202.00	300	Vertical	N/A
4**	5691.500	91.03	-2.70	--	-91.03	AV	202.00	300	Vertical	N/A
5	7586.750	54.07	1.85	74.0	19.93	Peak	346.00	150	Vertical	Pass
5**	7586.750	50.34	1.85	54.0	3.66	AV	346.00	150	Vertical	Pass
6	12105.187	50.31	3.57	74.0	23.69	Peak	0.00	400	Vertical	Pass
6**	12105.187	40.48	3.57	54.0	13.52	AV	0.00	400	Vertical	Pass

A.6.2 Band Edge (Restricted-band)


Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass

	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass

Test Band	Mode	Channel	Verdict
U-NII-2C&U-NII-3	802.11a	144	Pass
	802.11n(HT20)	144	Pass
	802.11n(HT40)	142	Pass
	802.11ac(VHT20)	144	Pass
	802.11ac(VHT40)	142	Pass
	802.11ac(VHT80)	138	Pass


Test Data

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5135.050	58.69	2.58	74.0	15.31	Peak	259.00	400	Horizontal	Pass
1**	5135.050	47.76	2.58	54.0	6.24	AV	259.00	400	Horizontal	Pass
2	5150.000	56.81	2.39	74.0	17.19	Peak	259.00	400	Horizontal	Pass
2**	5150.000	47.36	2.39	54.0	6.64	AV	259.00	400	Horizontal	Pass
3	5139.600	58.58	2.43	74.0	15.42	Peak	254.00	200	Horizontal	Pass
3**	5139.600	48.01	2.43	54.0	5.99	AV	254.00	200	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.62	2.63	74.0	18.38	Peak	145.00	200	Horizontal	Pass
1**	5350.000	45.19	2.63	54.0	8.81	AV	145.00	200	Horizontal	Pass
2	5371.633	57.38	2.55	74.0	16.62	Peak	135.00	100	Horizontal	Pass
2**	5371.633	45.38	2.55	54.0	8.62	AV	135.00	100	Horizontal	Pass
3	5372.917	55.93	2.53	74.0	18.07	Peak	352.00	100	Horizontal	Pass
3**	5372.917	45.58	2.53	54.0	8.42	AV	352.00	100	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.675	57.76	2.53	74.0	16.24	Peak	259.00	300	Horizontal	Pass
1**	5136.675	47.06	2.53	54.0	6.94	AV	259.00	300	Horizontal	Pass
2	5150.000	56.58	2.39	74.0	17.42	Peak	107.00	100	Horizontal	Pass
2**	5150.000	47.19	2.39	54.0	6.81	AV	107.00	100	Horizontal	Pass
3	5138.625	56.56	2.44	74.0	17.44	Peak	261.00	150	Horizontal	Pass
3**	5138.625	48.40	2.44	54.0	5.60	AV	261.00	150	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.56	2.63	74.0	18.44	Peak	143.00	400	Horizontal	Pass
1**	5350.000	45.16	2.63	54.0	8.84	AV	143.00	400	Horizontal	Pass
2	5372.733	57.33	2.53	74.0	16.67	Peak	180.00	100	Horizontal	Pass
2**	5372.733	45.43	2.53	54.0	8.57	AV	180.00	100	Horizontal	Pass
3	5372.550	55.39	2.54	74.0	18.61	Peak	196.00	150	Horizontal	Pass
3**	5372.550	45.66	2.54	54.0	8.34	AV	196.00	150	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.91	2.39	74.0	10.09	Peak	259.00	100	Horizontal	Pass
1**	5150.000	49.56	2.39	54.0	4.44	AV	259.00	100	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.68	2.63	74.0	18.32	Peak	246.00	100	Horizontal	Pass
1**	5350.000	45.32	2.63	54.0	8.68	AV	246.00	100	Horizontal	Pass
2	5435.983	57.52	2.09	74.0	16.48	Peak	316.00	300	Horizontal	Pass
2**	5435.983	44.93	2.09	54.0	9.07	AV	316.00	300	Horizontal	Pass
3	5353.117	55.56	2.63	74.0	18.44	Peak	239.00	400	Horizontal	Pass
3**	5353.117	45.66	2.63	54.0	8.34	AV	239.00	400	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	58.39	2.35	74.0	15.61	Peak	256.00	100	Horizontal	Pass
1**	5146.750	47.39	2.35	54.0	6.61	AV	256.00	100	Horizontal	Pass
2	5150.000	56.66	2.39	74.0	17.34	Peak	269.00	300	Horizontal	Pass
2**	5150.000	47.46	2.39	54.0	6.54	AV	269.00	300	Horizontal	Pass
3	5138.950	56.15	2.44	74.0	17.85	Peak	152.00	150	Horizontal	Pass
3**	5138.950	48.16	2.44	54.0	5.84	AV	152.00	150	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.73	2.63	74.0	18.27	Peak	101.00	200	Horizontal	Pass
1**	5350.000	45.11	2.63	54.0	8.89	AV	101.00	200	Horizontal	Pass
2	5376.766	58.06	2.39	74.0	15.94	Peak	270.00	200	Horizontal	Pass
2**	5376.766	45.30	2.39	54.0	8.70	AV	270.00	200	Horizontal	Pass
3	5352.750	55.72	2.65	74.0	18.28	Peak	136.00	200	Horizontal	Pass
3**	5352.750	45.60	2.65	54.0	8.40	AV	136.00	200	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.050	59.76	2.39	74.0	14.24	Peak	257.00	200	Horizontal	Pass
1**	5148.050	49.07	2.39	54.0	4.93	AV	257.00	200	Horizontal	Pass
2	5150.000	58.77	2.39	74.0	15.23	Peak	257.00	200	Horizontal	Pass
2**	5150.000	50.19	2.39	54.0	3.81	AV	257.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.06	2.63	74.0	18.94	Peak	320.00	200	Horizontal	Pass
1**	5350.000	45.23	2.63	54.0	8.77	AV	320.00	200	Horizontal	Pass
2	5356.050	57.98	2.47	74.0	16.02	Peak	73.00	200	Horizontal	Pass
2**	5356.050	45.43	2.47	54.0	8.57	AV	73.00	200	Horizontal	Pass
3	5373.834	55.46	2.49	74.0	18.54	Peak	261.00	300	Horizontal	Pass
3**	5373.834	45.64	2.49	54.0	8.36	AV	261.00	300	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.71	2.39	74.0	10.29	Peak	106.00	400	Horizontal	Pass
1**	5150.000	48.06	2.39	54.0	5.94	AV	106.00	400	Horizontal	Pass
2	5145.125	60.45	2.40	74.0	13.55	Peak	106.00	400	Horizontal	Pass
2**	5145.125	48.45	2.40	54.0	5.55	AV	106.00	400	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.89	2.63	74.0	18.11	Peak	16.00	300	Horizontal	Pass
1**	5350.000	45.33	2.63	54.0	8.67	AV	16.00	300	Horizontal	Pass
2	5355.500	57.44	2.50	74.0	16.56	Peak	59.00	100	Horizontal	Pass
2**	5355.500	45.35	2.50	54.0	8.65	AV	59.00	100	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	57.27	2.40	74.0	16.73	Peak	117.00	200	Horizontal	Pass
1**	5149.675	45.49	2.40	54.0	8.51	AV	117.00	200	Horizontal	Pass
2	5150.000	55.83	2.39	74.0	18.17	Peak	353.00	100	Horizontal	Pass
2**	5150.000	45.57	2.39	54.0	8.43	AV	353.00	100	Horizontal	Pass
3	5051.525	54.95	2.69	74.0	19.05	Peak	200.00	200	Horizontal	Pass
3**	5051.525	46.30	2.69	54.0	7.70	AV	200.00	200	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.99	2.63	74.0	17.01	Peak	23.00	200	Horizontal	Pass
1**	5350.000	46.99	2.63	54.0	7.01	AV	23.00	200	Horizontal	Pass
2	5351.100	59.40	2.66	74.0	14.60	Peak	285.00	100	Horizontal	Pass
2**	5351.100	46.72	2.66	54.0	7.28	AV	285.00	100	Horizontal	Pass
3	5350.367	56.62	2.64	74.0	17.38	Peak	276.00	150	Horizontal	Pass
3**	5350.367	47.19	2.64	54.0	6.81	AV	276.00	150	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5073.950	57.43	2.16	74.0	16.57	Peak	271.00	300	Horizontal	Pass
1**	5073.950	45.34	2.16	54.0	8.66	AV	271.00	300	Horizontal	Pass
2	5150.000	55.78	2.39	74.0	18.22	Peak	199.00	400	Horizontal	Pass
2**	5150.000	45.87	2.39	54.0	8.13	AV	199.00	400	Horizontal	Pass
3	5011.550	55.63	2.54	74.0	18.37	Peak	360.00	150	Horizontal	Pass
3**	5011.550	46.22	2.54	54.0	7.78	AV	360.00	150	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.57	2.63	74.0	17.43	Peak	303.00	100	Horizontal	Pass
1**	5350.000	46.57	2.63	54.0	7.43	AV	303.00	100	Horizontal	Pass
2	5350.733	58.18	2.66	74.0	15.82	Peak	122.00	400	Horizontal	Pass
2**	5350.733	46.80	2.66	54.0	7.20	AV	122.00	400	Horizontal	Pass
3	5351.467	56.98	2.65	74.0	17.02	Peak	295.00	400	Horizontal	Pass
3**	5351.467	47.07	2.65	54.0	6.93	AV	295.00	400	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5016.425	57.89	2.44	74.0	16.11	Peak	225.00	300	Horizontal	Pass
1**	5016.425	45.59	2.44	54.0	8.41	AV	225.00	300	Horizontal	Pass
2	5150.000	55.81	2.39	74.0	18.19	Peak	155.00	400	Horizontal	Pass
2**	5150.000	45.72	2.39	54.0	8.28	AV	155.00	400	Horizontal	Pass
3	5130.500	56.02	2.57	74.0	17.98	Peak	323.00	150	Horizontal	Pass
3**	5130.500	46.47	2.57	54.0	7.53	AV	323.00	150	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.37	2.63	74.0	15.63	Peak	261.00	300	Horizontal	Pass
1**	5350.000	48.45	2.63	54.0	5.55	AV	261.00	300	Horizontal	Pass
2	5352.383	58.88	2.65	74.0	15.12	Peak	279.00	400	Horizontal	Pass
2**	5352.383	48.10	2.65	54.0	5.90	AV	279.00	400	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4999.850	57.44	2.48	74.0	16.56	Peak	1.00	400	Horizontal	Pass
1**	4999.850	45.48	2.48	54.0	8.52	AV	1.00	400	Horizontal	Pass
2	5150.000	55.31	2.39	74.0	18.69	Peak	0.00	400	Horizontal	Pass
2**	5150.000	45.73	2.39	54.0	8.27	AV	0.00	400	Horizontal	Pass
3	5137.650	55.69	2.48	74.0	18.31	Peak	339.00	150	Horizontal	Pass
3**	5137.650	46.43	2.48	54.0	7.57	AV	339.00	150	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.69	2.63	74.0	15.31	Peak	298.00	100	Horizontal	Pass
1**	5350.000	46.54	2.63	54.0	7.46	AV	298.00	100	Horizontal	Pass
2	5352.383	56.04	2.65	74.0	17.96	Peak	266.00	150	Horizontal	Pass
2**	5352.383	46.94	2.65	54.0	7.06	AV	266.00	150	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5029.750	57.17	2.74	74.0	16.83	Peak	240.00	200	Horizontal	Pass
1**	5029.750	45.84	2.74	54.0	8.16	AV	240.00	200	Horizontal	Pass
2	5150.000	55.22	2.39	74.0	18.78	Peak	226.00	200	Horizontal	Pass
2**	5150.000	45.94	2.39	54.0	8.06	AV	226.00	200	Horizontal	Pass
3	5134.075	55.77	2.59	74.0	18.23	Peak	231.00	150	Horizontal	Pass
3**	5134.075	46.49	2.59	54.0	7.51	AV	231.00	150	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.43	2.63	74.0	16.57	Peak	302.00	100	Horizontal	Pass
1**	5350.000	47.62	2.63	54.0	6.38	AV	302.00	100	Horizontal	Pass
2	5374.567	59.17	2.47	74.0	14.83	Peak	91.00	100	Horizontal	Pass
2**	5374.567	46.43	2.47	54.0	7.57	AV	91.00	100	Horizontal	Pass
3	5350.367	57.16	2.64	74.0	16.84	Peak	292.00	150	Horizontal	Pass
3**	5350.367	47.69	2.64	54.0	6.31	AV	292.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5006.675	57.37	2.52	74.0	16.63	Peak	220.00	400	Horizontal	Pass
1**	5006.675	45.50	2.52	54.0	8.50	AV	220.00	400	Horizontal	Pass
2	5150.000	55.45	2.39	74.0	18.55	Peak	47.00	100	Horizontal	Pass
2**	5150.000	45.67	2.39	54.0	8.33	AV	47.00	100	Horizontal	Pass
3	5131.800	55.08	2.65	74.0	18.92	Peak	2.00	300	Horizontal	Pass
3**	5131.800	46.57	2.65	54.0	7.43	AV	2.00	300	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	67.41	2.63	74.0	6.59	Peak	284.00	300	Horizontal	Pass
1**	5350.000	50.62	2.63	54.0	3.38	AV	284.00	300	Horizontal	Pass
2	5352.567	69.41	2.65	74.0	4.59	Peak	284.00	300	Horizontal	Pass
2**	5352.567	50.80	2.65	54.0	3.20	AV	284.00	300	Horizontal	Pass
3	5353.300	68.78	2.62	74.0	5.22	Peak	284.00	300	Horizontal	Pass
3**	5353.300	50.94	2.62	54.0	3.06	AV	284.00	300	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.600	58.08	2.31	74.0	15.92	Peak	280.00	300	Horizontal	Pass
1**	5457.600	46.12	2.31	54.0	7.88	AV	280.00	300	Horizontal	Pass
2	5460.000	55.92	2.40	74.0	18.08	Peak	10.00	200	Horizontal	Pass
2**	5460.000	46.23	2.40	54.0	7.77	AV	10.00	200	Horizontal	Pass
3	5469.600	58.36	2.48	68.2	9.84	Peak	236.00	400	Horizontal	Pass
3**	5469.600	46.42	2.48	--	--	AV	236.00	400	Horizontal	N/A
4	5470.000	56.40	2.49	68.2	11.80	Peak	255.00	400	Horizontal	Pass
4**	5470.000	46.50	2.49	--	--	AV	255.00	400	Horizontal	N/A
5	5458.400	56.65	2.36	74.0	17.35	Peak	116.00	150	Horizontal	Pass
5**	5458.400	46.46	2.36	54.0	7.54	AV	116.00	150	Horizontal	Pass

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.82	2.90	68.2	9.38	Peak	107.00	100	Horizontal	Pass
2	5747.916	60.80	2.99	68.2	7.40	Peak	98.00	200	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5371.800	57.72	2.55	74.0	16.28	Peak	63.00	400	Horizontal	Pass
1**	5371.800	45.38	2.55	54.0	8.62	AV	63.00	400	Horizontal	Pass
2	5460.000	56.34	2.40	74.0	17.66	Peak	278.00	400	Horizontal	Pass
2**	5460.000	46.27	2.40	54.0	7.73	AV	278.00	400	Horizontal	Pass
3	5460.600	58.10	2.39	68.2	10.10	Peak	277.00	200	Horizontal	Pass
3**	5460.600	46.24	2.39	--	--	AV	277.00	200	Horizontal	N/A
4	5470.000	56.40	2.49	68.2	11.80	Peak	244.00	300	Horizontal	Pass
4**	5470.000	46.34	2.49	--	--	AV	244.00	300	Horizontal	N/A
5	5459.600	56.16	2.40	74.0	17.84	Peak	104.00	150	Horizontal	Pass
5**	5459.600	46.49	2.40	54.0	7.51	AV	104.00	150	Horizontal	Pass

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.14	2.90	68.2	10.06	Peak	244.00	100	Horizontal	Pass
2	5832.916	58.57	3.28	68.2	9.63	Peak	183.00	300	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.000	58.30	2.33	74.0	15.70	Peak	124.00	100	Horizontal	Pass
1**	5458.000	46.32	2.33	54.0	7.68	AV	124.00	100	Horizontal	Pass
2	5460.000	56.75	2.40	74.0	17.25	Peak	284.00	300	Horizontal	Pass
2**	5460.000	46.90	2.40	54.0	7.10	AV	284.00	300	Horizontal	Pass
3	5470.000	60.39	2.49	68.2	7.81	Peak	274.00	100	Horizontal	Pass
3**	5470.000	48.73	2.49	--	--	AV	274.00	100	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.49	2.90	68.2	10.71	Peak	119.00	200	Horizontal	Pass
2	5837.500	58.65	3.22	68.2	9.55	Peak	90.00	200	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.600	57.58	2.28	74.0	16.42	Peak	5.00	300	Horizontal	Pass
1**	5445.600	45.96	2.28	54.0	8.04	AV	5.00	300	Horizontal	Pass
2	5460.000	56.64	2.40	74.0	17.36	Peak	2.00	400	Horizontal	Pass
2**	5460.000	46.33	2.40	54.0	7.67	AV	2.00	400	Horizontal	Pass
3	5470.000	58.16	2.49	68.2	10.04	Peak	96.00	200	Horizontal	Pass
3**	5470.000	46.46	2.49	--	-46.46	AV	96.00	200	Horizontal	N/A
4	5459.000	56.37	2.40	74.0	17.63	Peak	96.00	150	Horizontal	Pass
4**	5459.000	46.49	2.40	54.0	7.51	AV	96.00	150	Horizontal	Pass

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.60	2.90	68.2	10.60	Peak	240.00	400	Horizontal	Pass
2	5803.542	59.15	3.34	68.2	9.05	Peak	205.00	400	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5450.800	61.69	2.17	74.0	12.31	Peak	285.00	400	Horizontal	Pass
1**	5450.800	45.94	2.17	54.0	8.06	AV	285.00	400	Horizontal	Pass
2	5460.000	56.23	2.40	74.0	17.77	Peak	272.00	300	Horizontal	Pass
2**	5460.000	46.32	2.40	54.0	7.68	AV	272.00	300	Horizontal	Pass
3	5465.600	60.84	2.58	68.2	7.36	Peak	172.00	100	Horizontal	Pass
3**	5465.600	47.36	2.58	--	--	AV	172.00	100	Horizontal	N/A
4	5470.000	58.58	2.49	68.2	9.62	Peak	289.00	400	Horizontal	Pass
4**	5470.000	47.83	2.49	--	--	AV	289.00	400	Horizontal	N/A
5	5457.600	56.77	2.31	74.0	17.23	Peak	282.00	150	Horizontal	Pass
5**	5457.600	46.44	2.31	54.0	7.56	AV	282.00	150	Horizontal	Pass

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.16	2.90	68.2	11.04	Peak	220.00	300	Horizontal	Pass
2	5790.000	58.64	3.39	68.2	9.56	Peak	272.00	300	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.000	64.30	2.22	74.0	9.70	Peak	284.00	100	Horizontal	Pass
1**	5452.000	49.70	2.22	54.0	4.30	AV	284.00	100	Horizontal	Pass
2	5459.400	60.62	2.41	74.0	13.38	Peak	284.00	100	Horizontal	Pass
2**	5459.400	49.99	2.41	54.0	4.01	AV	284.00	100	Horizontal	Pass
3	5468.200	63.68	2.43	68.2	4.52	Peak	284.00	100	Horizontal	Pass
3**	5468.200	49.48	2.43	--	--	AV	284.00	100	Horizontal	N/A
4	5470.000	63.05	2.49	68.2	5.15	Peak	284.00	100	Horizontal	Pass
4**	5470.000	49.43	2.49	--	--	AV	284.00	100	Horizontal	N/A
5	5458.800	61.28	2.39	74.0	12.72	Peak	284.00	100	Horizontal	Pass
5**	5458.800	50.00	2.39	54.0	4.00	AV	284.00	100	Horizontal	Pass

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.43	2.90	68.2	11.77	Peak	138.00	200	Horizontal	Pass
2	5844.167	58.48	3.26	68.2	9.72	Peak	70.00	200	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.584	57.77	2.60	68.2	10.43	Peak	42.00	200	Horizontal	Pass
2	5650.000	56.31	2.56	68.2	11.89	Peak	144.00	200	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.27	4.03	68.4	11.13	Peak	119.00	200	Horizontal	Pass
2	5939.500	58.93	4.30	68.2	9.27	Peak	246.00	100	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5600.208	57.59	2.55	68.2	10.61	Peak	214.00	300	Horizontal	Pass
2	5650.000	55.77	2.56	68.2	12.43	Peak	262.00	400	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.82	4.03	68.4	10.58	Peak	189.00	400	Horizontal	Pass
2	5935.500	58.76	4.35	68.2	9.44	Peak	241.00	400	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5612.500	58.07	2.68	68.2	10.13	Peak	82.00	200	Horizontal	Pass
2	5650.000	56.23	2.56	68.2	11.97	Peak	99.00	300	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.21	4.03	68.4	11.19	Peak	47.00	200	Horizontal	Pass
2	5965.750	59.36	3.90	68.2	8.84	Peak	146.00	100	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5615.834	57.60	2.68	68.2	10.60	Peak	0.00	100	Horizontal	Pass
2	5650.000	55.83	2.56	68.2	12.37	Peak	14.00	400	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.02	4.03	68.4	11.38	Peak	101.00	200	Horizontal	Pass
2	5942.000	58.85	4.12	68.2	9.35	Peak	356.00	400	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5625.417	57.70	2.59	68.2	10.50	Peak	182.00	300	Horizontal	Pass
2	5650.000	56.38	2.56	68.2	11.82	Peak	164.00	300	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.56	4.03	68.4	10.84	Peak	8.00	100	Horizontal	Pass
2	5937.250	58.66	4.45	68.2	9.54	Peak	13.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5615.416	58.31	2.68	68.2	9.89	Peak	360.00	300	Horizontal	Pass
2	5650.000	55.11	2.56	68.2	13.09	Peak	69.00	400	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.42	4.03	68.4	10.98	Peak	0.00	200	Horizontal	Pass
2	5939.500	58.89	4.30	68.2	9.31	Peak	160.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5371.400	57.11	2.55	74.0	16.89	Peak	323.00	400	Horizontal	Pass
1**	5371.400	45.32	2.55	54.0	8.68	AV	323.00	400	Horizontal	Pass
2	5460.000	56.85	2.40	74.0	17.15	Peak	282.00	400	Horizontal	Pass
2**	5460.000	45.45	2.40	54.0	8.55	AV	282.00	400	Horizontal	Pass
3	5467.400	57.03	2.43	68.2	11.17	Peak	336.00	400	Horizontal	Pass
3**	5467.400	45.32	2.43	--	--	AV	336.00	400	Horizontal	N/A
4	5470.000	56.08	2.49	68.2	12.12	Peak	186.00	400	Horizontal	Pass
4**	5470.000	45.36	2.49	--	--	AV	186.00	400	Horizontal	N/A
5	5448.400	55.31	2.35	74.0	18.69	Peak	148.00	150	Horizontal	Pass
5**	5448.400	45.58	2.35	54.0	8.42	AV	148.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11a 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	58.00	4.03	68.4	10.40	Peak	344.00	300	Horizontal	Pass
2	5944.000	58.61	4.02	68.2	9.59	Peak	92.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5373.000	57.35	2.52	74.0	16.65	Peak	186.00	200	Horizontal	Pass
1**	5373.000	45.35	2.52	54.0	8.65	AV	186.00	200	Horizontal	Pass
2	5460.000	56.20	2.40	74.0	17.80	Peak	86.00	400	Horizontal	Pass
2**	5460.000	45.39	2.40	54.0	8.61	AV	86.00	400	Horizontal	Pass
3	5463.800	57.86	2.44	68.2	10.34	Peak	4.00	300	Horizontal	Pass
3**	5463.800	45.33	2.44	--	-45.33	AV	4.00	300	Horizontal	N/A
4	5470.000	55.86	2.49	68.2	12.34	Peak	7.00	400	Horizontal	Pass
4**	5470.000	45.43	2.49	--	-45.43	AV	7.00	400	Horizontal	N/A

U-NII-2C&U-NII-3 11n20 144 Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	58.26	4.03	68.4	10.14	Peak	353.00	100	Horizontal	Pass
2	5940.250	59.74	4.24	68.2	8.46	Peak	215.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11n40 142 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.200	57.43	2.28	74.0	16.57	Peak	271.00	300	Horizontal	Pass
1**	5445.200	45.24	2.28	54.0	8.76	AV	271.00	300	Horizontal	Pass
2	5460.000	55.65	2.40	74.0	18.35	Peak	256.00	200	Horizontal	Pass
2**	5460.000	45.42	2.40	54.0	8.58	AV	256.00	200	Horizontal	Pass
3	5467.200	57.38	2.44	68.2	10.82	Peak	290.00	100	Horizontal	Pass
3**	5467.200	45.32	2.44	--	--	AV	290.00	100	Horizontal	N/A
4	5470.000	55.76	2.49	68.2	12.44	Peak	214.00	300	Horizontal	Pass
4**	5470.000	45.30	2.49	--	--	AV	214.00	300	Horizontal	N/A
5	5375.200	56.00	2.45	74.0	18.00	Peak	5.00	300	Horizontal	Pass
5**	5375.200	45.69	2.45	54.0	8.31	AV	5.00	300	Horizontal	Pass

U-NII-2C&U-NII-3 11n40 142 Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.73	4.03	68.4	10.67	Peak	186.00	200	Horizontal	Pass
2	5937.750	59.33	4.42	68.2	8.87	Peak	170.00	400	Horizontal	Pass