


Attachment - C

Hopping Channel Carrier Frequency Separated

Hopping Channel Carrier Frequency Separated



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 100 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 100 KHz

Sweep Time: 20 ms

Mode: Hopping Channel Carrier Frequency Separated


Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		2402.170	2.60	0.00	2.60			peak		
2		2403.170	2.60	0.00	2.60			peak		
3	*	2404.170	2.63	0.00	2.63			peak		

Attachment - D

Number of Hopping Channel

Number of Hopping Channel



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 100 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 100 KHz

Sweep Time: 200 ms

Mode: Number of Hopping Frequency

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		2402.000	2.39	0.00	2.39					peak
2		2403.000	2.24	0.00	2.24					peak
3		2404.000	1.99	0.00	1.99					peak
4		2405.000	2.51	0.00	2.51					peak
5		2406.000	2.03	0.00	2.03					peak
6		2407.000	2.61	0.00	2.61					peak
7		2408.000	1.99	0.00	1.99					peak
8		2409.000	2.43	0.00	2.43					peak
9		2410.000	2.00	0.00	2.00					peak
10		2411.000	2.05	0.00	2.05					peak
11		2412.000	2.42	0.00	2.42					peak
12		2413.000	2.13	0.00	2.13					peak

No.	Mk.	Freq.	Reading Level	Factor	Measure- ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
13		2414.000	2.73	0.00	2.73			peak		
14		2415.000	2.54	0.00	2.54			peak		
15		2416.000	2.11	0.00	2.11			peak		
16		2417.000	2.72	0.00	2.72			peak		
17		2418.000	2.20	0.00	2.20			peak		
18		2419.000	2.68	0.00	2.68			peak		
19		2420.000	2.16	0.00	2.16			peak		
20		2421.000	2.15	0.00	2.15			peak		
21		2422.000	2.58	0.00	2.58			peak		
22		2423.000	2.16	0.00	2.16			peak		
23		2424.000	2.48	0.00	2.48			peak		
24		2425.000	2.15	0.00	2.15			peak		
25		2426.000	2.49	0.00	2.49			peak		
26		2427.000	2.75	0.00	2.75			peak		
27		2428.000	2.14	0.00	2.14			peak		
28		2429.000	2.31	0.00	2.31			peak		
29		2430.000	2.37	0.00	2.37			peak		
30		2431.000	2.52	0.00	2.52			peak		
31		2432.000	2.56	0.00	2.56			peak		
32		2433.000	2.17	0.00	2.17			peak		
33		2434.000	2.40	0.00	2.40			peak		
34		2435.000	2.19	0.00	2.19			peak		
35		2436.000	2.21	0.00	2.21			peak		
36		2437.000	2.69	0.00	2.69			peak		
37		2438.000	2.48	0.00	2.48			peak		
38		2439.000	2.22	0.00	2.22			peak		
39		2440.000	2.50	0.00	2.50			peak		
40		2441.000	2.19	0.00	2.19			peak		
41		2442.000	2.37	0.00	2.37			peak		
42		2443.000	2.75	0.00	2.75			peak		
43		2444.000	2.17	0.00	2.17			peak		

No.	Mk.	Freq.	Reading Level	Factor	Measure- ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
44		2445.000	2.17	0.00	2.17			peak		
45		2446.000	2.43	0.00	2.43			peak		
46		2447.000	2.60	0.00	2.60			peak		
47		2448.000	2.54	0.00	2.54			peak		
48		2449.000	2.44	0.00	2.44			peak		
49		2450.000	2.32	0.00	2.32			peak		
50		2451.000	2.14	0.00	2.14			peak		
51		2452.000	2.80	0.00	2.80			peak		
52		2453.000	2.67	0.00	2.67			peak		
53		2454.000	2.29	0.00	2.29			peak		
54		2455.000	2.74	0.00	2.74			peak		
55		2456.000	2.22	0.00	2.22			peak		
56		2457.000	2.62	0.00	2.62			peak		
57		2458.000	2.18	0.00	2.18			peak		
58		2459.000	2.45	0.00	2.45			peak		
59		2460.000	2.53	0.00	2.53			peak		
60		2461.000	2.68	0.00	2.68			peak		
61		2462.000	2.67	0.00	2.67			peak		
62		2463.000	2.73	0.00	2.73			peak		
63		2464.000	2.77	0.00	2.77			peak		
64		2465.000	2.65	0.00	2.65			peak		
65		2466.000	2.52	0.00	2.52			peak		
66		2467.000	2.17	0.00	2.17			peak		
67		2468.000	2.80	0.00	2.80			peak		
68		2469.000	2.69	0.00	2.69			peak		
69		2470.000	2.13	0.00	2.13			peak		
70		2471.000	2.44	0.00	2.44			peak		
71		2472.000	2.82	0.00	2.82			peak		
72		2473.000	2.41	0.00	2.41			peak		
73		2474.000	2.66	0.00	2.66			peak		
74		2475.000	2.79	0.00	2.79			peak		
75		2476.000	2.82	0.00	2.82			peak		
76	*	2477.000	2.85	0.00	2.85			peak		
77		2478.000	2.74	0.00	2.74			peak		
78		2479.000	2.42	0.00	2.42			peak		
79		2480.000	2.76	0.00	2.76			peak		

Attachment - E

Average Time of Occupancy

Average Time of Occupancy


File :0505003

Data :#5

Date: 2005/5/19

Time: 下午 02:45:35

30.0 dBm



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 1000 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 1000 KHz

Sweep Time: 20 ms

Mode: Average Time of Occupancy-DH1

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	9.8400	2.66	0.00	2.66			peak		
2		10.0000	2.44	0.00	2.44			peak		


File :0505003

Data :#6

Date: 2005/5/19

Time: 下午 02:46:32

30.0 dBm



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 1000 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 1000 KHz

Sweep Time: 20 ms

Mode: Average Time of Occupancy-DH3

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree	Comment
1	*	6.4800	2.69	0.00	2.69			peak		
2		6.6400	2.56	0.00	2.56			peak		


File :0505003

Data :#7

Date: 2005/5/19

Time: 下午 02:51:08

30.0 dBm



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 1000 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 1000 KHz

Sweep Time: 20 ms

Mode: Average Time of Occupancy-DH5

Note:


No.	Mk.	Freq.	Reading Level	Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	cm	degree	Comment
1	*	3.8800	2.64	0.00	2.64					peak
2		4.0400	2.57	0.00	2.57					peak

Attachment - F

Bandwidth

Bandwidth

CH 1



Site CB03

Limit:

EUT: Blue Tango

M/N: BSR-50

Mode: Bandwidth-CH01

Note: 2402.426MHz-2401.538MHz=888kHz

Polarization:

Power:

Distance:

RBW: 30 KHz

VBW: 30 KHz

Temperature: 25 °C


Humidity: 60 %

Air Pressure: 1023 hpa

Sweep Time: 20 ms

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		2401.538	-19.73	0.00	-19.73	0.47	-20.20	peak		
2	*	2402.426	-19.63	0.00	-19.63	0.53	-20.16	peak		

CH 40



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 30 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 30 KHz

Sweep Time: 20 ms

Mode: Bandwidth-CH040

Note: 2441.426MHz-2440.538MHz=888kHz

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		2440.538	-19.53	0.00	-19.53	0.67	-20.20	peak		
2	*	2441.426	-19.19	0.00	-19.19	0.73	-19.92	peak		


CH 79

File :0505003

Data :#4

Date: 2005/5/19

Time: 下午 02:44:47



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 30 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 30 KHz

Sweep Time: 20 ms

Mode: Bandwidth-CH79

Note: 2480.426MHz-2479.538MHz=888kHz


No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1		2479.538	-19.41	0.00	-19.41	0.93	-20.34	peak		
2	*	2480.426	-19.46	0.00	-19.46	0.87	-20.33	peak		

Attachment - G

Peak Output Power

Peak Output Power

CH 1



Site CB03

Limit:

EUT: Blue Tango

M/N: BSR-50

Mode: Peak Output Power-CH1

Note:

Polarization:

Power:

Distance:

RBW: 3000 KHz

VBW: 3000 KHz

Temperature: 25 °C

Humidity: 60 %

Air Pressure: 1023 hpa

Sweep Time: 200 ms

No.	Mk.	Freq.	Reading Level	Factor	Measure- ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1	*	2401.890	2.63	0.00	2.63			peak		Comment

CH 40


File :0505003

Data :#9

Date: 2005/5/19

Time: 下午 02:55:30

10.0 dBm



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 3000 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 3000 KHz


Sweep Time: 200 ms

Mode: Peak Output Power-CH40

Note:

No.	Mk.	Freq. MHz	Reading Level dBm	Factor dB	Measure- ment dBm	Limit dBm	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	2440.780	3.07	0.00	3.07			peak		

CH 79



Site CB03	Polarization:	Temperature: 25 °C
Limit:	Power:	Humidity: 60 %
EUT: Blue Tango	Distance:	RBW: 3000 KHz
M/N: BSR-50		VBW: 3000 KHz
Mode: Peak Output Power-CH79		Sweep Time: 200 ms
Note:		

No.	Mk.	Freq.	Reading Level	Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1	*	2479.730	3.04	0.00	3.04			peak		Comment

Attachment - H

Antenna conducted Spurious Emission

Antenna conducted Spurious Emission


File :0505003

Data :#12

Date: 2005/5/19

Time: 下午 03:01:18

30.0 dBm



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 100 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 100 KHz

Sweep Time: 100 ms

Mode: Antenna conducted Spurious Emission

Note:

No.	Mk.	Freq.	Reading Level	Factor	Measure- ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1	*	2389.236	-30.90	0.00	-30.90	2.60	-33.50	peak		


File :0505003

Data :#13

Date: 2005/5/19

Time: 下午 03:59:36

30.0 dBm



Site CB03

Polarization:

Temperature: 25 °C

Limit:

Power:

Humidity: 60 %

EUT: Blue Tango

Distance:

RBW: 100 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 100 KHz

Sweep Time: 100 ms

Mode: Antenna conducted Spurious Emission

Note:

No.	Mk.	Freq.	Reading Level	Factor	Measure- ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBm	dB	dBm	dBm	dB	Detector	cm	degree
1	*	2496.808	-31.16	0.00	-31.16	2.83	-33.99	peak		Comment

Attachment - I

Restricted Bands Requirements

Restricted Bands Requirements


File :0505003

Data :#24

Date: 2005/05/20

Time: 下午 01:27:25

97.0 dBuV



Site CB03

Polarization: **Vertical**

Temperature: 25 °C

Limit: RF2.4G Radiation(PEAK)

Power:

Humidity: 60 %

EUT: Blue Tango

Distance: 3m

RBW: 1000 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 1000 KHz

Sweep Time: 200 ms

Mode: Restricted Bands Requirements

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	2399.652	77.59	-11.89	65.70	74.00	-8.30	peak		
2		2399.652	34.88	-11.89	22.99	54.00	-31.01	AVG		


File :0505003

Data :#25

Date: 2005/05/20

Time: 下午 01:34:59

97.0 dBuV



Site CB03

Limit: RF2.4G Radiation(PEAK)

EUT: Blue Tango

M/N: BSR-50

Mode: Restricted Bands Requirements

Note:

Polarization: **Horizontal**

Power:

Distance: 3m

RBW: 1000 KHz

VBW: 1000 KHz

Temperature: 25 °C

Humidity: 60 %

Air Pressure: 1023 hpa

Sweep Time: 200 ms

No.	Mk.	Freq. MHz	Reading Level dBuV	Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Antenna Height cm	Table Degree	Detector	Comment
1	*	2399.838	74.88	-11.89	62.99	74.00	-11.01			peak	
2		2399.838	37.67	-11.89	25.78	54.00	-28.22			AVG	


File :0505003

Data :#27

Date: 2005/05/20

Time: 下午 01:40:42

97.0 dBuV



Site CB03

Polarization: **Vertical**

Temperature: 25 °C

Limit: RF2.4G Radiation(PEAK)

Power:

Humidity: 60 %

EUT: Blue Tango

Distance: 3m

RBW: 1000 KHz

Air Pressure: 1023 hpa

M/N: BSR-50

VBW: 1000 KHz

Sweep Time: 200 ms

Mode: Restricted Bands Requirements

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Factor dB	Measure- ment dBuV	Limit dBuV	Over dB	Antenna Height cm	Table Degree degree	Comment
1	*	2483.830	63.86	-11.44	52.42	74.00	-21.58	peak		


File :0505003

Data :#26

Date: 2005/05/20

Time: 下午 01:38:48

97.0 dBuV



Site CB03

Limit: RF2.4G Radiation(PEAK)

EUT: Blue Tango

M/N: BSR-50

Mode: Restricted Bands Requirements

Note:

Polarization: *Horizontal*

Power:

Distance: 3m

RBW: 1000 KHz

VBW: 1000 KHz

Temperature: 25 °C

Humidity: 60 %

Air Pressure: 1023 hpa

Sweep Time: 200 ms

No.	Mk.	Freq.	Reading Level	Factor	Measure- ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV	dBuV	dB	Detector	cm	degree
1	*	2485.132	62.87	-11.43	51.44	74.00	-22.56	peak		Comment