








802.11a-Channel 48

802.11a-Channel 52



802.11a-Channel 60

802.11a-Channel 64




802.11a-Channel 100

802.11a-Channel 116




802.11a-Channel 140



802.11a-Channel 144





802.11a-Channel 144

802.11a-Channel 149




802.11a-Channel 157

802.11a-Channel 165




802.11ax HE20



Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
		Chain 0	Chain 1			
36	5180	0.91	1.54	4.35	11.00	Pass
40	5200	0.87	1.78	4.46	11.00	Pass
48	5240	0.90	1.77	4.47	11.00	Pass
52	5260	3.86	4.65	7.39	11.00	Pass
60	5300	3.45	4.53	7.13	11.00	Pass
64	5320	3.36	4.41	7.03	11.00	Pass
100	5500	3.63	4.67	7.30	11.00	Pass
116	5580	3.51	4.61	7.21	11.00	Pass
140	5700	3.42	4.27	6.98	11.00	Pass
144	5720	3.99	4.84	7.55	11.00	Pass



Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
		Chain 0	Chain 1			
144	5720	1.13	2.00	4.70	30.00	Pass
149	5745	1.78	1.54	4.78	30.00	Pass
157	5785	1.84	1.92	4.99	30.00	Pass
165	5825	1.35	1.73	4.66	30.00	Pass



802.11ax HE20-Channel 36

802.11ax HE20-Channel 40




802.11ax HE20-Channel 48

802.11ax HE20-Channel 52


802.11ax HE20-Channel 60

802.11ax HE20-Channel 64


802.11ax HE20-Channel 100

802.11ax HE20-Channel 116


802.11ax HE20-Channel 140

802.11ax HE20-Channel 144




802.11ax HE20-Channel 144

802.11ax HE20-Channel 149




802.11ax HE20-Channel 157

802.11ax HE20-Channel 165




802.11ax HE40



Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
		Chain 0	Chain 1			
38	5190	-0.98	-0.08	2.70	11.00	Pass
46	5230	0.39	1.09	3.96	11.00	Pass
54	5270	0.26	1.08	3.89	11.00	Pass
62	5310	-1.12	-0.16	2.60	11.00	Pass
102	5510	0.26	1.15	3.93	11.00	Pass
110	5550	0.28	1.20	3.97	11.00	Pass
134	5670	0.56	1.33	4.17	11.00	Pass
142	5710	0.60	1.34	4.19	11.00	Pass



Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
		Chain 0	Chain 1			
142	5710	-2.69	-1.67	1.06	30.00	Pass
151	5755	-1.41	-1.88	1.57	30.00	Pass
159	5795	-1.45	-1.55	1.71	30.00	Pass

802.11ax HE40-Channel 38

802.11ax HE40-Channel 46



802.11ax HE40-Channel 54

802.11ax HE40-Channel 62


802.11ax HE40-Channel 102

802.11ax HE40-Channel 110


802.11ax HE40-Channel 134

802.11ax HE40-Channel 142


802.11ax HE40-Channel 142

802.11ax HE40-Channel 151



802.11ax HE40-Channel 159







802.11ax HE80



Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
		Chain 0	Chain 1			
42	5210	-4.52	-3.84	-0.81	11.00	Pass
58	5290	-6.78	-5.91	-2.97	11.00	Pass
106	5530	-4.25	-3.45	-0.47	11.00	Pass
122	5610	-4.44	-3.59	-0.63	11.00	Pass
138	5690	-4.18	-3.37	-0.40	11.00	Pass

Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
		Chain 0	Chain 1			
138	5690	-7.37	-6.62	-3.62	30.00	Pass
155	5775	-6.50	-6.79	-3.29	30.00	Pass

802.11ax HE80-Channel 42



802.11ax HE80-Channel 58

802.11ax HE80-Channel 106



802.11ax HE80-Channel 122

802.11ax HE80-Channel 138


802.11ax HE80-Channel 138

802.11ax HE80-Channel 155


802.11ax HE160

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	50	5250	-11.63	-11.97	-8.45	11.00	Pass
U-NII-2A	50	5250	-12.46	-11.61	-8.67	11.00	Pass
U-NII-2C	114	5570	-9.04	-8.35	-5.34	11.00	Pass

802.11ax HE160-Channel 50-(U-NII-1)


802.11ax HE160-Channel 50-(U-NII-2A)

802.11ax HE160-Channel 114
