

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

Band Edges, 4.5GHz ~ 7GHz


U-NII-1

802.11a

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel.: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	69.83	28.31	41.52	74.00	-4.17	100	181	Peak	Horizontal	
2	5180.00	111.17	69.69	41.48	68.20	42.97	100	181	Peak	Horizontal	
3	5455.50	54.92	12.71	42.21	74.00	-19.08	100	181	Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel.: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	68.34	26.82	41.52	74.00	-5.66	220	170	Peak	Vertical	
2	5180.00	108.01	66.53	41.48	68.20	39.81	220	170	Peak	Vertical	
3	5379.50	55.14	13.01	42.13	74.00	-18.86	220	170	Peak	Vertical	

802.11a

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	52.92	11.40	41.52	54.00	-1.08	100	181 Average	Horizontal	
2 *	5180.00	101.10	59.62	41.48	54.00	47.10	100	181 Average	Horizontal	
3	5424.00	42.76	0.56	42.20	54.00	-11.24	100	181 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	49.04	7.52	41.52	54.00	-4.96	220	170 Average	Vertical	
2 *	5180.00	98.56	57.06	41.48	54.00	44.56	220	170 Average	Vertical	
3	5429.00	42.69	0.49	42.20	54.00	-11.31	220	170 Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5148.58	59.73	18.21	41.52	74.00	-14.27	100	180	Peak	Horizontal		
2 *	5200.00	111.25	69.00	41.45	68.20	43.05	100	180	Peak	Horizontal		
3	5362.00	55.93	13.85	42.08	74.00	-18.07	100	180	Peak	Horizontal		

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5146.00	56.35	14.82	41.53	74.00	-17.65	219	174	Peak	Vertical		
2 *	5200.00	106.02	64.57	41.45	68.20	37.82	219	174	Peak	Vertical		
3	5352.50	56.47	14.41	42.06	74.00	-17.53	219	174	Peak	Vertical		

802.11a

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5036.00	43.67	2.36	41.31	54.00	-10.33	100	180	Average	Horizontal	
2 *	5200.00	100.99	59.54	41.45	54.00	46.99	100	180	Average	Horizontal	
3	5356.50	44.53	2.46	42.07	54.00	-9.47	100	180	Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5036.00	43.10	1.77	41.33	54.00	-10.90	219	174	Average	Vertical	
2 *	5200.00	96.89	55.44	41.45	54.00	42.89	219	174	Average	Vertical	
3	5356.00	43.76	1.68	42.08	54.00	-10.24	219	174	Average	Vertical	


802.11a

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5081.50	55.71	14.21	41.50	74.00	-18.29	100	181	Peak	Horizontal	
2 *	5240.00	110.05	68.41	41.64	68.20	41.85	100	181	Peak	Horizontal	
3	5401.50	55.40	13.22	42.18	74.00	-18.60	100	181	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5086.00	55.25	13.73	41.52	74.00	-18.75	216	171	Peak	Vertical	
2 *	5240.00	100.03	66.39	41.64	68.20	39.83	216	171	Peak	Vertical	
3	5426.00	56.45	14.25	42.20	74.00	-17.55	216	171	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5083.50	44.05	2.54	41.51	54.00	-9.95	100	181 Average	Horizontal	
2 *	5240.00	100.95	59.31	41.64	54.00	46.95	100	181 Average	Horizontal	
3	5395.50	44.43	2.26	42.17	54.00	-9.57	100	181 Average	Horizontal	

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5083.50	43.84	2.34	41.50	54.00	-10.16	216	171 Average	Vertical	
2 *	5240.00	97.71	56.07	41.64	54.00	43.71	216	171 Average	Vertical	
3	5393.00	43.61	1.44	42.17	54.00	-10.39	216	171 Average	Vertical	

802.11ax HE20

CH 36 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5149.50	67.07	25.55	41.52	74.00	-6.93	100	183 Peak	Horizontal	
2 *	5180.00	109.41	67.93	41.48	68.28	41.21	100	183 Peak	Horizontal	
3	5376.50	55.79	13.67	42.12	74.00	-18.21	100	183 Peak	Horizontal	

CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	64.58	23.06	41.52	74.00	-9.42	217	171 Peak	Vertical	
2 *	5180.00	100.39	66.82	41.48	68.28	40.10	217	171 Peak	Vertical	
3	5388.00	55.29	13.13	42.16	74.00	-18.71	217	171 Peak	Vertical	

802.11ax HE20

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	50.00	8.48	41.52	54.00	-4.00	100	183	Average	Horizontal
2 *	5180.00	98.53	57.05	41.48	54.00	44.53	100	183	Average	Horizontal
3	5458.50	42.62	0.42	42.20	54.00	-11.38	100	183	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	47.04	5.52	41.52	54.00	-6.96	217	171	Average	Vertical
2 *	5180.00	97.18	55.70	41.48	54.00	43.18	217	171	Average	Vertical
3	5430.50	42.92	0.72	42.20	54.00	-11.08	217	171	Average	Vertical


802.11ax HE20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5189.00	55.15	13.58	41.57	74.00	-18.85	100	180	Peak	Horizontal	
2 *	5200.00	110.33	60.60	41.45	68.20	42.13	100	180	Peak	Horizontal	
3	5350.50	55.89	13.84	42.05	74.00	-18.11	100	180	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.50	54.91	13.36	41.55	74.00	-19.09	217	184	Peak	Horizontal	
2 *	5200.00	109.36	67.91	41.45	68.20	41.16	217	184	Peak	Horizontal	
3	5457.00	56.16	13.95	42.21	74.00	-17.84	217	184	Peak	Horizontal	

802.11ax HE20

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5041.50	43.20	1.87	41.33	54.00	-10.00	100	180	Average	Horizontal
2 *	5200.00	98.60	57.15	41.45	54.00	44.60	100	180	Average	Horizontal
3	5367.00	43.72	1.63	42.09	54.00	-10.28	100	180	Average	Horizontal

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5036.50	42.83	1.52	41.31	54.00	-11.17	217	184	Average	Horizontal
2 *	5200.00	98.79	57.34	41.45	54.00	44.79	217	184	Average	Horizontal
3	5364.00	43.46	1.37	42.09	54.00	-10.54	217	184	Average	Horizontal


802.11ax HE20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5089.50	55.42	13.88	41.54	74.00	-18.58	100	180	Peak	Horizontal
2 *	5240.00	109.81	68.17	41.64	68.20	41.61	100	180	Peak	Horizontal
3	5377.00	55.73	13.61	42.12	74.00	-18.27	100	180	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5142.00	54.29	12.76	41.53	74.00	-19.71	226	171	Peak	Vertical
2 *	5240.00	107.58	65.94	41.64	68.20	39.38	226	171	Peak	Vertical
3	5392.50	55.12	12.95	42.17	74.00	-18.88	226	171	Peak	Vertical

802.11ax HE20

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5085.00	43.35	1.83	41.52	54.00	-10.65	100	180	Average	Horizontal
2 *	5240.00	99.00	57.36	41.64	54.00	45.00	100	180	Average	Horizontal
3	5402.00	43.69	1.50	42.19	54.00	-10.31	100	180	Average	Horizontal

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5079.50	43.69	2.21	41.48	54.00	-10.31	226	171	Average	Vertical
2 *	5240.00	96.87	55.23	41.64	54.00	42.87	226	171	Average	Vertical
3	5404.50	43.18	0.99	42.19	54.00	-10.82	226	171	Average	Vertical


802.11ax HE40

CH 38 (Horizontal) Peak

CH 38 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5139.58	72.86	31.33	41.53	74.00	-1.14	100	180	Peak	Horizontal
2	5190.00	105.39	63.92	41.47	68.28	37.19	100	180	Peak	Horizontal
3	5425.00	55.98	13.78	42.20	74.00	-18.02	100	180	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5139.58	71.38	29.85	41.53	74.00	-2.62	215	171	Peak	Vertical
2	5190.00	103.10	61.63	41.47	68.28	34.90	215	171	Peak	Vertical
3	5396.00	55.34	13.17	42.17	74.00	-18.66	215	171	Peak	Vertical

802.11ax HE40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5137.00	47.78	6.24	41.54	54.00	-6.22	100	180	Average	Horizontal
2 *	5190.00	94.64	53.17	41.47	54.00	40.64	100	180	Average	Horizontal
3	5365.00	43.40	1.31	42.09	54.00	-10.60	100	180	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	48.87	7.35	41.52	54.00	-5.13	215	171	Average	Vertical
2 *	5190.00	91.85	59.38	41.47	54.00	37.85	215	171	Average	Vertical
3	5378.00	43.22	1.09	42.13	54.00	-10.78	215	171	Average	Vertical


802.11ax HE40

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5142.50	63.36	21.84	41.52	74.00	-10.64	106	180	Peak	Horizontal
2 *	5230.00	106.34	64.75	41.59	68.20	36.14	106	180	Peak	Horizontal
3	5352.50	62.86	20.80	42.06	74.00	-11.14	106	180	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5142.50	59.03	17.51	41.52	74.00	-14.97	227	172	Peak	Vertical
2 *	5230.00	104.66	63.07	41.59	68.20	36.46	227	172	Peak	Vertical
3	5363.00	57.90	15.81	42.09	74.00	-16.10	227	172	Peak	Vertical

802.11ax HE40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	43.81	2.29	41.52	54.00	-10.19	106	180	Average	Horizontal
2 *	5230.00	95.37	53.78	41.59	54.00	41.37	106	180	Average	Horizontal
3	5397.50	43.79	1.62	42.17	54.00	-10.21	106	180	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5140.00	43.55	2.03	41.52	54.00	-10.45	227	172	Average	Vertical
2 *	5230.00	93.15	51.56	41.59	54.00	39.15	227	172	Average	Vertical
3	5376.00	43.68	1.56	42.12	54.00	-10.32	227	172	Average	Vertical


802.11ax HE80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5120.00	61.45	19.91	41.54	74.00	-12.55	100	183 Peak	Horizontal	
2 *	5210.00	101.96	60.46	41.50	68.20	33.76	100	183 Peak	Horizontal	
3	5350.00	57.17	15.12	42.05	74.00	-16.83	100	183 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5120.00	62.15	20.60	41.55	74.00	-11.85	219	171 Peak	Vertical	
2 *	5210.00	99.13	57.63	41.50	68.20	30.93	219	171 Peak	Vertical	
3	5350.00	58.24	16.19	42.05	74.00	-15.76	219	171 Peak	Vertical	


802.11ax HE80

CH 42 (Horizontal) Average

CH 42 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5132.00	48.49	6.94	41.55	54.00	-5.51	100	183	Average	Horizontal
2 *	5210.00	91.44	49.94	41.50	54.00	37.44	100	183	Average	Horizontal
3	5353.00	44.94	2.88	42.06	54.00	-9.06	100	183	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5130.00	49.47	7.92	41.55	54.00	-4.53	219	171	Average	Vertical
2 *	5210.00	89.50	48.00	41.50	54.00	35.50	219	171	Average	Vertical
3	5351.00	45.22	3.17	42.05	54.00	-8.78	219	171	Average	Vertical

Band Edges, 4.5GHz ~ 7GHz
U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5097.00	56.27	14.70	41.57	74.00	-17.73	100	177	Peak	Horizontal	
2 *	5260.00	111.11	69.40	41.71	68.20	42.91	100	177	Peak	Horizontal	
3	5426.00	56.23	14.03	42.20	74.00	-17.77	100	177	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5103.50	55.12	13.54	41.58	74.00	-18.88	236	174	Peak	Vertical	
2 *	5260.00	107.86	66.15	41.71	68.20	39.66	236	174	Peak	Vertical	
3	5391.50	55.44	13.28	42.16	74.00	-18.56	236	174	Peak	Vertical	

802.11a

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5181.00	44.01	2.42	41.59	54.00	-9.99	100	177 Average	Horizontal	
2 *	5260.00	100.87	59.16	41.71	54.00	46.87	100	177 Average	Horizontal	
3	5416.00	44.44	2.25	42.19	54.00	-9.56	100	177 Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5098.00	43.73	2.16	41.57	54.00	-10.27	236	174 Average	Vertical	
2 *	5260.00	98.29	56.58	41.71	54.00	44.29	236	174 Average	Vertical	
3	5423.00	44.00	1.80	42.20	54.00	-10.00	236	174 Average	Vertical	


802.11a

CH 60 (Horizontal) Peak


CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5141.50	43.38	1.05	41.53	54.00	-10.62	100	185	Average	Horizontal
2 *	5300.00	100.71	50.69	41.82	54.00	46.71	100	185	Average	Horizontal
3	5350.00	43.82	1.77	42.05	54.00	-10.18	100	185	Average	Horizontal

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5133.00	43.58	2.04	41.54	54.00	-10.42	222	171	Average	Vertical
2 *	5300.00	98.11	56.29	41.82	54.00	44.11	222	171	Average	Vertical
3	5458.00	43.94	1.74	42.20	54.00	-10.06	222	171	Average	Vertical

802.11a

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5150.00	55.26	13.74	41.52	74.00	-18.74	100	183 Peak	Horizontal	
2 *	5320.00	110.12	68.21	41.91	68.20	41.92	100	183 Peak	Horizontal	
3 !	5351.00	72.05	30.00	42.05	74.00	-1.95	100	183 Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5135.50	55.30	13.76	41.54	74.00	-18.70	232	166 Peak	Vertical	
2 *	5320.00	106.93	65.02	41.91	68.20	38.73	232	166 Peak	Vertical	
3	5352.00	65.24	23.19	42.05	74.00	-8.76	232	166 Peak	Vertical	

802.11a

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5124.50	42.49	0.94	41.55	54.00	-11.51	100	183	Average	Horizontal
2 *	5320.00	100.06	59.07	41.91	54.00	46.06	100	183	Average	Horizontal
3	5350.00	50.57	8.52	42.05	54.00	-3.43	100	183	Average	Horizontal

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5100.00	42.43	0.84	41.59	54.00	-11.57	232	166	Average	Vertical
2 *	5320.00	97.60	55.69	41.91	54.00	43.69	232	166	Average	Vertical
3	5351.50	47.23	5.18	42.05	54.00	-6.77	232	166	Average	Vertical


802.11ax HE20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5182.00	55.74	14.15	41.59	74.00	-18.26	100	183	Peak	Horizontal		
2 *	5260.00	110.27	68.56	41.71	68.28	42.07	100	183	Peak	Horizontal		
3	5351.50	55.33	13.28	42.05	74.00	-18.67	100	183	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4731.50	55.52	14.56	40.96	74.00	-18.48	224	181	Peak	Vertical		
2 *	5260.00	107.38	65.67	41.71	68.28	39.18	224	181	Peak	Vertical		
3	5435.00	55.79	13.58	42.21	74.00	-18.21	224	181	Peak	Vertical		

802.11ax HE20

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5185.00	43.51	1.93	41.58	54.00	-10.49	100	183 Average	Horizontal	
2 *	5260.00	98.92	57.21	41.71	54.00	44.92	100	183 Average	Horizontal	
3	5421.50	43.74	1.54	42.20	54.00	-10.26	100	183 Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5098.00	42.74	1.17	41.57	54.00	-11.26	224	181 Average	Vertical	
2 *	5260.00	95.24	53.53	41.71	54.00	41.24	224	181 Average	Vertical	
3	5419.00	43.02	0.82	42.20	54.00	-10.98	224	181 Average	Vertical	


802.11ax HE20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5139.00	55.18	13.65	41.53	74.00	-18.82	100	184	Peak	Horizontal		
2 *	5300.00	109.99	68.17	41.82	68.28	41.79	100	184	Peak	Horizontal		
3	5454.00	56.38	14.17	42.21	74.00	-17.62	100	184	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5144.50	54.92	13.39	41.53	74.00	-19.08	230	178	Peak	Vertical		
2 *	5300.00	106.18	64.36	41.82	68.28	37.98	230	178	Peak	Vertical		
3	5358.00	55.73	13.65	42.08	74.00	-18.27	230	178	Peak	Vertical		

802.11ax HE20

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5135.50	43.41	1.87	41.54	54.00	-10.59	100	184 Average	Horizontal	
2 *	5300.00	98.04	56.22	41.82	54.00	44.04	100	184 Average	Horizontal	
3	5457.50	43.47	1.26	42.21	54.00	-10.53	100	184 Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5137.00	42.56	1.02	41.54	54.00	-11.44	230	178 Average	Vertical	
2 *	5300.00	94.45	52.63	41.82	54.00	40.45	230	178 Average	Vertical	
3	5457.50	42.77	0.56	42.21	54.00	-11.23	230	178 Average	Vertical	


802.11ax HE20

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5012.50	54.77	13.51	41.26	74.00	-19.23	100	184 Peak	Horizontal	
2 *	5320.00	110.26	60.35	41.91	68.20	42.06	100	184 Peak	Horizontal	
3	5354.50	66.94	24.88	42.06	74.00	-7.06	100	184 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5004.00	54.98	13.46	41.52	74.00	-19.02	233	183 Peak	Vertical	
2 *	5320.00	106.61	64.70	41.91	68.20	38.41	233	183 Peak	Vertical	
3	5354.00	62.02	19.96	42.06	74.00	-11.98	233	183 Peak	Vertical	

802.11ax HE20

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5189.00	42.57	1.00	41.57	54.00	-11.43	100	184 Average	Horizontal	
2 *	5320.00	98.55	56.64	41.91	54.00	44.55	100	184 Average	Horizontal	
3 !	5350.00	48.72	6.67	42.05	54.00	-5.28	100	184 Average	Horizontal	

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5124.50	42.44	0.89	41.55	54.00	-11.56	233	183 Average	Vertical	
2 *	5320.00	95.59	53.68	41.91	54.00	41.59	233	183 Average	Vertical	
3	5350.00	47.00	4.95	42.05	54.00	-7.00	233	183 Average	Vertical	

802.11ax HE40

CH 54 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5142.50	55.52	14.00	41.52	74.00	-18.48	100	184 Peak	Horizontal	
2 *	5270.00	105.79	64.05	41.74	68.20	37.59	100	184 Peak	Horizontal	
3	5357.50	63.15	21.07	42.08	74.00	-10.85	100	184 Peak	Horizontal	

CH 54 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5142.50	58.24	16.72	41.52	74.00	-15.76	224	175 Peak	Vertical	
2 *	5270.00	104.37	62.03	41.74	68.20	36.17	224	175 Peak	Vertical	
3	5354.00	58.89	16.83	42.06	74.00	-15.11	224	175 Peak	Vertical	

802.11ax HE40

CH 54 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5186.00	43.53	1.95	41.50	54.00	-10.47	100	184 Average	Horizontal	
2 *	5270.00	95.58	53.64	41.74	54.00	41.58	100	184 Average	Horizontal	
3	5351.00	44.62	2.57	42.05	54.00	-9.38	100	184 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5123.00	43.32	1.77	41.55	54.00	-10.68	224	175 Average	Vertical	
2 *	5270.00	92.76	51.02	41.74	54.00	38.76	224	175 Average	Vertical	
3	5352.50	44.43	2.37	42.06	54.00	-9.57	224	175 Average	Vertical	


802.11ax HE40

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5136.00	54.90	13.36	41.54	74.00	-19.10	100	184 Peak	Horizontal	
2 *	5310.00	105.38	63.52	41.86	68.28	37.18	100	184 Peak	Horizontal	
3 !	5353.50	72.33	30.27	42.06	74.00	-1.67	100	184 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5121.50	54.93	13.37	41.56	74.00	-19.07	224	173 Peak	Vertical	
2 *	5310.00	101.60	59.74	41.86	68.28	33.40	224	173 Peak	Vertical	
3	5363.50	67.74	25.65	42.09	74.00	-6.26	224	173 Peak	Vertical	


802.11ax HE40

CH 62 (Horizontal) Average

CH 62 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5135.50	42.86	1.32	41.54	54.00	-11.14	100	184 Average	Horizontal	
2 *	5310.00	93.77	51.91	41.86	54.00	39.77	100	184 Average	Horizontal	
3 !	5352.50	50.06	8.00	42.06	54.00	-3.94	100	184 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5120.00	42.85	1.29	41.56	54.00	-11.15	224	173 Average	Vertical	
2 *	5310.00	90.25	48.39	41.86	54.00	36.25	224	173 Average	Vertical	
3 !	5350.00	49.23	7.18	42.05	54.00	-4.77	224	173 Average	Vertical	


802.11ax HE80

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5137.00	55.74	14.20	41.54	74.00	-18.26	100	178 Peak	Horizontal	
2 *	5290.00	99.47	57.68	41.79	68.20	31.27	100	178 Peak	Horizontal	
3	5363.00	64.73	22.64	42.09	74.00	-9.27	100	178 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5136.00	55.64	14.10	41.54	74.00	-18.36	236	179 Peak	Vertical	
2 *	5290.00	97.14	55.35	41.79	68.20	28.94	236	179 Peak	Vertical	
3	5355.00	62.16	20.10	42.06	74.00	-11.84	236	179 Peak	Vertical	


802.11ax HE80

CH 58 (Horizontal) Average

CH 58 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5143.50	43.98	2.46	41.52	54.00	-10.02	100	178	Average	Horizontal
2 *	5290.00	89.45	47.66	41.79	54.00	35.45	100	178	Average	Horizontal
3 !	5365.50	52.81	10.72	42.09	54.00	-1.19	100	178	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5124.50	43.93	2.38	41.55	54.00	-10.07	236	179	Average	Vertical
2 *	5290.00	86.97	45.18	41.79	54.00	32.97	236	179	Average	Vertical
3 !	5368.50	50.91	8.81	42.10	54.00	-3.09	236	179	Average	Vertical

802.11ax HE160

CH 50 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5132.00	61.41	19.86	41.55	74.00	-12.59	100	188	Peak	Horizontal		
2 *	5250.00	94.95	53.26	41.69	68.28	26.75	100	188	Peak	Horizontal		
3	5406.00	66.80	24.61	42.19	74.00	-7.20	100	188	Peak	Horizontal		

CH 50 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5141.50	58.39	16.86	41.53	74.00	-15.61	284	133	Peak	Vertical		
2 *	5250.00	90.98	49.29	41.69	68.28	22.78	284	133	Peak	Vertical		
3	5392.50	62.20	20.03	42.17	74.00	-11.80	284	133	Peak	Vertical		

802.11ax HE160

CH 50 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5142.50	48.54	7.02	41.52	54.00	-5.46	100	188	Average	Horizontal		
2	5250.00	84.14	42.45	41.69	54.00	30.14	100	188	Average	Horizontal		
3	5397.50	52.89	10.72	42.17	54.00	-1.11	100	188	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5136.00	47.05	5.51	41.54	54.00	-6.95	284	133	Average	Vertical		
2	5250.00	79.62	38.13	41.69	54.00	25.62	284	133	Average	Vertical		
3	5397.50	48.49	6.32	42.17	54.00	-5.51	284	133	Average	Vertical		

Band Edges, 4.5GHz ~ 7GHz
U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5469.00	61.78	19.58	42.20	74.00	-12.22	100	189 Peak	Horizontal	
2	5469.50	64.93	22.74	42.19	68.20	-3.27	100	189 Peak	Horizontal	
3 *	5500.00	109.58	67.43	42.15	68.20	41.38	100	189 Peak	Horizontal	
4	5763.00	56.74	14.34	42.40	68.20	-11.46	100	189 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5469.00	58.97	16.77	42.20	74.00	-15.03	231	186 Peak	Horizontal	
2	5469.50	62.11	19.92	42.19	68.20	-6.09	231	186 Peak	Horizontal	
3 *	5500.00	111.13	68.98	42.15	68.20	42.93	231	186 Peak	Horizontal	
4	5744.50	56.91	14.64	42.27	68.20	-11.29	231	186 Peak	Horizontal	

802.11a

CH 100 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5457.58	43.58	1.37	42.21	54.00	-10.42	100	189	Average	Horizontal
2 *	5500.00	99.70	57.55	42.15	54.00	45.70	100	189	Average	Horizontal

CH 100 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.00	43.58	1.38	42.20	54.00	-10.42	231	186	Average	Horizontal
2 *	5500.00	100.49	58.34	42.15	54.00	46.49	231	186	Average	Horizontal


802.11a

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5416.58	55.61	13.42	42.19	74.00	-18.39	100	177 Peak	Horizontal	
2	5463.00	55.82	13.62	42.20	68.20	-12.38	100	177 Peak	Horizontal	
3 *	5580.00	108.53	66.49	42.04	68.20	40.33	100	177 Peak	Horizontal	
4	5821.00	55.76	13.18	42.58	68.20	-12.44	100	177 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5429.00	56.29	14.09	42.20	74.00	-17.71	228	173 Peak	Vertical	
2	5463.50	54.05	11.85	42.20	68.20	-14.15	228	173 Peak	Vertical	
3 *	5580.00	108.18	66.14	42.04	68.20	39.98	228	173 Peak	Vertical	
4	5847.00	57.22	14.73	42.49	68.20	-10.98	228	173 Peak	Vertical	

802.11a

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5418.58	43.63	1.43	42.20	54.00	-10.37	100	177	Average	Horizontal
2 *	5580.00	98.37	56.33	42.04	54.00	44.37	100	177	Average	Horizontal

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5418.58	43.24	1.04	42.20	54.00	-10.76	228	173	Average	Vertical
2 *	5580.00	98.68	56.64	42.04	54.00	44.68	228	173	Average	Vertical


802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5372.00	55.11	13.00	42.11	74.00	-18.89	100	184 Peak	Horizontal	
2	5461.00	53.82	11.62	42.20	68.20	-14.38	100	184 Peak	Horizontal	
3 *	5700.00	108.88	66.99	41.89	68.20	40.68	100	184 Peak	Horizontal	
4 !	5725.00	66.25	24.15	42.10	68.20	-1.95	100	184 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5394.00	54.36	12.19	42.17	74.00	-19.64	221	170 Peak	Vertical	
2	5462.50	54.18	11.98	42.20	68.20	-14.02	221	170 Peak	Vertical	
3 *	5700.00	104.67	62.79	41.88	68.20	36.47	221	170 Peak	Vertical	
4	5725.00	59.92	17.82	42.10	68.20	-8.28	221	170 Peak	Vertical	

802.11a

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5452.00	42.79	0.57	42.22	54.00	-11.21	100	184	Average	Horizontal
2 *	5700.00	95.48	56.60	41.88	54.00	44.48	100	184	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5369.50	42.74	0.64	42.10	54.00	-11.26	221	179	Average	Vertical
2 *	5700.00	95.81	53.93	41.88	54.00	41.81	221	179	Average	Vertical


802.11a

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5368.00	54.90	12.00	42.10	74.00	-19.10	100	178 Peak	Horizontal	
2	5469.50	54.38	12.18	42.20	68.20	-13.82	100	178 Peak	Horizontal	
3	5720.00	109.76	67.70	42.06	122.20	-12.44	100	178 Peak	Horizontal	
4	6895.00	59.12	15.35	43.77	68.20	-9.08	100	178 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5363.00	55.10	12.96	42.14	74.00	-18.90	229	174 Peak	Vertical	
2	5469.50	54.05	11.86	42.19	68.20	-14.15	229	174 Peak	Vertical	
3	5720.00	107.93	65.87	42.06	122.20	-14.27	229	174 Peak	Vertical	
4	6994.00	59.30	15.19	44.11	68.20	-8.90	229	174 Peak	Vertical	