


802.11a

CH 144 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5423.58	42.71	0.51	42.20	54.00	-11.29	100	178	Average	Horizontal
2 *	5720.00	99.12	57.06	42.06	54.00	45.12	100	178	Average	Horizontal

CH 144 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5459.00	42.80	0.60	42.20	54.00	-11.20	229	174	Average	Vertical
2 *	5720.00	97.36	55.30	42.06	54.00	43.36	229	174	Average	Vertical


802.11ax HE20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5363.50	56.05	13.96	42.09	74.00	-17.95	100	189 Peak	Horizontal	
2	5469.50	59.80	17.61	42.19	68.20	-8.40	100	189 Peak	Horizontal	
3 *	5500.00	108.98	66.83	42.15	68.20	40.78	100	189 Peak	Horizontal	
4	5818.50	56.58	13.99	42.59	68.20	-11.62	100	189 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5400.00	56.20	14.01	42.19	74.00	-17.80	210	174 Peak	Vertical	
2	5469.50	58.52	16.33	42.19	68.20	-9.68	210	174 Peak	Vertical	
3 *	5500.00	107.46	65.31	42.15	68.20	39.26	210	174 Peak	Vertical	
4	5776.50	56.50	14.01	42.49	68.20	-11.70	210	174 Peak	Vertical	

802.11ax HE20

CH 100 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.00	42.93	0.73	42.20	54.00	-11.07	100	189	Average	Horizontal
2 *	5500.00	97.87	55.72	42.15	54.00	43.87	100	189	Average	Horizontal

CH 100 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.00	42.98	0.78	42.20	54.00	-11.02	210	174	Average	Vertical
2 *	5500.00	96.22	54.07	42.15	54.00	42.22	210	174	Average	Vertical


802.11ax HE20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5446.00	55.45	13.24	42.21	74.00	-18.55	100	182 Peak	Horizontal	
2	5464.00	54.97	12.77	42.20	68.20	-13.23	100	182 Peak	Horizontal	
3 *	5580.00	107.19	65.15	42.04	68.20	38.99	100	182 Peak	Horizontal	
4	5803.50	56.38	13.74	42.64	68.20	-11.82	100	182 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5355.00	55.13	13.07	42.06	74.00	-18.87	228	173 Peak	Vertical	
2	5464.50	53.54	11.34	42.20	68.20	-14.66	228	173 Peak	Vertical	
3 *	5580.00	108.00	65.96	42.04	68.20	39.80	228	173 Peak	Vertical	
4	5823.00	55.56	12.99	42.57	68.20	-12.64	228	173 Peak	Vertical	

802.11ax HE20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5416.59	43.16	0.97	42.19	54.00	-10.84	100	182	Average	Horizontal
2 *	5500.00	96.64	54.60	42.04	54.00	42.64	100	182	Average	Horizontal

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5421.00	43.02	0.82	42.20	54.00	-10.98	228	173	Average	Vertical
2 *	5500.00	96.07	54.03	42.04	54.00	42.07	228	173	Average	Vertical


802.11ax HE20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5381.50	55.65	13.52	42.13	74.00	-18.35	100	179	Peak	Horizontal
2	5463.50	54.35	12.15	42.20	68.20	-13.85	100	179	Peak	Horizontal
3 *	5700.00	109.58	67.70	41.88	68.20	41.38	100	179	Peak	Horizontal
4 !	5727.50	67.15	25.03	42.12	68.20	-1.05	100	179	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5445.00	55.11	12.90	42.21	74.00	-18.89	229	182	Peak	Vertical
2	5466.50	53.95	11.75	42.20	68.20	-14.25	229	182	Peak	Vertical
3 *	5700.00	105.35	63.47	41.88	68.20	37.15	229	182	Peak	Vertical
4 !	5726.50	62.27	20.16	42.11	68.20	-5.93	229	182	Peak	Vertical

802.11ax HE20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5449.59	42.80	0.58	42.22	54.00	-11.20	100	179	Average	Horizontal
2 *	5700.00	97.94	50.06	41.88	54.00	43.94	100	179	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5402.00	42.77	0.58	42.19	54.00	-11.23	229	182	Average	Vertical
2 *	5700.00	94.29	52.41	41.88	54.00	40.29	229	182	Average	Vertical


802.11ax HE20

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5422.00	54.87	12.67	42.20	74.00	-19.13	100	176	Peak	Horizontal
2	5462.00	54.58	12.38	42.20	68.20	-13.62	100	176	Peak	Horizontal
3	5720.00	109.33	67.27	42.06	122.20	-12.87	100	176	Peak	Horizontal
4	6954.50	59.17	15.17	44.00	68.20	-9.03	100	176	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5370.00	55.93	13.00	42.13	74.00	-18.07	229	179	Peak	Vertical
2	5462.00	55.62	13.42	42.20	68.20	-12.58	229	179	Peak	Vertical
3	5720.00	107.08	65.02	42.06	122.20	-15.12	229	179	Peak	Vertical
4	6875.00	58.91	15.07	43.84	68.20	-9.29	229	179	Peak	Vertical

802.11ax HE20

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5384.00	42.63	0.49	42.14	54.00	-11.37	100	176 Average	Horizontal	
2 *	5720.00	94.45	56.39	42.06	54.00	44.45	100	176 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5381.50	42.69	0.56	42.13	54.00	-11.31	229	179 Average	Vertical	
2 *	5720.00	94.88	52.82	42.06	54.00	40.86	229	179 Average	Vertical	


802.11ax HE40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5457.50	68.12	25.91	42.21	74.00	-5.88	100	182 Peak	Horizontal	
2	5462.50	67.13	24.93	42.20	68.20	-1.07	100	182 Peak	Horizontal	
3 *	5510.00	105.23	63.09	42.14	68.20	37.03	100	182 Peak	Horizontal	
4	5797.00	56.02	13.39	42.63	68.20	-12.18	100	182 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5458.00	66.83	24.63	42.20	74.00	-7.17	201	172 Peak	Vertical	
2	5460.00	66.20	24.01	42.19	68.20	-2.00	201	172 Peak	Vertical	
3 *	5510.00	104.24	62.10	42.14	68.20	36.04	201	172 Peak	Vertical	
4	5822.00	55.89	13.32	42.57	68.20	-12.31	201	172 Peak	Vertical	

802.11ax HE40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5457.58	44.78	2.57	42.21	54.00	-9.22	100	182	Average	Horizontal
2 *	5510.00	94.21	52.07	42.14	54.00	40.21	100	182	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.58	43.81	1.61	42.20	54.00	-10.19	201	172	Average	Vertical
2 *	5510.00	92.11	49.97	42.14	54.00	38.11	201	172	Average	Vertical


802.11ax HE40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5434.50	56.09	13.88	42.21	74.00	-17.91	100	189 Peak	Horizontal	
2	5466.00	55.26	13.06	42.20	68.20	-12.94	100	189 Peak	Horizontal	
3 *	5550.00	104.79	62.71	42.00	68.20	36.59	100	189 Peak	Horizontal	
4	5888.50	56.56	13.94	42.62	68.20	-11.64	100	189 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5389.50	56.12	13.96	42.16	74.00	-17.88	219	169 Peak	Vertical	
2	5466.50	54.77	12.57	42.20	68.20	-13.43	219	169 Peak	Vertical	
3 *	5550.00	104.40	62.32	42.00	68.20	36.20	219	169 Peak	Vertical	
4	5842.50	56.19	13.68	42.51	68.20	-12.01	219	169 Peak	Vertical	

802.11ax HE40

CH 110 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5393.00	43.35	1.18	42.17	54.00	-10.65	100	189	Average	Horizontal
2 *	5550.00	93.46	51.38	42.08	54.00	39.46	100	189	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5422.50	43.38	1.18	42.20	54.00	-10.62	219	169	Average	Vertical
2 *	5550.00	92.92	50.84	42.08	54.00	38.92	219	169	Average	Vertical


802.11ax HE40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5376.00	55.26	13.14	42.12	74.00	-18.74	100	180 Peak	Horizontal	
2	5466.50	53.60	11.40	42.20	68.20	-14.60	100	180 Peak	Horizontal	
3 *	5670.00	105.63	63.71	41.92	68.20	37.43	100	180 Peak	Horizontal	
4 !	5728.00	66.01	23.89	42.12	68.20	-2.19	100	180 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5400.00	55.79	13.61	42.18	74.00	-18.21	221	178 Peak	Vertical	
2	5466.00	55.21	13.01	42.20	68.20	-12.99	221	178 Peak	Vertical	
3 *	5670.00	103.08	61.16	41.92	68.20	34.88	221	178 Peak	Vertical	
4	5728.00	61.82	19.70	42.12	68.20	-6.38	221	178 Peak	Vertical	

802.11ax HE40

CH 134 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5394.00	42.74	0.57	42.17	54.00	-11.26	100	180	Average	Horizontal
2 *	5670.00	94.19	52.27	41.92	54.00	40.19	100	180	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5441.00	42.62	0.41	42.21	54.00	-11.38	221	178	Average	Vertical
2 *	5670.00	91.23	49.31	41.92	54.00	37.23	221	178	Average	Vertical


802.11ax HE40

CH 142 (Horizontal) Peak

CH 142 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5394.50	54.75	12.58	42.17	74.00	-19.25	100	189 Peak	Horizontal	
2	5463.50	54.92	12.72	42.20	68.20	-13.28	100	189 Peak	Horizontal	
3	5710.00	105.53	63.56	41.97	122.20	-16.67	100	189 Peak	Horizontal	
4	6944.50	59.10	15.14	43.96	68.20	-9.10	100	189 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.50	55.67	13.47	42.20	74.00	-18.33	222	172 Peak	Vertical	
2	5461.50	54.85	12.65	42.20	68.20	-13.35	222	172 Peak	Vertical	
3	5710.00	101.55	59.58	41.97	122.20	-20.65	222	172 Peak	Vertical	
4	7000.00	59.56	15.44	44.12	68.20	-8.64	222	172 Peak	Vertical	


802.11ax HE40

CH 142 (Horizontal) Average

CH 142 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5389.50	43.33	1.17	42.16	54.00	-10.67	100	189 Average	Horizontal	
2 *	5710.00	94.90	52.93	41.97	54.00	40.90	100	189 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5416.00	43.18	0.99	42.19	54.00	-10.82	222	172 Average	Vertical	
2 *	5710.00	90.43	48.46	41.97	54.00	36.43	222	172 Average	Vertical	


802.11ax HE80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5440.50	57.32	15.11	42.21	74.00	-16.68	100	188 Peak	Horizontal	
2	5463.50	56.66	14.46	42.20	68.20	-11.54	100	188 Peak	Horizontal	
3 *	5530.00	101.76	59.65	42.11	68.20	33.56	100	188 Peak	Horizontal	
4	5785.50	56.54	13.99	42.55	68.20	-11.66	100	188 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5450.00	57.00	14.00	42.20	74.00	-17.00	233	176 Peak	Vertical	
2	5464.00	55.05	12.85	42.20	68.20	-13.15	233	176 Peak	Vertical	
3 *	5530.00	99.06	56.95	42.11	68.20	30.86	233	176 Peak	Vertical	
4	5764.00	56.25	13.85	42.40	68.20	-11.95	233	176 Peak	Vertical	

802.11ax HE80


CH 106 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5441.50	55.26	13.05	42.21	74.00	-18.74	100	188 Peak	Horizontal	
2	5465.00	54.26	12.06	42.20	68.20	-13.94	100	188 Peak	Horizontal	
3 *	5610.00	100.67	58.67	42.00	68.20	32.47	100	188 Peak	Horizontal	
4	5728.00	56.27	14.15	42.12	68.20	-11.93	100	188 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5406.00	54.94	12.75	42.19	74.00	-19.06	228	170 Peak	Vertical	
2	5464.50	54.04	11.84	42.20	68.20	-14.16	228	170 Peak	Vertical	
3 *	5610.00	98.59	56.59	42.00	68.20	30.39	228	170 Peak	Vertical	
4	5838.50	56.28	13.76	42.52	68.20	-11.92	228	170 Peak	Vertical	


802.11ax HE80

CH 122 (Horizontal) Average

CH 122 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.00	44.12	1.92	42.20	54.00	-9.88	100	188	Average	Horizontal
2 *	5610.00	90.05	40.05	42.00	54.00	36.05	100	188	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.00	44.32	2.12	42.20	54.00	-9.68	228	170	Average	Vertical
2 *	5610.00	89.23	47.23	42.00	54.00	35.23	228	170	Average	Vertical


802.11ax HE80

CH 138 (Horizontal) Peak

CH 138 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5460.00	55.35	13.15	42.20	68.20	-12.85	100	182 Peak	Horizontal	
2	5460.50	55.40	13.20	42.20	68.20	-12.80	100	182 Peak	Horizontal	
3	5690.00	100.42	58.52	41.90	122.20	-21.78	100	182 Peak	Horizontal	
4	6968.50	59.16	15.12	44.04	68.20	-9.04	100	182 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5413.50	55.19	13.00	42.10	74.00	-18.81	223	174 Peak	Vertical	
2	5462.00	55.25	13.05	42.20	68.20	-12.95	223	174 Peak	Vertical	
3	5690.00	94.11	52.21	41.90	122.20	-28.09	223	174 Peak	Vertical	
4	6937.00	59.37	15.44	43.93	68.20	-8.83	223	174 Peak	Vertical	


802.11ax HE80

CH 138 (Horizontal) Average

CH 138 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5428.58	44.22	2.02	42.20	54.00	-9.78	180	182 Average	Horizontal	
2 *	5690.00	89.58	47.68	41.90	54.00	35.58	180	182 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5418.58	44.12	1.93	42.19	54.00	-9.88	223	174 Average	Vertical	
2 *	5690.00	83.11	41.21	41.90	54.00	29.11	223	174 Average	Vertical	


802.11ax HE160

CH 114 (Horizontal) Peak

CH 114 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5446.00	65.43	23.22	42.21	74.00	-8.57	100	190 Peak	Horizontal	
2	5463.00	60.64	18.44	42.20	68.20	-7.56	100	190 Peak	Horizontal	
3 *	5570.00	96.51	54.42	42.09	68.20	28.31	100	190 Peak	Horizontal	
4 !	5726.50	66.28	24.17	42.11	68.20	-1.92	100	190 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5432.50	61.88	18.87	42.21	74.00	-12.92	218	176 Peak	Vertical	
2	5463.50	56.71	14.51	42.20	68.20	-11.49	218	176 Peak	Vertical	
3 *	5570.00	93.96	51.87	42.09	68.20	25.76	218	176 Peak	Vertical	
4 !	5726.50	63.36	21.25	42.11	68.20	-4.84	218	176 Peak	Vertical	

802.11ax HE160

CH 114 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5445.00	50.22	8.01	42.21	54.00	-3.78	100	190	Average	Horizontal
2	5570.00	85.37	43.21	42.16	54.00	31.37	100	190	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5437.50	47.23	5.02	42.21	54.00	-6.77	218	176	Average	Vertical
2	5570.00	83.96	41.87	42.09	54.00	29.96	218	176	Average	Vertical

Band Edges, 4.5GHz ~ 7GHz

U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5560.50	55.60	13.53	42.07	68.20	-12.60	100	177	Peak	Horizontal
2	5695.50	55.16	13.27	41.89	101.88	-46.72	100	177	Peak	Horizontal
3	5717.00	66.02	23.99	42.03	109.96	-43.94	100	177	Peak	Horizontal
4	5725.00	73.73	31.63	42.10	135.00	-61.27	100	177	Peak	Horizontal
5	5745.00	109.95	67.68	42.27	135.00	-25.05	100	177	Peak	Horizontal
6	5850.00	55.59	13.11	42.48	135.00	-79.41	100	177	Peak	Horizontal
7	5859.50	56.69	14.12	42.57	109.54	-52.85	100	177	Peak	Horizontal
8	5883.00	56.07	13.31	42.76	99.26	-43.19	100	177	Peak	Horizontal
9	5962.00	56.17	13.39	42.78	68.20	-12.03	100	177	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5461.00	56.07	13.87	42.20	68.20	-12.13	261	176	Peak	Vertical
2	5651.00	56.34	14.39	41.95	68.94	-12.60	261	176	Peak	Vertical
3	5718.00	61.53	19.50	42.03	110.24	-48.71	261	176	Peak	Vertical
4	5724.00	64.89	22.80	42.09	130.16	-65.27	261	176	Peak	Vertical
5	5745.00	107.25	64.98	42.27	135.00	-27.75	261	176	Peak	Vertical
6	5852.00	55.15	12.65	42.50	125.32	-70.17	261	176	Peak	Vertical
7	5867.00	55.19	12.56	42.63	107.44	-52.25	261	176	Peak	Vertical
8	5876.00	56.90	14.19	42.71	104.46	-47.56	261	176	Peak	Vertical
9	5991.50	56.51	13.89	42.62	68.20	-11.69	261	176	Peak	Vertical


802.11a

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5647.00	55.24	13.28	41.96	68.20	-12.96	100	193 Peak	Horizontal	
2	5682.50	55.14	13.24	41.90	92.29	-37.15	100	193 Peak	Horizontal	
3	5710.50	54.49	12.52	41.97	108.14	-53.65	100	193 Peak	Horizontal	
4	5722.50	55.16	13.08	42.08	122.90	-67.74	100	193 Peak	Horizontal	
5	5785.00	109.97	67.42	42.55	135.00	-25.03	100	193 Peak	Horizontal	
6	5855.00	55.59	13.07	42.52	110.00	-55.21	100	193 Peak	Horizontal	
7	5866.50	56.40	13.78	42.62	107.58	-51.10	100	193 Peak	Horizontal	
8	5893.50	56.36	13.50	42.86	91.47	-35.11	100	193 Peak	Horizontal	
9	5985.00	56.99	14.33	42.66	68.20	-11.21	100	193 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5520.00	55.87	13.75	42.12	68.20	-12.33	236	185 Peak	Vertical	
2	5686.00	55.11	13.21	41.90	94.87	-39.76	236	185 Peak	Vertical	
3	5710.00	54.57	12.54	42.03	110.24	-55.67	236	185 Peak	Vertical	
4	5725.00	54.91	12.81	42.10	135.00	-80.09	236	185 Peak	Vertical	
5	5785.00	106.00	63.45	42.55	135.00	-29.00	236	185 Peak	Vertical	
6	5854.00	55.67	13.16	42.51	115.64	-59.97	236	185 Peak	Vertical	
7	5867.50	56.93	14.30	42.63	107.30	-50.37	236	185 Peak	Vertical	
8	5921.00	57.10	14.21	42.89	71.15	-14.05	236	185 Peak	Vertical	
9	5927.00	56.51	13.63	42.88	68.20	-11.69	236	185 Peak	Vertical	


802.11a

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5512.50	56.15	14.01	42.14	68.20	-12.05	100	180	Peak	Horizontal
2	5661.50	56.63	14.69	41.94	76.74	-20.11	100	180	Peak	Horizontal
3	5704.50	55.56	13.64	41.92	106.46	-50.90	100	180	Peak	Horizontal
4	5722.50	54.28	12.20	42.08	122.90	-68.62	100	180	Peak	Horizontal
5	5825.00	109.05	66.49	42.56	135.00	-25.95	100	180	Peak	Horizontal
6	5850.00	69.66	27.18	42.48	135.00	-65.34	100	180	Peak	Horizontal
7	5855.50	64.50	21.98	42.52	110.66	-46.16	100	180	Peak	Horizontal
8	5907.50	56.65	13.74	42.91	81.11	-24.46	100	180	Peak	Horizontal
9	5932.50	57.14	14.27	42.87	68.20	-11.06	100	180	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5598.50	55.24	13.22	42.02	68.20	-12.96	265	181	Peak	Vertical
2	5664.50	56.24	14.31	41.93	78.96	-22.72	265	181	Peak	Vertical
3	5709.50	53.68	11.71	41.97	107.86	-54.18	265	181	Peak	Vertical
4	5723.00	53.47	11.39	42.08	125.32	-71.85	265	181	Peak	Vertical
5	5825.00	108.15	65.59	42.56	135.00	-26.85	265	181	Peak	Vertical
6	5850.00	66.03	23.55	42.48	135.00	-68.97	265	181	Peak	Vertical
7	5855.50	61.48	18.97	42.52	110.66	-49.17	265	181	Peak	Vertical
8	5898.50	56.83	13.93	42.90	87.77	-30.94	265	181	Peak	Vertical
9	5961.50	56.59	13.81	42.78	68.20	-11.61	265	181	Peak	Vertical


802.11ax HE20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5559.00	55.97	13.90	42.07	68.20	-12.23	100	185 Peak	Horizontal	
2	5689.00	55.52	13.63	41.89	97.09	-41.57	100	185 Peak	Horizontal	
3	5719.50	62.00	19.95	42.05	110.66	-48.66	100	185 Peak	Horizontal	
4	5725.00	66.11	24.01	42.10	135.00	-68.89	100	185 Peak	Horizontal	
5	5745.00	109.81	67.54	42.27	135.00	-25.19	100	185 Peak	Horizontal	
6	5853.00	55.38	12.88	42.50	120.48	-65.10	100	185 Peak	Horizontal	
7	5855.50	55.50	12.98	42.52	110.66	-55.16	100	185 Peak	Horizontal	
8	5907.50	56.09	13.18	42.91	81.11	-25.02	100	185 Peak	Horizontal	
9	5949.50	56.60	13.75	42.85	68.20	-11.60	100	185 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5474.00	55.86	13.68	42.18	68.20	-12.34	255	194 Peak	Vertical	
2	5696.00	55.39	13.58	41.89	102.25	-46.86	255	194 Peak	Vertical	
3	5719.50	57.66	15.61	42.05	110.66	-53.00	255	194 Peak	Vertical	
4	5724.00	62.91	20.82	42.09	130.16	-67.25	255	194 Peak	Vertical	
5	5745.00	106.28	64.01	42.27	135.00	-28.72	255	194 Peak	Vertical	
6	5854.00	56.51	14.00	42.51	115.64	-59.13	255	194 Peak	Vertical	
7	5858.00	55.64	13.09	42.55	109.96	-54.32	255	194 Peak	Vertical	
8	5895.00	56.44	13.57	42.87	90.36	-33.92	255	194 Peak	Vertical	
9	5997.50	56.13	13.54	42.59	68.20	-12.07	255	194 Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5648.50	56.52	14.57	41.95	68.20	-11.68	100	178	Peak	Horizontal
2	5659.00	55.10	13.17	41.93	74.88	-19.78	100	178	Peak	Horizontal
3	5709.50	55.06	13.09	41.97	107.86	-52.80	100	178	Peak	Horizontal
4	5720.00	54.63	12.57	42.06	110.80	-56.17	100	178	Peak	Horizontal
5	5785.00	109.83	67.28	42.55	135.00	-25.17	100	178	Peak	Horizontal
6	5850.00	55.58	13.10	42.48	135.00	-79.42	100	178	Peak	Horizontal
7	5864.50	56.30	13.69	42.61	108.14	-51.84	100	178	Peak	Horizontal
8	5889.50	56.48	13.65	42.83	94.44	-37.96	100	178	Peak	Horizontal
9	5943.50	57.16	14.31	42.85	68.20	-11.04	100	178	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5593.00	55.22	13.08	42.14	68.20	-12.98	253	195	Peak	Vertical
2	5676.00	55.21	13.29	41.92	87.48	-32.27	253	195	Peak	Vertical
3	5700.50	54.50	12.62	41.88	105.34	-50.84	253	195	Peak	Vertical
4	5723.00	53.53	11.45	42.08	125.32	-71.79	253	195	Peak	Vertical
5	5785.00	107.22	64.67	42.55	135.00	-27.78	253	195	Peak	Vertical
6	5853.00	54.78	12.28	42.50	120.48	-65.70	253	195	Peak	Vertical
7	5866.00	57.19	14.57	42.62	107.72	-50.53	253	195	Peak	Vertical
8	5897.00	56.76	13.87	42.89	88.88	-32.12	253	195	Peak	Vertical
9	5992.00	55.97	13.35	42.62	68.20	-12.23	253	195	Peak	Vertical


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5589.50	55.24	13.21	42.03	68.20	-12.96	100	186 Peak	Horizontal	
2	5689.50	54.84	12.94	41.90	97.46	-42.62	100	186 Peak	Horizontal	
3	5712.00	54.07	12.08	41.99	108.56	-54.49	100	186 Peak	Horizontal	
4	5724.50	53.85	11.75	42.10	132.58	-78.73	100	186 Peak	Horizontal	
5	5825.00	103.79	61.23	42.56	135.00	-31.21	100	186 Peak	Horizontal	
6	5850.00	67.05	24.57	42.48	135.00	-67.95	100	186 Peak	Horizontal	
7	5872.50	56.74	14.06	42.68	105.90	-49.16	100	186 Peak	Horizontal	
8	5889.00	57.21	14.39	42.82	94.81	-37.60	100	186 Peak	Horizontal	
9	5929.50	57.05	14.18	42.87	68.20	-11.15	100	186 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	5481.00	55.91	13.73	42.18	68.20	-12.29	252	181 Peak	Vertical	
2	5670.50	56.14	14.22	41.92	83.41	-27.27	252	181 Peak	Vertical	
3	5705.00	54.56	12.63	41.93	106.60	-52.04	252	181 Peak	Vertical	
4	5721.00	53.60	11.53	42.07	115.64	-62.04	252	181 Peak	Vertical	
5	5825.00	106.05	63.49	42.56	135.00	-28.95	252	181 Peak	Vertical	
6	5853.50	64.87	22.36	42.51	118.06	-53.19	252	181 Peak	Vertical	
7	5856.00	59.81	17.28	42.53	110.52	-50.71	252	181 Peak	Vertical	
8	5905.50	55.57	12.66	42.91	82.59	-27.02	252	181 Peak	Vertical	
9	5930.50	55.80	12.93	42.87	68.20	-12.40	252	181 Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5641.50	55.90	13.94	41.96	68.20	-12.30	100	178	Peak	Horizontal
2	5697.50	68.20	26.31	41.89	103.36	-35.16	100	178	Peak	Horizontal
3	5717.50	74.10	32.67	42.03	110.10	-36.00	100	178	Peak	Horizontal
4	5723.00	73.38	31.30	42.08	125.32	-51.94	100	178	Peak	Horizontal
5	5755.00	107.57	65.22	42.35	135.00	-27.43	100	178	Peak	Horizontal
6	5852.50	58.72	16.22	42.50	122.50	-64.18	100	178	Peak	Horizontal
7	5858.50	61.53	18.97	42.56	109.82	-48.29	100	178	Peak	Horizontal
8	5876.50	57.44	14.73	42.71	104.09	-46.65	100	178	Peak	Horizontal
9	5928.00	57.30	14.43	42.87	68.20	-10.90	100	178	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5581.00	55.76	13.72	42.04	68.20	-12.44	267	194	Peak	Vertical
2	5690.50	58.75	16.87	41.88	104.09	-45.34	267	194	Peak	Vertical
3	5717.00	61.88	19.85	42.03	109.96	-48.08	267	194	Peak	Vertical
4	5722.50	63.68	21.60	42.08	122.90	-59.22	267	194	Peak	Vertical
5	5755.00	103.82	61.47	42.35	135.00	-31.18	267	194	Peak	Vertical
6	5854.50	55.79	13.27	42.52	113.22	-57.43	267	194	Peak	Vertical
7	5872.00	56.33	13.65	42.68	106.04	-49.71	267	194	Peak	Vertical
8	5911.00	56.08	13.18	42.90	78.53	-22.45	267	194	Peak	Vertical
9	5954.50	57.13	14.31	42.82	68.20	-11.07	267	194	Peak	Vertical


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5560.00	55.78	13.71	42.07	68.20	-12.42	100	196 Peak	Horizontal	
2	5692.50	55.66	13.77	41.89	99.67	-44.01	100	196 Peak	Horizontal	
3	5702.00	56.66	14.76	41.90	105.76	-49.10	100	196 Peak	Horizontal	
4	5723.00	59.52	17.44	42.08	125.32	-65.80	100	196 Peak	Horizontal	
5	5795.00	106.81	64.20	42.61	135.00	-28.19	100	196 Peak	Horizontal	
6	5853.50	65.40	22.80	42.51	118.06	-52.66	100	196 Peak	Horizontal	
7	5862.50	64.61	22.02	42.59	108.70	-44.09	100	196 Peak	Horizontal	
8	5883.00	62.46	19.70	42.76	99.26	-36.80	100	196 Peak	Horizontal	
9	5951.00	56.60	13.76	42.84	68.20	-11.60	100	196 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5563.00	55.45	13.39	42.06	68.20	-12.75	266	169 Peak	Vertical	
2	5665.00	55.44	13.51	41.93	79.33	-23.89	266	169 Peak	Vertical	
3	5710.50	55.40	13.43	41.97	108.14	-52.74	266	169 Peak	Vertical	
4	5723.00	54.38	12.30	42.08	125.32	-70.94	266	169 Peak	Vertical	
5	5795.00	103.51	60.90	42.61	135.00	-31.49	266	169 Peak	Vertical	
6	5852.00	60.21	17.71	42.50	125.32	-65.11	266	169 Peak	Vertical	
7	5862.00	57.67	15.08	42.59	108.84	-51.17	266	169 Peak	Vertical	
8	5910.00	56.54	13.64	42.90	79.27	-22.73	266	169 Peak	Vertical	
9	5937.00	56.27	13.40	42.87	68.20	-11.93	266	169 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5544.50	56.17	14.08	42.09	68.20	-12.03	100	176 Peak	Horizontal	
2	5674.00	55.04	13.13	41.91	86.00	-30.96	100	176 Peak	Horizontal	
3	5713.50	56.21	14.21	42.00	108.98	-52.77	100	176 Peak	Horizontal	
4	5724.00	55.98	13.89	42.09	130.16	-74.18	100	176 Peak	Horizontal	
5	5775.00	100.93	58.45	42.48	135.00	-34.07	100	176 Peak	Horizontal	
6	5850.50	59.50	17.02	42.48	132.58	-73.00	100	176 Peak	Horizontal	
7	5856.00	60.48	17.95	42.53	110.52	-50.04	100	176 Peak	Horizontal	
8	5876.50	57.98	15.25	42.73	102.60	-44.62	100	176 Peak	Horizontal	
9	5941.50	56.61	13.75	42.86	68.20	-11.59	100	176 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5476.00	55.11	12.93	42.18	68.20	-13.09	208	174 Peak	Vertical	
2	5691.50	55.94	14.04	41.90	90.93	-42.99	208	174 Peak	Vertical	
3	5720.00	55.19	13.13	42.06	110.80	-55.61	208	174 Peak	Vertical	
4	5720.00	55.19	13.13	42.06	110.80	-55.61	208	174 Peak	Vertical	
5	5775.00	97.41	54.93	42.48	135.00	-37.59	208	174 Peak	Vertical	
6	5850.50	56.34	13.86	42.48	132.58	-76.24	208	174 Peak	Vertical	
7	5860.00	57.42	14.85	42.57	109.40	-51.98	208	174 Peak	Vertical	
8	5896.00	55.84	12.96	42.88	89.62	-33.78	208	174 Peak	Vertical	
9	5943.50	56.75	13.90	42.85	68.20	-11.45	208	174 Peak	Vertical	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11a

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	81.41	34.61	46.46	-11.85	40.00	-5.39	200	190 Peak	Horizontal	
2	286.54	38.37	47.24	-8.87	43.50	-5.13	200	110 Peak	Horizontal	
3	218.18	39.63	48.49	-8.86	46.00	-6.37	100	103 Peak	Horizontal	
4	346.22	33.66	38.39	-4.73	46.00	-12.34	100	145 Peak	Horizontal	
5	847.71	34.45	30.55	3.90	46.00	-11.55	100	82 Peak	Horizontal	
6	921.43	34.52	29.78	4.74	46.00	-11.48	200	64 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	84.32	26.30	38.65	-12.35	40.00	-13.70	200	254 Peak	Vertical	
2	197.81	32.51	41.27	-8.76	43.50	-10.99	200	213 Peak	Vertical	
3	482.99	32.75	34.86	-2.11	46.00	-13.25	100	153 Peak	Vertical	
4	732.28	33.14	31.08	2.06	46.00	-12.86	200	185 Peak	Vertical	
5	806.97	34.05	30.50	3.55	46.00	-11.95	121	360 Peak	Vertical	
6	899.12	33.97	29.43	4.54	46.00	-12.03	100	141 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.00	56.03	61.44	-5.41	66.20	-12.17	100	62 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10360.00	57.47	62.88	-5.41	66.20	-10.73	100	53 Peak	Vertical


802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10398.00	53.61	59.02	-5.41	66.20	-14.59	100	131 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	54.21	59.62	-5.41	66.20	-13.99	100	328 Peak	Vertical	


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	53.71	58.79	-5.08	66.20	-14.49	100	136	Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	54.16	59.24	-5.08	66.20	-14.04	100	183	Peak


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	56.55	61.96	-5.41	66.20	-11.65	200	62 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	58.58	63.99	-5.41	66.20	-9.62	100	326 Peak	Vertical	


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	52.96	58.39	-5.41	66.20	-15.22	100	110 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	53.20	58.61	-5.41	66.20	-15.00	193	360 Peak	Vertical	


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10480.00	51.18	56.26	-5.08	66.20	-17.02	100	192	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10480.00	52.79	57.87	-5.08	66.20	-15.41	100	340	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------


802.11ax HE40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10380.00	53.96	59.37	-5.41	66.20	-14.24	100	201 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10380.00	54.64	60.05	-5.41	66.20	-13.56	200	82 Peak	Vertical


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10460.00	53.53	58.69	-5.16	66.20	-14.67	100	300 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10460.00	55.04	60.20	-5.16	66.20	-13.16	100	157 Peak	Vertical