

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

Band Edges, 5.46GHz ~ 7.250GHz


U-NII 5

802.11ax HE20

CH01 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5721.34	60.80	69.58	-8.78	88.20	-27.40		301	300	Peak	Horizontal	
2 *	5955.00	100.42	100.62	-8.20	88.20	12.22		301	300	Peak	Horizontal	
3	7212.77	62.20	69.23	-7.03	88.20	-26.00		301	300	Peak	Horizontal	

CH01 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5917.17	61.35	69.44	-8.09	88.20	-26.85		298	110	Peak	Vertical	
2 *	5955.00	93.09	101.31	-8.22	88.20	4.89		298	110	Peak	Vertical	
3	7182.34	62.01	69.07	-7.06	88.20	-26.19		298	110	Peak	Vertical	


802.11ax HE20

CH01 (Horizontal) RMS

CH01 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5789.00	48.99	57.32	-8.33	68.20	-19.21	301	300	RMS	Horizontal	
2 *	5955.00	90.05	90.22	-8.17	68.20	21.05	301	300	RMS	Horizontal	
3	7248.57	49.97	57.06	-7.09	68.20	-18.23	301	300	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5887.81	48.88	57.04	-8.16	68.20	-19.32	298	110	RMS	Vertical	
2 *	5955.00	82.89	91.08	-8.19	68.20	14.69	298	110	RMS	Vertical	
3	7173.75	50.08	57.15	-7.07	68.20	-18.12	298	110	RMS	Vertical	

802.11ax HE20

CH45 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5887.45	61.46	69.62	-8.16	88.20	-26.74	294	304 Peak	Horizontal		
2 *	6175.00	99.02	106.82	-7.80	88.20	10.62	294	304 Peak	Horizontal		
3	7219.57	61.60	68.64	-7.04	88.20	-26.60	294	304 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5607.85	61.03	69.79	-8.76	88.20	-27.17	313	158 Peak	Vertical		
2 *	6175.00	94.89	102.70	-7.81	88.20	4.69	313	158 Peak	Vertical		
3	7147.25	61.65	68.79	-7.14	88.20	-26.55	313	158 Peak	Vertical		


802.11ax HE20

CH45 (Horizontal) RMS

CH45 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5886.19	48.87	57.15	-8.28	68.20	-19.33	294	304	RHS	Horizontal	
2 *	6175.00	88.77	96.58	-7.81	68.20	20.57	294	304	RHS	Horizontal	
3	7236.04	50.13	57.20	-7.07	68.20	-18.07	294	304	RHS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5907.14	48.93	57.00	-8.07	68.20	-19.27	313	158	RHS	Vertical	
2 *	6175.00	82.96	90.77	-7.81	68.20	14.76	313	158	RHS	Vertical	
3	7205.97	49.85	56.87	-7.02	68.20	-18.35	313	158	RHS	Vertical	


802.11ax HE20

CH93 (Horizontal) Peak

CH93 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5889.24	61.66	69.81	-8.15	88.20	-26.54	290	311	Peak	Horizontal	
2	6415.00	101.57	109.36	-7.79	88.20	13.37	290	311	Peak	Horizontal	
3	7207.76	61.31	68.34	-7.03	88.20	-26.89	290	311	Peak	Horizontal	


802.11ax HE20

CH93 (Horizontal) RMS

CH93 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5796.52	48.95	57.22	-8.27	68.20	-19.25	290	311	RMS	Horizontal		
2 *	6415.00	90.36	90.17	-7.81	68.20	22.16	290	311	RMS	Horizontal		
3	7221.72	49.89	56.93	-7.04	68.20	-18.31	290	311	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5814.78	49.01	57.33	-8.32	68.20	-19.19	314	195	RMS	Vertical		
2 *	6415.00	85.58	93.37	-7.79	68.20	17.38	314	195	RMS	Vertical		
3	7236.75	49.90	56.97	-7.07	68.20	-18.30	314	195	RMS	Vertical		

802.11ax HE40

CH03 (Horizontal) Peak

CH03 (Vertical) Peak




802.11ax HE40

CH03 (Horizontal) RMS

CH03 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5885.83	49.30	57.58	-8.28	68.20	-18.90	285	307	RMS	Horizontal	
2 *	5965.00	89.46	97.67	-8.21	68.20	21.26	285	307	RMS	Horizontal	
3	7227.98	50.13	57.19	-7.06	68.20	-18.07	285	307	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5910.36	49.51	57.60	-8.09	68.20	-18.69	291	203	RMS	Vertical	
2 *	5965.00	84.05	92.24	-8.19	68.20	15.05	291	203	RMS	Vertical	
3	7235.86	50.43	57.50	-7.07	68.20	-17.77	291	203	RMS	Vertical	


802.11ax HE40

CH43 (Horizontal) Peak

CH43 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5776.29	60.81	69.21	-8.40	88.20	-27.39	296	307	Peak	Horizontal	
2 *	6165.00	97.80	105.61	-7.81	88.20	9.60	296	307	Peak	Horizontal	
3	7225.84	62.13	69.19	-7.06	88.20	-26.07	296	307	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5909.83	60.92	69.01	-8.09	88.20	-27.28	330	154	Peak	Vertical	
2 *	6165.00	92.95	100.76	-7.81	88.20	4.75	330	154	Peak	Vertical	
3	7140.45	62.57	69.71	-7.14	88.20	-25.63	330	154	Peak	Vertical	


802.11ax HE40

CH43 (Horizontal) RMS

CH43 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5986.07	49.21	57.28	-8.07	68.20	-18.99	296	307	RMS	Horizontal	
2 *	6165.00	88.12	95.93	-7.81	68.20	19.92	296	307	RMS	Horizontal	
3	7221.72	50.33	57.37	-7.04	68.20	-17.87	296	307	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5986.54	49.25	57.54	-8.29	68.20	-18.95	330	154	RMS	Vertical	
2 *	6165.00	83.21	91.01	-7.80	68.20	15.01	330	154	RMS	Vertical	
3	7208.47	50.20	57.23	-7.03	68.20	-18.00	330	154	RMS	Vertical	


802.11ax HE40

CH91 (Horizontal) Peak

CH91 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5782.74	61.06	69.41	-8.35	88.20	-27.14	294	304 Peak	Horizontal		
2 *	6485.09	98.91	106.71	-7.80	88.20	10.71	294	304 Peak	Horizontal		
3	7284.71	61.56	68.58	-7.02	88.20	-26.64	294	304 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5572.41	61.23	69.91	-8.68	88.20	-26.97	332	196 Peak	Vertical		
2 *	6485.09	95.08	102.89	-7.81	88.20	6.68	332	196 Peak	Vertical		
3	7221.54	62.09	69.13	-7.04	88.20	-26.11	332	196 Peak	Vertical		

802.11ax HE40

CH91 (Horizontal) RMS

CH91 (Vertical) RMS




802.11ax HE80

CH07 (Horizontal) Peak

CH07 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



		Freq	Level	Rd Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
		MHz	dBuV/m	dBuV		dB/m	dBuV/m	dB	cm	deg		
1		5913.59	60.34	69.66	-9.32	88.20	-27.86	282	388	Peak	Horizontal	
2	*	5985.00	97.32	106.98	-9.66	88.20	9.12	282	388	Peak	Horizontal	
3		7141.53	60.97	69.54	-8.57	88.20	-27.23	282	388	Peak	Horizontal	


802.11ax HE80

CH07 (Horizontal) RMS

CH07 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5922.36	49.09	58.42	-9.33	68.20	-19.11	282	308	RMS	Horizontal		
2 *	5985.00	87.62	97.25	-9.63	68.20	19.42	282	308	RMS	Horizontal		
3	7206.50	50.22	58.69	-8.47	68.20	-17.98	282	308	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5985.71	48.94	58.24	-9.30	68.20	-19.26	296	185	RMS	Vertical		
2 *	5985.00	84.75	94.37	-9.62	68.20	16.55	296	185	RMS	Vertical		
3	7165.51	50.32	58.85	-8.53	68.20	-17.88	296	185	RMS	Vertical		


802.11ax HE80

CH39 (Horizontal) Peak

CH39 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5866.69	60.54	70.12	-9.58	88.20	-27.66	278	306	Peak	Horizontal	
2 *	6145.00	95.51	104.55	-9.04	88.20	7.31	278	306	Peak	Horizontal	
3	7239.80	60.37	68.91	-8.54	88.20	-27.83	278	306	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5921.82	59.85	69.18	-9.33	88.20	-28.35	277	186	Peak	Vertical	
2 *	6145.00	92.89	102.07	-9.18	88.20	4.69	277	186	Peak	Vertical	
3	7129.89	60.87	69.44	-8.57	88.20	-27.33	277	186	Peak	Vertical	


802.11ax HE80

CH39 (Horizontal) RMS

CH39 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5841.27	49.26	58.95	-9.69	68.20	-18.94	278	386	RMS	Horizontal	
2 *	6145.00	86.23	95.28	-9.05	68.20	18.03	278	386	RMS	Horizontal	
3	7283.82	50.19	58.66	-8.47	68.20	-18.01	278	386	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5875.28	49.42	58.92	-9.50	68.20	-18.78	277	186	RMS	Vertical	
2 *	6145.00	83.12	92.38	-9.18	68.20	14.92	277	186	RMS	Vertical	
3	7246.06	50.27	58.81	-8.54	68.20	-17.93	277	186	RMS	Vertical	


802.11ax HE80

CH87 (Horizontal) Peak

CH87 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5916.27	59.52	68.84	-9.32	88.20	-28.68		292	314	Peak	Horizontal	
2 *	6385.00	97.46	106.57	-9.11	88.20	9.26		292	314	Peak	Horizontal	
3	7154.77	60.76	69.32	-8.56	88.20	-27.44		292	314	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5907.68	60.35	69.66	-9.31	88.20	-27.85		276	186	Peak	Vertical	
2 *	6385.00	94.99	104.07	-9.08	88.20	5.79		276	186	Peak	Vertical	
3	7196.84	60.86	69.33	-8.47	88.20	-27.34		276	186	Peak	Vertical	


802.11ax HE80

CH87 (Horizontal) RMS

CH87 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5896.58	49.12	58.45	-9.33	68.20	-19.08	292	314	RMS	Horizontal	
2 *	6385.00	88.16	97.29	-9.13	68.20	19.09	292	314	RMS	Horizontal	
3	7200.06	50.16	58.62	-8.46	68.20	-18.04	292	314	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5917.17	49.20	58.52	-9.32	68.20	-19.08	276	186	RMS	Vertical	
2 *	6385.00	84.58	93.66	-9.08	68.20	16.38	276	186	RMS	Vertical	
3	7139.74	50.44	59.01	-8.57	68.20	-17.76	276	186	RMS	Vertical	


802.11ax HE160

CH15 (Horizontal) Peak

CH15 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5876.18	60.02	69.51	-9.49	88.20	-28.18	283	317	Peak	Horizontal	
2	6025.00	93.51	103.12	-9.61	88.20	5.31	283	317	Peak	Horizontal	
3	7157.46	61.18	69.74	-8.56	88.20	-27.02	283	317	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5913.23	59.93	69.26	-9.33	88.20	-28.27	304	104	Peak	Vertical	
2	6025.00	87.95	97.52	-9.57	88.20	-9.25	304	104	Peak	Vertical	
3	7232.64	60.72	69.25	-8.53	88.20	-27.48	304	104	Peak	Vertical	


802.11ax HE160

CH15 (Horizontal) RMS

CH15 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5887.26	49.52	59.07	-9.55	68.20	-18.68	283	317	RMS	Horizontal		
2 *	6025.00	82.81	92.41	-9.60	68.20	14.61	283	317	RMS	Horizontal		
3	7237.65	50.14	58.68	-8.54	68.20	-18.06	283	317	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5988.40	49.33	58.64	-9.31	68.20	-18.87	304	104	RMS	Vertical		
2 *	6025.00	77.65	87.20	-9.55	68.20	9.45	304	104	RMS	Vertical		
3	7209.19	50.29	58.77	-8.48	68.20	-17.91	304	104	RMS	Vertical		

802.11ax HE160

CH47 (Horizontal) Peak

CH47 (Vertical) Peak




802.11ax HE160

CH47 (Horizontal) RMS

CH47 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5910.60	49.70	59.03	-9.33	68.20	-18.50	280	307	RMS	Horizontal		
2 *	6185.00	82.73	91.72	-8.99	68.20	14.53	280	307	RMS	Horizontal		
3	7142.42	50.27	58.84	-8.57	68.20	-17.93	280	307	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5911.98	49.45	58.76	-9.31	68.20	-18.75	297	108	RMS	Vertical		
2 *	6185.00	77.43	86.27	-8.84	68.20	9.23	297	108	RMS	Vertical		
3	7147.61	50.41	58.98	-8.57	68.20	-17.79	297	108	RMS	Vertical		


802.11ax HE160

CH79 (Horizontal) Peak

CH79 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5987.32	59.92	69.22	-9.30	88.20	-28.28	280	313	Peak	Horizontal		
2 *	6345.00	92.26	101.39	-9.13	88.20	4.00	280	313	Peak	Horizontal		
3	7218.98	60.29	68.77	-8.48	88.20	-27.91	280	313	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5572.95	60.37	70.43	-10.06	88.20	-27.83	303	109	Peak	Vertical		
2 *	6345.00	88.80	97.90	-9.10	88.20	9.60	303	109	Peak	Vertical		
3	7128.82	61.34	69.91	-8.57	88.20	-26.86	303	109	Peak	Vertical		


802.11ax HE160

CH79 (Horizontal) RMS

CH79 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5854.34	49.27	58.95	-9.68	68.20	-18.93	280	313	RMS	Horizontal		
2 *	6345.00	81.65	90.78	-9.13	68.20	13.45	280	313	RMS	Horizontal		
3	7214.92	50.20	58.69	-8.49	68.20	-18.00	280	313	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5780.41	49.42	59.07	-9.65	68.20	-18.78	303	109	RMS	Vertical		
2 *	6345.00	78.10	87.20	-9.10	68.20	9.99	303	109	RMS	Vertical		
3	7221.36	50.45	58.95	-8.50	68.20	-17.75	303	109	RMS	Vertical		

U-NII 6

802.11ax HE20

CH97 (Horizontal) Peak

CH97 (Vertical) Peak




802.11ax HE20

CH97 (Horizontal) RMS

CH97 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5781.48	48.83	57.19	-8.36	68.20	-19.37	299	319	RMS	Horizontal		
2 *	6435.00	88.60	96.35	-7.75	68.20	20.40	299	319	RMS	Horizontal		
3	7245.53	49.93	57.81	-7.88	68.20	-18.27	299	319	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5790.61	48.90	57.22	-8.32	68.20	-19.30	304	151	RMS	Vertical		
2 *	6435.00	82.13	89.86	-7.73	68.20	13.93	304	151	RMS	Vertical		
3	7139.02	49.88	57.82	-7.14	68.20	-18.32	304	151	RMS	Vertical		

802.11ax HE20

CH105 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5890.73	61.42	69.50	-8.08	88.20	-26.78	280	302	Peak	Horizontal	
2 *	6475.00	99.72	107.41	-7.69	88.20	11.52	280	302	Peak	Horizontal	
3	7209.73	61.41	68.44	-7.03	88.20	-26.79	280	302	Peak	Horizontal	

CH105 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5683.21	60.61	69.53	-8.92	88.20	-27.59	304	117	Peak	Vertical	
2 *	6475.00	93.92	101.62	-7.70	88.20	5.72	304	117	Peak	Vertical	
3	7153.34	61.35	68.47	-7.12	88.20	-26.85	304	117	Peak	Vertical	


802.11ax HE20

CH105 (Horizontal) RMS

CH105 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5922.54	48.84	56.96	-8.12	68.20	-19.36		280	302	RMS	Horizontal	
2 *	6475.00	90.23	97.93	-7.70	68.20	22.03		280	302	RMS	Horizontal	
3	7191.47	50.08	57.12	-7.04	68.20	-18.12		280	302	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5808.69	48.93	57.21	-8.28	68.20	-19.27		304	117	RMS	Vertical	
2 *	6475.00	93.57	91.26	-7.69	68.20	15.37		304	117	RMS	Vertical	
3	7212.77	49.82	56.85	-7.03	68.20	-18.38		304	117	RMS	Vertical	

802.11ax HE20

CH113 (Horizontal) Peak

CH113 (Vertical) Peak




802.11ax HE20

CH113 (Horizontal) RMS

CH113 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5900.88	48.95	57.01	-8.06	68.20	-19.25	269	309	RMS	Horizontal		
2 *	6515.00	90.68	98.31	-7.63	68.20	22.48	269	309	RMS	Horizontal		
3	7210.44	50.38	57.41	-7.03	68.20	-17.82	269	309	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5813.88	48.90	57.22	-8.32	68.20	-19.30	302	115	RMS	Vertical		
2 *	6515.00	93.86	91.47	-7.61	68.20	15.66	302	115	RMS	Vertical		
3	7141.71	49.89	57.03	-7.14	68.20	-18.31	302	115	RMS	Vertical		


802.11ax HE40

CH99 (Horizontal) Peak

CH99 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5766.27	61.41	69.87	-8.46	88.20	-26.79		307	312	Peak	Horizontal	
2 *	6445.00	97.46	105.17	-7.71	88.20	9.26		307	312	Peak	Horizontal	
3	7221.36	61.56	68.60	-7.04	88.20	-26.64		307	312	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5891.75	60.52	68.65	-8.13	88.20	-27.68		337	114	Peak	Vertical	
2 *	6445.00	94.70	102.41	-7.71	88.20	6.50		337	114	Peak	Vertical	
3	7160.68	62.44	69.55	-7.11	88.20	-25.76		337	114	Peak	Vertical	


802.11ax HE40

CH99 (Horizontal) RMS

CH99 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5793.12	49.20	57.50	-8.30	68.20	-19.00	307	312	RMS	Horizontal		
2 *	6445.00	87.91	95.62	-7.71	68.20	19.71	307	312	RMS	Horizontal		
3	7235.14	50.15	57.22	-7.07	68.20	-18.05	307	312	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5902.13	49.20	57.35	-8.06	68.20	-18.91	337	114	RMS	Vertical		
2 *	6445.00	84.12	91.87	-7.75	68.20	15.92	337	114	RMS	Vertical		
3	7211.16	50.15	57.17	-7.02	68.20	-18.05	337	114	RMS	Vertical		


802.11ax HE40

CH107 (Horizontal) Peak

CH107 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5536.97	61.44	70.05	-8.61	88.20	-26.76	302	310	Peak	Horizontal		
2 *	6485.00	98.70	106.39	-7.69	88.20	10.50	302	310	Peak	Horizontal		
3	7173.21	62.11	69.18	-7.07	88.20	-26.09	302	310	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5882.26	61.74	69.94	-8.20	88.20	-26.46	332	114	Peak	Vertical		
2 *	6485.00	95.01	102.71	-7.70	88.20	6.81	332	114	Peak	Vertical		
3	7157.99	62.08	69.19	-7.11	88.20	-26.12	332	114	Peak	Vertical		


802.11ax HE40

CH107 (Horizontal) RMS

CH107 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5774.68	49.33	57.74	-8.41	68.20	-18.87	302	310	RHS	Horizontal		
2 *	6485.00	88.69	96.38	-7.69	68.20	20.49	302	310	RHS	Horizontal		
3	7244.99	50.45	57.53	-7.08	68.20	-17.75	302	310	RHS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5909.29	49.15	57.24	-8.09	68.20	-19.05	332	114	RHS	Vertical		
2 *	6485.00	84.17	91.87	-7.70	68.20	15.97	332	114	RHS	Vertical		
3	7215.63	50.19	57.22	-7.03	68.20	-18.01	332	114	RHS	Vertical		

802.11ax HE40

CH115 (Horizontal) Peak

CH115 (Vertical) Peak



802.11ax HE40

CH115 (Horizontal) RMS

CH115 (Vertical) RMS




802.11ax HE80

CH103 (Horizontal) Peak

CH103 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5787.93	60.01	69.62	-9.61	88.20	-28.19	292	304	Peak	Horizontal		
2 *	6465.08	97.97	106.98	-9.01	88.20	9.77	292	304	Peak	Horizontal		
3	7193.08	61.09	69.57	-8.48	88.20	-27.11	292	304	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5775.22	61.01	70.70	-9.69	88.20	-27.19	275	188	Peak	Vertical		
2 *	6465.08	92.48	101.53	-9.05	88.20	4.28	275	188	Peak	Vertical		
3	7163.54	62.24	70.78	-8.54	88.20	-25.96	275	188	Peak	Vertical		


802.11ax HE80

CH103 (Horizontal) RMS

CH103 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5981.24	49.04	58.33	-9.29	68.20	-19.16	292	304 RMS	Horizontal	
2 *	6465.00	87.16	96.17	-9.01	68.20	18.96	292	304 RMS	Horizontal	
3	7227.45	50.16	58.66	-8.50	68.20	-18.04	292	304 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5998.01	49.66	58.98	-9.32	68.20	-18.54	275	188 RMS	Vertical	
2 *	6465.00	82.97	92.02	-9.05	68.20	14.77	275	188 RMS	Vertical	
3	7172.14	50.41	58.94	-8.53	68.20	-17.79	275	188 RMS	Vertical	


802.11ax HE80

CH119 (Horizontal) Peak


CH119 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE80

CH119 (Horizontal) RMS

CH119 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5909.83	49.31	58.62	-9.31	68.20	-18.89	278	312 RMS	Horizontal	
2 *	6545.00	87.19	95.96	-8.77	68.20	18.99	278	312 RMS	Horizontal	
3	7144.93	50.30	58.87	-8.57	68.20	-17.90	278	312 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5912.33	49.24	58.55	-9.31	68.20	-18.96	301	194 RMS	Vertical	
2 *	6545.00	81.37	90.14	-8.77	68.20	13.17	301	194 RMS	Vertical	
3	7197.20	50.19	58.66	-8.47	68.20	-18.01	301	194 RMS	Vertical	

802.11ax HE160

CH111 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5883.14	59.86	69.40	-9.54	88.20	-28.34	270	312	Peak	Horizontal	
2 *	6505.00	96.02	105.03	-9.01	88.20	7.82	270	312	Peak	Horizontal	
3	7219.39	60.22	68.72	-8.50	88.20	-27.98	270	312	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5821.58	60.00	69.69	-9.61	88.20	-28.12	305	169	Peak	Vertical	
2 *	6505.00	98.03	99.89	-8.86	88.20	2.73	305	169	Peak	Vertical	
3	7231.21	60.71	69.23	-8.52	88.20	-27.49	305	169	Peak	Vertical	


802.11ax HE160

CH111 (Horizontal) RMS

CH111 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5912.69	49.19	58.52	-9.33	68.20	-19.01	270	312 RMS	Horizontal
2 *	6505.00	87.68	96.89	-9.01	68.20	19.68	270	312 RMS	Horizontal
3	7246.24	50.21	58.75	-8.54	68.20	-17.99	270	312 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5790.97	49.12	58.71	-9.59	68.20	-19.08	305	169 RMS	Vertical
2 *	6505.00	82.41	91.36	-8.95	68.20	14.21	305	169 RMS	Vertical
3	7181.09	50.32	58.82	-8.50	68.20	-17.88	305	169 RMS	Vertical

U-NII 7


802.11ax HE20

CH117 (Horizontal) Peak

CH117 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5821.48	68.92	69.26	-8.34	88.20	-27.28	299	383	Peak	Horizontal	
2 *	6535.00	99.41	106.93	-7.52	88.20	11.21	299	383	Peak	Horizontal	
3	7282.92	62.61	69.63	-7.02	88.20	-25.59	299	383	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5762.15	61.62	70.10	-8.48	88.20	-26.58	340	116	Peak	Vertical	
2 *	6535.00	96.02	103.54	-7.52	88.20	7.82	340	116	Peak	Vertical	
3	7153.52	62.48	69.60	-7.12	88.20	-25.72	340	116	Peak	Vertical	


802.11ax HE20

CH117 (Horizontal) RMS

CH117 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5796.70	48.97	57.24	-8.27	68.20	-19.23	299	303	RMS	Horizontal	
2 *	6535.00	87.90	95.43	-7.53	68.20	19.70	299	303	RMS	Horizontal	
3	7138.13	49.80	56.94	-7.14	68.20	-18.40	299	303	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5807.00	48.92	57.20	-8.28	68.20	-19.28	340	116	RMS	Vertical	
2 *	6535.00	84.85	92.40	-7.55	68.20	16.65	340	116	RMS	Vertical	
3	7242.48	49.97	57.04	-7.07	68.20	-18.23	340	116	RMS	Vertical	


802.11ax HE20

CH149 (Horizontal) Peak

CH149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5894.43	60.80	60.90	-8.10	88.20	-27.40	301	316	Peak	Horizontal	
2	6695.00	97.90	105.60	-7.70	88.20	9.70	301	316	Peak	Horizontal	
3	7238.37	62.16	69.24	-7.08	88.20	-26.04	301	316	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5688.76	61.96	70.88	-8.92	88.20	-26.24	310	114	Peak	Vertical	
2	6695.00	95.06	102.81	-7.75	88.20	6.86	310	114	Peak	Vertical	
3	7191.83	62.91	69.95	-7.04	88.20	-25.29	310	114	Peak	Vertical	


802.11ax HE20

CH149 (Horizontal) RMS

CH149 (Vertical) RMS




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5881.00	48.90	57.16	-8.26	68.20	-19.30	301	316	RMS	Horizontal		
2 *	6695.00	87.54	95.24	-7.70	68.20	19.34	301	316	RMS	Horizontal		
3	7217.42	50.08	57.11	-7.03	68.20	-18.12	301	316	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5880.11	48.99	57.21	-8.22	68.20	-19.21	310	114	RMS	Vertical		
2 *	6695.00	83.41	91.18	-7.77	68.20	15.21	310	114	RMS	Vertical		
3	7221.90	49.94	56.98	-7.04	68.20	-18.26	310	114	RMS	Vertical		