


802.11ax HE20

CH93 (Horizontal)

CH93 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12290.00	31.56	33.27	-1.71	54.00	-22.44	200	196	Average	Horizontal	
2	12290.00	45.09	46.00	-1.71	74.00	-28.91	200	196	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12290.00	31.67	33.38	-1.71	54.00	-22.33	100	283	Average	Vertical	
2	12290.00	44.69	46.40	-1.71	74.00	-29.31	100	283	Peak	Vertical	


802.11ax HE40

CH03 (Horizontal)

CH03 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11930.00	33.50	35.75	-2.25	54.00	-20.50	148	360	Average	Horizontal	
2	11930.00	47.05	49.30	-2.25	74.00	-26.95	148	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11930.00	33.85	36.10	-2.25	54.00	-20.15	100	216	Average	Vertical	
2	11930.00	46.17	48.42	-2.25	74.00	-27.83	100	216	Peak	Vertical	


802.11ax HE40

CH43 (Horizontal)

CH43 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12330.00	33.80	35.45	-1.65	54.00	-20.20	201	360	Average	Horizontal	
2	12330.00	46.57	48.22	-1.65	74.00	-27.43	201	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12330.00	34.14	35.79	-1.65	54.00	-19.86	100	1	Average	Vertical	
2	12330.00	46.94	48.59	-1.65	74.00	-27.06	100	1	Peak	Vertical	


802.11ax HE40

CH91 (Horizontal)

CH91 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12810.00	47.53	48.55	-1.02	88.20	-40.67	100	129	Peak	Horizontal		
2	12810.00	36.28	37.30	-1.02	68.20	-31.92	100	129	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12810.00	47.46	48.48	-1.02	88.20	-40.74	139	360	Peak	Vertical		
2	12810.00	36.97	37.99	-1.02	68.20	-31.23	139	360	RMS	Vertical		


802.11ax HE80

CH07 (Horizontal)

CH07 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11970.00	35.32	37.50	-2.18	54.00	-18.68	100	69	Average	Horizontal	
2	11970.00	46.39	48.57	-2.18	74.00	-27.61	100	69	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	11970.00	35.55	37.73	-2.18	54.00	-18.45	100	170	Average	Vertical	
2	11970.00	46.68	48.86	-2.18	74.00	-27.32	100	170	Peak	Vertical	


802.11ax HE80

CH39 (Horizontal)

CH39 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12290.00	35.27	36.98	-1.71	54.00	-18.73	100	40	Average	Horizontal	
2	12290.00	46.74	48.45	-1.71	74.00	-27.26	100	40	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12290.00	35.78	37.49	-1.71	54.00	-18.22	100	175	Average	Vertical	
2	12290.00	46.84	48.55	-1.71	74.00	-27.16	100	175	Peak	Vertical	


802.11ax HE80

CH87 (Horizontal)

CH87 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12770.00	47.32	48.40	-1.08	88.20	-40.88	100	141	Peak	Horizontal	
2	12770.00	36.37	37.45	-1.08	68.20	-31.83	100	141	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12770.00	44.91	45.99	-1.08	88.20	-43.29	100	355	Peak	Vertical	
2	12770.00	38.38	39.46	-1.08	68.20	-29.82	100	355	RMS	Vertical	


802.11ax HE160

CH15 (Horizontal)

CH15 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12050.00	34.69	36.72	-2.03	54.00	-19.31	100	243	Average	Horizontal	
2	12050.00	46.69	48.72	-2.03	74.00	-27.31	100	243	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12050.00	34.90	36.93	-2.03	54.00	-19.10	100	284	Average	Vertical	
2	12050.00	46.50	48.53	-2.03	74.00	-27.50	100	284	Peak	Vertical	


802.11ax HE160

CH47 (Horizontal)

CH47 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12370.00	35.77	37.35	-1.58	54.00	-18.23	100	304	Average	Horizontal		
2	12370.00	47.43	49.01	-1.58	74.00	-26.57	100	304	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	12370.00	36.07	37.65	-1.58	54.00	-17.93	100	307	Average	Vertical		
2	12370.00	47.25	48.83	-1.58	74.00	-26.75	100	307	Peak	Vertical		


802.11ax HE160

CH79 (Horizontal)

CH79 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12690.00	35.56	36.78	-1.22	54.00	-18.44	100	128	Average	Horizontal	
2	12690.00	47.24	48.46	-1.22	74.00	-26.76	100	128	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12690.00	36.16	37.38	-1.22	54.00	-17.64	100	120	Average	Vertical	
2	12690.00	47.81	49.03	-1.22	74.00	-26.19	100	120	Peak	Vertical	

U-NII 6


802.11ax HE20

CH97 (Horizontal)

CH97 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12870.00	46.05	47.02	-0.97	88.20	-42.15	100	54	Peak	Horizontal	
2	12870.00	35.31	36.28	-0.97	68.20	-32.89	100	54	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12870.00	47.03	48.00	-0.97	88.20	-41.17	100	179	Peak	Vertical	
2	12870.00	36.75	37.72	-0.97	68.20	-31.45	100	179	RMS	Vertical	


802.11ax HE20

CH105 (Horizontal)

CH105 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12950.00	45.62	46.63	-1.01	88.20	-42.58	100	356 Peak	Horizontal	
2	12950.00	35.05	36.06	-1.01	68.20	-33.15	100	356 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	12950.00	37.50	38.51	-1.01	68.20	-30.70	100	176 Average	Vertical	
2	12950.00	47.28	48.29	-1.01	88.20	-40.92	100	176 Peak	Vertical	


802.11ax HE20

CH113 (Horizontal)

CH113 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13030.00	47.12	48.18	-1.06	88.20	-41.08	100	349 Peak	Horizontal	
2	13030.00	36.57	37.63	-1.06	68.20	-31.63	100	349 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13030.00	49.01	50.07	-1.06	88.20	-39.19	100	174 Peak	Vertical	
2	13030.00	39.57	40.63	-1.06	68.20	-28.63	100	174 RMS	Vertical	


802.11ax HE40

CH99 (Horizontal)

CH99 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12890.00	48.16	49.11	-0.95	88.20	-40.04	131	360	Peak	Horizontal	
2	12890.00	36.38	37.33	-0.95	68.20	-31.82	131	360	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12890.00	50.50	51.45	-0.95	88.20	-37.70	100	177	Peak	Vertical	
2	12890.00	40.62	41.57	-0.95	68.20	-27.58	100	177	RMS	Vertical	


802.11ax HE40

CH107 (Horizontal)

CH107 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12970.00	48.27	49.31	-1.04	88.20	-39.93	100	23	Peak	Horizontal	
2	12970.00	38.49	39.53	-1.04	68.20	-29.71	100	23	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12970.00	48.12	49.16	-1.04	88.20	-40.08	100	360	Peak	Vertical	
2	12970.00	38.50	39.54	-1.04	68.20	-29.70	100	360	RMS	Vertical	


802.11ax HE40

CH115 (Horizontal)

CH115 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13050.00	43.80	44.86	-1.06	88.20	-44.40	100	272	Peak	Horizontal	
2	13050.00	38.84	39.90	-1.06	68.20	-29.36	100	272	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13050.00	53.36	54.42	-1.06	88.20	-34.84	100	178	Peak	Vertical	
2	13050.00	42.44	43.50	-1.06	68.20	-25.76	100	178	RMS	Vertical	


802.11ax HE80

CH103 (Horizontal)

CH103 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12930.00	48.97	49.95	-0.98	88.20	-39.23	100	29	Peak	Horizontal		
2	12930.00	38.18	39.16	-0.98	68.20	-30.02	100	29	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	12930.00	50.57	51.55	-0.98	88.20	-37.63	100	175	Peak	Vertical		
2	12930.00	39.21	40.19	-0.98	68.20	-28.99	100	175	RMS	Vertical		


802.11ax HE80

CH119 (Horizontal)

CH119 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13090.00	52.19	53.23	-1.04	88.20	-36.01	100	182	Peak	Horizontal		
2	13090.00	43.23	44.27	-1.04	68.20	-24.97	100	182	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13090.00	52.73	53.77	-1.04	88.20	-35.47	100	177	Peak	Vertical		
2	13090.00	43.60	44.64	-1.04	68.20	-24.60	100	177	RMS	Vertical		


802.11ax HE160

CH111 (Horizontal)

CH111 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13010.00	50.94	52.01	-1.07	88.20	-37.26	100	25	Peak	Horizontal	
2	13010.00	49.67	41.74	-1.07	68.20	-27.53	100	25	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13010.00	51.15	52.22	-1.07	88.20	-37.05	100	173	Peak	Horizontal	
2	13010.00	43.05	44.12	-1.07	68.20	-25.15	100	173	RMS	Horizontal	

U-NII 7


802.11ax HE20

CH117 (Horizontal)

CH117 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13070.00	46.79	47.84	-1.05	88.20	-41.41	100	348 Peak	Horizontal
2	13070.00	37.35	38.40	-1.05	68.20	-30.85	100	348 RMS	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13070.00	47.08	48.13	-1.05	88.20	-41.12	125	360 Peak	Vertical
2	13070.00	38.51	39.56	-1.05	68.20	-29.69	125	360 RMS	Vertical


802.11ax HE20

CH149 (Horizontal)

CH149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13390.00	39.67	40.61	-0.94	54.00	-14.33	100	148	Average	Horizontal	
2	13390.00	44.28	45.22	-0.94	74.00	-29.72	100	148	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13390.00	44.22	45.16	-0.94	54.00	-9.78	100	165	Average	Vertical	
2	13390.00	51.24	52.18	-0.94	74.00	-22.76	100	165	Peak	Vertical	


802.11ax HE20

CH181 (Horizontal)

CH181 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13710.00	45.94	47.02	-1.08	88.20	-42.26	200	49	Peak	Horizontal		
2	13710.00	36.96	38.04	-1.08	68.20	-31.24	200	49	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13710.00	50.37	51.45	-1.08	88.20	-37.83	100	91	Peak	Vertical		
2	13710.00	41.48	42.56	-1.08	68.20	-26.72	100	91	RMS	Vertical		


802.11ax HE20

CH185 (Horizontal)

CH185 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13750.00	47.70	48.85	-1.15	88.20	-40.50	100	361 Peak	Horizontal	
2	13750.00	37.74	38.89	-1.15	68.20	-30.46	100	361 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13750.00	50.20	51.35	-1.15	88.20	-38.00	100	302 Peak	Vertical	
2	13750.00	43.71	44.86	-1.15	68.20	-24.49	100	302 RMS	Vertical	


802.11ax HE40

CH123 (Horizontal)

CH123 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13130.00	43.96	44.98	-1.02	88.20	-44.24	100	360 Peak	Horizontal	
2	13130.00	40.81	41.83	-1.02	68.20	-27.39	100	360 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13130.00	52.52	53.54	-1.02	88.20	-35.68	100	165 Peak	Vertical	
2	13130.00	41.45	42.47	-1.02	68.20	-26.75	100	165 RMS	Vertical	


802.11ax HE40

CH155 (Horizontal)

CH155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13450.00	52.37	53.38	-1.01	88.20	-35.83	100	20	Peak	Horizontal	
2	13450.00	40.88	41.89	-1.01	68.20	-27.32	100	20	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13450.00	57.88	58.89	-1.01	88.20	-30.32	100	182	Peak	Vertical	
2	13450.00	46.89	47.90	-1.01	68.20	-21.31	100	182	RMS	Vertical	


802.11ax HE40

CH179 (Horizontal)

CH179 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13690.00	53.56	54.63	-1.07	88.20	-34.64	100	85	Peak	Horizontal	
2	13690.00	42.36	43.43	-1.07	68.20	-25.84	100	85	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13690.00	53.64	54.71	-1.07	88.20	-34.56	100	186	Peak	Vertical	
2	13690.00	42.44	43.51	-1.07	68.20	-25.76	100	186	RMS	Vertical	


802.11ax HE40

CH187 (Horizontal)

CH187 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13770.00	50.17	51.36	-1.19	88.20	-38.03	100	302 Peak	Horizontal	
2	13770.00	42.96	44.15	-1.19	68.20	-25.24	100	302 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13770.00	50.75	51.94	-1.19	88.20	-37.45	100	360 Peak	Vertical	
2	13770.00	43.59	44.78	-1.19	68.20	-24.61	100	360 RMS	Vertical	


802.11ax HE80

CH135 (Horizontal)

CH135 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level	Level	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13252.00	41.35	42.34	-0.99	54.00	-12.65	100	21 Average	Horizontal	
2	13252.00	53.63	54.62	-0.99	74.00	-20.37	100	21 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level	Level	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13250.00	45.33	46.32	-0.99	54.00	-8.67	100	177 Average	Vertical	
2	13250.00	56.62	57.61	-0.99	74.00	-17.38	100	177 Peak	Vertical	


802.11ax HE80

CH151 (Horizontal)

CH151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13410.00	52.68	53.63	-0.95	88.20	-35.52	100	21	Peak	Horizontal		
2	13410.00	41.58	42.53	-0.95	68.20	-26.62	100	21	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13410.00	56.12	57.07	-0.95	88.20	-32.08	100	179	Peak	Vertical		
2	13410.00	46.68	47.63	-0.95	68.20	-21.52	100	179	RMS	Vertical		


802.11ax HE80

CH167 (Horizontal)

CH167 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13570.00	50.88	51.97	-1.09	88.20	-37.32	100	140	Peak	Horizontal		
2	13570.00	39.77	40.86	-1.09	68.20	-28.43	100	140	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13570.00	56.17	57.26	-1.09	88.20	-32.03	100	176	Peak	Vertical		
2	13570.00	44.75	45.84	-1.09	68.20	-23.45	100	176	RMS	Vertical		


802.11ax HE80

CH183 (Horizontal)

CH183 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13730.00	49.61	50.73	-1.12	88.20	-38.59	100	20	Peak	Horizontal	
2	13730.00	40.22	41.34	-1.12	68.20	-27.98	100	20	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13730.00	53.27	54.39	-1.12	88.20	-34.93	100	176	Peak	Vertical	
2	13730.00	43.93	45.05	-1.12	68.20	-24.27	100	176	RMS	Vertical	


802.11ax HE160

CH143 (Horizontal)

CH143 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13330.00	43.73	44.68	-0.95	54.00	-10.27	100	18	Average	Horizontal		
2	13330.00	60.08	61.03	-0.95	74.00	-13.92	100	18	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13330.00	47.98	48.93	-0.95	54.00	-6.02	100	184	Average	Vertical		
2	13330.00	63.90	64.85	-0.95	74.00	-10.10	100	184	Peak	Vertical		


802.11ax HE160

CH175 (Horizontal)

CH175 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13650.00	59.18	60.25	-1.07	88.20	-29.02	100	46	Peak	Horizontal	
2	13650.00	44.44	45.51	-1.07	68.20	-23.76	100	46	RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	13660.00	62.20	63.27	-1.07	88.20	-26.00	100	168	Peak	Vertical	
2	13660.00	47.92	48.99	-1.07	68.20	-20.28	100	168	RMS	Vertical	

U-NII 8


802.11ax HE20

CH189 (Horizontal)

CH189 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13790.00	46.61	47.84	-1.23	88.20	-41.59	100	355 Peak	Horizontal	
2	13790.00	40.77	42.00	-1.23	68.20	-27.43	100	355 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	13790.00	47.51	48.74	-1.23	88.20	-40.69	109	360 Peak	Vertical	
2	13790.00	41.74	42.97	-1.23	68.20	-26.46	109	360 RMS	Vertical	


802.11ax HE20

CH209 (Horizontal)

CH209 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13990.00	48.67	49.49	-0.82	88.20	-39.53	100	149	Peak	Horizontal		
2	13990.00	39.54	40.36	-0.82	68.20	-28.66	100	149	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	13990.00	48.70	49.52	-0.82	88.20	-39.50	100	62	Peak	Vertical		
2	13990.00	41.52	42.34	-0.82	68.20	-26.68	100	62	RMS	Vertical		


802.11ax HE20

CH233 (Horizontal)


CH233 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

CH195 (Horizontal)

CH195 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13850.00	46.97	48.06	-1.09	88.20	-41.23	100	27 Peak	Horizontal	
2	13850.00	37.58	38.67	-1.09	68.20	-30.62	100	27 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	13850.00	51.27	52.36	-1.09	88.20	-36.93	100	70 Peak	Vertical	
2	13850.00	40.13	41.22	-1.09	68.20	-28.07	100	70 RMS	Vertical	


802.11ax HE40

CH211 (Horizontal)

CH211 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	14010.00	48.73	49.49	-0.76	88.20	-39.47	100	148 Peak	Horizontal	
2	14010.00	39.57	40.33	-0.76	68.20	-28.63	100	148 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	14010.00	52.30	53.06	-0.76	88.20	-35.90	100	73 Peak	Vertical	
2	14010.00	44.54	45.30	-0.76	68.20	-23.66	100	73 RMS	Vertical	


802.11ax HE40

CH227 (Horizontal)

CH227 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	14170.00	49.23	49.53	-0.30	88.20	-38.97	100	17	Peak	Horizontal		
2	14170.00	41.07	41.37	-0.30	68.20	-27.13	100	17	RMS	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	14170.00	50.68	50.98	-0.30	88.20	-37.52	100	73	Peak	Vertical		
2	14170.00	43.37	43.67	-0.30	68.20	-24.83	100	73	RMS	Vertical		


802.11ax HE80

CH199 (Horizontal)

CH199 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level	Level	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13890.00	48.65	49.61	-0.96	88.20	-39.55	100	148 Peak	Horizontal	
2	13890.00	39.60	40.56	-0.96	68.20	-28.60	100	148 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level	Level	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13890.00	50.19	51.15	-0.96	88.20	-38.01	100	306 Peak	Vertical	
2	13890.00	43.74	44.70	-0.96	68.20	-24.46	100	306 RMS	Vertical	


802.11ax HE80

CH215 (Horizontal)

CH215 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	14050.00	48.66	49.22	-0.56	88.20	-39.54	100	149 Peak	Horizontal	
2	14050.00	39.88	40.43	-0.55	68.20	-28.32	100	149 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	14050.00	50.47	51.03	-0.56	88.20	-37.73	100	305 Peak	Vertical	
2	14050.00	44.03	44.58	-0.55	68.20	-24.17	100	305 RMS	Vertical	


802.11ax HE160

CH207 (Horizontal)

CH207 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level	Level	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13970.00	46.69	47.53	-0.84	88.20	-41.51	100	300 Peak	Horizontal	
2	13970.00	40.00	40.84	-0.84	68.20	-28.20	100	300 RMS	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	Freq	Level	Level	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	13970.00	55.04	55.88	-0.84	88.20	-33.16	100	328 Peak	Vertical	
2	13970.00	43.64	44.48	-0.84	68.20	-24.56	100	328 RMS	Vertical	

Mains Conducted Emission, TX (150kHz ~ 30MHz)


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dBuV	dB		
1	0.15	31.22	21.29	9.93	55.88	-24.66 Average	line1
2	0.15	48.14	38.21	9.93	65.88	-17.74 QP	line1
3	0.22	24.89	14.96	9.93	52.90	-28.01 Average	line1
4	0.22	38.30	28.37	9.93	62.90	-24.60 QP	line1
5	0.43	18.21	8.26	9.95	47.26	-29.05 Average	line1
6	0.43	29.63	19.68	9.95	57.26	-27.63 QP	line1
7	5.68	19.68	9.48	10.20	50.00	-30.32 Average	line1
8	5.68	26.31	16.11	10.20	60.00	-33.69 QP	line1
9	7.89	25.65	15.38	10.27	50.00	-24.35 Average	line1
10	7.89	31.37	21.10	10.27	60.00	-28.63 QP	line1
11	24.70	21.00	10.33	10.67	50.00	-29.00 Average	line1
12	24.70	26.38	15.71	10.67	60.00	-33.62 QP	line1



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
	MHz	dBuV	dB	dBuV	dB		
1	0.15	30.73	20.80	9.93	55.88	-25.15 Average	neutral
2	0.15	46.71	36.78	9.93	65.88	-19.17 QP	neutral
3	0.27	23.79	13.87	9.92	51.11	-27.32 Average	neutral
4	0.27	34.61	24.69	9.92	61.11	-26.50 QP	neutral
5	0.42	21.85	11.92	9.93	47.39	-25.54 Average	neutral
6	0.42	30.29	20.36	9.93	57.39	-27.10 QP	neutral
7	3.47	17.28	7.26	10.02	46.00	-28.72 Average	neutral
8	3.47	23.25	13.23	10.02	56.00	-32.75 QP	neutral
9	5.32	22.32	12.23	10.09	50.00	-27.68 Average	neutral
10	5.32	30.59	20.50	10.09	60.00	-29.41 QP	neutral
11	21.48	27.91	17.36	10.55	50.00	-22.09 Average	neutral
12	21.48	33.20	22.65	10.55	60.00	-26.80 QP	neutral