

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test


Band Edges, 2.31GHz ~ 2.5GHz

802.11b

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.56	59.58	23.04	36.54	74.00	-14.42	280	180	Peak	Horizontal		
2 *	2412.00	111.72	75.09	36.63	74.00	37.72	280	180	Peak	Horizontal		
3	2499.57	54.25	16.94	37.31	74.00	-19.75	280	180	Peak	Horizontal		

Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.90	55.57	19.03	36.54	74.00	-18.43	180	208	Peak	Vertical		
2 *	2412.00	105.02	68.39	36.63	74.00	31.02	180	208	Peak	Vertical		
3	2491.83	53.58	16.32	37.26	74.00	-20.42	180	208	Peak	Vertical		

802.11b

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2389.23	52.04	15.50	36.54	54.00	-1.96	280	180 Average	Horizontal	
2	2412.00	109.21	72.58	36.63	54.00	55.21	280	180 Average	Horizontal	
3	2492.92	41.32	4.05	37.27	54.00	-12.68	280	180 Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2389.23	46.04	9.50	36.54	54.00	-7.96	180	208 Average	Vertical	
2	2412.00	102.39	65.76	36.63	54.00	48.39	180	208 Average	Vertical	
3	2492.54	40.96	3.69	37.27	54.00	-13.04	180	208 Average	Vertical	

802.11b

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Level	Line	Limit					
		Factor							
			dB/m	dBuV/m	dB	cm	deg		
1	2314.42	40.58	3.95	36.63	54.00	-13.42	302	184 Average	Horizontal
2 *	2437.00	118.09	73.24	36.85	54.00	56.09	302	184 Average	Horizontal
3	2484.75	44.72	7.51	37.21	54.00	-9.28	302	184 Average	Horizontal

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Level	Line	Limit					
		Factor							
			dB/m	dBuV/m	dB	cm	deg		
1	2388.00	39.89	3.35	36.54	54.00	-14.11	178	212 Average	Vertical
2 *	2437.00	103.83	66.98	36.85	54.00	49.83	178	212 Average	Vertical
3	2484.85	41.36	4.15	37.21	54.00	-12.64	178	212 Average	Vertical

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2344.02	53.42	16.76	36.66	74.00	-20.58		297	201	Peak	Horizontal	
2 *	2462.00	111.20	74.15	37.05	74.00	37.20		297	201	Peak	Horizontal	
3	2484.23	61.01	23.80	37.21	74.00	-12.99		297	201	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2359.26	56.21	19.58	36.63	74.00	-17.79		178	213	Peak	Vertical	
2 *	2462.00	103.58	66.53	37.05	74.00	29.58		178	213	Peak	Vertical	
3	2483.76	54.95	17.75	37.20	74.00	-19.05		178	213	Peak	Vertical	

802.11b

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2313.71	40.11	3.48	36.63	54.00	-13.89	297	201 Average	Horizontal		
2 *	2462.00	108.04	70.99	37.05	54.00	54.04	297	201 Average	Horizontal		
3 !	2483.47	51.48	14.28	37.20	54.00	-2.52	297	201 Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2313.31	39.80	3.17	36.63	54.00	-14.20	178	213 Average	Vertical		
2 *	2462.00	100.91	63.06	37.05	54.00	46.91	178	213 Average	Vertical		
3	2483.47	45.42	8.22	37.20	54.00	-8.58	178	213 Average	Vertical		

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.94	67.51	30.97	36.54	74.00	-6.49	277	179	Peak	Horizontal		
2 *	2412.00	114.06	77.43	36.63	74.00	40.06	277	179	Peak	Horizontal		
3	2493.68	53.68	16.41	37.27	74.00	-20.32	277	179	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.99	62.43	25.89	36.54	74.00	-11.57	182	208	Peak	Vertical		
2 *	2412.00	107.90	71.27	36.63	74.00	33.90	182	208	Peak	Vertical		
3	2485.61	53.88	16.67	37.21	74.00	-20.12	182	208	Peak	Vertical		

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.94	52.70	16.16	36.54	54.00	-1.30	277	179	Average	Horizontal	
2	2412.00	100.78	64.15	36.63	54.00	46.78	277	179	Average	Horizontal	
3	2485.89	41.23	4.01	37.22	54.00	-12.77	277	179	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.99	47.94	11.40	36.54	54.00	-6.06	182	208	Average	Vertical	
2	2412.00	94.93	58.30	36.63	54.00	40.93	182	208	Average	Vertical	
3	2498.72	40.90	3.60	37.30	54.00	-13.10	182	208	Average	Vertical	

802.11g

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2389.71	58.54	22.00	36.54	74.00	-15.46	277	183 Peak	Horizontal	
2 *	2437.00	116.85	80.00	36.85	74.00	42.85	277	183 Peak	Horizontal	
3	2485.23	57.02	19.81	37.21	74.00	-16.98	277	183 Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2389.42	56.16	19.61	36.55	74.00	-17.84	283	185 Peak	Horizontal	
2 *	2437.00	114.73	77.88	36.85	74.00	40.73	283	185 Peak	Horizontal	
3	2486.04	58.02	20.80	37.22	74.00	-15.98	283	185 Peak	Horizontal	

802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.09	42.62	6.08	36.54	54.00	-11.38	277	183	Average Horizontal
2	2437.00	103.70	66.85	36.85	54.00	49.70	277	183	Average Horizontal
3	2483.61	42.84	5.64	37.20	54.00	-11.16	277	183	Average Horizontal

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.47	42.34	5.00	36.54	54.00	-11.66	203	185	Average Horizontal
2	2437.00	101.72	64.87	36.85	54.00	47.72	203	185	Average Horizontal
3	2483.47	44.13	6.93	37.20	54.00	-9.87	203	185	Average Horizontal

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2323.44	53.72	17.08	36.64	74.00	-20.28	299	171	Peak	Horizontal	
2 *	2462.00	113.29	76.24	37.05	74.00	39.29	299	171	Peak	Horizontal	
3	2484.14	64.53	27.33	37.20	74.00	-9.47	299	171	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2379.85	53.77	17.17	36.60	74.00	-20.23	177	213	Peak	Vertical	
2 *	2462.00	106.10	69.05	37.05	74.00	32.10	177	213	Peak	Vertical	
3	2483.95	57.42	20.22	37.20	74.00	-16.58	177	213	Peak	Vertical	

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2310.00	40.58	3.96	36.62	54.00	-13.42	299	171	Average	Horizontal	
2 *	2462.00	99.99	62.94	37.05	54.00	45.99	299	171	Average	Horizontal	
3 !	2483.47	51.70	14.50	37.20	54.00	-2.30	299	171	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2332.00	39.78	3.13	36.65	54.00	-14.22	177	213	Average	Vertical	
2 *	2462.00	93.32	56.27	37.05	54.00	39.32	177	213	Average	Vertical	
3	2483.47	45.04	7.84	37.20	54.00	-8.96	177	213	Average	Vertical	

802.11ax HE20


Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.94	52.48	15.94	36.54	54.00	-1.52	313	172	Average	Horizontal		
2	2412.00	101.62	64.99	36.63	54.00	47.62	313	172	Average	Horizontal		
3	2496.77	41.33	4.04	37.29	54.00	-12.67	313	172	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.94	46.83	10.29	36.54	54.00	-7.17	201	206	Average	Vertical		
2	2412.00	94.73	58.10	36.63	54.00	40.73	201	206	Average	Vertical		
3	2497.15	41.08	3.79	37.29	54.00	-12.92	201	206	Average	Vertical		

802.11ax HE20

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.00	58.74	22.20	36.54	74.00	-15.26		273	186	Peak	Horizontal	
2 *	2437.00	119.00	82.15	36.85	74.00	45.00		273	186	Peak	Horizontal	
3	2483.80	66.34	29.14	37.20	74.00	-7.66		273	186	Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.75	54.33	17.79	36.54	74.00	-19.67		197	208	Peak	Vertical	
2 *	2437.00	112.55	75.70	36.85	74.00	38.55		187	208	Peak	Vertical	
3	2483.52	61.67	24.47	37.20	74.00	-12.33		197	208	Peak	Vertical	

802.11ax HE 20

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.47	42.48	5.94	36.54	54.00	-11.52	273	186	Average	Horizontal	
2	2437.00	107.13	70.28	36.85	54.00	53.13	273	186	Average	Horizontal	
3	2484.04	47.65	10.45	37.20	54.00	-6.35	273	186	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.66	41.16	4.62	36.54	54.00	-12.84	197	208	Average	Vertical	
2	2437.00	100.77	63.92	36.85	54.00	46.77	197	208	Average	Vertical	
3	2484.09	44.70	7.50	37.20	54.00	-9.30	197	208	Average	Vertical	

802.11ax HE20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2354.70	54.87	18.22	36.65	74.00	-19.13		297	175	Peak	Horizontal	
2 *	2462.00	113.90	76.85	37.05	74.00	39.90		297	175	Peak	Horizontal	
3 !	2484.09	69.67	32.47	37.20	74.00	-4.33		297	175	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2334.99	53.05	16.40	36.65	74.00	-20.95		197	210	Peak	Vertical	
2 *	2462.00	100.33	71.28	37.05	74.00	34.33		197	210	Peak	Vertical	
3	2483.47	67.89	30.69	37.20	74.00	-6.11		197	210	Peak	Vertical	

802.11ax HE20

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2310.38	40.58	3.96	36.62	54.00	-13.42		297	175	Average	Horizontal	
2 *	2462.00	101.21	64.16	37.05	54.00	47.21		297	175	Average	Horizontal	
3 !	2483.47	52.81	15.61	37.20	54.00	-1.19		297	175	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2340.16	40.09	3.44	36.65	54.00	-13.91		197	210	Average	Vertical	
2 *	2462.00	95.54	58.49	37.05	54.00	41.54		197	210	Average	Vertical	
3	2483.76	47.02	9.82	37.20	54.00	-6.98		197	210	Average	Vertical	

802.11ax HE40

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.94	72.44	35.90	36.54	74.00	-1.56	277	164 Peak	Horizontal	
2	2422.00	118.29	73.57	36.72	74.00	36.29	277	164 Peak	Horizontal	
3	2494.16	54.66	17.39	37.27	74.00	-19.34	277	164 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.90	66.82	30.28	36.54	74.00	-7.18	204	144 Peak	Vertical	
2	2422.00	104.82	68.10	36.72	74.00	30.82	204	144 Peak	Vertical	
3	2494.68	54.72	17.44	37.28	74.00	-19.28	204	144 Peak	Vertical	

802.11ax HE40

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.14	52.29	15.75	36.54	54.00	-1.71	277	164	Average	Horizontal		
2	2422.00	98.85	62.13	36.72	54.00	44.85	277	164	Average	Horizontal		
3	2483.71	42.42	5.22	37.20	54.00	-11.58	277	164	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.14	47.60	11.06	36.54	54.00	-6.40	284	144	Average	Vertical		
2	2422.00	93.04	56.32	36.72	54.00	39.04	284	144	Average	Vertical		
3	2494.87	42.04	4.76	37.28	54.00	-11.96	284	144	Average	Vertical		

802.11ax HE40

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.62	71.64	35.08	36.56	74.00	-2.36	271	116 Peak	Horizontal	
2	2437.00	109.51	72.66	36.85	74.00	35.51	271	116 Peak	Horizontal	
3	2483.47	70.19	32.99	37.20	74.00	-3.81	271	116 Peak	Horizontal	

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.72	64.38	27.82	36.56	74.00	-9.62	338	200 Peak	Vertical	
2	2437.00	106.54	69.69	36.85	74.00	32.54	338	200 Peak	Vertical	
3	2483.52	66.52	29.32	37.20	74.00	-7.48	338	200 Peak	Vertical	

802.11ax HE40

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliu, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 !	2389.33	48.72	12.18	36.54	54.00	-5.28	271	116	Average	Horizontal		
2 *	2437.00	97.37	69.52	36.85	54.00	43.37	271	116	Average	Horizontal		
3 !	2483.52	52.03	14.83	37.20	54.00	-1.97	271	116	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliu, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.66	42.93	6.39	36.54	54.00	-11.07	338	200	Average	Vertical		
2 *	2437.00	95.46	58.61	36.85	54.00	41.46	338	200	Average	Vertical		
3 !	2483.61	49.23	12.93	37.20	54.00	-4.77	338	200	Average	Vertical		

802.11ax HE40

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2389.98	53.76	17.22	36.54	74.00	-20.24	273	166 Peak	Horizontal	
2 *	2452.00	109.99	73.01	36.98	74.00	35.99	273	166 Peak	Horizontal	
3 !	2484.23	72.47	35.26	37.21	74.00	-1.53	273	166 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	2389.98	53.76	17.22	36.54	74.00	-20.26	225	144 Peak	Vertical	
2 *	2452.00	109.99	73.01	36.98	74.00	31.01	225	144 Peak	Vertical	
3 !	2484.09	70.07	32.87	37.20	74.00	-3.93	225	144 Peak	Vertical	

802.11ax HE40

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2310.67	41.40	4.78	36.62	54.00	-12.60		273	166	Average	Horizontal	
2 *	2452.00	98.51	61.53	36.98	54.00	44.51		273	166	Average	Horizontal	
3 !	2483.80	51.94	14.74	37.20	54.00	-2.06		273	166	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2371.32	40.99	4.39	36.60	54.00	-13.01		225	144	Average	Vertical	
2 *	2452.00	93.18	56.20	36.98	54.00	39.18		225	144	Average	Vertical	
3 !	2483.76	49.42	12.22	37.20	54.00	-4.58		225	144	Average	Vertical	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	83.35	32.41	44.65	-12.24	40.00	-7.59	200	226 Peak	Horizontal	
2	182.75	29.77	40.90	-11.13	43.50	-13.73	200	49 Peak	Horizontal	
3	223.03	40.56	49.19	-8.63	46.00	-5.44	100	125 Peak	Horizontal	
4	480.08	35.32	37.55	-2.23	46.00	-10.68	118	360 Peak	Horizontal	
5	804.06	35.83	32.35	3.48	46.00	-10.17	100	94 Peak	Horizontal	
6	950.23	38.63	33.54	5.09	54.00	-15.37	100	118 Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	83.35	25.99	38.23	-12.24	40.00	-14.01	200	109 Peak	Vertical	
2	191.02	30.28	38.00	-8.52	43.50	-13.22	200	170 Peak	Vertical	
3	257.95	30.59	37.63	-7.04	46.00	-15.41	200	187 Peak	Vertical	
4	480.08	31.59	33.82	-2.23	46.00	-14.41	100	178 Peak	Vertical	
5	845.77	34.65	30.75	3.90	46.00	-11.35	100	178 Peak	Vertical	
6	945.68	33.95	28.90	5.05	46.00	-12.05	200	133 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	51.79	62.62	-10.83	54.00	-2.21	268	175	Average	Horizontal	
2	4824.00	51.43	62.26	-10.83	74.00	-22.57	268	175	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	43.99	54.82	-10.83	54.00	-10.81	100	1	Average	Vertical	
2	4824.00	47.19	58.02	-10.83	74.00	-26.81	100	1	Peak	Vertical	

802.11b

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	48.55	59.25	-10.70	54.00	-5.45	100	48	Average	Horizontal	
2	4924.00	50.55	61.25	-10.70	74.00	-23.45	100	48	Peak	Horizontal	
3	7386.00	35.98	44.61	-8.63	54.00	-18.02	100	170	Average	Horizontal	
4	7386.00	44.85	53.48	-8.63	74.00	-29.15	100	170	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	43.29	53.99	-10.70	54.00	-10.71	100	360	Average	Vertical	
2	4924.00	46.43	57.13	-10.70	74.00	-27.57	100	360	Peak	Vertical	
3	7386.00	38.27	46.90	-8.63	54.00	-15.73	200	184	Average	Vertical	
4	7386.00	46.62	55.25	-8.63	74.00	-27.38	200	184	Peak	Vertical	


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	32.48	43.31	-10.83	54.00	-21.52	152	116	Average	Horizontal	
2	4824.00	45.28	56.11	-10.83	74.00	-28.72	152	116	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4824.00	32.79	43.62	-10.83	54.00	-21.21	300	202	Average	Vertical	
2	4824.00	46.21	57.04	-10.83	74.00	-27.79	300	202	Peak	Vertical	

802.11g

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	39.83	50.67	-10.84	54.00	-14.17	300	288	Average	Horizontal	
2	4874.00	52.35	63.19	-10.84	74.00	-21.65	300	288	Peak	Horizontal	
3	7311.00	41.07	49.80	-8.73	54.00	-12.93	100	86	Average	Horizontal	
4	7311.00	54.17	62.90	-8.73	74.00	-19.83	100	86	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	33.61	44.65	-10.84	54.00	-20.19	300	278	Average	Vertical	
2	4874.00	46.54	57.38	-10.84	74.00	-27.46	300	278	Peak	Vertical	
3	7311.00	40.27	49.00	-8.73	54.00	-13.73	200	177	Average	Vertical	
4	7311.00	52.23	60.96	-8.73	74.00	-21.77	200	177	Peak	Vertical	

802.11g

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV	dB/m	dBuV/m	dB	cm	deg			
32.38	43.08	-10.70	54.00	-21.62	100	52 Average	Horizontal	
47.56	58.26	-10.70	74.00	-26.44	100	52 Peak	Horizontal	
34.40	43.03	-8.63	54.00	-19.60	100	100 Average	Horizontal	
50.83	59.46	-8.63	74.00	-23.17	100	100 Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
dBuV	dB/m	dBuV/m	dB	cm	deg			
28.01	38.71	-10.70	54.00	-25.99	200	178 Average	Vertical	
42.74	53.44	-10.70	74.00	-31.26	200	178 Peak	Vertical	
32.62	41.25	-8.63	54.00	-21.38	100	163 Average	Vertical	
48.09	56.72	-8.63	74.00	-25.91	100	163 Peak	Vertical	


802.11ax HE20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	26.88	37.71	-10.83	54.00	-27.12	100	172	Average	Horizontal	
2	4824.00	40.76	51.59	-10.83	74.00	-33.24	100	172	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	26.74	37.57	-10.83	54.00	-27.26	100	360	Average	Vertical	
2	4824.00	39.97	50.80	-10.83	74.00	-34.03	100	360	Peak	Vertical	

802.11ax HE20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	4874.00	38.20	49.04	-10.84	54.00	-15.80	100	179 Average	Horizontal	
2	4874.00	51.92	62.76	-10.84	74.00	-22.08	100	179 Peak	Horizontal	
3	7311.00	37.40	46.13	-8.73	54.00	-16.60	100	57 Average	Horizontal	
4	7311.00	50.81	59.54	-8.73	74.00	-23.19	100	57 Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	4874.00	36.14	46.98	-10.84	54.00	-17.86	105	0 Average	Vertical	
2	4874.00	49.05	59.89	-10.84	74.00	-24.95	105	0 Peak	Vertical	
3	7311.00	40.46	49.19	-8.73	54.00	-13.54	123	0 Average	Vertical	
4	7311.00	54.26	62.99	-8.73	74.00	-19.74	123	0 Peak	Vertical	

802.11ax HE20

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	31.61	42.51	-10.70	54.00	-22.19	100	177	Average	Horizontal		
2	4924.00	45.96	56.66	-10.70	74.00	-28.04	100	177	Peak	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	29.63	40.53	-10.70	54.00	-24.17	100	360	Average	Vertical		
2	4924.00	44.54	55.24	-10.70	74.00	-29.46	100	360	Peak	Vertical		

802.11ax HE40

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4844.00	31.25	42.06	-10.81	54.00	-22.75	100	184	Average	Horizontal	
2	4844.00	44.26	55.07	-10.81	74.00	-29.74	100	184	Peak	Horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4844.00	29.79	40.60	-10.81	54.00	-24.21	100	215	Average	Vertical	
2	4844.00	42.97	53.78	-10.81	74.00	-31.03	100	215	Peak	Vertical	

802.11ax HE40

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	33.11	43.95	-10.84	54.00	-20.89	100	284 Average	Horizontal	
2	4874.00	46.11	56.95	-10.84	74.00	-27.89	100	284 Peak	Horizontal	
3	7311.00	35.22	43.95	-8.73	54.00	-18.78	100	328 Average	Horizontal	
4	7311.00	47.65	56.38	-8.73	74.00	-26.35	100	328 Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	34.51	45.35	-10.84	54.00	-19.49	265	360 Average	Vertical	
2	4874.00	44.63	55.47	-10.84	74.00	-29.37	265	360 Peak	Vertical	
3	7311.00	35.10	43.83	-8.73	54.00	-18.90	230	360 Average	Vertical	
4	7311.00	48.23	56.96	-8.73	74.00	-25.77	230	360 Peak	Vertical	

802.11ax HE40

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	4904.00	30.28	41.11	-10.83	54.00	-23.72	200	277 Average	Horizontal	
2	4904.00	41.76	52.59	-10.83	74.00	-32.24	200	277 Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	4904.00	28.83	39.66	-10.83	54.00	-25.17	100	360 Average	Vertical	
2	4904.00	41.80	52.63	-10.83	74.00	-32.20	100	360 Peak	Vertical	

Mains Conducted Emission, TX 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB		
1	0.21	29.59	19.66	9.93	53.27	-23.68	Average	line1
2	0.21	46.26	36.33	9.93	63.27	-17.01	QP	line1
3	0.31	17.61	7.67	9.94	50.00	-32.39	Average	line1
4	0.31	33.66	23.72	9.94	60.00	-26.34	QP	line1
5	0.52	12.91	2.94	9.97	46.00	-33.09	Average	line1
6	0.52	24.81	14.84	9.97	56.00	-31.19	QP	line1
7	3.45	20.14	10.02	10.12	46.00	-25.86	Average	line1
8	3.45	26.34	16.22	10.12	56.00	-29.66	QP	line1
9	6.06	24.93	14.72	10.21	50.00	-25.07	Average	line1
10	6.06	31.14	20.93	10.21	60.00	-28.86	QP	line1
11	21.48	20.23	9.62	10.61	50.00	-29.77	Average	line1
12	21.48	26.58	15.97	10.61	60.00	-33.42	QP	line1



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB		
1	0.16	31.07	21.14	9.93	55.21	-24.14	Average	neutral
2	0.16	48.52	38.59	9.93	65.21	-16.69	QP	neutral
3	0.26	25.10	15.18	9.92	51.40	-26.30	Average	neutral
4	0.26	38.85	28.93	9.92	61.40	-22.55	QP	neutral
5	0.50	16.56	6.62	9.94	46.00	-29.50	Average	neutral
6	0.50	28.84	18.90	9.94	56.00	-27.22	QP	neutral
7	2.76	22.55	12.54	10.01	46.00	-23.45	Average	neutral
8	2.76	28.47	18.46	10.01	56.00	-27.53	QP	neutral
9	5.76	27.91	17.80	10.11	50.00	-22.09	Average	neutral
10	5.76	34.40	24.29	10.11	60.00	-25.60	QP	neutral
11	21.59	29.83	19.28	10.55	50.00	-20.17	Average	neutral
12	21.59	35.30	24.75	10.55	60.00	-24.70	QP	neutral