


|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:02 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2390.000        | 61.171                 | 29.168               | -12.829     | 74.000         | 32.003        | PK   |
| 2  |      | *    | 2408.224        | 106.243                | 74.270               | N/A         | N/A            | 31.973        | PK   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:03 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2390.000        | 49.736                 | 17.733               | -4.264      | 54.000         | 32.003        | AV   |
| 2  |      | *    | 2408.896        | 98.167                 | 66.195               | N/A         | N/A            | 31.972        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:01 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2390.000        | 62.872                 | 30.869               | -11.128     | 74.000         | 32.003        | PK   |
| 2  |      | *    | 2408.112        | 107.372                | 75.399               | N/A         | N/A            | 31.973        | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:00 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2390.000        | 52.225                 | 20.222               | -1.775      | 54.000         | 32.003        | AV   |
| 2  |      | *    | 2408.952        | 99.048                 | 67.076               | N/A         | N/A            | 31.971        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:13 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2461.168        | 106.496                | 74.569               | N/A         | N/A            | 31.926        | PK   |
| 2  |      |      | 2483.500        | 63.854                 | 31.942               | -10.146     | 74.000         | 31.912        | PK   |
| 3  |      |      | 2484.496        | 65.030                 | 33.120               | -8.970      | 74.000         | 31.910        | PK   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:14 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2464.888        | 98.444                 | 66.517               | N/A         | N/A            | 31.926        | AV   |
| 2  |      |      | 2483.500        | 52.832                 | 20.920               | -1.168      | 54.000         | 31.912        | AV   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:11 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2461.408        | 109.083                | 77.156               | N/A         | N/A            | 31.927        | PK   |
| 2  |      |      | 2483.500        | 66.431                 | 34.519               | -7.569      | 74.000         | 31.912        | PK   |
| 3  |      |      | 2484.736        | 67.123                 | 35.214               | -6.877      | 74.000         | 31.909        | PK   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:10 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2460.112        | 100.044                | 68.116               | N/A         | N/A            | 31.927        | AV   |
| 2  |      |      | 2483.500        | 52.242                 | 20.330               | -1.758      | 54.000         | 31.912        | AV   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2389.134        | 65.173                 | 33.168               | -8.827      | 74.000         | 32.006        | PK   |
| 2  |      |      | 2390.000        | 60.797                 | 28.794               | -13.203     | 74.000         | 32.003        | PK   |
| 3  |      | *    | 2405.832        | 98.802                 | 66.824               | N/A         | N/A            | 31.978        | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2390.000        | 49.676                 | 17.673               | -4.324      | 54.000         | 32.003        | AV   |
| 2  |      | *    | 2411.442        | 91.606                 | 59.639               | N/A         | N/A            | 31.967        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:24 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2388.210        | 65.031                 | 33.023               | -8.969      | 74.000         | 32.008        | PK   |
| 2  |      |      | 2390.000        | 60.086                 | 28.083               | -13.914     | 74.000         | 32.003        | PK   |
| 3  |      | *    | 2437.776        | 100.375                | 68.445               | N/A         | N/A            | 31.930        | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:21 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2384.646        | 52.597                 | 20.581               | -1.403      | 54.000         | 32.016        | AV   |
| 2  |      |      | 2390.000        | 52.819                 | 20.816               | -1.181      | 54.000         | 32.003        | AV   |
| 3  |      | *    | 2407.812        | 92.247                 | 60.273               | N/A         | N/A            | 31.975        | AV   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:46 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2459.234        | 99.827                 | 67.898               | N/A         | N/A            | 31.929        | PK   |
| 2  |      |      | 2483.500        | 59.045                 | 27.133               | -14.955     | 74.000         | 31.912        | PK   |
| 3  |      |      | 2484.666        | 64.961                 | 33.052               | -9.039      | 74.000         | 31.909        | PK   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:48 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2466.340        | 92.557                 | 60.630               | N/A         | N/A            | 31.928        | AV   |
| 2  |      |      | 2483.500        | 49.292                 | 17.380               | -4.708      | 54.000         | 31.912        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:45 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2459.234        | 102.508                | 70.579               | N/A         | N/A            | 31.929        | PK   |
| 2  |      |      | 2483.500        | 61.557                 | 29.645               | -12.443     | 74.000         | 31.912        | PK   |
| 3  |      |      | 2484.292        | 66.479                 | 34.569               | -7.521      | 74.000         | 31.910        | PK   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/02/13 - 14:44 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Bob Zhang      |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2466.272        | 95.453                 | 63.526               | N/A         | N/A            | 31.928        | AV   |
| 2  |      |      | 2483.500        | 51.544                 | 19.632               | -2.456      | 54.000         | 31.912        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

### Radio 3 Test Data - Original Data

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 21:54 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11b at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2374.288        | 58.987                 | 26.974               | -15.013     | 74.000         | 32.013        | PK   |
| 2  |      |      | 2390.000        | 57.653                 | 25.650               | -16.347     | 74.000         | 32.003        | PK   |
| 3  |      | *    | 2412.704        | 99.990                 | 68.026               | N/A         | N/A            | 31.964        | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 22:08 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11b at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2390.000        | 45.967                 | 13.964               | -8.033      | 54.000         | 32.003        | AV   |
| 2  |      | *    | 2412.704        | 97.870                 | 65.906               | N/A         | N/A            | 31.964        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 22:09 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11b at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2363.256        | 58.699                 | 26.682               | -15.301     | 74.000         | 32.018        | PK   |
| 2  |      |      | 2390.000        | 57.861                 | 25.858               | -16.139     | 74.000         | 32.003        | PK   |
| 3  |      | *    | 2412.816        | 107.826                | 75.862               | N/A         | N/A            | 31.964        | PK   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 22:11 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11b at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2390.000        | 46.902                 | 14.899               | -7.098      | 54.000         | 32.003        | AV   |
| 2  |      | *    | 2412.704        | 105.570                | 73.606               | N/A         | N/A            | 31.964        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 22:17 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11b at Channel 2462MHz |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2461.024        | 102.478                | 70.551               | N/A         | N/A            | 31.927        | PK   |
| 2  |      |      | 2483.500        | 55.923                 | 24.011               | -18.077     | 74.000         | 31.912        | PK   |
| 3  |      |      | 2489.248        | 57.645                 | 25.745               | -16.355     | 74.000         | 31.900        | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 22:20 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11b at Channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2461.168        | 100.598                | 68.671               | N/A         | N/A            | 31.926        | AV   |
| 2  |      |      | 2483.500        | 45.275                 | 13.363               | -8.725      | 54.000         | 31.912        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 22:20 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11b at Channel 2462MHz |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2461.096        | 107.118                | 75.191               | N/A         | N/A            | 31.927        | PK   |
| 2  |      |      | 2483.500        | 59.966                 | 28.054               | -14.034     | 74.000         | 31.912        | PK   |
| 3  |      |      | 2487.712        | 59.978                 | 28.075               | -14.022     | 74.000         | 31.903        | PK   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 22:22 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11b at Channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2461.144        | 105.577                | 73.650               | N/A         | N/A            | 31.927        | AV   |
| 2  |      |      | 2483.500        | 51.095                 | 19.183               | -2.905      | 54.000         | 31.912        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 22:44 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11g at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2368.072        | 57.737                 | 25.723               | -16.263     | 74.000         | 32.013        | PK   |
| 2  |      |      | 2390.000        | 59.792                 | 27.789               | -14.208     | 74.000         | 32.003        | PK   |
| 3  |      | *    | 2415.168        | 100.041                | 68.082               | N/A         | N/A            | 31.960        | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 22:46 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11g at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2390.000        | 46.444                 | 14.441               | -7.556      | 54.000         | 32.003        | AV   |
| 2  |      | *    | 2416.624        | 91.952                 | 59.995               | N/A         | N/A            | 31.956        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 22:43 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11g at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2347.408        | 57.388                 | 25.349               | -16.612     | 74.000         | 32.039        | PK   |
| 2  |      |      | 2390.000        | 66.635                 | 34.632               | -7.365      | 74.000         | 32.003        | PK   |
| 3  |      | *    | 2415.112        | 107.187                | 75.227               | N/A         | N/A            | 31.960        | PK   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 22:43 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11g at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2390.000        | 53.668                 | 21.665               | -0.332      | 54.000         | 32.003        | AV   |
| 2  |      | *    | 2415.168        | 99.472                 | 67.513               | N/A         | N/A            | 31.960        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 22:52 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11g at Channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2458.840        | 85.785                 | 53.856               | N/A         | N/A            | 31.929        | PK   |
| 2  |      |      | 2483.500        | 53.771                 | 21.859               | -20.229     | 74.000         | 31.912        | PK   |
| 3  |      |      | 2486.680        | 57.015                 | 25.110               | -16.985     | 74.000         | 31.905        | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 22:54 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11g at Channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2459.848        | 77.353                 | 45.425               | N/A         | N/A            | 31.928        | AV   |
| 2  |      |      | 2483.500        | 41.062                 | 9.150                | -12.938     | 54.000         | 31.912        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 22:51 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11g at Channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2458.600        | 91.019                 | 59.090               | N/A         | N/A            | 31.929        | PK   |
| 2  |      |      | 2483.500        | 54.390                 | 22.478               | -19.610     | 74.000         | 31.912        | PK   |
| 3  |      |      | 2490.232        | 57.588                 | 25.690               | -16.412     | 74.000         | 31.898        | PK   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-AC2                                      | Time: 2022/01/28 - 22:47 |
| Limit: FCC_Part15.209_RE(3m)                      | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                   | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11g at Channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2459.296        | 82.728                 | 50.799               | N/A         | N/A            | 31.929        | AV   |
| 2  |      |      | 2483.500        | 41.761                 | 9.849                | -12.239     | 54.000         | 31.912        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 23:00 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2327.192        | 59.133                 | 26.939               | -14.867     | 74.000         | 32.194        | PK   |
| 2  |      |      | 2390.000        | 53.780                 | 21.777               | -20.220     | 74.000         | 32.003        | PK   |
| 3  |      | *    | 2416.848        | 86.183                 | 54.227               | N/A         | N/A            | 31.956        | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 23:02 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2390.000        | 41.037                 | 9.034                | -12.963     | 54.000         | 32.003        | AV   |
| 2  |      | *    | 2417.520        | 77.663                 | 45.708               | N/A         | N/A            | 31.954        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 22:59 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2368.184        | 57.463                 | 25.449               | -16.537     | 74.000         | 32.014        | PK   |
| 2  |      |      | 2390.000        | 54.469                 | 22.466               | -19.531     | 74.000         | 32.003        | PK   |
| 3  |      | *    | 2414.888        | 92.971                 | 61.011               | N/A         | N/A            | 31.960        | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 22:56 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2412MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2390.000        | 40.792                 | 8.789                | -13.208     | 54.000         | 32.003        | AV   |
| 2  |      | *    | 2414.888        | 85.089                 | 53.129               | N/A         | N/A            | 31.960        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 23:07 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2461.168        | 85.765                 | 53.838               | N/A         | N/A            | 31.926        | PK   |
| 2  |      |      | 2483.500        | 55.174                 | 23.262               | -18.826     | 74.000         | 31.912        | PK   |
| 3  |      |      | 2485.648        | 57.125                 | 25.218               | -16.875     | 74.000         | 31.907        | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 23:09 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2459.152        | 76.705                 | 44.776               | N/A         | N/A            | 31.929        | AV   |
| 2  |      |      | 2483.500        | 41.244                 | 9.332                | -12.756     | 54.000         | 31.912        | AV   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 23:05 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2458.096        | 90.228                 | 58.298               | N/A         | N/A            | 31.930        | PK   |
| 2  |      |      | 2483.500        | 55.085                 | 23.173               | -18.915     | 74.000         | 31.912        | PK   |
| 3  |      |      | 2485.240        | 58.023                 | 26.115               | -15.977     | 74.000         | 31.908        | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 23:04 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT20 at Channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2459.200        | 81.659                 | 49.730               | N/A         | N/A            | 31.929        | AV   |
| 2  |      |      | 2483.500        | 41.719                 | 9.807                | -12.281     | 54.000         | 31.912        | AV   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 23:17 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2340.096        | 58.778                 | 26.689               | -15.222     | 74.000         | 32.089        | PK   |
| 2  |      |      | 2390.000        | 57.424                 | 25.421               | -16.576     | 74.000         | 32.003        | PK   |
| 3  |      | *    | 2425.038        | 97.210                 | 65.265               | N/A         | N/A            | 31.945        | PK   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 23:18 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2390.000        | 46.021                 | 14.018               | -7.979      | 54.000         | 32.003        | AV   |
| 2  |      | *    | 2425.566        | 89.744                 | 57.799               | N/A         | N/A            | 31.944        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 23:16 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2389.266        | 65.323                 | 33.318               | -8.677      | 74.000         | 32.005        | PK   |
| 2  |      |      | 2390.000        | 64.313                 | 32.310               | -9.687      | 74.000         | 32.003        | PK   |
| 3  |      | *    | 2426.226        | 105.706                | 73.762               | N/A         | N/A            | 31.944        | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 23:14 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2422MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      |      | 2390.000        | 53.333                 | 21.330               | -0.667      | 54.000         | 32.003        | AV   |
| 2  |      | *    | 2425.764        | 97.802                 | 65.857               | N/A         | N/A            | 31.944        | AV   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 23:26 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2458.758        | 96.675                 | 64.746               | N/A         | N/A            | 31.929        | PK   |
| 2  |      |      | 2483.500        | 58.282                 | 26.370               | -15.718     | 74.000         | 31.912        | PK   |
| 3  |      |      | 2485.856        | 60.249                 | 28.342               | -13.751     | 74.000         | 31.907        | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 23:28 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Horizontal     |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV/m) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2460.526        | 89.119                 | 57.192               | N/A         | N/A            | 31.928        | AV   |
| 2  |      |      | 2483.500        | 47.749                 | 15.837               | -6.251      | 54.000         | 31.912        | AV   |

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 23:25 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2458.792        | 102.922                | 70.993               | N/A         | N/A            | 31.929        | PK   |
| 2  |      |      | 2483.500        | 63.181                 | 31.269               | -10.819     | 74.000         | 31.912        | PK   |
| 3  |      |      | 2484.734        | 67.563                 | 35.654               | -6.437      | 74.000         | 31.909        | PK   |

Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

|                                                        |                          |
|--------------------------------------------------------|--------------------------|
| Site: WZ-AC2                                           | Time: 2022/01/28 - 23:24 |
| Limit: FCC_Part15.209_RE(3m)                           | Engineer: Hyde Yu        |
| Probe: WZ-AC2_BBHA9120D_1-18GHz                        | Polarity: Vertical       |
| EUT: Wireless Streaming Sound System                   | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11n-HT40 at Channel 2452MHz |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Margin (dB) | Limit (dBuV/m) | Factor (dB/m) | Type |
|----|------|------|-----------------|------------------------|----------------------|-------------|----------------|---------------|------|
| 1  |      | *    | 2458.758        | 94.108                 | 62.179               | N/A         | N/A            | 31.929        | AV   |
| 2  |      |      | 2483.500        | 53.461                 | 21.549               | -0.539      | 54.000         | 31.912        | AV   |


Note: Measure Level (dBuV/m) = Reading Level (dBuV) + Factor (dB/m)

Factor (dB/m) = Cable Loss (dB) + Antenna Factor (dB/m)

## A.8 AC Conducted Emissions Test Result

### Radio 2 Test Data - Retest Data

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-SR2                                      | Time: 2022/03/11 - 09:58 |
| Limit: FCC_Part15.207_CE_AC Power                 | Engineer: Helen Han      |
| Probe: ENV216_101683_Filter Off_C                 | Polarity: Line           |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11g at channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV) | Factor (dB) | Type |
|----|------|------|-----------------|----------------------|----------------------|-------------|--------------|-------------|------|
| 1  |      |      | 0.154           | 43.302               | 33.253               | -22.479     | 65.781       | 10.049      | QP   |
| 2  |      |      | 0.154           | 31.399               | 21.350               | -24.382     | 55.781       | 10.049      | AV   |
| 3  |      |      | 0.186           | 40.893               | 30.851               | -23.320     | 64.213       | 10.043      | QP   |
| 4  |      |      | 0.186           | 28.392               | 18.349               | -25.822     | 54.213       | 10.043      | AV   |
| 5  |      |      | 0.550           | 31.980               | 21.848               | -24.020     | 56.000       | 10.132      | QP   |
| 6  |      |      | 0.550           | 23.357               | 13.225               | -22.643     | 46.000       | 10.132      | AV   |
| 7  |      |      | 0.778           | 31.646               | 21.464               | -24.354     | 56.000       | 10.182      | QP   |
| 8  |      |      | 0.778           | 21.099               | 10.917               | -24.901     | 46.000       | 10.182      | AV   |
| 9  |      |      | 14.730          | 27.049               | 16.197               | -32.951     | 60.000       | 10.852      | QP   |
| 10 |      |      | 14.730          | 20.717               | 9.866                | -29.283     | 50.000       | 10.852      | AV   |
| 11 |      |      | 21.662          | 39.694               | 28.444               | -20.306     | 60.000       | 11.250      | QP   |
| 12 |      | *    | 21.662          | 32.831               | 21.581               | -17.169     | 50.000       | 11.250      | AV   |

Note: Measure Level (dBμV) = Reading Level (dBμV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + LISN Factor (dB)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-SR2                                      | Time: 2022/03/11 - 10:02 |
| Limit: FCC_Part15.207_CE_AC Power                 | Engineer: Helen Han      |
| Probe: ENV216_101683_Filter Off_C                 | Polarity: Neutral        |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11g at channel 2462MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV) | Factor (dB) | Type |
|----|------|------|-----------------|----------------------|----------------------|-------------|--------------|-------------|------|
| 1  |      |      | 0.154           | 45.295               | 34.924               | -20.487     | 65.781       | 10.370      | QP   |
| 2  |      |      | 0.154           | 35.439               | 25.069               | -20.342     | 55.781       | 10.370      | AV   |
| 3  |      |      | 0.186           | 43.184               | 32.843               | -21.029     | 64.213       | 10.341      | QP   |
| 4  |      |      | 0.186           | 33.888               | 23.547               | -20.325     | 54.213       | 10.341      | AV   |
| 5  |      |      | 0.542           | 34.105               | 23.717               | -21.895     | 56.000       | 10.388      | QP   |
| 6  |      |      | 0.542           | 24.631               | 14.243               | -21.369     | 46.000       | 10.388      | AV   |
| 7  |      |      | 0.778           | 38.822               | 28.390               | -17.178     | 56.000       | 10.432      | QP   |
| 8  |      | *    | 0.778           | 31.677               | 21.245               | -14.323     | 46.000       | 10.432      | AV   |
| 9  |      |      | 12.602          | 32.822               | 21.692               | -27.178     | 60.000       | 11.130      | QP   |
| 10 |      |      | 12.602          | 20.580               | 9.450                | -29.420     | 50.000       | 11.130      | AV   |
| 11 |      |      | 21.662          | 36.934               | 25.501               | -23.066     | 60.000       | 11.433      | QP   |
| 12 |      |      | 21.662          | 30.268               | 18.836               | -19.732     | 50.000       | 11.433      | AV   |

Note: Measure Level (dBμV) = Reading Level (dBμV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + LISN Factor (dB)

### Radio 3 Test Data - Original Data

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-SR2                                      | Time: 2022/03/11 - 10:39 |
| Limit: FCC_Part15.207_CE_AC Power                 | Engineer: Helen Han      |
| Probe: ENV216_101683_Filter Off_C                 | Polarity: Line           |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11b at channel 2437MHz |                          |




| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV) | Factor (dB) | Type |
|----|------|------|-----------------|----------------------|----------------------|-------------|--------------|-------------|------|
| 1  |      |      | 0.154           | 42.218               | 32.169               | -23.564     | 65.781       | 10.049      | QP   |
| 2  |      |      | 0.154           | 30.522               | 20.473               | -25.259     | 55.781       | 10.049      | AV   |
| 3  |      |      | 0.186           | 39.801               | 29.759               | -24.412     | 64.213       | 10.043      | QP   |
| 4  |      |      | 0.186           | 28.066               | 18.024               | -26.147     | 54.213       | 10.043      | AV   |
| 5  |      |      | 0.546           | 33.438               | 23.306               | -22.562     | 56.000       | 10.131      | QP   |
| 6  |      |      | 0.546           | 24.124               | 13.993               | -21.876     | 46.000       | 10.131      | AV   |
| 7  |      |      | 0.782           | 31.291               | 21.108               | -24.709     | 56.000       | 10.183      | QP   |
| 8  |      |      | 0.782           | 21.560               | 11.378               | -24.440     | 46.000       | 10.183      | AV   |
| 9  |      |      | 14.402          | 30.458               | 19.605               | -29.542     | 60.000       | 10.853      | QP   |
| 10 |      |      | 14.402          | 24.177               | 13.324               | -25.823     | 50.000       | 10.853      | AV   |
| 11 |      |      | 20.994          | 39.433               | 28.199               | -20.567     | 60.000       | 11.234      | QP   |
| 12 |      | *    | 20.994          | 30.818               | 19.584               | -19.182     | 50.000       | 11.234      | AV   |

Note: Measure Level (dBμV) = Reading Level (dBμV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + LISN Factor (dB)

|                                                   |                          |
|---------------------------------------------------|--------------------------|
| Site: WZ-SR2                                      | Time: 2022/03/11 - 10:44 |
| Limit: FCC_Part15.207_CE_AC Power                 | Engineer: Helen Han      |
| Probe: ENV216_101683_Filter Off_C                 | Polarity: Neutral        |
| EUT: Wireless Streaming Sound System              | Power: AC 120V/60Hz      |
| Test Mode: Transmit by 802.11b at channel 2437MHz |                          |



| No | Flag | Mark | Frequency (MHz) | Measure Level (dBμV) | Reading Level (dBμV) | Margin (dB) | Limit (dBμV) | Factor (dB) | Type |
|----|------|------|-----------------|----------------------|----------------------|-------------|--------------|-------------|------|
| 1  |      |      | 0.158           | 43.311               | 32.946               | -22.258     | 65.568       | 10.365      | QP   |
| 2  |      |      | 0.158           | 33.693               | 23.329               | -21.875     | 55.568       | 10.365      | AV   |
| 3  |      |      | 0.186           | 42.267               | 31.926               | -21.946     | 64.213       | 10.341      | QP   |
| 4  |      |      | 0.186           | 32.527               | 22.186               | -21.686     | 54.213       | 10.341      | AV   |
| 5  |      |      | 0.546           | 33.796               | 23.407               | -22.204     | 56.000       | 10.389      | QP   |
| 6  |      |      | 0.546           | 24.770               | 14.382               | -21.230     | 46.000       | 10.389      | AV   |
| 7  |      |      | 0.778           | 38.725               | 28.293               | -17.275     | 56.000       | 10.432      | QP   |
| 8  |      | *    | 0.778           | 30.448               | 20.016               | -15.552     | 46.000       | 10.432      | AV   |
| 9  |      |      | 12.430          | 35.015               | 23.885               | -24.985     | 60.000       | 11.130      | QP   |
| 10 |      |      | 12.430          | 20.754               | 9.624                | -29.246     | 50.000       | 11.130      | AV   |
| 11 |      |      | 21.662          | 37.603               | 26.170               | -22.397     | 60.000       | 11.433      | QP   |
| 12 |      |      | 21.662          | 30.489               | 19.056               | -19.511     | 50.000       | 11.433      | AV   |

Note: Measure Level (dBμV) = Reading Level (dBμV) + Factor (dB)

Factor (dB) = Cable Loss (dB) + LISN Factor (dB)

## **Appendix B – Test Setup Photograph**

Refer to “2105RSU032-UT” file.

## **Appendix C – EUT Photograph**

Refer to “2105RSU032-UE” file.

\_\_\_\_\_ The End \_\_\_\_\_