



Manufacturer's Name:Shenzhen Fbetter Electronic Co.,Ltd
Address: Introduction Building 6F, Xinan Street 71, Baoan District,Shenzhen Guangdong, China
Antenna model: A2145


Passive Test For BT												
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHS (%)	DHS (%)	Max (dB)	Min (dB)	irectivit (dBi)	Beamwidth (3dB)	AttH (dB)	AttV (dB)
2400	32.4	-4.89	-0.5	-2.65	12.448	19.957	-0.5	-15.42	4.4	30	46.52	46.42
2410	31.97	-4.95	-0.76	-2.91	12.762	19.21	-0.76	-15.08	4.19	30	46.11	46.03
2420	26.89	-5.7	-1.89	-4.04	11.157	15.736	-1.89	-15.5	3.81	30	46.45	46.36
2430	28.32	-5.48	-1.56	-3.71	11.99	16.328	-1.56	-14.88	3.92	30	46.15	46.03
2440	27.52	-5.6	-1.47	-3.62	11.682	15.841	-1.47	-14.62	4.13	30	46.75	46.57
2450	29.86	-5.25	-0.97	-3.12	12.751	17.114	-0.97	-13.96	4.28	30	46.74	46.58
2460	26.97	-5.69	-1.39	-3.54	11.592	15.375	-1.39	-13.69	4.3	90	46.92	46.75
2470	29.93	-5.24	-0.87	-3.02	12.871	17.06	-0.87	-12.71	4.37	90	46.63	46.48
2480	28.73	-5.42	-0.98	-3.13	12.169	16.557	-0.98	-13.22	4.44	0	46.92	46.8

Application Information	
04Version	4.95.303
TotalTime	3m 57s 331ms
AdditionalInfor	NULL


Antenna shap




2400.000MHz




2400.000MHz H




2400.000MHz E1




2400.000MHz E2




2440.000MHz




2440.000MHz H




2440.000MHz E1




2440.000MHz E2




2480.000MHz



2480.000MHz H



2480.000MHz E1



2480.000MHz E2

