


## 1 Cover Page

### ***RF Exposure Evaluation Report***

**Application No.:** KSCR2210001892AT  
**FCC ID:** SVNIPC-C46EIN  
**Applicant:** ZHEJIANG DAHUA VISION TECHNOLOGY CO.,LTD.  
**Address of Applicant:** No.1199, Bin'an Road, Binjiang District, Hangzhou, P.R. China  
**Manufacturer:** ZHEJIANG DAHUA VISION TECHNOLOGY CO.,LTD.  
**Address of Manufacturer:** No.1199, Bin'an Road, Binjiang District, Hangzhou, P.R. China  
**Equipment Under Test (EUT):**  
**EUT Name:** 4MP Spotlight WIFI Camera  
**Model No.:** C46EIN,DH-IPC-C46EI-USA,DH-C46EI-CAN,DH-C46EI,DH-C46EI,IPC-C46EI-USA,IPC-C46EI-CAN, IPC-C46EI,C46EI  
**Standard(s) :** FCC Rules 47 CFR §2.1091  
**Date of Receipt:** KDB 447498 D04 interim General RF Exposure Guidance v01  
**Date of Test:** 2022-10-10  
**Date of Issue:** 2022-10-15 to 2022-10-19  
**Date of Issue:** 2022-10-24

|                     |              |
|---------------------|--------------|
| <b>Test Result:</b> | <b>Pass*</b> |
|---------------------|--------------|

\* In the configuration tested, the EUT complied with the standards specified above.



Eric Lin  
Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention:** To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
 中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300


t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn  
 t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

## Compliance Certification Services (Kunshan) Inc.

Report No.: KSCR221000189204

Page: 2 of 15

| Revision Record |         |            |          |          |
|-----------------|---------|------------|----------|----------|
| Version         | Chapter | Date       | Modifier | Remark   |
| 00              |         | 2022-10-24 |          | Original |
|                 |         |            |          |          |
|                 |         |            |          |          |

|                          |  |                                                                                     |  |
|--------------------------|--|-------------------------------------------------------------------------------------|--|
| Authorized for issue by: |  |                                                                                     |  |
|                          |  |    |  |
|                          |  | <u>Eric_Liu /Project Engineer</u>                                                   |  |
|                          |  |  |  |
|                          |  | <u>Eric Lin/Reviewer</u>                                                            |  |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

(86-512)57355888 (86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
(86-512)57355888 (86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 2 Contents

|                                                             | Page      |
|-------------------------------------------------------------|-----------|
| <b>1 COVER PAGE .....</b>                                   | <b>1</b>  |
| <b>2 CONTENTS .....</b>                                     | <b>3</b>  |
| <b>3 GENERAL INFORMATION .....</b>                          | <b>4</b>  |
| 3.1 GENERAL DESCRIPTION OF E.U.T. ....                      | 4         |
| 3.2 DETAILS OF E.U.T. ....                                  | 4         |
| 3.3 TEST LOCATION.....                                      | 6         |
| 3.4 TEST FACILITY.....                                      | 6         |
| <b>4 FCC RADIOFREQUENCY RADIATION EXPOSURE LIMITS .....</b> | <b>7</b>  |
| 4.1 BLANKET 1 MW BLANKET EXEMPTION .....                    | 7         |
| 4.2 MPE-BASED EXEMPTION .....                               | 7         |
| 4.3 SAR-BASED EXEMPTION.....                                | 8         |
| <b>5 MEASUREMENT AND CALCULATION.....</b>                   | <b>11</b> |
| 5.1 MAXIMUM TRANSMIT POWER .....                            | 11        |
| 5.2 RF EXPOSURE CALCULATION.....                            | 14        |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

(86-512)57355888 (86-512)57370818 www.sgsgroup.com.cn  
(86-512)57355888 (86-512)57370818 sgs.china@sgs.com

## 3 General Information

### 3.1 General Description of E.U.T.

|                   |                     |
|-------------------|---------------------|
| Test power:       | AC 120V/60Hz        |
| S/N:              | 8M0024EPAG45216     |
| Firmware Version: | V2.820.0000000.18.R |

### 3.2 Details of E.U.T.

#### 2.G WiFi

|                      |                                                                                                                          |
|----------------------|--------------------------------------------------------------------------------------------------------------------------|
| Operation Frequency: | 802.11b/g/n(HT20): 2412MHz to 2462MHz;802.11n(HT40): 2422MHz to 2452MHz                                                  |
| Modulation Type:     | 802.11b: DSSS (CCK, DQPSK, DBPSK);802.11g/n: OFDM (64QAM, 16QAM, QPSK, BPSK)                                             |
| Number of Channels:  | 802.11b/g/n(HT20):11;802.11n(HT40):7                                                                                     |
| Channel Spacing:     | 5MHz                                                                                                                     |
| Antenna Type:        | Ant 1: FPC Antenna<br>Ant 2: FPC Antenna                                                                                 |
| Antenna Gain:        | Ant 1: 4.17dBi(Provided by the manufacturer)<br>Ant 2: 4.54dBi(Provided by the manufacturer)<br>Directional gain:7.37dBi |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)**

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 5G

|                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operation Frequency (20MHz): | U-NII-1: 5180-5240MHz; U-NII-2A: 5260-5320MHz; U-NII-2C: 5500-5700MHz; U-NII-3: 5745-5825MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Operation Frequency (40MHz): | U-NII-1: 5190-5230MHz; U-NII-2A: 5270-5310MHz; U-NII-2C: 5510-5670MHz; U-NII-3: 5755-5795MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Operation Frequency (80MHz): | U-NII-1: 5210MHz; U-NII-2A: 5290MHz; U-NII-2C: 5530-5610MHz; U-NII-3: 5775MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Modulation Type:             | 802.11a: OFDM (64QAM, 16QAM, QPSK, BPSK);<br>802.11n: OFDM (BPSK, QPSK, 16QAM, 64QAM);<br>802.11ac: OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM)                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Channel Spacing:             | 802.11a/n(HT20)/ac(HT20): 20MHz;<br>802.11n(HT40)/ac(HT40): 40MHz;<br>802.11ac(HT80): 80MHz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| DFS Function:                | Slave without Radar detection                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| TPC Function:                | Without TPC function                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Antenna Type:                | Ant 1: FPC Antenna<br>Ant 2: FPC Antenna                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Antenna Gain:                | For U-NII-1 Antenna 1:2.03dBi(Provided by the manufacturer)<br>Antenna 2:4.16dBi (Provided by the manufacturer)<br>Directional gain:6.23dBi<br>For U-NII-2A Antenna 1:4.00dBi(Provided by the manufacturer)<br>Antenna 2:4.08dBi (Provided by the manufacturer)<br>Directional gain:7.05dBi<br>For U-NII-2C Antenna 1:4.44dBi(Provided by the manufacturer)<br>Antenna 2:3.21dBi (Provided by the manufacturer)<br>Directional gain:6.88dBi<br>For U-NII-3 Antenna 1:2.24dBi Antenna(Provided by the manufacturer)<br>Antenna 2:6.81dBi(Provided by the manufacturer)<br>Directional gain:8.11dBi |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

(86-512)57355888 (86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
(86-512)57355888 (86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 3.3 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China.

Tel: +86 512 5735 5888

Fax: +86 512 5737 0818

No tests were sub-contracted.

Note:

- 1.SGS is not responsible for wrong test results due to incorrect information (e.g. max. clock frequency, highest internal frequency, antenna gain, cable loss, etc ) is provided by the applicant. (if applicable).
- 2.SGS is not responsible for the authenticity, integrity and the validity of the conclusion based on results of the data provided by applicant. (if applicable).

## 3.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

### • CNAS (No. CNAS L4354)

CNAS has accredited Compliance Certification Services (Kunshan) Inc. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

### • A2LA (Certificate No. 2541.01)

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

### • FCC (Designation Number: CN1172)

Compliance Certification Services (Kunshan) Inc. has been recognized as an accredited testing laboratory.

Designation Number: CN1172.

### • ISED (CAB identifier: CN0072)

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory.

Company Number: 2324E

### • VCCI (Member No.: 1938)

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-20134, R-11600, C-11707, T-11499, G-10216 respectively.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)

t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 4 FCC Radiofrequency radiation exposure limits

Test exemptions apply for devices used in general population/uncontrolled exposure environments, according to the SAR-based, or MPE-based exemption thresholds.

### 4.1 Blanket 1 mW Blanket Exemption

The 1 mW Blanket Exemption of §1.1307(b)(3)(i)(A) applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power of no more than 1 mW, regardless of separation distance.

The 1-mW blanket exemption applies at separation distances less than 0.5 cm, including where there is no separation. This exemption shall not be used in conjunction with other exemption criteria other than those for multiple RF sources in paragraph §1.1307(b)(3)(ii)(A).

The 1-mW exemption is independent of service type and covers the full range of 100 kHz to 100 GHz, but it shall not be used in conjunction with other exemption criteria or in devices with higher-power transmitters operating in the same time-averaging period. Exposure from such higher-power transmitters would invalidate the underlying assumption that exposure from the lower-power transmitter is the only contributor to SAR in the relevant volume of tissue.

### 4.2 MPE-based Exemption

General frequency and separation-distance dependent MPE-based effective radiated power (ERP) thresholds are in Table B.1 [Table 1 of §1.1307(b)(1)(i)(C)] to support an exemption from further evaluation from 300 kHz through 100 GHz.

**Table B.1—Thresholds For Single RF Sources Subject to Routine Environmental Evaluation**

| RF Source Frequency |   |           | Minimum Distance   |   |                    | Threshold ERP                        |
|---------------------|---|-----------|--------------------|---|--------------------|--------------------------------------|
| $f_L$ MHz           |   | $f_H$ MHz | $\lambda_L / 2\pi$ |   | $\lambda_H / 2\pi$ | W                                    |
| 0.3                 | — | 1.34      | 159 m              | — | 35.6 m             | 1,920 R <sup>2</sup>                 |
| 1.34                | — | 30        | 35.6 m             | — | 1.6 m              | 3,450 R <sup>2</sup> /f <sup>2</sup> |
| 30                  | — | 300       | 1.6 m              | — | 159 mm             | 3.83 R <sup>2</sup>                  |
| 300                 | — | 1,500     | 159 mm             | — | 31.8 mm            | 0.0128 R <sup>2</sup> f              |
| 1,500               | — | 100,000   | 31.8 mm            | — | 0.5 mm             | 19.2R <sup>2</sup>                   |

Subscripts L and H are low and high;  $\lambda$  is wavelength.

From §1.1307(b)(3)(i)(C), modified by adding Minimum Distance columns.

The table applies to any RF source (i.e. single fixed, mobile, and portable transmitters) and specifies power and distance criteria for each of the five frequency ranges used for the MPE limits. These criteria apply at separation distances from any part of the radiating structure of at least  $\lambda/2\pi$ . The thresholds are



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
 中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn  
 t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

based on the general population MPE limits with a single perfect reflection, outside of the reactive near-field, and in the main beam of the radiator.

For mobile devices that are not exempt per Table B.1 [Table 1 of §1.1307(b)(1)(i)(C)] at distances from 20 cm to 40 cm and in 0.3 GHz to 6 GHz, evaluation of compliance with the exposure limits in §1.1310 is necessary if the ERP of the device is greater than  $ERP_{20cm}$  in Formula (B.1) [repeated from §2.1091(c)(1); also in §1.1307(b)(1)(i)(B)].

$$P_{th} \text{ (mW)} = ERP_{20 \text{ cm}} \text{ (mW)} = \begin{cases} 2040f & 0.3 \text{ GHz} \leq f < 1.5 \text{ GHz} \\ 3060 & 1.5 \text{ GHz} \leq f \leq 6 \text{ GHz} \end{cases} \quad (\text{B.1})$$

If the ERP is not easily obtained, then the available maximum time-averaged power may be used (i.e., without consideration of ERP only if the physical dimensions of the radiating structure(s) do not exceed the electrical length of  $\lambda/4$  or if the antenna gain is less than that of a half-wave dipole.

SAR-based exemptions are constant at separation distances between 20 cm and 40 cm to avoid discontinuities in the threshold when transitioning between SAR-based and MPE-based exemption criteria at 40 cm, considering the importance of reflections.

| Limit calculation |                |                      |                  |
|-------------------|----------------|----------------------|------------------|
| Frequency range   | Frequency(MHz) | $R(\lambda/2\pi)(m)$ | Threshold ERP(W) |
| 300~1500MHz       | <b>915</b>     | 0.0522               | 0.032            |
| 1500~100000MHz    | <b>2462</b>    | 0.0194               | 0.007            |

### 4.3 SAR-based Exemption

SAR-based thresholds are derived based on frequency, power, and separation distance of the RF source. The formula defines the thresholds in general for either available maximum time-averaged power or maximum time-averaged ERP, whichever is greater.

If the ERP of a device is not easily determined, such as for a portable device with a small form factor, the applicant may use the available maximum time-averaged power exclusively if the device antenna or radiating structure does not exceed an electrical length of  $\lambda/4$ .

As for devices with antennas of length greater than  $\lambda/4$  where the gain is not well defined, but always less than that of a half-wave dipole (length  $\lambda/2$ ), the available maximum time-averaged power generated by the device may be used in place of the maximum time-averaged ERP, where that value is not known.

The separation distance is the smallest distance from any part of the antenna or radiating structure for all persons, during operation at the applicable ERP. In the case of mobile or portable devices, the separation distance is from the outer housing of the device where it is closest to the antenna.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

(86-512)57355888 (86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
(86-512)57355888 (86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Compliance Certification Services (Kunshan) Inc.

Report No.: KSCR221000189204

Page: 9 of 15

The SAR-based exemption formula of §1.1307(b)(3)(i)(B), repeated here as Formula (B.2), applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power or effective radiated power (ERP), whichever is greater, of less than or equal to the threshold  $P_{th}$  (mW).

This method shall only be used at separation distances from 0.5 cm to 40 cm and at frequencies from 0.3 GHz to 6 GHz (inclusive).  $P_{th}$  is given by Formula (B.2).

$$P_{th} \text{ (mW)} = \begin{cases} ERP_{20 \text{ cm}} (d/20 \text{ cm})^x & d \leq 20 \text{ cm} \\ ERP_{20 \text{ cm}} & 20 \text{ cm} < d \leq 40 \text{ cm} \end{cases} \quad (\text{B.2})$$

where

$$x = -\log_{10} \left( \frac{60}{ERP_{20 \text{ cm}} \sqrt{f}} \right)$$

and  $f$  is in GHz,  $d$  is the separation distance (cm), and  $ERP_{20 \text{ cm}}$  is per Formula (B.1).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn  
t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

## Compliance Certification Services (Kunshan) Inc.

Report No.: KSCR221000189204

Page: 10 of 15

Example values shown in Table B.2 are for illustration only.

**Table B.2—Example Power Thresholds (mW)**

| Frequency (MHz) | Distance(mm) |    |    |     |     |     |     |     |     |     |
|-----------------|--------------|----|----|-----|-----|-----|-----|-----|-----|-----|
|                 | 5            | 10 | 15 | 20  | 25  | 30  | 35  | 40  | 45  | 50  |
| 300             | 39           | 65 | 88 | 110 | 129 | 148 | 166 | 184 | 201 | 217 |
| 450             | 22           | 44 | 67 | 89  | 112 | 135 | 158 | 180 | 203 | 226 |
| 835             | 9            | 25 | 44 | 66  | 90  | 116 | 145 | 175 | 207 | 240 |
| 1900            | 3            | 12 | 26 | 44  | 66  | 92  | 122 | 157 | 195 | 236 |
| 2450            | 3            | 10 | 22 | 38  | 59  | 83  | 111 | 143 | 179 | 219 |
| 3600            | 2            | 8  | 18 | 32  | 49  | 71  | 96  | 125 | 158 | 195 |
| 5800            | 1            | 6  | 14 | 25  | 40  | 58  | 80  | 106 | 136 | 169 |

### For 2.4G WiFi

| Limit calculation    |                |       |              |                 |
|----------------------|----------------|-------|--------------|-----------------|
| Frequency range(GHz) | Frequency(GHz) | X     | Distance(cm) | Pth (mW)        |
| 1.5~6                | <b>2.462</b>   | 1.903 | <b>20</b>    | <b>3060.000</b> |

### For 5G WiFi

| Limit calculation    |                |       |              |                 |
|----------------------|----------------|-------|--------------|-----------------|
| Frequency range(GHz) | Frequency(GHz) | X     | Distance(cm) | Pth (mW)        |
| 1.5~6                | <b>5.825</b>   | 2.090 | <b>20</b>    | <b>3060.000</b> |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
 中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

(86-512)57355888 (86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 (86-512)57355888 (86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## 5 Measurement and Calculation

### 5.1 Maximum transmit power

The Power Data is based on the RF Test Report KSCR221000189201, KSCR221000189202

#### 2.4G WiFi

| Test Mode | Test Frequency (MHz) | Antenna 1 Power (dBm) | Antenna 2 Power (dBm) | MIMO Power (dBm) | Antenna 1 Power (mW) | Antenna 2 Power (mW) | MIMO Power (mW) |
|-----------|----------------------|-----------------------|-----------------------|------------------|----------------------|----------------------|-----------------|
| 11B       | 2412                 | 11.52                 | 12.77                 | /                | <b>14.19</b>         | 18.92                | /               |
|           | 2437                 | 11.18                 | 12.61                 | /                | 13.12                | 18.24                | /               |
|           | 2462                 | 11.46                 | 12.99                 | /                | 14.00                | <b>19.91</b>         | /               |
| 11G       | 2412                 | 7.74                  | 8.91                  | /                | 5.94                 | 7.78                 | /               |
|           | 2437                 | 11.16                 | 12.61                 | /                | 13.06                | 18.24                | /               |
|           | 2462                 | 8.57                  | 10.07                 | /                | 7.19                 | 10.16                | /               |
| 11N20MIMO | 2412                 | 5.88                  | 6.93                  | 9.45             | 3.87                 | 4.93                 | 8.81            |
|           | 2437                 | 8.81                  | 10.29                 | 12.62            | 7.60                 | 10.69                | <b>18.28</b>    |
|           | 2462                 | 5.16                  | 6.79                  | 9.06             | 3.28                 | 4.78                 | 8.05            |
| 11N40MIMO | 2422                 | 5.15                  | 6.36                  | 8.81             | 3.27                 | 4.33                 | 7.60            |
|           | 2437                 | 7.54                  | 9.01                  | 11.35            | 5.68                 | 7.96                 | 13.65           |
|           | 2452                 | 5.10                  | 6.68                  | 8.97             | 3.24                 | 4.66                 | 7.89            |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
 中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

(86-512)57355888 (86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 (86-512)57355888 (86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Compliance Certification Services (Kunshan) Inc.

Report No.: KSCR221000189204

Page: 12 of 15

### 5G WiFi

| Test Mode  | Test Frequency (MHz) | Antenna 1 Power (dBm) | Antenna 2 Power (dBm) | MIMO Power (dBm) | Antenna 1 Power (mW) | Antenna 2 Power (mW) | MIMO Power (mW) |
|------------|----------------------|-----------------------|-----------------------|------------------|----------------------|----------------------|-----------------|
| 11A        | 5180                 | 10.85                 | 10.63                 | /                | 12.16                | 11.56                | /               |
|            | 5200                 | 10.87                 | 10.94                 | /                | 12.22                | 12.42                | /               |
|            | 5240                 | 10.98                 | 10.74                 | /                | 12.53                | 11.86                | /               |
|            | 5260                 | 10.71                 | 10.70                 | /                | 11.78                | 11.75                | /               |
|            | 5300                 | 11.06                 | 10.77                 | /                | 12.76                | 11.94                | /               |
|            | 5320                 | 10.76                 | 11.16                 | /                | 11.91                | 13.06                | /               |
|            | 5500                 | 10.86                 | 11.05                 | /                | 12.19                | 12.74                | /               |
|            | 5580                 | 10.84                 | 10.77                 | /                | 12.13                | 11.94                | /               |
|            | 5700                 | 10.85                 | 11.02                 | /                | 12.16                | 12.65                | /               |
|            | 5745                 | 10.91                 | 11.02                 | /                | 12.33                | 12.65                | /               |
|            | 5785                 | 11.10                 | 11.11                 | /                | 12.88                | 12.91                | /               |
|            | 5825                 | 10.95                 | 10.98                 | /                | 12.45                | 12.53                | /               |
| 11N20 MIMO | 5180                 | 11.30                 | 11.06                 | 14.19            | <b>13.49</b>         | 12.76                | <b>26.24</b>    |
|            | 5200                 | 11.10                 | 10.80                 | 13.96            | 12.88                | 12.02                | 24.89           |
|            | 5240                 | 11.04                 | 10.77                 | 13.92            | 12.71                | 11.94                | 24.66           |
|            | 5260                 | 10.79                 | 10.74                 | 13.78            | 11.99                | 11.86                | 23.88           |
|            | 5300                 | 10.78                 | 9.88                  | 13.36            | 11.97                | 9.73                 | 21.68           |
|            | 5320                 | 10.79                 | 10.15                 | 13.49            | 11.99                | 10.35                | 22.34           |
|            | 5500                 | 10.95                 | 11.10                 | 14.04            | 12.45                | 12.88                | 25.35           |
|            | 5580                 | 10.79                 | 10.67                 | 13.74            | 11.99                | 11.67                | 23.66           |
|            | 5700                 | 11.23                 | 10.02                 | 13.68            | 13.27                | 10.05                | 23.33           |
|            | 5745                 | 9.82                  | 8.96                  | 12.42            | 9.59                 | 7.87                 | 17.46           |
|            | 5785                 | 10.36                 | 9.22                  | 12.84            | 10.86                | 8.36                 | 19.23           |
|            | 5825                 | 10.32                 | 9.31                  | 12.85            | 10.76                | 8.53                 | 19.28           |
| 11N40 MIMO | 5190                 | 10.03                 | 9.70                  | 12.88            | 10.07                | 9.33                 | 19.41           |
|            | 5230                 | 10.16                 | 10.06                 | 13.12            | 10.38                | 10.14                | 20.51           |
|            | 5270                 | 10.03                 | 9.71                  | 12.88            | 10.07                | 9.35                 | 19.41           |
|            | 5310                 | 9.94                  | 9.70                  | 12.83            | 9.86                 | 9.33                 | 19.19           |
|            | 5510                 | 9.99                  | 9.90                  | 12.96            | 9.98                 | 9.77                 | 19.77           |
|            | 5550                 | 9.94                  | 9.85                  | 12.91            | 9.86                 | 9.66                 | 19.54           |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

(86-512)57355888 (86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
(86-512)57355888 (86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Compliance Certification Services (Kunshan) Inc.

Report No.: KSCR221000189204

Page: 13 of 15

|                |      |       |       |       |       |              |       |
|----------------|------|-------|-------|-------|-------|--------------|-------|
|                | 5670 | 9.84  | 9.83  | 12.85 | 9.64  | 9.62         | 19.28 |
|                | 5755 | 10.19 | 9.93  | 13.07 | 10.45 | 9.84         | 20.28 |
|                | 5795 | 9.61  | 9.61  | 12.62 | 9.14  | 9.14         | 18.28 |
| 11AC20<br>MIMO | 5180 | 11.06 | 10.92 | 14.00 | 12.76 | 12.36        | 25.12 |
|                | 5200 | 10.90 | 10.71 | 13.82 | 12.30 | 11.78        | 24.10 |
|                | 5240 | 10.96 | 9.99  | 13.51 | 12.47 | 9.98         | 22.44 |
|                | 5260 | 10.81 | 9.61  | 13.26 | 12.05 | 9.14         | 21.18 |
|                | 5300 | 11.12 | 8.55  | 13.03 | 12.94 | 7.16         | 20.09 |
|                | 5320 | 10.98 | 8.81  | 13.04 | 12.53 | 7.60         | 20.14 |
|                | 5500 | 10.98 | 11.23 | 14.12 | 12.53 | <b>13.27</b> | 25.82 |
|                | 5580 | 10.70 | 10.63 | 13.68 | 11.75 | 11.56        | 23.33 |
|                | 5700 | 10.44 | 8.61  | 12.63 | 11.07 | 7.26         | 18.32 |
|                | 5745 | 9.72  | 8.40  | 12.12 | 9.38  | 6.92         | 16.29 |
|                | 5785 | 10.07 | 8.54  | 12.38 | 10.16 | 7.14         | 17.30 |
|                | 5825 | 10.40 | 8.75  | 12.66 | 10.96 | 7.50         | 18.45 |
| 11AC40<br>MIMO | 5190 | 10.09 | 9.88  | 13.00 | 10.21 | 9.73         | 19.95 |
|                | 5230 | 9.82  | 9.94  | 12.89 | 9.59  | 9.86         | 19.45 |
|                | 5270 | 9.87  | 9.69  | 12.79 | 9.71  | 9.31         | 19.01 |
|                | 5310 | 10.11 | 9.02  | 12.61 | 10.26 | 7.98         | 18.24 |
|                | 5510 | 9.81  | 10.02 | 12.93 | 9.57  | 10.05        | 19.63 |
|                | 5550 | 10.13 | 10.02 | 13.09 | 10.30 | 10.05        | 20.37 |
|                | 5670 | 10.16 | 9.76  | 12.97 | 10.38 | 9.46         | 19.82 |
|                | 5755 | 9.96  | 9.13  | 12.58 | 9.91  | 8.18         | 18.11 |
|                | 5795 | 10.10 | 9.27  | 12.72 | 10.23 | 8.45         | 18.71 |
| 11AC80<br>MIMO | 5210 | 9.02  | 9.22  | 12.13 | 7.98  | 8.36         | 16.33 |
|                | 5290 | 9.02  | 9.10  | 12.07 | 7.98  | 8.13         | 16.11 |
|                | 5530 | 8.88  | 10.03 | 12.50 | 7.73  | 10.07        | 17.78 |
|                | 5610 | 9.11  | 8.92  | 12.03 | 8.15  | 7.80         | 15.96 |
|                | 5775 | 9.15  | 9.19  | 12.18 | 8.22  | 8.30         | 16.52 |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

(86-512)57355888 (86-512)57370818 www.sgs.com.cn  
(86-512)57355888 (86-512)57370818 sgs.china@sgs.com

## 5.2 RF Exposure Calculation

### For FCC:

#### 2.4G WiFi

The Max Conducted Peak Output Power is 14.19 mW for antenna1, 19.91mW for antenna2, 18.28 mW for Mimo.

The best case gain of the antenna is 4.17dBi for antenna1 and 4.54dBi for antenna2.

Directional gain:7.37dBi.

4.17dBi logarithmic terms convert to numeric result is nearly 2.61.

5.54dBi logarithmic terms convert to numeric result is nearly 2.84.

7.37dBi logarithmic terms convert to numeric result is nearly 5.46.

According to the formula. calculate the EIRP test result:

Antenna1:  $EIRP = P \times G = 14.19 \text{ mW} \times 2.61 = 37.03 \text{ mW}$

Antenna2:  $EIRP = P \times G = 19.91 \text{ mW} \times 2.84 = 56.54 \text{ mW}$

In MIMO mode:  $EIRP = P \times G = 18.28 \text{ mW} \times 5.46 = 99.81 \text{ mW}$

#### 5G WiFi

The Max Conducted Peak Output Power is 13.49 mW for antenna1, 13.27 mW for antenna2, 26.24mW for Mimo.

For U-NII-1 The best case gain of the antenna is 2.03dBi for antenna1 and 4.16dBi for antenna2.

Directional gain:6.23dBi.

For U-NII-2A The best case gain of the antenna is 4.00dBi for antenna1 and 4.08dBi for antenna2.

Directional gain:7.05dBi

For U-NII-2C The best case gain of the antenna is 4.44dBi for antenna1 and 3.21dBi for antenna2.

Directional gain:6.88dBi

For U-NII-3 The best case gain of the antenna is 2.24dBi for antenna1 and 6.81dBi for antenna2.

Directional gain:8.11dBi

2.03dBi logarithmic terms convert to numeric result is nearly 1.60.

4.16dBi logarithmic terms convert to numeric result is nearly 2.61.

4.00dBi logarithmic terms convert to numeric result is nearly 2.51.

4.08dBi logarithmic terms convert to numeric result is nearly 2.56.

4.44dBi logarithmic terms convert to numeric result is nearly 2.78.

3.21dBi logarithmic terms convert to numeric result is nearly 2.09.

2.24dBi logarithmic terms convert to numeric result is nearly 1.67.

6.81dBi logarithmic terms convert to numeric result is nearly 4.80.

6.23dBi logarithmic terms convert to numeric result is nearly 4.20.

7.05dBi logarithmic terms convert to numeric result is nearly 5.07.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)  
No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
t(86-512)57355888 f(86-512)57370818 [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

## Compliance Certification Services (Kunshan) Inc.

Report No.: KSCR221000189204

Page: 15 of 15

6.88dBi logarithmic terms convert to numeric result is nearly 4.88.

8.11dBi logarithmic terms convert to numeric result is nearly 6.47.

According to the formula, calculate the EIRP test result:

Antenna1:  $EIRP = P \times G = 13.49 \text{ mW} \times 2.78 = 37.50 \text{ mW}$

Antenna2:  $EIRP = P \times G = 13.27 \text{ mW} \times 4.80 = 63.70 \text{ mW}$

In MIMO mode:  $EIRP = P \times G = 26.24 \text{ mW} \times 6.47 = 169.77 \text{ mW}$

The 2.4GHz WiFi and 5GHz WiFi can transmit simultaneously, but the maximum rate of MPE is  $99.81/3060 + 169.77/3060 = 0.0881 \leq 1$ .

**Remark:** we used the maximum power between the conducted power and ERP/EIRP to perform RF exposure exemption evaluation.

|                                     | Evaluation method               | Exempt Limit(mW)          | Verdict |
|-------------------------------------|---------------------------------|---------------------------|---------|
| <input type="checkbox"/>            | Blanket 1 mW Blanket Exemption  | 1mW                       | N/A     |
| <input type="checkbox"/>            | MPE-based Exemption(ERP)        | 7mW(ERP) (2.4GHz Band)    | N/A     |
| <input checked="" type="checkbox"/> | SAR-based Exemption( $P_{th}$ ) | 3060mW(ERP) (1.5GHz~6GHz) | Yes     |

So, the device is to qualify for SAR test exemption, the exemption report is in lieu of the SAR report

**--End of the Report--**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
**Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com**

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300  
 中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn  
 t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com