

POSITIONING SYSTEM



DH-PTZ1C203UE-GN-W

12V == 1.5A

P/N:1.0.01.07.13082



S/N: 5D000FEYAJ19801

FCC ID:SVNPTZ1C

MADE IN CHINA

ZHEJIANG DAHUA VISION TECHNOLOGY CO.,LTD.



label 1



RELEASE LEVEL: []
FILE NAME:

D=1.0mm

15.00

30.00

This device complies with part 15 of the FCC Rules.Operation is subject to the following two conditions:
(1)This device may not cause harmful interference,and(2) this device must accept any interference received, including interference that may cause undesired operation.

This device complies with part 15 of the FCC Rules.Operation is subject to the following two conditions:
(1)This device may not cause harmful interference,and(2) this device must accept any interference received, including interference that may cause undesired operation.

label 2

尺寸图

效果图

材质要求	哑银不干胶，厚度0.05mm		成型公差	±0.2mm		. X			 浙江大华技术股份有限公司 ZHEJIANG DAHUA TECHNOLOGY STOCK CO.,LTD.	TITLE: 标签-哑银不干胶-FCC VOC	
物理性能			接合方式	粘合 ☐ 钉合 ☐		. XX					
印刷颜色	黑色		物料销售单皮层代码 (请标注在背面)	8Arial ☐ 18Arial ☐ 无 ☒		. XXX	ANG		DRAW: 钱俊敏 DATE: 17.01.13 UNIT: S mm DWG NO.: T2.00065235		
压线尺寸	公差 ± 1mm		1.要求与配套物料匹配良好，带*为关键尺寸，需重点控制与检测 2.受到环境强和工具影响参数允许±10%的浮动 3.如有印刷，则图文必须清晰 4.外发按照品质计划检验，未注明事项按照国标及出口要求执行 5.制品需符合RoHS标准 A版本图用于电子样品制作,适用于批量生产，请通过Covering/内附资料确认版数,未经确认造成损失，由客户自行负责 C Co., LTD								
参考内径	公差 ± 3mm ☐										
参考外径	公差 ± 5mm ☐										
表面处理 (出口包装形式请注明)	哑膜 ☐ 亮膜 ☐ 其他:										
			THESE DRAWINGS AND SPECIFICATION ARE THE PROPERTY OF ZHEJIANG DAHUA TECHNOLOGY Co., LTD. AND SHALL NOT BE REPRODUCED COPIED OR USED IN ANY BANNER WITHOUT THE PRIOR WRITTEN CONSENT OF ZHEJIANG DAHUA TECHNOLOGY Co., LTD								
			CHKD: 甘泉 DATE: 17.01.13 FINISH:								
			STAD: DATE: MASS (Kg): REV								
			PART NO.:								
			APPD: 梁美昆 DATE: 17.01.13 SCALE: 1:1 B01								
			PRODUCT: MAT' L:								
			SHEET: 1 OF 1								

