

9.68. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	28.15	32.68	30	Pass



9.69. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:664332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3964.98	99	26	1	Peak	28.14	31.36	30	Pass




9.70. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3715.02	99	26	1	Peak	28.27	33.74	30	Pass



9.71. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	28.21	33.85	30	Pass



9.72. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:664332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3964.98	99	26	1	Peak	28.17	31.74	30	Pass




9.13. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.12	42.09	40	Pass




9.14. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	38.09	43.59	40	Pass



9.15. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:664000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3960	99	26	1	Peak	38.08	41.31	40	Pass



9.16. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.25	42.13	40	Pass



9.17. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	38.25	43.08	40	Pass



9.18. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:664000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3960	99	26	1	Peak	38.26	41.09	40	Pass




9.19. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.14	43.18	40	Pass



9.20. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	38.13	44.09	40	Pass



[illegible]

9.22. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.24	43.56	40	Pass



9.23. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	38.3	43.45	40	Pass



9.24. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:664000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3960	99	26	1	Peak	38.28	42.68	40	Pass



9.25. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	58.05	62.85	60	Pass



9.26. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	58.04	63.16	60	Pass



9.27. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3949.98	99	26	1	Peak	58.08	63.35	60	Pass



9.28. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	58.12	64.64	60	Pass



9.29. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	58.09	63.66	60	Pass



9.30. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3949.98	99	26	1	Peak	58.13	64.94	60	Pass



9.31. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	58.03	62.53	60	Pass



9.32. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	58.01	63.13	60	Pass



Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3949.98	99	26	1	Peak	58.03	64.3	60	Pass

9.34. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	57.83	60.99	60	Pass



9.35. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	57.8	62.65	60	Pass



9.36. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3949.98	99	26	1	Peak	57.82	61.66	60	Pass



9.37. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.49	82.26	80	Pass



9.38. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	77.46	83.97	80	Pass




9.39. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3939.99	99	26	1	Peak	77.56	82.94	80	Pass



9.40. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.52	83.35	80	Pass



9.41. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	77.5	82.56	80	Pass



9.42. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3939.99	99	26	1	Peak	77.55	84.59	80	Pass



9.43. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.68	81.09	80	Pass




9.44. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	77.64	81.86	80	Pass




9.45. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3939.99	99	26	1	Peak	77.66	81.14	80	Pass



9.46. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.43	83.01	80	Pass




9.47. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	77.41	83.44	80	Pass



9.48. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3939.99	99	26	1	Peak	77.44	83.11	80	Pass



9.49. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.54	104.35	100	Pass



9.50. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	97.46	104.28	100	Pass



Center	OPW	YdP				YdP	Inner	
--------	-----	-----	--	--	--	-----	-------	--

Downloaded from <http://www.jstor.org/stable/2346192> by University of California, San Diego on Tue, 20 Jun 2017 12:02:05 UTC

9.52. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.46	101.64	100	Pass



9.53. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	97.32	102.37	100	Pass




9.54. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3930	99	26	1	Peak	97.43	103.61	100	Pass



9.55. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.38	103.47	100	Pass



9.56. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	97.22	103.11	100	Pass




9.57. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3930	99	26	1	Peak	97.36	104.05	100	Pass




9.58. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.51	102.15	100	Pass




9.59. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	97.37	101.73	100	Pass




9.60. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3930	99	26	1	Peak	97.47	102.75	100	Pass




1. n78 30kHz(3450-3550)

1.1. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)



1.2. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)



1.3. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.03	Peak	18.21	19.37	20	Pass



1.4. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.03	Peak	18.24	19.15	20	Pass



1.5. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	18.23	19.2	20	Pass



1.6. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.03	Peak	18.21	19.17	20	Pass




1.7. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.03	Peak	18.25	18.98	20	Pass




1.8. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	18.25	19.18	20	Pass




1.9. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)



1.10. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)



1.11. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)



1.12. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.03	Peak	18.21	19.09	20	Pass




1.41. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.11	32.5	30	Pass



1.42. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)



1.43. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)




1.44. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.19	32.96	30	Pass



1.45. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)



1.46. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.2	34.46	30	Pass




1.47. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.16	33.15	30	Pass



1.48. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)




1.49. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.18	33.89	30	Pass




1.50. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.21	30.97	30	Pass



1.51. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)



1.52. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)




1.53. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3470.01	99	26	1	Peak	38.09	41.96	40	Pass



1.54. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)




1.55. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3529.98	99	26	1	Peak	38.07	42.09	40	Pass




1.56. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3470.01	99	26	1	Peak	38.24	42.72	40	Pass




1.57. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)



1.58. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)



1.59. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)



1.60. Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

