



**13.9. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3460.02                | 0.1             | 20        | 6.66     | 13               | Pass    |




**13.10. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3460.02               | 0.1             | 20        | 6.84     | 13               | Pass    |




**13.11. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3499.98               | 0.1             | 20        | 4.22     | 13               | Pass    |




**13.12. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3499.98               | 0.1             | 20        | 4.36     | 13               | Pass    |




**13.13. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3499.98               | 0.1             | 20        | 4.31     | 13               | Pass    |




**13.14. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3499.98                | 0.1             | 20        | 5.25     | 13               | Pass    |




**13.15. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3499.98               | 0.1             | 20        | 5.3      | 13               | Pass    |




**13.16. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3499.98               | 0.1             | 20        | 6.09     | 13               | Pass    |




**13.17. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3499.98                | 0.1             | 20        | 5.81     | 13               | Pass    |




**13.18. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3499.98                | 0.1             | 20        | 6.42     | 13               | Pass    |




**13.19. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3499.98               | 0.1             | 20        | 6.42     | 13               | Pass    |




**13.20. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:633332, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3499.98               | 0.1             | 20        | 6.94     | 13               | Pass    |




**13.21. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3540                  | 0.1             | 20        | 4.22     | 13               | Pass    |




**13.22. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3540                   | 0.1             | 20        | 4.27     | 13               | Pass    |




**13.23. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3540                  | 0.1             | 20        | 4.03     | 13               | Pass    |




**13.24. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3540                  | 0.1             | 20        | 5.06     | 13               | Pass    |




**13.25. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3540                   | 0.1             | 20        | 5.91     | 13               | Pass    |




**13.26. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3540                  | 0.1             | 20        | 5.95     | 13               | Pass    |




**13.27. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3540                   | 0.1             | 20        | 5.95     | 13               | Pass    |




**13.28. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3540                   | 0.1             | 20        | 6.28     | 13               | Pass    |




**13.29. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3540                  | 0.1             | 20        | 6.23     | 13               | Pass    |




**13.30. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3540                   | 0.1             | 20        | 6.89     | 13               | Pass    |




## 14. n78 30kHz(3700-3800)

14.1. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




**14.2. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3710.01               | 0.1             | 20        | 4.17     | 13               | Pass    |




### 14.3. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3710.01               | 0.1             | 20        | 4.08     | 13               | Pass    |




#### 14.4. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3710.01               | 0.1             | 20        | 5.16     | 13               | Pass    |




**14.5. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3710.01               | 0.1             | 20        | 5.16     | 13               | Pass    |




**14.6. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3710.01               | 0.1             | 20        | 6        | 13               | Pass    |




**14.7. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3710.01               | 0.1             | 20        | 5.58     | 13               | Pass    |




**14.8. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3710.01               | 0.1             | 20        | 6.28     | 13               | Pass    |




**14.9. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3710.01               | 0.1             | 20        | 6.52     | 13               | Pass    |




**14.10. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3710.01               | 0.1             | 20        | 6.75     | 13               | Pass    |




**14.11. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3750                  | 0.1             | 20        | 4.03     | 13               | Pass    |




**14.12. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3750                   | 0.1             | 20        | 4.17     | 13               | Pass    |




**14.13. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3750                  | 0.1             | 20        | 3.84     | 13               | Pass    |




**14.14. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3750                   | 0.1             | 20        | 5.06     | 13               | Pass    |




**14.15. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3750                   | 0.1             | 20        | 5.06     | 13               | Pass    |




**14.16. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3750                   | 0.1             | 20        | 5.95     | 13               | Pass    |




**14.17. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3750                   | 0.1             | 20        | 5.67     | 13               | Pass    |




**14.18. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3750                   | 0.1             | 20        | 6.19     | 13               | Pass    |




**14.19. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3750                   | 0.1             | 20        | 6        | 13               | Pass    |




**14.20. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3750                   | 0.1             | 20        | 6.7      | 13               | Pass    |




**14.21. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3789.99               | 0.1             | 20        | 3.98     | 13               | Pass    |




**14.22. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3789.99               | 0.1             | 20        | 4.17     | 13               | Pass    |




**14.23. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3789.99               | 0.1             | 20        | 4.78     | 13               | Pass    |




**14.24. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3789.99                | 0.1             | 20        | 4.97     | 13               | Pass    |




**14.25. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3789.99                | 0.1             | 20        | 5.77     | 13               | Pass    |




**14.26. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3789.99               | 0.1             | 20        | 5.91     | 13               | Pass    |




**14.27. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3789.99               | 0.1             | 20        | 5.67     | 13               | Pass    |




**14.28. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3789.99               | 0.1             | 20        | 6.14     | 13               | Pass    |




**14.29. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 3789.99               | 0.1             | 20        | 6.42     | 13               | Pass    |



**14.30. Peak to Average Ratio for SA\_Part22-24-27(NTNV)(Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz ) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|------------------------|-----------------|-----------|----------|------------------|---------|
| 3789.99                | 0.1             | 20        | 6.66     | 13               | Pass    |



--BLANK BELOW--