



8.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.17	-13	41.17	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-13	43.2	Pass	2986
30	1000	0.1	RMS	901.8	-60.8	-13	47.8	Pass	9701
1000	1840	1	RMS	1840	-50.31	-13	37.31	Pass	841
1840	1920	1	RMS	1850.4	20.15	60	39.85	Pass	401
1920	3000	1	RMS	2788	-47.69	-13	34.69	Pass	1081
3000	7000	1	RMS	6690	-65.63	-13	52.63	Pass	4001
7000	20000	1	RMS	19934	-50.53	-13	37.53	Pass	13001




8.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.86	-13	40.86	Pass	401
0.15	30	0.01	RMS	0.15	-56.58	-13	43.58	Pass	2986
30	1000	0.1	RMS	921.3	-60.86	-13	47.86	Pass	9701
1000	1840	1	RMS	1836	-50	-13	37	Pass	841
1840	1920	1	RMS	1864.6	20.09	60	39.91	Pass	401
1920	3000	1	RMS	2642	-47.64	-13	34.64	Pass	1081
3000	7000	1	RMS	6690	-65.65	-13	52.65	Pass	4001
7000	20000	1	RMS	19936	-50.57	-13	37.57	Pass	13001




8.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.61	-13	41.61	Pass	401
0.15	30	0.01	RMS	0.15	-56.31	-13	43.31	Pass	2986
30	1000	0.1	RMS	905.6	-60.86	-13	47.86	Pass	9701
1000	1840	1	RMS	1840	-49.01	-13	36.01	Pass	841
1840	1920	1	RMS	1874	9.3	60	50.7	Pass	401
1920	3000	1	RMS	2640	-47.59	-13	34.59	Pass	1081
3000	7000	1	RMS	6690	-65.58	-13	52.58	Pass	4001
7000	20000	1	RMS	19910	-50.61	-13	37.61	Pass	13001




8.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.7	-13	40.7	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	43.11	Pass	2986
30	1000	0.1	RMS	928.6	-60.87	-13	47.87	Pass	9701
1000	1840	1	RMS	1839	-50.58	-13	37.58	Pass	841
1840	1920	1	RMS	1873	20.19	60	39.81	Pass	401
1920	3000	1	RMS	2640	-47.64	-13	34.64	Pass	1081
3000	7000	1	RMS	6690	-65.58	-13	52.58	Pass	4001
7000	20000	1	RMS	19920	-50.6	-13	37.6	Pass	13001




8.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.21	-13	41.21	Pass	401
0.15	30	0.01	RMS	0.15	-56.54	-13	43.54	Pass	2986
30	1000	0.1	RMS	935.1	-60.61	-13	47.61	Pass	9701
1000	1840	1	RMS	1838	-50.57	-13	37.57	Pass	841
1840	1920	1	RMS	1887	20.05	60	39.95	Pass	401
1920	3000	1	RMS	2643	-47.57	-13	34.57	Pass	1081
3000	7000	1	RMS	6689	-65.57	-13	52.57	Pass	4001
7000	20000	1	RMS	19907	-50.67	-13	37.67	Pass	13001




8.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.34	-13	40.34	Pass	401
0.15	30	0.01	RMS	0.15	-57.28	-13	44.28	Pass	2986
30	1000	0.1	RMS	936.4	-60.86	-13	47.86	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	37.53	Pass	841
1840	1920	1	RMS	1901.6	9.23	60	50.77	Pass	401
1920	3000	1	RMS	1920	-41.48	-13	28.48	Pass	1081
3000	7000	1	RMS	6689	-65.58	-13	52.58	Pass	4001
7000	20000	1	RMS	19957	-50.58	-13	37.58	Pass	13001




8.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.29	-13	40.29	Pass	401
0.15	30	0.01	RMS	0.15	-56.76	-13	43.76	Pass	2986
30	1000	0.1	RMS	920.9	-60.89	-13	47.89	Pass	9701
1000	1840	1	RMS	1810	-50.61	-13	37.61	Pass	841
1840	1920	1	RMS	1895.4	20.12	60	39.88	Pass	401
1920	3000	1	RMS	2649	-47.65	-13	34.65	Pass	1081
3000	7000	1	RMS	6685	-65.62	-13	52.62	Pass	4001
7000	20000	1	RMS	19951	-50.6	-13	37.6	Pass	13001




8.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.12	-13	41.12	Pass	401
0.15	30	0.01	RMS	0.15	-57.42	-13	44.42	Pass	2986
30	1000	0.1	RMS	915.3	-60.89	-13	47.89	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	37.6	Pass	841
1840	1920	1	RMS	1909.4	20.12	60	39.88	Pass	401
1920	3000	1	RMS	2646	-47.66	-13	34.66	Pass	1081
3000	7000	1	RMS	6687	-65.63	-13	52.63	Pass	4001
7000	20000	1	RMS	19961	-50.59	-13	37.59	Pass	13001




8.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.4	-13	41.4	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-13	43.02	Pass	2986
30	1000	0.1	RMS	905.4	-60.79	-13	47.79	Pass	9701
1000	1840	1	RMS	1840	-40.97	-13	27.97	Pass	841
1840	1920	1	RMS	1868.4	8.3	60	51.7	Pass	401
1920	3000	1	RMS	2652	-47.66	-13	34.66	Pass	1081
3000	7000	1	RMS	6684	-65.61	-13	52.61	Pass	4001
7000	20000	1	RMS	19893	-50.62	-13	37.62	Pass	13001




8.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.13	-13	41.13	Pass	401
0.15	30	0.01	RMS	0.16	-56.06	-13	43.06	Pass	2986
30	1000	0.1	RMS	899	-60.86	-13	47.86	Pass	9701
1000	1840	1	RMS	1840	-50.27	-13	37.27	Pass	841
1840	1920	1	RMS	1850.6	20.04	60	39.96	Pass	401
1920	3000	1	RMS	2999	-47.66	-13	34.66	Pass	1081
3000	7000	1	RMS	6689	-65.58	-13	52.58	Pass	4001
7000	20000	1	RMS	19945	-50.59	-13	37.59	Pass	13001



8.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.11	-13	41.11	Pass	401
0.15	30	0.01	RMS	0.15	-56.3	-13	43.3	Pass	2986
30	1000	0.1	RMS	920.4	-60.84	-13	47.84	Pass	9701
1000	1840	1	RMS	1840	-50.46	-13	37.46	Pass	841
1840	1920	1	RMS	1869.4	20.09	60	39.91	Pass	401
1920	3000	1	RMS	2640	-47.63	-13	34.63	Pass	1081
3000	7000	1	RMS	6686	-65.61	-13	52.61	Pass	4001
7000	20000	1	RMS	19951	-50.58	-13	37.58	Pass	13001




8.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.18	-13	41.18	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-13	43.2	Pass	2986
30	1000	0.1	RMS	887.7	-60.86	-13	47.86	Pass	9701
1000	1840	1	RMS	1840	-46.84	-13	33.84	Pass	841
1840	1920	1	RMS	1871.6	8.01	60	51.99	Pass	401
1920	3000	1	RMS	2641	-47.62	-13	34.62	Pass	1081
3000	7000	1	RMS	6687	-65.64	-13	52.64	Pass	4001
7000	20000	1	RMS	19957	-50.56	-13	37.56	Pass	13001




8.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.26	-13	41.26	Pass	401
0.15	30	0.01	RMS	0.15	-57.29	-13	44.29	Pass	2986
30	1000	0.1	RMS	907.7	-60.89	-13	47.89	Pass	9701
1000	1840	1	RMS	1838	-50.53	-13	37.53	Pass	841
1840	1920	1	RMS	1870.6	20.13	60	39.87	Pass	401
1920	3000	1	RMS	2640	-47.67	-13	34.67	Pass	1081
3000	7000	1	RMS	6690	-65.68	-13	52.68	Pass	4001
7000	20000	1	RMS	19921	-50.62	-13	37.62	Pass	13001



8.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.57	-13	40.57	Pass	401
0.15	30	0.01	RMS	0.15	-55.88	-13	42.88	Pass	2986
30	1000	0.1	RMS	932.2	-60.96	-13	47.96	Pass	9701
1000	1840	1	RMS	1838	-50.54	-13	37.54	Pass	841
1840	1920	1	RMS	1889.4	20.02	60	39.98	Pass	401
1920	3000	1	RMS	2647	-47.66	-13	34.66	Pass	1081
3000	7000	1	RMS	6688	-65.59	-13	52.59	Pass	4001
7000	20000	1	RMS	19924	-50.55	-13	37.55	Pass	13001




8.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.18	-13	41.18	Pass	401
0.15	30	0.01	RMS	0.15	-56.98	-13	43.98	Pass	2986
30	1000	0.1	RMS	927.3	-60.89	-13	47.89	Pass	9701
1000	1840	1	RMS	1840	-49.84	-13	36.84	Pass	841
1840	1920	1	RMS	1901.8	7.9	60	52.1	Pass	401
1920	3000	1	RMS	1920	-41.17	-13	28.17	Pass	1081
3000	7000	1	RMS	6687	-65.61	-13	52.61	Pass	4001
7000	20000	1	RMS	19944	-50.56	-13	37.56	Pass	13001




8.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.1	-13	41.1	Pass	401
0.15	30	0.01	RMS	0.15	-56.09	-13	43.09	Pass	2986
30	1000	0.1	RMS	931.5	-60.84	-13	47.84	Pass	9701
1000	1840	1	RMS	1836	-50.59	-13	37.59	Pass	841
1840	1920	1	RMS	1890.6	20	60	40	Pass	401
1920	3000	1	RMS	2639	-47.67	-13	34.67	Pass	1081
3000	7000	1	RMS	6688	-65.56	-13	52.56	Pass	4001
7000	20000	1	RMS	19897	-50.64	-13	37.64	Pass	13001



8.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.76	-13	41.76	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-13	42.86	Pass	2986
30	1000	0.1	RMS	927.2	-60.77	-13	47.77	Pass	9701
1000	1840	1	RMS	1839	-50.61	-13	37.61	Pass	841
1840	1920	1	RMS	1909.4	20.03	60	39.97	Pass	401
1920	3000	1	RMS	3000	-47.68	-13	34.68	Pass	1081
3000	7000	1	RMS	6688	-65.66	-13	52.66	Pass	4001
7000	20000	1	RMS	19952	-50.58	-13	37.58	Pass	13001



9. n5


9.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.51	-13	41.51	Pass	401
0.15	30	0.01	RMS	0.15	-56.54	-13	43.54	Pass	2986
30	814	0.1	RMS	813.9	-55.61	-13	42.61	Pass	7841
814	859	0.1	RMS	826.2	4.51	60	55.49	Pass	451
859	1000	0.1	RMS	916.8	-62.3	-13	49.3	Pass	1411
1000	3000	1	RMS	2645	-46.9	-13	33.9	Pass	2001
3000	10000	1	RMS	9718	-65.09	-13	52.09	Pass	7001




9.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.52	-13	41.52	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-13	42.84	Pass	2986
30	814	0.1	RMS	813.6	-61.12	-13	48.12	Pass	7841
814	859	0.1	RMS	824.3	17.74	60	42.26	Pass	451
859	1000	0.1	RMS	908.2	-62.27	-13	49.27	Pass	1411
1000	3000	1	RMS	2648	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	9748	-65.09	-13	52.09	Pass	7001



9.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.35	-13	41.35	Pass	401
0.15	30	0.01	RMS	0.15	-56.1	-13	43.1	Pass	2986
30	814	0.1	RMS	811.3	-61.14	-13	48.14	Pass	7841
814	859	0.1	RMS	828.6	17.12	60	42.88	Pass	451
859	1000	0.1	RMS	934.8	-62.22	-13	49.22	Pass	1411
1000	3000	1	RMS	2647	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	9736	-65.13	-13	52.13	Pass	7001




9.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.71	-13	40.71	Pass	401
0.15	30	0.01	RMS	0.15	-57.92	-13	44.92	Pass	2986
30	814	0.1	RMS	807.5	-61.13	-13	48.13	Pass	7841
814	859	0.1	RMS	834.8	4.5	60	55.5	Pass	451
859	1000	0.1	RMS	918.9	-62.14	-13	49.14	Pass	1411
1000	3000	1	RMS	2649	-46.94	-13	33.94	Pass	2001
3000	10000	1	RMS	9733	-65.15	-13	52.15	Pass	7001




**9.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.37	-13	41.37	Pass	401
0.15	30	0.01	RMS	0.17	-57.18	-13	44.18	Pass	2986
30	814	0.1	RMS	802.1	-61.25	-13	48.25	Pass	7841
814	859	0.1	RMS	834.3	17.54	60	42.46	Pass	451
859	1000	0.1	RMS	911.5	-62.3	-13	49.3	Pass	1411
1000	3000	1	RMS	2641	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	9727	-65.09	-13	52.09	Pass	7001



**9.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.77	-13	41.77	Pass	401
0.15	30	0.01	RMS	0.15	-56.73	-13	43.73	Pass	2986
30	814	0.1	RMS	813.9	-61.17	-13	48.17	Pass	7841
814	859	0.1	RMS	838.7	17.16	60	42.84	Pass	451
859	1000	0.1	RMS	937.9	-62.1	-13	49.1	Pass	1411
1000	3000	1	RMS	2647	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	9750	-65.1	-13	52.1	Pass	7001




**9.7. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.57	-13	41.57	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	42.46	Pass	2986
30	814	0.1	RMS	813.1	-61.29	-13	48.29	Pass	7841
814	859	0.1	RMS	844.7	4.82	60	55.18	Pass	451
859	1000	0.1	RMS	954.1	-62.26	-13	49.26	Pass	1411
1000	3000	1	RMS	2648	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	9752	-65.15	-13	52.15	Pass	7001




**9.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.55	-13	39.55	Pass	401
0.15	30	0.01	RMS	0.15	-56.71	-13	43.71	Pass	2986
30	814	0.1	RMS	767.7	-61.24	-13	48.24	Pass	7841
814	859	0.1	RMS	844.3	17.51	60	42.49	Pass	451
859	1000	0.1	RMS	906.3	-62.27	-13	49.27	Pass	1411
1000	3000	1	RMS	2649	-46.92	-13	33.92	Pass	2001
3000	10000	1	RMS	9717	-65.13	-13	52.13	Pass	7001



**9.9. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-13	40.26	Pass	401
0.15	30	0.01	RMS	0.15	-56.23	-13	43.23	Pass	2986
30	814	0.1	RMS	784.7	-61.14	-13	48.14	Pass	7841
814	859	0.1	RMS	848.6	17.04	60	42.96	Pass	451
859	1000	0.1	RMS	951.9	-62.31	-13	49.31	Pass	1411
1000	3000	1	RMS	2644	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	9751	-65.08	-13	52.08	Pass	7001




**9.10. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.08	-13	41.08	Pass	401
0.15	30	0.01	RMS	0.15	-56.34	-13	43.34	Pass	2986
30	814	0.1	RMS	814	-45.92	-13	32.92	Pass	7841
814	859	0.1	RMS	826.9	0.05	60	59.95	Pass	451
859	1000	0.1	RMS	920	-62.28	-13	49.28	Pass	1411
1000	3000	1	RMS	2639	-46.92	-13	33.92	Pass	2001
3000	10000	1	RMS	9714	-65.13	-13	52.13	Pass	7001




9.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.71	-13	40.71	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-13	43.51	Pass	2986
30	814	0.1	RMS	809.6	-61.04	-13	48.04	Pass	7841
814	859	0.1	RMS	824.5	17.76	60	42.24	Pass	451
859	1000	0.1	RMS	957	-62.09	-13	49.09	Pass	1411
1000	3000	1	RMS	2640	-46.92	-13	33.92	Pass	2001
3000	10000	1	RMS	9741	-65.15	-13	52.15	Pass	7001




**9.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.21	-13	40.21	Pass	401
0.15	30	0.01	RMS	0.15	-57.3	-13	44.3	Pass	2986
30	814	0.1	RMS	809.7	-61.15	-13	48.15	Pass	7841
814	859	0.1	RMS	838.5	17.89	60	42.11	Pass	451
859	1000	0.1	RMS	962.1	-62.31	-13	49.31	Pass	1411
1000	3000	1	RMS	2647	-46.87	-13	33.87	Pass	2001
3000	10000	1	RMS	9708	-65.13	-13	52.13	Pass	7001




**9.13. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-13	40.75	Pass	401
0.15	30	0.01	RMS	0.15	-56.99	-13	43.99	Pass	2986
30	814	0.1	RMS	814	-48.09	-13	35.09	Pass	7841
814	859	0.1	RMS	829.7	0.32	60	59.68	Pass	451
859	1000	0.1	RMS	915.5	-62.23	-13	49.23	Pass	1411
1000	3000	1	RMS	2644	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	9732	-65.14	-13	52.14	Pass	7001




**9.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54	-13	41	Pass	401
0.15	30	0.01	RMS	0.15	-56.46	-13	43.46	Pass	2986
30	814	0.1	RMS	809.5	-61.15	-13	48.15	Pass	7841
814	859	0.1	RMS	829.5	17.69	60	42.31	Pass	451
859	1000	0.1	RMS	934	-62.2	-13	49.2	Pass	1411
1000	3000	1	RMS	3000	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	9756	-65.16	-13	52.16	Pass	7001




**9.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.48	-13	41.48	Pass	401
0.15	30	0.01	RMS	0.15	-58.21	-13	45.21	Pass	2986
30	814	0.1	RMS	806.5	-61.18	-13	48.18	Pass	7841
814	859	0.1	RMS	843.5	17.9	60	42.1	Pass	451
859	1000	0.1	RMS	943.6	-62.24	-13	49.24	Pass	1411
1000	3000	1	RMS	2641	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	9724	-65.16	-13	52.16	Pass	7001




**9.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.99	-13	40.99	Pass	401
0.15	30	0.01	RMS	0.15	-56.92	-13	43.92	Pass	2986
30	814	0.1	RMS	813.8	-51.48	-13	38.48	Pass	7841
814	859	0.1	RMS	834.7	-0.12	60	60.12	Pass	451
859	1000	0.1	RMS	939.4	-62.26	-13	49.26	Pass	1411
1000	3000	1	RMS	2646	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	9731	-65.12	-13	52.12	Pass	7001




**9.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.82	-13	40.82	Pass	401
0.15	30	0.01	RMS	0.15	-55.89	-13	42.89	Pass	2986
30	814	0.1	RMS	813.2	-61.11	-13	48.11	Pass	7841
814	859	0.1	RMS	834.5	17.66	60	42.34	Pass	451
859	1000	0.1	RMS	899.4	-62.28	-13	49.28	Pass	1411
1000	3000	1	RMS	2648	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	9741	-65.13	-13	52.13	Pass	7001



**9.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.55	-13	42.55	Pass	401
0.15	30	0.01	RMS	0.15	-56.67	-13	43.67	Pass	2986
30	814	0.1	RMS	800.7	-61.27	-13	48.27	Pass	7841
814	859	0.1	RMS	848.5	17.82	60	42.18	Pass	451
859	1000	0.1	RMS	954.9	-62.27	-13	49.27	Pass	1411
1000	3000	1	RMS	3000	-46.92	-13	33.92	Pass	2001
3000	10000	1	RMS	9733	-65.15	-13	52.15	Pass	7001




**9.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-13	40.58	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	44.51	Pass	2986
30	814	0.1	RMS	813.4	-45.16	-13	32.16	Pass	7841
814	859	0.1	RMS	825.2	-1.12	60	61.12	Pass	451
859	1000	0.1	RMS	935.2	-62.1	-13	49.1	Pass	1411
1000	3000	1	RMS	2653	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	9736	-65.15	-13	52.15	Pass	7001




**9.20. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.24	-13	41.24	Pass	401
0.15	30	0.01	RMS	0.16	-55.71	-13	42.71	Pass	2986
30	814	0.1	RMS	813.3	-60.88	-13	47.88	Pass	7841
814	859	0.1	RMS	824.5	17.57	60	42.43	Pass	451
859	1000	0.1	RMS	984.3	-62.34	-13	49.34	Pass	1411
1000	3000	1	RMS	2640	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	9746	-65.16	-13	52.16	Pass	7001




**9.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.38	-13	40.38	Pass	401
0.15	30	0.01	RMS	0.16	-56.53	-13	43.53	Pass	2986
30	814	0.1	RMS	811.8	-61.03	-13	48.03	Pass	7841
814	859	0.1	RMS	843.4	17.43	60	42.57	Pass	451
859	1000	0.1	RMS	933	-62.3	-13	49.3	Pass	1411
1000	3000	1	RMS	2651	-46.94	-13	33.94	Pass	2001
3000	10000	1	RMS	9729	-65.11	-13	52.11	Pass	7001




**9.22. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.78	-13	41.78	Pass	401
0.15	30	0.01	RMS	0.16	-56.15	-13	43.15	Pass	2986
30	814	0.1	RMS	813.8	-45.76	-13	32.76	Pass	7841
814	859	0.1	RMS	827.2	-0.96	60	60.96	Pass	451
859	1000	0.1	RMS	954.7	-62.18	-13	49.18	Pass	1411
1000	3000	1	RMS	2641	-46.88	-13	33.88	Pass	2001
3000	10000	1	RMS	9740	-65.12	-13	52.12	Pass	7001




9.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.37	-13	41.37	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-13	42.77	Pass	2986
30	814	0.1	RMS	812.1	-60.94	-13	47.94	Pass	7841
814	859	0.1	RMS	827	17.52	60	42.48	Pass	451
859	1000	0.1	RMS	957	-62.29	-13	49.29	Pass	1411
1000	3000	1	RMS	2639	-46.95	-13	33.95	Pass	2001
3000	10000	1	RMS	9748	-65.15	-13	52.15	Pass	7001



**9.24. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.39	-13	41.39	Pass	401
0.15	30	0.01	RMS	0.15	-57.1	-13	44.1	Pass	2986
30	814	0.1	RMS	802.3	-61.14	-13	48.14	Pass	7841
814	859	0.1	RMS	845.9	17.43	60	42.57	Pass	451
859	1000	0.1	RMS	923.9	-62.33	-13	49.33	Pass	1411
1000	3000	1	RMS	2645	-46.88	-13	33.88	Pass	2001
3000	10000	1	RMS	9746	-65.13	-13	52.13	Pass	7001




**9.25. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.94	-13	40.94	Pass	401
0.15	30	0.01	RMS	0.15	-56.03	-13	43.03	Pass	2986
30	814	0.1	RMS	813.9	-46.83	-13	33.83	Pass	7841
814	859	0.1	RMS	829.7	-1.08	60	61.08	Pass	451
859	1000	0.1	RMS	951.5	-62.19	-13	49.19	Pass	1411
1000	3000	1	RMS	2654	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	9749	-65.16	-13	52.16	Pass	7001




**9.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	39.65	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-13	42.45	Pass	2986
30	814	0.1	RMS	812	-61.02	-13	48.02	Pass	7841
814	859	0.1	RMS	829.5	17.51	60	42.49	Pass	451
859	1000	0.1	RMS	964	-62.19	-13	49.19	Pass	1411
1000	3000	1	RMS	2645	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	9700	-65.15	-13	52.15	Pass	7001



**9.27. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.65	-13	41.65	Pass	401
0.15	30	0.01	RMS	0.16	-57.07	-13	44.07	Pass	2986
30	814	0.1	RMS	811.3	-61.17	-13	48.17	Pass	7841
814	859	0.1	RMS	848.4	17.31	60	42.69	Pass	451
859	1000	0.1	RMS	909.7	-62.24	-13	49.24	Pass	1411
1000	3000	1	RMS	2640	-46.9	-13	33.9	Pass	2001
3000	10000	1	RMS	9713	-65.14	-13	52.14	Pass	7001



3. n7

3.1. Spurious Emission at Antenna Terminals for

SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.78	-25	28.78	Pass	401
0.15	30	0.01	RMS	0.16	-56.8	-25	31.8	Pass	2986
30	1000	0.1	RMS	927.3	-60.85	-25	35.85	Pass	9701
1000	2495	1	RMS	2495	-34.67	-25	9.67	Pass	1496
2495	2575	1	RMS	2503.4	15.63	60	44.37	Pass	401
2575	3000	1	RMS	2650	-47.65	-25	22.65	Pass	426
3000	7000	1	RMS	6690	-65.45	-25	40.45	Pass	4001
7000	26000	1	RMS	25296	-45.99	-25	20.99	Pass	19001



3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.85	-25	28.85	Pass	401
0.15	30	0.01	RMS	0.15	-57.06	-25	32.06	Pass	2986
30	1000	0.1	RMS	922.5	-60.97	-25	35.97	Pass	9701
1000	2495	1	RMS	2495	-42.99	-25	17.99	Pass	1496
2495	2575	1	RMS	2500.4	21.56	60	38.44	Pass	401
2575	3000	1	RMS	2648	-47.62	-25	22.62	Pass	426
3000	7000	1	RMS	6688	-65.61	-25	40.61	Pass	4001
7000	26000	1	RMS	25296	-46.01	-25	21.01	Pass	19001




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.4	-25	28.4	Pass	401
0.15	30	0.01	RMS	0.15	-56.54	-25	31.54	Pass	2986
30	1000	0.1	RMS	933	-60.87	-25	35.87	Pass	9701
1000	2495	1	RMS	2495	-47.4	-25	22.4	Pass	1496
2495	2575	1	RMS	2504.6	21.7	60	38.3	Pass	401
2575	3000	1	RMS	2648	-47.66	-25	22.66	Pass	426
3000	7000	1	RMS	5009	-65.07	-25	40.07	Pass	4001
7000	26000	1	RMS	25303	-46.02	-25	21.02	Pass	19001



3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.43	-25	29.43	Pass	401
0.15	30	0.01	RMS	0.15	-56.04	-25	31.04	Pass	2986
30	1000	0.1	RMS	914.5	-60.9	-25	35.9	Pass	9701
1000	2495	1	RMS	2491	-48.12	-25	23.12	Pass	1496
2495	2575	1	RMS	2535.2	15.41	60	44.59	Pass	401
2575	3000	1	RMS	2646	-47.64	-25	22.64	Pass	426
3000	7000	1	RMS	6689	-65.54	-25	40.54	Pass	4001
7000	26000	1	RMS	25297	-46.02	-25	21.02	Pass	19001



3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.72	-25	28.72	Pass	401
0.15	30	0.01	RMS	0.15	-55.8	-25	30.8	Pass	2986
30	1000	0.1	RMS	912.4	-60.96	-25	35.96	Pass	9701
1000	2495	1	RMS	2491	-48.11	-25	23.11	Pass	1496
2495	2575	1	RMS	2532.8	21.54	60	38.46	Pass	401
2575	3000	1	RMS	2650	-47.65	-25	22.65	Pass	426
3000	7000	1	RMS	6687	-65.56	-25	40.56	Pass	4001
7000	26000	1	RMS	25301	-46.02	-25	21.02	Pass	19001



3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.2	-25	29.2	Pass	401
0.15	30	0.01	RMS	0.15	-56.5	-25	31.5	Pass	2986
30	1000	0.1	RMS	919.7	-60.86	-25	35.86	Pass	9701
1000	2495	1	RMS	2494	-48.09	-25	23.09	Pass	1496
2495	2575	1	RMS	2537.2	21.52	60	38.48	Pass	401
2575	3000	1	RMS	2653	-47.65	-25	22.65	Pass	426
3000	7000	1	RMS	5074	-65.47	-25	40.47	Pass	4001
7000	26000	1	RMS	25299	-46.04	-25	21.04	Pass	19001



3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.81	-25	28.81	Pass	401
0.15	30	0.01	RMS	0.15	-57.15	-25	32.15	Pass	2986
30	1000	0.1	RMS	899.3	-60.63	-25	35.63	Pass	9701
1000	2495	1	RMS	2492	-48.11	-25	23.11	Pass	1496
2495	2575	1	RMS	2567.6	15.37	60	44.63	Pass	401
2575	3000	1	RMS	2575	-35.45	-25	10.45	Pass	426
3000	7000	1	RMS	6690	-65.59	-25	40.59	Pass	4001
7000	26000	1	RMS	25297	-46.03	-25	21.03	Pass	19001



3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-25	28.18	Pass	401
0.15	30	0.01	RMS	0.15	-56.09	-25	31.09	Pass	2986
30	1000	0.1	RMS	912.2	-60.97	-25	35.97	Pass	9701
1000	2495	1	RMS	2493	-48.11	-25	23.11	Pass	1496
2495	2575	1	RMS	2565.4	21.38	60	38.62	Pass	401
2575	3000	1	RMS	2642	-47.67	-25	22.67	Pass	426
3000	7000	1	RMS	5131	-65.44	-25	40.44	Pass	4001
7000	26000	1	RMS	25297	-46	-25	21	Pass	19001




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.9	-25	28.9	Pass	401
0.15	30	0.01	RMS	0.15	-57.25	-25	32.25	Pass	2986
30	1000	0.1	RMS	940	-60.91	-25	35.91	Pass	9701
1000	2495	1	RMS	2490	-48.15	-25	23.15	Pass	1496
2495	2575	1	RMS	2569.6	21.56	60	38.44	Pass	401
2575	3000	1	RMS	2575	-42.44	-25	17.44	Pass	426
3000	7000	1	RMS	6690	-65.57	-25	40.57	Pass	4001
7000	26000	1	RMS	25299	-46.07	-25	21.07	Pass	19001



3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-25	28.69	Pass	401
0.15	30	0.01	RMS	0.15	-56.31	-25	31.31	Pass	2986
30	1000	0.1	RMS	909	-60.9	-25	35.9	Pass	9701
1000	2485	1	RMS	2485	-42.03	-25	17.03	Pass	1486
2485	2585	1	RMS	2513.25	10.77	60	49.23	Pass	401
2585	3000	1	RMS	2640	-47.66	-25	22.66	Pass	416
3000	7000	1	RMS	6220	-65.62	-25	40.62	Pass	4001
7000	26000	1	RMS	25293	-46.06	-25	21.06	Pass	19001



3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.88	-25	28.88	Pass	401
0.15	30	0.01	RMS	0.15	-57.24	-25	32.24	Pass	2986
30	1000	0.1	RMS	943.9	-60.98	-25	35.98	Pass	9701
1000	2485	1	RMS	2393	-48.24	-25	23.24	Pass	1486
2485	2585	1	RMS	2500.5	21.71	60	38.29	Pass	401
2585	3000	1	RMS	2643	-47.62	-25	22.62	Pass	416
3000	7000	1	RMS	6688	-65.6	-25	40.6	Pass	4001
7000	26000	1	RMS	25299	-46.09	-25	21.09	Pass	19001



3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.8	-25	28.8	Pass	401
0.15	30	0.01	RMS	0.15	-57.36	-25	32.36	Pass	2986
30	1000	0.1	RMS	925.2	-60.9	-25	35.9	Pass	9701
1000	2485	1	RMS	2485	-48.16	-25	23.16	Pass	1486
2485	2585	1	RMS	2514.5	21.64	60	38.36	Pass	401
2585	3000	1	RMS	2640	-47.65	-25	22.65	Pass	416
3000	7000	1	RMS	6686	-65.55	-25	40.55	Pass	4001
7000	26000	1	RMS	25301	-46	-25	21	Pass	19001



3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-25	28.25	Pass	401
0.15	30	0.01	RMS	0.15	-56.91	-25	31.91	Pass	2986
30	1000	0.1	RMS	956.6	-60.93	-25	35.93	Pass	9701
1000	2485	1	RMS	2485	-48.12	-25	23.12	Pass	1486
2485	2585	1	RMS	2540.5	10.57	60	49.43	Pass	401
2585	3000	1	RMS	2646	-47.65	-25	22.65	Pass	416
3000	7000	1	RMS	6689	-65.59	-25	40.59	Pass	4001
7000	26000	1	RMS	25296	-46.03	-25	21.03	Pass	19001



3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.18	-25	29.18	Pass	401
0.15	30	0.01	RMS	0.15	-57.04	-25	32.04	Pass	2986
30	1000	0.1	RMS	918.4	-60.88	-25	35.88	Pass	9701
1000	2485	1	RMS	2479	-48.23	-25	23.23	Pass	1486
2485	2585	1	RMS	2528	21.56	60	38.44	Pass	401
2585	3000	1	RMS	2645	-47.62	-25	22.62	Pass	416
3000	7000	1	RMS	6688	-65.54	-25	40.54	Pass	4001
7000	26000	1	RMS	25298	-45.91	-25	20.91	Pass	19001



3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.38	-25	29.38	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-25	30.62	Pass	2986
30	1000	0.1	RMS	941.3	-60.79	-25	35.79	Pass	9701
1000	2485	1	RMS	2484	-48.23	-25	23.23	Pass	1486
2485	2585	1	RMS	2542	21.57	60	38.43	Pass	401
2585	3000	1	RMS	2650	-47.66	-25	22.66	Pass	416
3000	7000	1	RMS	5084	-62.34	-25	37.34	Pass	4001
7000	26000	1	RMS	25297	-46.02	-25	21.02	Pass	19001



3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.42	-25	29.42	Pass	401
0.15	30	0.01	RMS	0.15	-56.47	-25	31.47	Pass	2986
30	1000	0.1	RMS	900.5	-60.91	-25	35.91	Pass	9701
1000	2485	1	RMS	2421	-48.21	-25	23.21	Pass	1486
2485	2585	1	RMS	2567.25	10.6	60	49.4	Pass	401
2585	3000	1	RMS	2585	-39.75	-25	14.75	Pass	416
3000	7000	1	RMS	6692	-65.64	-25	40.64	Pass	4001
7000	26000	1	RMS	25300	-46.06	-25	21.06	Pass	19001



3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.2	-25	29.2	Pass	401
0.15	30	0.01	RMS	0.15	-57.21	-25	32.21	Pass	2986
30	1000	0.1	RMS	900.9	-60.88	-25	35.88	Pass	9701
1000	2485	1	RMS	2481	-48.2	-25	23.2	Pass	1486
2485	2585	1	RMS	2555.5	21.65	60	38.35	Pass	401
2585	3000	1	RMS	2642	-47.65	-25	22.65	Pass	416
3000	7000	1	RMS	5111	-61.66	-25	36.66	Pass	4001
7000	26000	1	RMS	25296	-46.07	-25	21.07	Pass	19001



3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.3	-25	28.3	Pass	401
0.15	30	0.01	RMS	0.15	-55.43	-25	30.43	Pass	2986
30	1000	0.1	RMS	941.2	-60.73	-25	35.73	Pass	9701
1000	2485	1	RMS	2415	-48.25	-25	23.25	Pass	1486
2485	2585	1	RMS	2569.5	21.76	60	38.24	Pass	401
2585	3000	1	RMS	2651	-47.66	-25	22.66	Pass	416
3000	7000	1	RMS	6690	-65.58	-25	40.58	Pass	4001
7000	26000	1	RMS	25296	-45.91	-25	20.91	Pass	19001



3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.53	-25	29.53	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-25	31.41	Pass	2986
30	1000	0.1	RMS	921.7	-60.88	-25	35.88	Pass	9701
1000	2480	1	RMS	2480	-47.17	-25	22.17	Pass	1481
2480	2590	1	RMS	2517.675	9.59	60	50.41	Pass	401
2590	3000	1	RMS	2645	-47.67	-25	22.67	Pass	411
3000	7000	1	RMS	6686	-65.58	-25	40.58	Pass	4001
7000	26000	1	RMS	25300	-46.06	-25	21.06	Pass	19001



3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.88	-25	28.88	Pass	401
0.15	30	0.01	RMS	0.15	-57.49	-25	32.49	Pass	2986
30	1000	0.1	RMS	912.4	-60.84	-25	35.84	Pass	9701
1000	2480	1	RMS	2397	-48.24	-25	23.24	Pass	1481
2480	2590	1	RMS	2500.625	21.65	60	38.35	Pass	401
2590	3000	1	RMS	2649	-47.61	-25	22.61	Pass	411
3000	7000	1	RMS	6690	-65.54	-25	40.54	Pass	4001
7000	26000	1	RMS	25297	-46.01	-25	21.01	Pass	19001



3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.59	-25	29.59	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-25	30.85	Pass	2986
30	1000	0.1	RMS	949.1	-60.9	-25	35.9	Pass	9701
1000	2480	1	RMS	2440	-48.26	-25	23.26	Pass	1481
2480	2590	1	RMS	2519.325	21.46	60	38.54	Pass	401
2590	3000	1	RMS	2647	-47.65	-25	22.65	Pass	411
3000	7000	1	RMS	6689	-65.63	-25	40.63	Pass	4001
7000	26000	1	RMS	25295	-45.95	-25	20.95	Pass	19001



3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.72	-25	28.72	Pass	401
0.15	30	0.01	RMS	0.15	-57.17	-25	32.17	Pass	2986
30	1000	0.1	RMS	910.7	-60.89	-25	35.89	Pass	9701
1000	2480	1	RMS	2447	-48.27	-25	23.27	Pass	1481
2480	2590	1	RMS	2543.25	9.31	60	50.69	Pass	401
2590	3000	1	RMS	2643	-47.63	-25	22.63	Pass	411
3000	7000	1	RMS	6690	-65.56	-25	40.56	Pass	4001
7000	26000	1	RMS	25294	-46.05	-25	21.05	Pass	19001



3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.63	-25	26.63	Pass	401
0.15	30	0.01	RMS	0.15	-57.45	-25	32.45	Pass	2986
30	1000	0.1	RMS	902.4	-60.78	-25	35.78	Pass	9701
1000	2480	1	RMS	2478	-48.25	-25	23.25	Pass	1481
2480	2590	1	RMS	2525.65	21.39	60	38.61	Pass	401
2590	3000	1	RMS	2645	-47.62	-25	22.62	Pass	411
3000	7000	1	RMS	6689	-65.54	-25	40.54	Pass	4001
7000	26000	1	RMS	25297	-46.02	-25	21.02	Pass	19001



3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.61	-25	28.61	Pass	401
0.15	30	0.01	RMS	0.15	-56.26	-25	31.26	Pass	2986
30	1000	0.1	RMS	928	-60.91	-25	35.91	Pass	9701
1000	2480	1	RMS	2479	-48.26	-25	23.26	Pass	1481
2480	2590	1	RMS	2544.35	21.54	60	38.46	Pass	401
2590	3000	1	RMS	2640	-47.66	-25	22.66	Pass	411
3000	7000	1	RMS	6687	-65.57	-25	40.57	Pass	4001
7000	26000	1	RMS	25294	-45.98	-25	20.98	Pass	19001



3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-25	27.98	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-25	30.96	Pass	2986
30	1000	0.1	RMS	945.3	-60.86	-25	35.86	Pass	9701
1000	2480	1	RMS	2477	-48.27	-25	23.27	Pass	1481
2480	2590	1	RMS	2568.275	9.42	60	50.58	Pass	401
2590	3000	1	RMS	2590	-43.05	-25	18.05	Pass	411
3000	7000	1	RMS	6691	-65.54	-25	40.54	Pass	4001
7000	26000	1	RMS	25296	-45.99	-25	20.99	Pass	19001



3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.38	-25	28.38	Pass	401
0.15	30	0.01	RMS	0.16	-56.5	-25	31.5	Pass	2986
30	1000	0.1	RMS	926.2	-60.72	-25	35.72	Pass	9701
1000	2480	1	RMS	2443	-48.28	-25	23.28	Pass	1481
2480	2590	1	RMS	2550.4	21.45	60	38.55	Pass	401
2590	3000	1	RMS	2640	-47.64	-25	22.64	Pass	411
3000	7000	1	RMS	5101	-63.18	-25	38.18	Pass	4001
7000	26000	1	RMS	25295	-46.07	-25	21.07	Pass	19001



3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.24	-25	29.24	Pass	401
0.15	30	0.01	RMS	0.16	-56.82	-25	31.82	Pass	2986
30	1000	0.1	RMS	930.2	-60.79	-25	35.79	Pass	9701
1000	2480	1	RMS	2439	-48.24	-25	23.24	Pass	1481
2480	2590	1	RMS	2569.375	21.7	60	38.3	Pass	401
2590	3000	1	RMS	2648	-47.61	-25	22.61	Pass	411
3000	7000	1	RMS	6690	-65.57	-25	40.57	Pass	4001
7000	26000	1	RMS	25294	-46.05	-25	21.05	Pass	19001




1. n12 15kHz

1.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.49	-13	40.49	Pass	401
0.15	30	0.01	RMS	0.15	-56.09	-13	43.09	Pass	2986
30	689	0.1	RMS	687.1	-62.31	-13	49.31	Pass	6591
689	726	0.1	RMS	702.505	4.64	60	55.36	Pass	401
726	1000	0.1	RMS	917.7	-61.94	-13	48.94	Pass	2741
1000	3000	1	RMS	2646	-46.92	-13	33.92	Pass	2001
3000	10000	1	RMS	9713	-65.22	-13	52.22	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.43	-13	41.43	Pass	401
0.15	30	0.01	RMS	0.15	-56.95	-13	43.95	Pass	2986
30	689	0.1	RMS	665.6	-62.3	-13	49.3	Pass	6591
689	726	0.1	RMS	699.36	17.9	60	42.1	Pass	401
726	1000	0.1	RMS	959.1	-62.13	-13	49.13	Pass	2741
1000	3000	1	RMS	2998	-46.92	-13	33.92	Pass	2001
3000	10000	1	RMS	9729	-65.2	-13	52.2	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.19	-13	41.19	Pass	401
0.15	30	0.01	RMS	0.15	-57.38	-13	44.38	Pass	2986
30	689	0.1	RMS	681	-62.27	-13	49.27	Pass	6591
689	726	0.1	RMS	703.615	17.64	60	42.36	Pass	401
726	1000	0.1	RMS	884.4	-61.9	-13	48.9	Pass	2741
1000	3000	1	RMS	2999	-46.95	-13	33.95	Pass	2001
3000	10000	1	RMS	9746	-65.24	-13	52.24	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.38	-13	41.38	Pass	401
0.15	30	0.01	RMS	0.15	-56.42	-13	43.42	Pass	2986
30	689	0.1	RMS	660.5	-62.34	-13	49.34	Pass	6591
689	726	0.1	RMS	708.518	4.7	60	55.3	Pass	401
726	1000	0.1	RMS	955.9	-61.79	-13	48.79	Pass	2741
1000	3000	1	RMS	2643	-46.9	-13	33.9	Pass	2001
3000	10000	1	RMS	9729	-65.27	-13	52.27	Pass	7001




**1.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.92	-13	40.92	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	43.11	Pass	2986
30	689	0.1	RMS	662.9	-62.26	-13	49.26	Pass	6591
689	726	0.1	RMS	705.373	17.46	60	42.54	Pass	401
726	1000	0.1	RMS	900.3	-61.86	-13	48.86	Pass	2741
1000	3000	1	RMS	2640	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	9718	-65.25	-13	52.25	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.16	-13	41.16	Pass	401
0.15	30	0.01	RMS	0.15	-57.36	-13	44.36	Pass	2986
30	689	0.1	RMS	665.3	-62.38	-13	49.38	Pass	6591
689	726	0.1	RMS	709.628	17.93	60	42.07	Pass	401
726	1000	0.1	RMS	919.9	-62.03	-13	49.03	Pass	2741
1000	3000	1	RMS	2649	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	9745	-65.24	-13	52.24	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.05	-13	41.05	Pass	401
0.15	30	0.01	RMS	0.15	-57.41	-13	44.41	Pass	2986
30	689	0.1	RMS	666.4	-62.38	-13	49.38	Pass	6591
689	726	0.1	RMS	711.755	4.88	60	55.12	Pass	401
726	1000	0.1	RMS	900.7	-61.98	-13	48.98	Pass	2741
1000	3000	1	RMS	3000	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	9720	-65.22	-13	52.22	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	40.27	Pass	401
0.15	30	0.01	RMS	0.15	-56.05	-13	43.05	Pass	2986
30	689	0.1	RMS	680.8	-62.29	-13	49.29	Pass	6591
689	726	0.1	RMS	711.293	17.64	60	42.36	Pass	401
726	1000	0.1	RMS	930.7	-61.9	-13	48.9	Pass	2741
1000	3000	1	RMS	2646	-46.94	-13	33.94	Pass	2001
3000	10000	1	RMS	9736	-65.26	-13	52.26	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.4	-13	41.4	Pass	401
0.15	30	0.01	RMS	0.15	-57.69	-13	44.69	Pass	2986
30	689	0.1	RMS	682.8	-62.37	-13	49.37	Pass	6591
689	726	0.1	RMS	715.64	17.95	60	42.05	Pass	401
726	1000	0.1	RMS	911.5	-61.94	-13	48.94	Pass	2741
1000	3000	1	RMS	2646	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	9732	-65.26	-13	52.26	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.82	-13	40.82	Pass	401
0.15	30	0.01	RMS	0.15	-56.86	-13	43.86	Pass	2986
30	689	0.1	RMS	686.8	-62.31	-13	49.31	Pass	6591
689	726	0.1	RMS	708.148	1.71	60	58.29	Pass	401
726	1000	0.1	RMS	934.5	-62.05	-13	49.05	Pass	2741
1000	3000	1	RMS	2645	-46.97	-13	33.97	Pass	2001
3000	10000	1	RMS	9700	-65.22	-13	52.22	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.97	-13	40.97	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	43.32	Pass	2986
30	689	0.1	RMS	669.3	-62.36	-13	49.36	Pass	6591
689	726	0.1	RMS	699.36	17.59	60	42.41	Pass	401
726	1000	0.1	RMS	790.1	-62.04	-13	49.04	Pass	2741
1000	3000	1	RMS	2643	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	9737	-65.13	-13	52.13	Pass	7001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.28	-13	41.28	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-13	43.15	Pass	2986
30	689	0.1	RMS	686.2	-62.24	-13	49.24	Pass	6591
689	726	0.1	RMS	708.61	17.72	60	42.28	Pass	401
726	1000	0.1	RMS	903.9	-61.96	-13	48.96	Pass	2741
1000	3000	1	RMS	2641	-46.95	-13	33.95	Pass	2001
3000	10000	1	RMS	9732	-65.24	-13	52.24	Pass	7001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.81	-13	40.81	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	42.98	Pass	2986
30	689	0.1	RMS	664.9	-62.33	-13	49.33	Pass	6591
689	726	0.1	RMS	709.535	1.58	60	58.42	Pass	401
726	1000	0.1	RMS	947.7	-62.08	-13	49.08	Pass	2741
1000	3000	1	RMS	2640	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	9716	-65.29	-13	52.29	Pass	7001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.3	-13	42.3	Pass	401
0.15	30	0.01	RMS	0.15	-57.17	-13	44.17	Pass	2986
30	689	0.1	RMS	674.9	-62.37	-13	49.37	Pass	6591
689	726	0.1	RMS	702.875	17.8	60	42.2	Pass	401
726	1000	0.1	RMS	908.4	-61.99	-13	48.99	Pass	2741
1000	3000	1	RMS	2646	-46.97	-13	33.97	Pass	2001
3000	10000	1	RMS	9742	-65.27	-13	52.27	Pass	7001




**1.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	40.91	Pass	401
0.15	30	0.01	RMS	0.15	-57.27	-13	44.27	Pass	2986
30	689	0.1	RMS	668.1	-62.26	-13	49.26	Pass	6591
689	726	0.1	RMS	712.125	17.31	60	42.69	Pass	401
726	1000	0.1	RMS	944.7	-61.96	-13	48.96	Pass	2741
1000	3000	1	RMS	2643	-46.92	-13	33.92	Pass	2001
3000	10000	1	RMS	9718	-65.25	-13	52.25	Pass	7001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.86	-13	40.86	Pass	401
0.15	30	0.01	RMS	0.15	-57.45	-13	44.45	Pass	2986
30	689	0.1	RMS	677.6	-62.37	-13	49.37	Pass	6591
689	726	0.1	RMS	707.5	1.74	60	58.26	Pass	401
726	1000	0.1	RMS	916.5	-62.09	-13	49.09	Pass	2741
1000	3000	1	RMS	2642	-46.96	-13	33.96	Pass	2001
3000	10000	1	RMS	9745	-65.24	-13	52.24	Pass	7001




**1.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-13	40.87	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-13	42.85	Pass	2986
30	689	0.1	RMS	679.1	-62.27	-13	49.27	Pass	6591
689	726	0.1	RMS	706.39	17.9	60	42.1	Pass	401
726	1000	0.1	RMS	907.9	-62.01	-13	49.01	Pass	2741
1000	3000	1	RMS	2648	-46.92	-13	33.92	Pass	2001
3000	10000	1	RMS	9716	-65.19	-13	52.19	Pass	7001




**1.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-13	40.06	Pass	401
0.15	30	0.01	RMS	0.15	-56.58	-13	43.58	Pass	2986
30	689	0.1	RMS	688	-62.26	-13	49.26	Pass	6591
689	726	0.1	RMS	715.548	17.53	60	42.47	Pass	401
726	1000	0.1	RMS	916.2	-61.94	-13	48.94	Pass	2741
1000	3000	1	RMS	2640	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	9732	-65.27	-13	52.27	Pass	7001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.69	-13	40.69	Pass	401
0.15	30	0.01	RMS	0.15	-56.59	-13	43.59	Pass	2986
30	689	0.1	RMS	668.7	-62.33	-13	49.33	Pass	6591
689	726	0.1	RMS	710.923	0.05	60	59.95	Pass	401
726	1000	0.1	RMS	912.6	-61.83	-13	48.83	Pass	2741
1000	3000	1	RMS	2641	-46.85	-13	33.85	Pass	2001
3000	10000	1	RMS	9737	-65.29	-13	52.29	Pass	7001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.35	-13	41.35	Pass	401
0.15	30	0.01	RMS	0.15	-56.98	-13	43.98	Pass	2986
30	689	0.1	RMS	670.6	-62.38	-13	49.38	Pass	6591
689	726	0.1	RMS	699.453	18.02	60	41.98	Pass	401
726	1000	0.1	RMS	935.1	-62.09	-13	49.09	Pass	2741
1000	3000	1	RMS	2640	-46.94	-13	33.94	Pass	2001
3000	10000	1	RMS	9729	-65.26	-13	52.26	Pass	7001




**1.21. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:141300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-13	40.55	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	42.52	Pass	2986
30	689	0.1	RMS	682.8	-62.38	-13	49.38	Pass	6591
689	726	0.1	RMS	713.513	17.99	60	42.01	Pass	401
726	1000	0.1	RMS	906.2	-61.82	-13	48.82	Pass	2741
1000	3000	1	RMS	2646	-46.9	-13	33.9	Pass	2001
3000	10000	1	RMS	9712	-65.24	-13	52.24	Pass	7001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.53	-13	41.53	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	42.73	Pass	2986
30	689	0.1	RMS	663.9	-62.29	-13	49.29	Pass	6591
689	726	0.1	RMS	709.443	-0.05	60	60.05	Pass	401
726	1000	0.1	RMS	902.4	-61.98	-13	48.98	Pass	2741
1000	3000	1	RMS	2650	-46.95	-13	33.95	Pass	2001
3000	10000	1	RMS	9715	-65.27	-13	52.27	Pass	7001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.24	-13	41.24	Pass	401
0.15	30	0.01	RMS	0.15	-56.59	-13	43.59	Pass	2986
30	689	0.1	RMS	666.3	-62.24	-13	49.24	Pass	6591
689	726	0.1	RMS	700.47	18.21	60	41.79	Pass	401
726	1000	0.1	RMS	934.8	-61.78	-13	48.78	Pass	2741
1000	3000	1	RMS	2999	-46.94	-13	33.94	Pass	2001
3000	10000	1	RMS	9753	-65.24	-13	52.24	Pass	7001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.79	-13	40.79	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-13	42.06	Pass	2986
30	689	0.1	RMS	676.6	-62.27	-13	49.27	Pass	6591
689	726	0.1	RMS	714.53	17.93	60	42.07	Pass	401
726	1000	0.1	RMS	910.5	-61.7	-13	48.7	Pass	2741
1000	3000	1	RMS	2651	-46.92	-13	33.92	Pass	2001
3000	10000	1	RMS	9732	-65.19	-13	52.19	Pass	7001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.85	-13	40.85	Pass	401
0.15	30	0.01	RMS	0.16	-57.24	-13	44.24	Pass	2986
30	689	0.1	RMS	678.3	-62.35	-13	49.35	Pass	6591
689	726	0.1	RMS	708.24	-0.06	60	60.06	Pass	401
726	1000	0.1	RMS	962.2	-62	-13	49	Pass	2741
1000	3000	1	RMS	2644	-46.95	-13	33.95	Pass	2001
3000	10000	1	RMS	9743	-65.26	-13	52.26	Pass	7001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.44	-13	41.44	Pass	401
0.15	30	0.01	RMS	0.15	-56.43	-13	43.43	Pass	2986
30	689	0.1	RMS	683.7	-62.3	-13	49.3	Pass	6591
689	726	0.1	RMS	701.488	18.14	60	41.86	Pass	401
726	1000	0.1	RMS	919.1	-61.94	-13	48.94	Pass	2741
1000	3000	1	RMS	2641	-46.96	-13	33.96	Pass	2001
3000	10000	1	RMS	9750	-65.25	-13	52.25	Pass	7001



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.17	-13	41.17	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	43.11	Pass	2986
30	689	0.1	RMS	681.5	-62.32	-13	49.32	Pass	6591
689	726	0.1	RMS	715.548	17.63	60	42.37	Pass	401
726	1000	0.1	RMS	898.5	-62.01	-13	49.01	Pass	2741
1000	3000	1	RMS	2641	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	9743	-65.28	-13	52.28	Pass	7001




13. n13 15kHz

13.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-13	40.17	Pass	401
0.15	30	0.01	RMS	0.15	-57.3	-13	44.3	Pass	2986
30	767	0.1	RMS	760.7	-61.63	-13	48.63	Pass	7371
767	797	0.1	RMS	781.475	4.75	60	55.25	Pass	401
797	1000	0.1	RMS	930.1	-62.12	-13	49.12	Pass	2031
1000	3000	1	RMS	2651	-47.01	-13	34.01	Pass	2001
3000	10000	1	RMS	9750	-65.27	-13	52.27	Pass	7001




13.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.91	-13	40.91	Pass	401
0.15	30	0.01	RMS	0.15	-56.85	-13	43.85	Pass	2986
30	767	0.1	RMS	758.5	-61.57	-13	48.57	Pass	7371
767	797	0.1	RMS	777.35	17.98	60	42.02	Pass	401
797	1000	0.1	RMS	955	-62.16	-13	49.16	Pass	2031
1000	3000	1	RMS	2642	-46.99	-13	33.99	Pass	2001
3000	10000	1	RMS	9739	-65.26	-13	52.26	Pass	7001




13.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.98	-13	41.98	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	43.11	Pass	2986
30	767	0.1	RMS	763.8	-61.58	-13	48.58	Pass	7371
767	797	0.1	RMS	781.625	17.93	60	42.07	Pass	401
797	1000	0.1	RMS	925.1	-61.96	-13	48.96	Pass	2031
1000	3000	1	RMS	2648	-47	-13	34	Pass	2001
3000	10000	1	RMS	9749	-65.24	-13	52.24	Pass	7001




13.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.07	-13	41.07	Pass	401
0.15	30	0.01	RMS	0.15	-57.2	-13	44.2	Pass	2986
30	767	0.1	RMS	743.1	-61.63	-13	48.63	Pass	7371
767	797	0.1	RMS	783.05	4.4	60	55.6	Pass	401
797	1000	0.1	RMS	797	-61.9	-13	48.9	Pass	2031
1000	3000	1	RMS	2643	-46.98	-13	33.98	Pass	2001
3000	10000	1	RMS	9735	-65.1	-13	52.1	Pass	7001




**13.5. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:156400, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.51	-13	40.51	Pass	401
0.15	30	0.01	RMS	0.15	-56.38	-13	43.38	Pass	2986
30	767	0.1	RMS	761.5	-61.56	-13	48.56	Pass	7371
767	797	0.1	RMS	779.825	18.14	60	41.86	Pass	401
797	1000	0.1	RMS	916.3	-62.15	-13	49.15	Pass	2031
1000	3000	1	RMS	2649	-47.02	-13	34.02	Pass	2001
3000	10000	1	RMS	9749	-65.22	-13	52.22	Pass	7001




13.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.97	-13	40.97	Pass	401
0.15	30	0.01	RMS	0.15	-56.68	-13	43.68	Pass	2986
30	767	0.1	RMS	764	-61.67	-13	48.67	Pass	7371
767	797	0.1	RMS	784.175	18.04	60	41.96	Pass	401
797	1000	0.1	RMS	943	-62.15	-13	49.15	Pass	2031
1000	3000	1	RMS	2644	-47.01	-13	34.01	Pass	2001
3000	10000	1	RMS	9700	-65.29	-13	52.29	Pass	7001




13.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.6	-13	41.6	Pass	401
0.15	30	0.01	RMS	0.15	-57.7	-13	44.7	Pass	2986
30	767	0.1	RMS	763.6	-61.49	-13	48.49	Pass	7371
767	797	0.1	RMS	782.75	4.8	60	55.2	Pass	401
797	1000	0.1	RMS	797.2	-58.67	-13	45.67	Pass	2031
1000	3000	1	RMS	2642	-47	-13	34	Pass	2001
3000	10000	1	RMS	9745	-65.21	-13	52.21	Pass	7001




**13.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:156900, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-13	40.91	Pass	401
0.15	30	0.01	RMS	0.15	-56.92	-13	43.92	Pass	2986
30	767	0.1	RMS	763.9	-61.57	-13	48.57	Pass	7371
767	797	0.1	RMS	782.3	17.81	60	42.19	Pass	401
797	1000	0.1	RMS	997	-62.19	-13	49.19	Pass	2031
1000	3000	1	RMS	2642	-46.97	-13	33.97	Pass	2001
3000	10000	1	RMS	9732	-65.27	-13	52.27	Pass	7001




13.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.92	-13	40.92	Pass	401
0.15	30	0.01	RMS	0.16	-57.39	-13	44.39	Pass	2986
30	767	0.1	RMS	764.2	-61.62	-13	48.62	Pass	7371
767	797	0.1	RMS	786.65	18.09	60	41.91	Pass	401
797	1000	0.1	RMS	935	-62.17	-13	49.17	Pass	2031
1000	3000	1	RMS	2645	-47	-13	34	Pass	2001
3000	10000	1	RMS	9755	-65.23	-13	52.23	Pass	7001




13.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.1	-13	42.1	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-13	44.67	Pass	2986
30	767	0.1	RMS	765.5	-61.62	-13	48.62	Pass	7371
767	797	0.1	RMS	779.75	1.56	60	58.44	Pass	401
797	1000	0.1	RMS	797	-51.47	-13	38.47	Pass	2031
1000	3000	1	RMS	2646	-47	-13	34	Pass	2001
3000	10000	1	RMS	9713	-65.24	-13	52.24	Pass	7001




13.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.28	-13	41.28	Pass	401
0.15	30	0.01	RMS	0.15	-56.79	-13	43.79	Pass	2986
30	767	0.1	RMS	762.3	-61.58	-13	48.58	Pass	7371
767	797	0.1	RMS	777.425	17.89	60	42.11	Pass	401
797	1000	0.1	RMS	902.8	-62.2	-13	49.2	Pass	2031
1000	3000	1	RMS	2640	-46.98	-13	33.98	Pass	2001
3000	10000	1	RMS	9725	-65.26	-13	52.26	Pass	7001



13.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.57	-13	40.57	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-13	43.4	Pass	2986
30	767	0.1	RMS	762.1	-61.54	-13	48.54	Pass	7371
767	797	0.1	RMS	786.575	18.08	60	41.92	Pass	401
797	1000	0.1	RMS	933.1	-62.15	-13	49.15	Pass	2031
1000	3000	1	RMS	2649	-46.97	-13	33.97	Pass	2001
3000	10000	1	RMS	9709	-65.24	-13	52.24	Pass	7001



3. n25 15kHz

3.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.38	-13	40.38	Pass	401
0.15	30	0.01	RMS	0.15	-56.98	-13	43.98	Pass	2986
30	1000	0.1	RMS	896.8	-60.82	-13	47.82	Pass	9701
1000	1840	1	RMS	1840	-46.29	-13	33.29	Pass	841
1840	1925	1	RMS	1853.6	13.92	60	46.08	Pass	401
1925	3000	1	RMS	2652	-47.68	-13	34.68	Pass	1076
3000	7000	1	RMS	6689	-65.68	-13	52.68	Pass	4001
7000	20000	1	RMS	19933	-50.79	-13	37.79	Pass	13001



3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-13	40.62	Pass	401
0.15	30	0.01	RMS	0.15	-55.65	-13	42.65	Pass	2986
30	1000	0.1	RMS	918.9	-60.93	-13	47.93	Pass	9701
1000	1840	1	RMS	1840	-50.43	-13	37.43	Pass	841
1840	1925	1	RMS	1850.413	19.89	60	40.11	Pass	401
1925	3000	1	RMS	2648	-47.65	-13	34.65	Pass	1076
3000	7000	1	RMS	6690	-65.73	-13	52.73	Pass	4001
7000	20000	1	RMS	19907	-50.77	-13	37.77	Pass	13001



3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.62	-13	41.62	Pass	401
0.15	30	0.01	RMS	0.15	-56.22	-13	43.22	Pass	2986
30	1000	0.1	RMS	938.4	-60.83	-13	47.83	Pass	9701
1000	1840	1	RMS	1835	-50.51	-13	37.51	Pass	841
1840	1925	1	RMS	1854.663	19.93	60	40.07	Pass	401
1925	3000	1	RMS	2641	-47.75	-13	34.75	Pass	1076
3000	7000	1	RMS	6689	-65.72	-13	52.72	Pass	4001
7000	20000	1	RMS	19958	-50.57	-13	37.57	Pass	13001




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.83	-13	40.83	Pass	401
0.15	30	0.01	RMS	0.16	-57.61	-13	44.61	Pass	2986
30	1000	0.1	RMS	937.1	-60.91	-13	47.91	Pass	9701
1000	1840	1	RMS	1840	-50.59	-13	37.59	Pass	841
1840	1925	1	RMS	1882.075	13.87	60	46.13	Pass	401
1925	3000	1	RMS	2646	-47.71	-13	34.71	Pass	1076
3000	7000	1	RMS	6685	-65.67	-13	52.67	Pass	4001
7000	20000	1	RMS	19943	-50.63	-13	37.63	Pass	13001




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.68	-13	41.68	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-13	42.85	Pass	2986
30	1000	0.1	RMS	901.3	-60.86	-13	47.86	Pass	9701
1000	1840	1	RMS	1838	-50.62	-13	37.62	Pass	841
1840	1925	1	RMS	1880.375	20.12	60	39.88	Pass	401
1925	3000	1	RMS	2652	-47.67	-13	34.67	Pass	1076
3000	7000	1	RMS	6687	-65.63	-13	52.63	Pass	4001
7000	20000	1	RMS	19933	-50.59	-13	37.59	Pass	13001



3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.52	-13	40.52	Pass	401
0.15	30	0.01	RMS	0.15	-57.62	-13	44.62	Pass	2986
30	1000	0.1	RMS	937	-60.83	-13	47.83	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	37.6	Pass	841
1840	1925	1	RMS	1884.625	20.09	60	39.91	Pass	401
1925	3000	1	RMS	2652	-47.68	-13	34.68	Pass	1076
3000	7000	1	RMS	6688	-65.61	-13	52.61	Pass	4001
7000	20000	1	RMS	19936	-50.44	-13	37.44	Pass	13001




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.48	-13	40.48	Pass	401
0.15	30	0.01	RMS	0.15	-57.05	-13	44.05	Pass	2986
30	1000	0.1	RMS	957.3	-60.92	-13	47.92	Pass	9701
1000	1840	1	RMS	1839	-50.58	-13	37.58	Pass	841
1840	1925	1	RMS	1911.188	14.13	60	45.87	Pass	401
1925	3000	1	RMS	2638	-47.64	-13	34.64	Pass	1076
3000	7000	1	RMS	6689	-65.6	-13	52.6	Pass	4001
7000	20000	1	RMS	19959	-50.55	-13	37.55	Pass	13001




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.27	-13	41.27	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-13	43.18	Pass	2986
30	1000	0.1	RMS	945.3	-60.96	-13	47.96	Pass	9701
1000	1840	1	RMS	1840	-50.55	-13	37.55	Pass	841
1840	1925	1	RMS	1910.338	20.06	60	39.94	Pass	401
1925	3000	1	RMS	2643	-47.67	-13	34.67	Pass	1076
3000	7000	1	RMS	6690	-65.61	-13	52.61	Pass	4001
7000	20000	1	RMS	19943	-50.47	-13	37.47	Pass	13001



3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.36	-13	41.36	Pass	401
0.15	30	0.01	RMS	0.15	-56.03	-13	43.03	Pass	2986
30	1000	0.1	RMS	933.1	-60.89	-13	47.89	Pass	9701
1000	1840	1	RMS	1835	-50.62	-13	37.62	Pass	841
1840	1925	1	RMS	1914.588	20.08	60	39.92	Pass	401
1925	3000	1	RMS	2640	-47.65	-13	34.65	Pass	1076
3000	7000	1	RMS	6690	-65.65	-13	52.65	Pass	4001
7000	20000	1	RMS	19942	-50.61	-13	37.61	Pass	13001




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.97	-13	41.97	Pass	401
0.15	30	0.01	RMS	0.15	-56.86	-13	43.86	Pass	2986
30	1000	0.1	RMS	916.3	-60.78	-13	47.78	Pass	9701
1000	1840	1	RMS	1840	-40.77	-13	27.77	Pass	841
1840	1925	1	RMS	1863.375	9.58	60	50.42	Pass	401
1925	3000	1	RMS	2640	-47.69	-13	34.69	Pass	1076
3000	7000	1	RMS	6690	-65.61	-13	52.61	Pass	4001
7000	20000	1	RMS	19940	-50.56	-13	37.56	Pass	13001




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.79	-13	40.79	Pass	401
0.15	30	0.01	RMS	0.16	-56.49	-13	43.49	Pass	2986
30	1000	0.1	RMS	900	-61	-13	48	Pass	9701
1000	1840	1	RMS	1840	-50.41	-13	37.41	Pass	841
1840	1925	1	RMS	1850.413	20.1	60	39.9	Pass	401
1925	3000	1	RMS	2642	-47.71	-13	34.71	Pass	1076
3000	7000	1	RMS	6688	-65.6	-13	52.6	Pass	4001
7000	20000	1	RMS	19947	-50.56	-13	37.56	Pass	13001




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.7	-13	41.7	Pass	401
0.15	30	0.01	RMS	0.16	-56.69	-13	43.69	Pass	2986
30	1000	0.1	RMS	931.9	-60.81	-13	47.81	Pass	9701
1000	1840	1	RMS	1836	-49.97	-13	36.97	Pass	841
1840	1925	1	RMS	1864.438	20.17	60	39.83	Pass	401
1925	3000	1	RMS	2639	-47.67	-13	34.67	Pass	1076
3000	7000	1	RMS	6691	-65.64	-13	52.64	Pass	4001
7000	20000	1	RMS	19939	-50.58	-13	37.58	Pass	13001




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.73	-13	40.73	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	42.97	Pass	2986
30	1000	0.1	RMS	946.5	-60.95	-13	47.95	Pass	9701
1000	1840	1	RMS	1840	-49.28	-13	36.28	Pass	841
1840	1925	1	RMS	1876.338	9.33	60	50.67	Pass	401
1925	3000	1	RMS	2641	-47.68	-13	34.68	Pass	1076
3000	7000	1	RMS	6688	-65.61	-13	52.61	Pass	4001
7000	20000	1	RMS	19909	-50.57	-13	37.57	Pass	13001




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-13	40.43	Pass	401
0.15	30	0.01	RMS	0.15	-56.78	-13	43.78	Pass	2986
30	1000	0.1	RMS	936.2	-60.87	-13	47.87	Pass	9701
1000	1840	1	RMS	1839	-50.53	-13	37.53	Pass	841
1840	1925	1	RMS	1875.488	20.24	60	39.76	Pass	401
1925	3000	1	RMS	2648	-47.65	-13	34.65	Pass	1076
3000	7000	1	RMS	6689	-65.56	-13	52.56	Pass	4001
7000	20000	1	RMS	19939	-50.52	-13	37.52	Pass	13001




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.39	-13	41.39	Pass	401
0.15	30	0.01	RMS	0.15	-56.68	-13	43.68	Pass	2986
30	1000	0.1	RMS	917.6	-60.89	-13	47.89	Pass	9701
1000	1840	1	RMS	1840	-50.54	-13	37.54	Pass	841
1840	1925	1	RMS	1889.513	20.11	60	39.89	Pass	401
1925	3000	1	RMS	2646	-47.68	-13	34.68	Pass	1076
3000	7000	1	RMS	6688	-65.6	-13	52.6	Pass	4001
7000	20000	1	RMS	19911	-50.6	-13	37.6	Pass	13001




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.38	-13	41.38	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-13	42.77	Pass	2986
30	1000	0.1	RMS	926.8	-60.97	-13	47.97	Pass	9701
1000	1840	1	RMS	1840	-50.55	-13	37.55	Pass	841
1840	1925	1	RMS	1901.838	9.77	60	50.23	Pass	401
1925	3000	1	RMS	2644	-47.68	-13	34.68	Pass	1076
3000	7000	1	RMS	6685	-65.6	-13	52.6	Pass	4001
7000	20000	1	RMS	19950	-50.51	-13	37.51	Pass	13001



3.31. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.64	-13	41.64	Pass	401
0.15	30	0.01	RMS	0.15	-55.82	-13	42.82	Pass	2986
30	1000	0.1	RMS	955.7	-60.9	-13	47.9	Pass	9701
1000	1840	1	RMS	1840	-50.62	-13	37.62	Pass	841
1840	1925	1	RMS	1900.563	20.22	60	39.78	Pass	401
1925	3000	1	RMS	2646	-47.67	-13	34.67	Pass	1076
3000	7000	1	RMS	6689	-65.58	-13	52.58	Pass	4001
7000	20000	1	RMS	19949	-50.53	-13	37.53	Pass	13001



--BLANK BELOW--


**3.19. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.81	-13	41.81	Pass	401
0.15	30	0.01	RMS	0.15	-56.79	-13	43.79	Pass	2986
30	1000	0.1	RMS	930.2	-60.68	-13	47.68	Pass	9701
1000	1840	1	RMS	1825	-50.63	-13	37.63	Pass	841
1840	1925	1	RMS	1914.588	20.15	60	39.85	Pass	401
1925	3000	1	RMS	2648	-47.7	-13	34.7	Pass	1076
3000	7000	1	RMS	6686	-65.65	-13	52.65	Pass	4001
7000	20000	1	RMS	19892	-50.47	-13	37.47	Pass	13001



3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.5	-13	41.5	Pass	401
0.15	30	0.01	RMS	0.15	-56.57	-13	43.57	Pass	2986
30	1000	0.1	RMS	910	-60.89	-13	47.89	Pass	9701
1000	1840	1	RMS	1840	-40.98	-13	27.98	Pass	841
1840	1925	1	RMS	1868.475	8.29	60	51.71	Pass	401
1925	3000	1	RMS	2648	-47.65	-13	34.65	Pass	1076
3000	7000	1	RMS	6691	-65.62	-13	52.62	Pass	4001
7000	20000	1	RMS	19953	-50.62	-13	37.62	Pass	13001



3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.19	-13	41.19	Pass	401
0.15	30	0.01	RMS	0.15	-56.34	-13	43.34	Pass	2986
30	1000	0.1	RMS	950.2	-60.84	-13	47.84	Pass	9701
1000	1840	1	RMS	1840	-50.27	-13	37.27	Pass	841
1840	1925	1	RMS	1850.625	20.05	60	39.95	Pass	401
1925	3000	1	RMS	2651	-47.71	-13	34.71	Pass	1076
3000	7000	1	RMS	6690	-65.63	-13	52.63	Pass	4001
7000	20000	1	RMS	19947	-50.6	-13	37.6	Pass	13001

