


3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.36	-13	41.36	Pass	401
0.15	30	0.01	RMS	0.16	-56.8	-13	43.8	Pass	2986
30	1000	0.1	RMS	923	-60.88	-13	47.88	Pass	9701
1000	1840	1	RMS	1837	-50.51	-13	37.51	Pass	841
1840	1925	1	RMS	1869.538	20.06	60	39.94	Pass	401
1925	3000	1	RMS	2649	-47.69	-13	34.69	Pass	1076
3000	7000	1	RMS	6690	-65.64	-13	52.64	Pass	4001
7000	20000	1	RMS	19950	-50.58	-13	37.58	Pass	13001




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.15	-13	40.15	Pass	401
0.15	30	0.01	RMS	0.15	-57.15	-13	44.15	Pass	2986
30	1000	0.1	RMS	930.3	-60.93	-13	47.93	Pass	9701
1000	1840	1	RMS	1840	-47.32	-13	34.32	Pass	841
1840	1925	1	RMS	1874.425	8.04	60	51.96	Pass	401
1925	3000	1	RMS	2651	-47.69	-13	34.69	Pass	1076
3000	7000	1	RMS	6689	-65.62	-13	52.62	Pass	4001
7000	20000	1	RMS	19966	-50.6	-13	37.6	Pass	13001




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-13	40.19	Pass	401
0.15	30	0.01	RMS	0.15	-56.52	-13	43.52	Pass	2986
30	1000	0.1	RMS	920.4	-60.91	-13	47.91	Pass	9701
1000	1840	1	RMS	1840	-50.59	-13	37.59	Pass	841
1840	1925	1	RMS	1872.938	20.14	60	39.86	Pass	401
1925	3000	1	RMS	2642	-47.64	-13	34.64	Pass	1076
3000	7000	1	RMS	6690	-65.63	-13	52.63	Pass	4001
7000	20000	1	RMS	19915	-50.61	-13	37.61	Pass	13001



3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.81	-13	41.81	Pass	401
0.15	30	0.01	RMS	0.15	-56.12	-13	43.12	Pass	2986
30	1000	0.1	RMS	902.1	-60.89	-13	47.89	Pass	9701
1000	1840	1	RMS	1838	-50.55	-13	37.55	Pass	841
1840	1925	1	RMS	1891.85	20.1	60	39.9	Pass	401
1925	3000	1	RMS	2651	-47.71	-13	34.71	Pass	1076
3000	7000	1	RMS	6690	-65.65	-13	52.65	Pass	4001
7000	20000	1	RMS	19955	-50.53	-13	37.53	Pass	13001




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-13	40.56	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	42.42	Pass	2986
30	1000	0.1	RMS	909.8	-60.73	-13	47.73	Pass	9701
1000	1840	1	RMS	1840	-50.07	-13	37.07	Pass	841
1840	1925	1	RMS	1899.075	8.27	60	51.73	Pass	401
1925	3000	1	RMS	2998	-47.71	-13	34.71	Pass	1076
3000	7000	1	RMS	6689	-65.63	-13	52.63	Pass	4001
7000	20000	1	RMS	19929	-50.59	-13	37.59	Pass	13001




3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.85	-13	40.85	Pass	401
0.15	30	0.01	RMS	0.15	-57.25	-13	44.25	Pass	2986
30	1000	0.1	RMS	946.9	-60.84	-13	47.84	Pass	9701
1000	1840	1	RMS	1836	-50.62	-13	37.62	Pass	841
1840	1925	1	RMS	1895.463	20.1	60	39.9	Pass	401
1925	3000	1	RMS	2645	-47.7	-13	34.7	Pass	1076
3000	7000	1	RMS	6689	-65.61	-13	52.61	Pass	4001
7000	20000	1	RMS	19923	-50.56	-13	37.56	Pass	13001



3.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.54	-13	42.54	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-13	43.4	Pass	2986
30	1000	0.1	RMS	915	-60.94	-13	47.94	Pass	9701
1000	1840	1	RMS	1840	-50.63	-13	37.63	Pass	841
1840	1925	1	RMS	1914.375	20.2	60	39.8	Pass	401
1925	3000	1	RMS	2643	-47.65	-13	34.65	Pass	1076
3000	7000	1	RMS	6690	-65.66	-13	52.66	Pass	4001
7000	20000	1	RMS	19937	-50.61	-13	37.61	Pass	13001



1. n26 15kHz_Part22


**1.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-70.15	-13	57.15	Pass	2986
30	814	0.1	RMS	814	-56.29	-13	43.29	Pass	7841
814	859	0.1	RMS	826.3	4.61	60	55.39	Pass	451
859	1000	0.1	RMS	888.7	-63.7	-13	50.7	Pass	1411
1000	3000	1	RMS	2871	-48.61	-13	35.61	Pass	2001
3000	10000	1	RMS	8912	-58.89	-13	45.89	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-13	58.06	Pass	2986
30	814	0.1	RMS	812.5	-63.8	-13	50.8	Pass	7841
814	859	0.1	RMS	824.3	17.8	60	42.2	Pass	451
859	1000	0.1	RMS	881.3	-63.61	-13	50.61	Pass	1411
1000	3000	1	RMS	2869	-48.61	-13	35.61	Pass	2001
3000	10000	1	RMS	8936	-58.97	-13	45.97	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.16	-70.8	-13	57.8	Pass	2986
30	814	0.1	RMS	813.6	-63.87	-13	50.87	Pass	7841
814	859	0.1	RMS	828.6	17.32	60	42.68	Pass	451
859	1000	0.1	RMS	909.2	-63.65	-13	50.65	Pass	1411
1000	3000	1	RMS	2870	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	8901	-58.95	-13	45.95	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.18	-70.33	-13	57.33	Pass	2986
30	814	0.1	RMS	749.8	-63.93	-13	50.93	Pass	7841
814	859	0.1	RMS	834.9	4.68	60	55.32	Pass	451
859	1000	0.1	RMS	998.2	-63.53	-13	50.53	Pass	1411
1000	3000	1	RMS	2869	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	8941	-58.95	-13	45.95	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	0.16	-70.48	-13	57.48	Pass	2986
30	814	0.1	RMS	739.7	-63.97	-13	50.97	Pass	7841
814	859	0.1	RMS	834.3	17.78	60	42.22	Pass	451
859	1000	0.1	RMS	904.2	-63.65	-13	50.65	Pass	1411
1000	3000	1	RMS	2886	-48.6	-13	35.6	Pass	2001
3000	10000	1	RMS	8949	-58.95	-13	45.95	Pass	7001




**1.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.17	-70.25	-13	57.25	Pass	2986
30	814	0.1	RMS	732.7	-63.87	-13	50.87	Pass	7841
814	859	0.1	RMS	838.7	17.3	60	42.7	Pass	451
859	1000	0.1	RMS	892.1	-63.65	-13	50.65	Pass	1411
1000	3000	1	RMS	2874	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	8920	-58.93	-13	45.93	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.15	-70.65	-13	57.65	Pass	2986
30	814	0.1	RMS	754.6	-63.9	-13	50.9	Pass	7841
814	859	0.1	RMS	844.5	4.93	60	55.07	Pass	451
859	1000	0.1	RMS	998.5	-63.69	-13	50.69	Pass	1411
1000	3000	1	RMS	2871	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	8917	-58.97	-13	45.97	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.22	-70.97	-13	57.97	Pass	2986
30	814	0.1	RMS	741.8	-64.05	-13	51.05	Pass	7841
814	859	0.1	RMS	844.3	17.72	60	42.28	Pass	451
859	1000	0.1	RMS	890.7	-63.71	-13	50.71	Pass	1411
1000	3000	1	RMS	2873	-48.61	-13	35.61	Pass	2001
3000	10000	1	RMS	8912	-58.95	-13	45.95	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.18	-71.32	-13	58.32	Pass	2986
30	814	0.1	RMS	740.9	-63.91	-13	50.91	Pass	7841
814	859	0.1	RMS	848.6	17.27	60	42.73	Pass	451
859	1000	0.1	RMS	886.1	-63.63	-13	50.63	Pass	1411
1000	3000	1	RMS	2867	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	8920	-58.94	-13	45.94	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.16	-70.68	-13	57.68	Pass	2986
30	814	0.1	RMS	813.1	-46.31	-13	33.31	Pass	7841
814	859	0.1	RMS	826.8	0.18	60	59.82	Pass	451
859	1000	0.1	RMS	991.1	-63.63	-13	50.63	Pass	1411
1000	3000	1	RMS	2869	-48.61	-13	35.61	Pass	2001
3000	10000	1	RMS	8905	-58.91	-13	45.91	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.17	-13	60.17	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-13	57.68	Pass	2986
30	814	0.1	RMS	814	-63.54	-13	50.54	Pass	7841
814	859	0.1	RMS	824.5	17.9	60	42.1	Pass	451
859	1000	0.1	RMS	880.2	-63.63	-13	50.63	Pass	1411
1000	3000	1	RMS	2886	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	8906	-58.95	-13	45.95	Pass	7001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.17	-70.57	-13	57.57	Pass	2986
30	814	0.1	RMS	746.7	-64	-13	51	Pass	7841
814	859	0.1	RMS	838.5	18.1	60	41.9	Pass	451
859	1000	0.1	RMS	886.5	-63.72	-13	50.72	Pass	1411
1000	3000	1	RMS	2869	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	8895	-58.91	-13	45.91	Pass	7001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.1	-13	60.1	Pass	401
0.15	30	0.01	RMS	0.26	-70.88	-13	57.88	Pass	2986
30	814	0.1	RMS	813.7	-48.73	-13	35.73	Pass	7841
814	859	0.1	RMS	829.7	0.48	60	59.52	Pass	451
859	1000	0.1	RMS	879.8	-63.64	-13	50.64	Pass	1411
1000	3000	1	RMS	2876	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	8903	-58.94	-13	45.94	Pass	7001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	814	0.1	RMS	739.5	-63.89	-13	50.89	Pass	7841
814	859	0.1	RMS	829.5	17.82	60	42.18	Pass	451
859	1000	0.1	RMS	892.6	-63.53	-13	50.53	Pass	1411
1000	3000	1	RMS	2872	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	8903	-58.95	-13	45.95	Pass	7001




**1.15. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-13	59.66	Pass	401
0.15	30	0.01	RMS	0.2	-70.61	-13	57.61	Pass	2986
30	814	0.1	RMS	748.9	-63.91	-13	50.91	Pass	7841
814	859	0.1	RMS	843.5	18.04	60	41.96	Pass	451
859	1000	0.1	RMS	875.3	-63.61	-13	50.61	Pass	1411
1000	3000	1	RMS	2870	-48.6	-13	35.6	Pass	2001
3000	10000	1	RMS	8938	-58.88	-13	45.88	Pass	7001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.2	-69.87	-13	56.87	Pass	2986
30	814	0.1	RMS	813.8	-51.16	-13	38.16	Pass	7841
814	859	0.1	RMS	834.7	0.14	60	59.86	Pass	451
859	1000	0.1	RMS	896.7	-63.62	-13	50.62	Pass	1411
1000	3000	1	RMS	2884	-48.6	-13	35.6	Pass	2001
3000	10000	1	RMS	8917	-58.94	-13	45.94	Pass	7001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.15	-69.84	-13	56.84	Pass	2986
30	814	0.1	RMS	728.1	-63.98	-13	50.98	Pass	7841
814	859	0.1	RMS	834.5	17.92	60	42.08	Pass	451
859	1000	0.1	RMS	889.1	-63.66	-13	50.66	Pass	1411
1000	3000	1	RMS	2873	-48.6	-13	35.6	Pass	2001
3000	10000	1	RMS	8948	-58.93	-13	45.93	Pass	7001




**1.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.2	-71.11	-13	58.11	Pass	2986
30	814	0.1	RMS	740.8	-63.84	-13	50.84	Pass	7841
814	859	0.1	RMS	848.5	18.09	60	41.91	Pass	451
859	1000	0.1	RMS	894.4	-63.59	-13	50.59	Pass	1411
1000	3000	1	RMS	2884	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	8920	-58.94	-13	45.94	Pass	7001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.16	-70.46	-13	57.46	Pass	2986
30	814	0.1	RMS	813.8	-45.59	-13	32.59	Pass	7841
814	859	0.1	RMS	827.8	-0.92	60	60.92	Pass	451
859	1000	0.1	RMS	882.4	-63.4	-13	50.4	Pass	1411
1000	3000	1	RMS	2883	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	8946	-58.9	-13	45.9	Pass	7001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.57	-13	58.57	Pass	401
0.15	30	0.01	RMS	0.16	-70.99	-13	57.99	Pass	2986
30	814	0.1	RMS	813.5	-63.62	-13	50.62	Pass	7841
814	859	0.1	RMS	824.5	17.66	60	42.34	Pass	451
859	1000	0.1	RMS	906	-63.65	-13	50.65	Pass	1411
1000	3000	1	RMS	2870	-48.56	-13	35.56	Pass	2001
3000	10000	1	RMS	8947	-58.9	-13	45.9	Pass	7001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.15	-69.98	-13	56.98	Pass	2986
30	814	0.1	RMS	734.5	-63.91	-13	50.91	Pass	7841
814	859	0.1	RMS	843.4	17.5	60	42.5	Pass	451
859	1000	0.1	RMS	903.8	-63.61	-13	50.61	Pass	1411
1000	3000	1	RMS	2883	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	8949	-58.91	-13	45.91	Pass	7001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.22	-71.44	-13	58.44	Pass	2986
30	814	0.1	RMS	812.8	-46.81	-13	33.81	Pass	7841
814	859	0.1	RMS	827.3	-0.85	60	60.85	Pass	451
859	1000	0.1	RMS	886.4	-63.75	-13	50.75	Pass	1411
1000	3000	1	RMS	2878	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	8948	-58.96	-13	45.96	Pass	7001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.17	-70.29	-13	57.29	Pass	2986
30	814	0.1	RMS	812.8	-63.72	-13	50.72	Pass	7841
814	859	0.1	RMS	827	17.56	60	42.44	Pass	451
859	1000	0.1	RMS	900	-63.6	-13	50.6	Pass	1411
1000	3000	1	RMS	2869	-48.6	-13	35.6	Pass	2001
3000	10000	1	RMS	8933	-58.94	-13	45.94	Pass	7001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.19	-71.32	-13	58.32	Pass	2986
30	814	0.1	RMS	756.3	-64	-13	51	Pass	7841
814	859	0.1	RMS	845.9	17.61	60	42.39	Pass	451
859	1000	0.1	RMS	995.8	-63.56	-13	50.56	Pass	1411
1000	3000	1	RMS	2874	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	8922	-58.91	-13	45.91	Pass	7001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.16	-70.45	-13	57.45	Pass	2986
30	814	0.1	RMS	814	-47.38	-13	34.38	Pass	7841
814	859	0.1	RMS	829.7	-0.87	60	60.87	Pass	451
859	1000	0.1	RMS	998	-63.6	-13	50.6	Pass	1411
1000	3000	1	RMS	2877	-48.61	-13	35.61	Pass	2001
3000	10000	1	RMS	8926	-58.93	-13	45.93	Pass	7001




**1.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	58.37	Pass	2986
30	814	0.1	RMS	812.4	-63.9	-13	50.9	Pass	7841
814	859	0.1	RMS	829.5	17.6	60	42.4	Pass	451
859	1000	0.1	RMS	908.6	-63.65	-13	50.65	Pass	1411
1000	3000	1	RMS	2875	-48.56	-13	35.56	Pass	2001
3000	10000	1	RMS	8907	-58.95	-13	45.95	Pass	7001



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.16	-70.59	-13	57.59	Pass	2986
30	814	0.1	RMS	813.4	-63.78	-13	50.78	Pass	7841
814	859	0.1	RMS	848.4	17.54	60	42.46	Pass	451
859	1000	0.1	RMS	885	-63.69	-13	50.69	Pass	1411
1000	3000	1	RMS	2873	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	8916	-58.88	-13	45.88	Pass	7001



1. n26 15kHz_Part90


1.1. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.19	-71.48	-13	58.48	Pass	2986
30	804	0.1	RMS	729.9	-64.03	-13	51.03	Pass	7741
804	834	0.1	RMS	817.95	4.72	60	55.28	Pass	401
834	1000	0.1	RMS	834	-63.16	-13	50.16	Pass	1661
1000	3000	1	RMS	2879	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	8942	-58.96	-13	45.96	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.15	-70.2	-13	57.2	Pass	2986
30	804	0.1	RMS	742.5	-64.02	-13	51.02	Pass	7741
804	834	0.1	RMS	814.35	18.04	60	41.96	Pass	401
834	1000	0.1	RMS	899.5	-63.56	-13	50.56	Pass	1661
1000	3000	1	RMS	2870	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	8936	-58.95	-13	45.95	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-13	57.98	Pass	2986
30	804	0.1	RMS	760.1	-63.98	-13	50.98	Pass	7741
804	834	0.1	RMS	818.625	17.97	60	42.03	Pass	401
834	1000	0.1	RMS	915.5	-63.51	-13	50.51	Pass	1661
1000	3000	1	RMS	2881	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	8933	-58.93	-13	45.93	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.19	-70.82	-13	57.82	Pass	2986
30	804	0.1	RMS	750.6	-64.02	-13	51.02	Pass	7741
804	834	0.1	RMS	821.025	4.66	60	55.34	Pass	401
834	1000	0.1	RMS	834	-60.16	-13	47.16	Pass	1661
1000	3000	1	RMS	2871	-48.6	-13	35.6	Pass	2001
3000	10000	1	RMS	8929	-58.95	-13	45.95	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-70.57	-13	57.57	Pass	2986
30	804	0.1	RMS	759.5	-64.06	-13	51.06	Pass	7741
804	834	0.1	RMS	816.825	18.23	60	41.77	Pass	401
834	1000	0.1	RMS	891.6	-63.54	-13	50.54	Pass	1661
1000	3000	1	RMS	2877	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	8907	-58.95	-13	45.95	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.16	-13	60.16	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-13	57.76	Pass	2986
30	804	0.1	RMS	725.9	-63.93	-13	50.93	Pass	7741
804	834	0.1	RMS	821.175	18.02	60	41.98	Pass	401
834	1000	0.1	RMS	897.8	-63.56	-13	50.56	Pass	1661
1000	3000	1	RMS	2870	-48.67	-13	35.67	Pass	2001
3000	10000	1	RMS	8951	-58.9	-13	45.9	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.72	-13	60.72	Pass	401
0.15	30	0.01	RMS	0.16	-70.5	-13	57.5	Pass	2986
30	804	0.1	RMS	722.1	-63.96	-13	50.96	Pass	7741
804	834	0.1	RMS	822.525	4.69	60	55.31	Pass	401
834	1000	0.1	RMS	834.1	-55.99	-13	42.99	Pass	1661
1000	3000	1	RMS	2868	-48.61	-13	35.61	Pass	2001
3000	10000	1	RMS	8924	-58.94	-13	45.94	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.99	-13	58.99	Pass	401
0.15	30	0.01	RMS	0.2	-70.79	-13	57.79	Pass	2986
30	804	0.1	RMS	728.5	-64.02	-13	51.02	Pass	7741
804	834	0.1	RMS	819.3	17.92	60	42.08	Pass	401
834	1000	0.1	RMS	913.6	-63.54	-13	50.54	Pass	1661
1000	3000	1	RMS	2873	-48.56	-13	35.56	Pass	2001
3000	10000	1	RMS	8956	-58.94	-13	45.94	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.19	-70.95	-13	57.95	Pass	2986
30	804	0.1	RMS	748.6	-63.85	-13	50.85	Pass	7741
804	834	0.1	RMS	823.65	18.12	60	41.88	Pass	401
834	1000	0.1	RMS	893.9	-63.66	-13	50.66	Pass	1661
1000	3000	1	RMS	2881	-48.61	-13	35.61	Pass	2001
3000	10000	1	RMS	8935	-58.96	-13	45.96	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.22	-71.46	-13	58.46	Pass	2986
30	804	0.1	RMS	803.9	-63.49	-13	50.49	Pass	7741
804	834	0.1	RMS	823.275	1.78	60	58.22	Pass	401
834	1000	0.1	RMS	834.1	-47.64	-13	34.64	Pass	1661
1000	3000	1	RMS	2875	-48.6	-13	35.6	Pass	2001
3000	10000	1	RMS	8950	-58.91	-13	45.91	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.23	-70.81	-13	57.81	Pass	2986
30	804	0.1	RMS	726.3	-63.89	-13	50.89	Pass	7741
804	834	0.1	RMS	814.425	17.96	60	42.04	Pass	401
834	1000	0.1	RMS	884.3	-63.63	-13	50.63	Pass	1661
1000	3000	1	RMS	2869	-48.6	-13	35.6	Pass	2001
3000	10000	1	RMS	8948	-58.95	-13	45.95	Pass	7001



1.12. Spurious Emission at Antenna Terminals for SA_Part90(NTNV)(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	0.19	-71.06	-13	58.06	Pass	2986
30	804	0.1	RMS	751.1	-63.99	-13	50.99	Pass	7741
804	834	0.1	RMS	823.575	18.14	60	41.86	Pass	401
834	1000	0.1	RMS	834.7	-63.53	-13	50.53	Pass	1661
1000	3000	1	RMS	2876	-48.6	-13	35.6	Pass	2001
3000	10000	1	RMS	8944	-58.95	-13	45.95	Pass	7001




1. n38_PC3

1.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-25	28.2	Pass	401
0.15	30	0.01	RMS	0.16	-56.74	-25	31.74	Pass	2986
30	1000	0.1	RMS	763.6	-58.3	-25	33.3	Pass	9701
1000	2550	1	RMS	2550	-39.92	-25	14.92	Pass	1551
2550	2640	1	RMS	2572.5	9.81	60	50.19	Pass	401
2640	3000	1	RMS	2640	-47.33	-25	22.33	Pass	401
3000	7000	1	RMS	6681	-65.42	-25	40.42	Pass	4001
7000	26500	1	RMS	24645	-45.24	-25	20.24	Pass	19501




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.66	-25	29.66	Pass	401
0.15	30	0.01	RMS	0.15	-56.79	-25	31.79	Pass	2986
30	1000	0.1	RMS	904.5	-58.3	-25	33.3	Pass	9701
1000	2550	1	RMS	2549	-47.83	-25	22.83	Pass	1551
2550	2640	1	RMS	2570.925	21.79	60	38.21	Pass	401
2640	3000	1	RMS	2645.4	-47.8	-25	22.8	Pass	401
3000	7000	1	RMS	5142	-61.32	-25	36.32	Pass	4001
7000	26500	1	RMS	26378	-45.23	-25	20.23	Pass	19501




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-25	27.65	Pass	401
0.15	30	0.01	RMS	0.15	-55.43	-25	30.43	Pass	2986
30	1000	0.1	RMS	978.3	-58.84	-25	33.84	Pass	9701
1000	2550	1	RMS	2520	-47.64	-25	22.64	Pass	1551
2550	2640	1	RMS	2588.925	21.76	60	38.24	Pass	401
2640	3000	1	RMS	2645.4	-47.78	-25	22.78	Pass	401
3000	7000	1	RMS	5178	-60.54	-25	35.54	Pass	4001
7000	26500	1	RMS	26346	-45.38	-25	20.38	Pass	19501




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.35	-25	27.35	Pass	401
0.15	30	0.01	RMS	0.15	-53.42	-25	28.42	Pass	2986
30	1000	0.1	RMS	971.8	-58.47	-25	33.47	Pass	9701
1000	2550	1	RMS	2550	-45.23	-25	20.23	Pass	1551
2550	2640	1	RMS	2586.675	9.81	60	50.19	Pass	401
2640	3000	1	RMS	2640	-45.22	-25	20.22	Pass	401
3000	7000	1	RMS	6692	-65.32	-25	40.32	Pass	4001
7000	26500	1	RMS	26436	-45.56	-25	20.56	Pass	19501




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.7	-25	29.7	Pass	401
0.15	30	0.01	RMS	0.15	-56.75	-25	31.75	Pass	2986
30	1000	0.1	RMS	958.1	-58.59	-25	33.59	Pass	9701
1000	2550	1	RMS	2542	-47.77	-25	22.77	Pass	1551
2550	2640	1	RMS	2586	21.68	60	38.32	Pass	401
2640	3000	1	RMS	2642.7	-47.79	-25	22.79	Pass	401
3000	7000	1	RMS	5172	-60.84	-25	35.84	Pass	4001
7000	26500	1	RMS	25336	-45.26	-25	20.26	Pass	19501




**1.6. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.54	-25	27.54	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-25	30.52	Pass	2986
30	1000	0.1	RMS	926.1	-58.51	-25	33.51	Pass	9701
1000	2550	1	RMS	2534	-47.83	-25	22.83	Pass	1551
2550	2640	1	RMS	2604	21.73	60	38.27	Pass	401
2640	3000	1	RMS	2640.9	-47.77	-25	22.77	Pass	401
3000	7000	1	RMS	5208	-61.61	-25	36.61	Pass	4001
7000	26500	1	RMS	25299	-45.44	-25	20.44	Pass	19501




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-25	26.85	Pass	401
0.15	30	0.01	RMS	0.16	-57.16	-25	32.16	Pass	2986
30	1000	0.1	RMS	925	-58.43	-25	33.43	Pass	9701
1000	2550	1	RMS	2547	-47.31	-25	22.31	Pass	1551
2550	2640	1	RMS	2602.2	9.8	60	50.2	Pass	401
2640	3000	1	RMS	2640	-39.76	-25	14.76	Pass	401
3000	7000	1	RMS	6692	-65.45	-25	40.45	Pass	4001
7000	26500	1	RMS	25163	-45.36	-25	20.36	Pass	19501




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.99	-25	24.99	Pass	401
0.15	30	0.01	RMS	0.15	-56.27	-25	31.27	Pass	2986
30	1000	0.1	RMS	912	-58.37	-25	33.37	Pass	9701
1000	2550	1	RMS	2534	-47.74	-25	22.74	Pass	1551
2550	2640	1	RMS	2601.075	21.63	60	38.37	Pass	401
2640	3000	1	RMS	2640.9	-47.6	-25	22.6	Pass	401
3000	7000	1	RMS	5202	-61.23	-25	36.23	Pass	4001
7000	26500	1	RMS	26306	-45.6	-25	20.6	Pass	19501




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-25	28.56	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-25	30.61	Pass	2986
30	1000	0.1	RMS	892.2	-58.8	-25	33.8	Pass	9701
1000	2550	1	RMS	2525	-47.72	-25	22.72	Pass	1551
2550	2640	1	RMS	2619.075	21.63	60	38.37	Pass	401
2640	3000	1	RMS	2645.4	-47.57	-25	22.57	Pass	401
3000	7000	1	RMS	5238	-61.26	-25	36.26	Pass	4001
7000	26500	1	RMS	25297	-45.17	-25	20.17	Pass	19501




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-25	27.27	Pass	401
0.15	30	0.01	RMS	0.17	-56	-25	31	Pass	2986
30	1000	0.1	RMS	801.5	-58.39	-25	33.39	Pass	9701
1000	2540	1	RMS	2540	-41.69	-25	16.69	Pass	1541
2540	2650	1	RMS	2574.1	7.93	60	52.07	Pass	401
2650	3000	1	RMS	2650	-45.45	-25	20.45	Pass	401
3000	7000	1	RMS	6688	-65.21	-25	40.21	Pass	4001
7000	26500	1	RMS	26343	-45.26	-25	20.26	Pass	19501




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.73	-25	28.73	Pass	401
0.15	30	0.01	RMS	0.16	-55.22	-25	30.22	Pass	2986
30	1000	0.1	RMS	769.4	-58.28	-25	33.28	Pass	9701
1000	2540	1	RMS	2530	-47.61	-25	22.61	Pass	1541
2540	2650	1	RMS	2571.075	21.88	60	38.12	Pass	401
2650	3000	1	RMS	2656.125	-47.7	-25	22.7	Pass	401
3000	7000	1	RMS	5142	-61.33	-25	36.33	Pass	4001
7000	26500	1	RMS	25895	-45.35	-25	20.35	Pass	19501



1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.99	-25	26.99	Pass	401
0.15	30	0.01	RMS	0.16	-57.07	-25	32.07	Pass	2986
30	1000	0.1	RMS	936.3	-58.45	-25	33.45	Pass	9701
1000	2540	1	RMS	2534	-47.58	-25	22.58	Pass	1541
2540	2650	1	RMS	2598.85	21.7	60	38.3	Pass	401
2650	3000	1	RMS	2650	-47.75	-25	22.75	Pass	401
3000	7000	1	RMS	5198	-61.78	-25	36.78	Pass	4001
7000	26500	1	RMS	26437	-45.42	-25	20.42	Pass	19501



1.13. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.27	-25	29.27	Pass	401
0.15	30	0.01	RMS	0.17	-56.64	-25	31.64	Pass	2986
30	1000	0.1	RMS	870.9	-58.42	-25	33.42	Pass	9701
1000	2540	1	RMS	2540	-44.02	-25	19.02	Pass	1541
2540	2650	1	RMS	2582.35	8	60	52	Pass	401
2650	3000	1	RMS	2650	-43.64	-25	18.64	Pass	401
3000	7000	1	RMS	6977	-65.43	-25	40.43	Pass	4001
7000	26500	1	RMS	25295	-45.02	-25	20.02	Pass	19501




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.7	-25	29.7	Pass	401
0.15	30	0.01	RMS	0.16	-56.2	-25	31.2	Pass	2986
30	1000	0.1	RMS	816.4	-58.59	-25	33.59	Pass	9701
1000	2540	1	RMS	2517	-47.7	-25	22.7	Pass	1541
2540	2650	1	RMS	2581.25	21.71	60	38.29	Pass	401
2650	3000	1	RMS	2782.125	-47.78	-25	22.78	Pass	401
3000	7000	1	RMS	5162	-61.28	-25	36.28	Pass	4001
7000	26500	1	RMS	25305	-45.4	-25	20.4	Pass	19501




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.75	-25	28.75	Pass	401
0.15	30	0.01	RMS	0.15	-57.56	-25	32.56	Pass	2986
30	1000	0.1	RMS	924	-58.21	-25	33.21	Pass	9701
1000	2540	1	RMS	2534	-47.67	-25	22.67	Pass	1541
2540	2650	1	RMS	2608.75	21.65	60	38.35	Pass	401
2650	3000	1	RMS	2655.25	-47.66	-25	22.66	Pass	401
3000	7000	1	RMS	5218	-61.65	-25	36.65	Pass	4001
7000	26500	1	RMS	26391	-45.42	-25	20.42	Pass	19501




**1.16. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:521000, Bandwidth:30, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-25	27.73	Pass	401
0.15	30	0.01	RMS	0.16	-56.94	-25	31.94	Pass	2986
30	1000	0.1	RMS	782.7	-58.31	-25	33.31	Pass	9701
1000	2540	1	RMS	2539	-45.73	-25	20.73	Pass	1541
2540	2650	1	RMS	2591.975	7.85	60	52.15	Pass	401
2650	3000	1	RMS	2650	-40.99	-25	15.99	Pass	401
3000	7000	1	RMS	6218	-65.27	-25	40.27	Pass	4001
7000	26500	1	RMS	24195	-45.27	-25	20.27	Pass	19501




**1.17. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:521000, Bandwidth:30, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.59	-25	28.59	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-25	30.59	Pass	2986
30	1000	0.1	RMS	945.2	-58.53	-25	33.53	Pass	9701
1000	2540	1	RMS	2533	-47.8	-25	22.8	Pass	1541
2540	2650	1	RMS	2591.15	21.78	60	38.22	Pass	401
2650	3000	1	RMS	2651.75	-47.61	-25	22.61	Pass	401
3000	7000	1	RMS	5182	-61.18	-25	36.18	Pass	4001
7000	26500	1	RMS	26434	-45.28	-25	20.28	Pass	19501




**1.18. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:521000, Bandwidth:30, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.57	-25	28.57	Pass	401
0.15	30	0.01	RMS	0.16	-58.46	-25	33.46	Pass	2986
30	1000	0.1	RMS	963.3	-58.28	-25	33.28	Pass	9701
1000	2540	1	RMS	2534	-47.53	-25	22.53	Pass	1541
2540	2650	1	RMS	2618.925	21.58	60	38.42	Pass	401
2650	3000	1	RMS	2650	-47.64	-25	22.64	Pass	401
3000	7000	1	RMS	5238	-61.99	-25	36.99	Pass	4001
7000	26500	1	RMS	25305	-45.17	-25	20.17	Pass	19501




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.42	-25	28.42	Pass	401
0.15	30	0.01	RMS	0.2	-56.34	-25	31.34	Pass	2986
30	1000	0.1	RMS	994.1	-58.92	-25	33.92	Pass	9701
1000	2530	1	RMS	2530	-42.84	-25	17.84	Pass	1531
2530	2660	1	RMS	2572.25	6.77	60	53.23	Pass	401
2660	3000	1	RMS	2660.85	-43.7	-25	18.7	Pass	401
3000	7000	1	RMS	6110	-65.37	-25	40.37	Pass	4001
7000	26500	1	RMS	25652	-45.55	-25	20.55	Pass	19501




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.89	-25	27.89	Pass	401
0.15	30	0.01	RMS	0.15	-54.65	-25	29.65	Pass	2986
30	1000	0.1	RMS	839.5	-58.49	-25	33.49	Pass	9701
1000	2530	1	RMS	2526	-47.54	-25	22.54	Pass	1531
2530	2660	1	RMS	2570.95	21.62	60	38.38	Pass	401
2660	3000	1	RMS	2778.15	-47.8	-25	22.8	Pass	401
3000	7000	1	RMS	5142	-61.22	-25	36.22	Pass	4001
7000	26500	1	RMS	25300	-44.91	-25	19.91	Pass	19501




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.53	-25	26.53	Pass	401
0.15	30	0.01	RMS	0.16	-55.58	-25	30.58	Pass	2986
30	1000	0.1	RMS	953.7	-57.66	-25	32.66	Pass	9701
1000	2530	1	RMS	2515	-47.79	-25	22.79	Pass	1531
2530	2660	1	RMS	2608.975	21.64	60	38.36	Pass	401
2660	3000	1	RMS	2790.9	-47.76	-25	22.76	Pass	401
3000	7000	1	RMS	5218	-61.2	-25	36.2	Pass	4001
7000	26500	1	RMS	26392	-45.02	-25	20.02	Pass	19501




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.47	-25	29.47	Pass	401
0.15	30	0.01	RMS	0.15	-54.83	-25	29.83	Pass	2986
30	1000	0.1	RMS	862.1	-58.53	-25	33.53	Pass	9701
1000	2530	1	RMS	2530	-43.31	-25	18.31	Pass	1531
2530	2660	1	RMS	2577.45	6.88	60	53.12	Pass	401
2660	3000	1	RMS	2660	-42.76	-25	17.76	Pass	401
3000	7000	1	RMS	6975	-65.31	-25	40.31	Pass	4001
7000	26500	1	RMS	25286	-44.99	-25	19.99	Pass	19501




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.67	-25	27.67	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-25	29.45	Pass	2986
30	1000	0.1	RMS	809.1	-58.03	-25	33.03	Pass	9701
1000	2530	1	RMS	2516	-47.5	-25	22.5	Pass	1531
2530	2660	1	RMS	2576.15	21.97	60	38.03	Pass	401
2660	3000	1	RMS	2660.85	-47.63	-25	22.63	Pass	401
3000	7000	1	RMS	5152	-61.02	-25	36.02	Pass	4001
7000	26500	1	RMS	26454	-44.96	-25	19.96	Pass	19501




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.16	-25	27.16	Pass	401
0.15	30	0.01	RMS	0.16	-56.98	-25	31.98	Pass	2986
30	1000	0.1	RMS	952.4	-57.98	-25	32.98	Pass	9701
1000	2530	1	RMS	2530	-47.47	-25	22.47	Pass	1531
2530	2660	1	RMS	2613.85	21.85	60	38.15	Pass	401
2660	3000	1	RMS	3000	-47.57	-25	22.57	Pass	401
3000	7000	1	RMS	5228	-61.06	-25	36.06	Pass	4001
7000	26500	1	RMS	26295	-45.2	-25	20.2	Pass	19501




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.9	-25	27.9	Pass	401
0.15	30	0.01	RMS	0.15	-53.01	-25	28.01	Pass	2986
30	1000	0.1	RMS	841.1	-58.36	-25	33.36	Pass	9701
1000	2530	1	RMS	2529	-44.25	-25	19.25	Pass	1531
2530	2660	1	RMS	2582.65	7.03	60	52.97	Pass	401
2660	3000	1	RMS	2660	-41.51	-25	16.51	Pass	401
3000	7000	1	RMS	6681	-65.45	-25	40.45	Pass	4001
7000	26500	1	RMS	26435	-45.02	-25	20.02	Pass	19501




**1.26. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:520000, Bandwidth:40, SCS:30,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.22	-25	25.22	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-25	30.96	Pass	2986
30	1000	0.1	RMS	818.8	-58.08	-25	33.08	Pass	9701
1000	2530	1	RMS	2529	-47.76	-25	22.76	Pass	1531
2530	2660	1	RMS	2581.025	22.06	60	37.94	Pass	401
2660	3000	1	RMS	2790.05	-47.64	-25	22.64	Pass	401
3000	7000	1	RMS	5162	-60.61	-25	35.61	Pass	4001
7000	26500	1	RMS	25295	-45.33	-25	20.33	Pass	19501



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.34	-25	29.34	Pass	401
0.15	30	0.01	RMS	0.17	-56.55	-25	31.55	Pass	2986
30	1000	0.1	RMS	905.7	-58.37	-25	33.37	Pass	9701
1000	2530	1	RMS	2512	-47.64	-25	22.64	Pass	1531
2530	2660	1	RMS	2618.725	21.61	60	38.39	Pass	401
2660	3000	1	RMS	2995.75	-47.57	-25	22.57	Pass	401
3000	7000	1	RMS	5238	-61.23	-25	36.23	Pass	4001
7000	26500	1	RMS	26478	-45.34	-25	20.34	Pass	19501



2. n41


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.59	-25	29.59	Pass	401
0.15	30	0.01	RMS	0.15	-56.22	-25	31.22	Pass	2986
30	1000	0.1	RMS	917.5	-60.84	-25	35.84	Pass	9701
1000	2476	1	RMS	2476	-39.97	-25	14.97	Pass	1477
2476	2710	1	RMS	2514.025	11.84	60	48.16	Pass	401
2710	3000	1	RMS	2782.5	-47.67	-25	22.67	Pass	401
3000	7000	1	RMS	6689	-65.61	-25	40.61	Pass	4001
7000	26500	1	RMS	25296	-46.09	-25	21.09	Pass	19501




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-25	27.52	Pass	401
0.15	30	0.01	RMS	0.16	-57.72	-25	32.72	Pass	2986
30	1000	0.1	RMS	911.5	-60.88	-25	35.88	Pass	9701
1000	2476	1	RMS	2476	-48.17	-25	23.17	Pass	1477
2476	2710	1	RMS	2497.06	22.9	60	37.1	Pass	401
2710	3000	1	RMS	3000	-47.66	-25	22.66	Pass	401
3000	7000	1	RMS	4994	-58.84	-25	33.84	Pass	4001
7000	26500	1	RMS	25294	-46.09	-25	21.09	Pass	19501




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.01	-25	30.01	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-25	31.07	Pass	2986
30	1000	0.1	RMS	918.2	-60.93	-25	35.93	Pass	9701
1000	2476	1	RMS	2421	-48.26	-25	23.26	Pass	1477
2476	2710	1	RMS	2515.195	22.58	60	37.42	Pass	401
2710	3000	1	RMS	2999.275	-47.69	-25	22.69	Pass	401
3000	7000	1	RMS	5030	-58.99	-25	33.99	Pass	4001
7000	26500	1	RMS	25294	-46.07	-25	21.07	Pass	19501




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.51	-25	29.51	Pass	401
0.15	30	0.01	RMS	0.15	-56.94	-25	31.94	Pass	2986
30	1000	0.1	RMS	899.6	-60.74	-25	35.74	Pass	9701
1000	2476	1	RMS	2398	-48.21	-25	23.21	Pass	1477
2476	2710	1	RMS	2585.395	11.83	60	48.17	Pass	401
2710	3000	1	RMS	2998.55	-47.67	-25	22.67	Pass	401
3000	7000	1	RMS	6691	-65.6	-25	40.6	Pass	4001
7000	26500	1	RMS	25296	-45.99	-25	20.99	Pass	19501




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-25	27.73	Pass	401
0.15	30	0.01	RMS	0.15	-55.81	-25	30.81	Pass	2986
30	1000	0.1	RMS	964.8	-60.87	-25	35.87	Pass	9701
1000	2476	1	RMS	2416	-48.28	-25	23.28	Pass	1477
2476	2710	1	RMS	2584.225	22.45	60	37.55	Pass	401
2710	3000	1	RMS	3000	-47.67	-25	22.67	Pass	401
3000	7000	1	RMS	5168	-59.4	-25	34.4	Pass	4001
7000	26500	1	RMS	25300	-46.1	-25	21.1	Pass	19501



2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.08	-25	30.08	Pass	401
0.15	30	0.01	RMS	0.15	-56.04	-25	31.04	Pass	2986
30	1000	0.1	RMS	905.1	-60.8	-25	35.8	Pass	9701
1000	2476	1	RMS	2420	-48.24	-25	23.24	Pass	1477
2476	2710	1	RMS	2601.775	22.72	60	37.28	Pass	401
2710	3000	1	RMS	2999.275	-47.65	-25	22.65	Pass	401
3000	7000	1	RMS	5204	-59.87	-25	34.87	Pass	4001
7000	26500	1	RMS	25291	-46.1	-25	21.1	Pass	19501




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.58	-25	28.58	Pass	401
0.15	30	0.01	RMS	0.15	-57.29	-25	32.29	Pass	2986
30	1000	0.1	RMS	929.3	-60.9	-25	35.9	Pass	9701
1000	2476	1	RMS	2437	-48.18	-25	23.18	Pass	1477
2476	2710	1	RMS	2687.77	11.76	60	48.24	Pass	401
2710	3000	1	RMS	2710	-36.48	-25	11.48	Pass	401
3000	7000	1	RMS	6689	-65.57	-25	40.57	Pass	4001
7000	26500	1	RMS	25300	-46.1	-25	21.1	Pass	19501




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.95	-25	29.95	Pass	401
0.15	30	0.01	RMS	0.15	-56.89	-25	31.89	Pass	2986
30	1000	0.1	RMS	904.5	-60.72	-25	35.72	Pass	9701
1000	2476	1	RMS	2411	-48.25	-25	23.25	Pass	1477
2476	2710	1	RMS	2670.805	22.81	60	37.19	Pass	401
2710	3000	1	RMS	3000	-47.62	-25	22.62	Pass	401
3000	7000	1	RMS	5342	-60.58	-25	35.58	Pass	4001
7000	26500	1	RMS	25300	-45.98	-25	20.98	Pass	19501




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.46	-25	29.46	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-25	30.6	Pass	2986
30	1000	0.1	RMS	984.9	-60.97	-25	35.97	Pass	9701
1000	2476	1	RMS	2475	-48.23	-25	23.23	Pass	1477
2476	2710	1	RMS	2688.94	23.17	60	36.83	Pass	401
2710	3000	1	RMS	3000	-47.65	-25	22.65	Pass	401
3000	7000	1	RMS	5378	-62.13	-25	37.13	Pass	4001
7000	26500	1	RMS	25296	-46.08	-25	21.08	Pass	19501




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.16	-25	28.16	Pass	401
0.15	30	0.01	RMS	0.16	-56.79	-25	31.79	Pass	2986
30	1000	0.1	RMS	932	-60.89	-25	35.89	Pass	9701
1000	2436	1	RMS	2401	-48.26	-25	23.26	Pass	1437
2436	2750	1	RMS	2528.63	6.53	60	53.47	Pass	401
2750	3000	1	RMS	3000	-47.66	-25	22.66	Pass	401
3000	7000	1	RMS	6689	-65.59	-25	40.59	Pass	4001
7000	26500	1	RMS	25296	-46.05	-25	21.05	Pass	19501




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.2	-25	29.2	Pass	401
0.15	30	0.01	RMS	0.15	-56.74	-25	31.74	Pass	2986
30	1000	0.1	RMS	961.2	-60.95	-25	35.95	Pass	9701
1000	2436	1	RMS	2409	-48.32	-25	23.32	Pass	1437
2436	2750	1	RMS	2497.23	22.2	60	37.8	Pass	401
2750	3000	1	RMS	2999.375	-47.65	-25	22.65	Pass	401
3000	7000	1	RMS	4994	-58.24	-25	33.24	Pass	4001
7000	26500	1	RMS	25295	-46.16	-25	21.16	Pass	19501




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.67	-25	28.67	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-25	31.51	Pass	2986
30	1000	0.1	RMS	934.6	-60.81	-25	35.81	Pass	9701
1000	2436	1	RMS	2385	-48.28	-25	23.28	Pass	1437
2436	2750	1	RMS	2555.32	21.35	60	38.65	Pass	401
2750	3000	1	RMS	2998.75	-47.71	-25	22.71	Pass	401
3000	7000	1	RMS	5110	-60.14	-25	35.14	Pass	4001
7000	26500	1	RMS	25296	-46.07	-25	21.07	Pass	19501




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.78	-25	29.78	Pass	401
0.15	30	0.01	RMS	0.15	-56.42	-25	31.42	Pass	2986
30	1000	0.1	RMS	936.8	-60.75	-25	35.75	Pass	9701
1000	2436	1	RMS	2400	-48.26	-25	23.26	Pass	1437
2436	2750	1	RMS	2582.01	6.73	60	53.27	Pass	401
2750	3000	1	RMS	2996.875	-47.65	-25	22.65	Pass	401
3000	7000	1	RMS	6689	-65.54	-25	40.54	Pass	4001
7000	26500	1	RMS	25296	-45.96	-25	20.96	Pass	19501




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.62	-25	29.62	Pass	401
0.15	30	0.01	RMS	0.15	-56.39	-25	31.39	Pass	2986
30	1000	0.1	RMS	932.6	-60.91	-25	35.91	Pass	9701
1000	2436	1	RMS	2420	-48.26	-25	23.26	Pass	1437
2436	2750	1	RMS	2563.955	22.58	60	37.42	Pass	401
2750	3000	1	RMS	2999.375	-47.64	-25	22.64	Pass	401
3000	7000	1	RMS	5128	-60.14	-25	35.14	Pass	4001
7000	26500	1	RMS	25297	-46.12	-25	21.12	Pass	19501




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.56	-25	29.56	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-25	31.2	Pass	2986
30	1000	0.1	RMS	933.3	-60.9	-25	35.9	Pass	9701
1000	2436	1	RMS	2404	-48.29	-25	23.29	Pass	1437
2436	2750	1	RMS	2622.045	22.42	60	37.58	Pass	401
2750	3000	1	RMS	2998.75	-47.67	-25	22.67	Pass	401
3000	7000	1	RMS	5244	-59.94	-25	34.94	Pass	4001
7000	26500	1	RMS	25295	-45.95	-25	20.95	Pass	19501




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.73	-25	29.73	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-25	31.18	Pass	2986
30	1000	0.1	RMS	943	-60.9	-25	35.9	Pass	9701
1000	2436	1	RMS	2397	-48.29	-25	23.29	Pass	1437
2436	2750	1	RMS	2673.855	6.67	60	53.33	Pass	401
2750	3000	1	RMS	2998.75	-47.65	-25	22.65	Pass	401
3000	7000	1	RMS	6690	-65.61	-25	40.61	Pass	4001
7000	26500	1	RMS	25294	-46	-25	21	Pass	19501




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.98	-25	29.98	Pass	401
0.15	30	0.01	RMS	0.15	-56.36	-25	31.36	Pass	2986
30	1000	0.1	RMS	906.8	-60.95	-25	35.95	Pass	9701
1000	2436	1	RMS	2418	-48.29	-25	23.29	Pass	1437
2436	2750	1	RMS	2630.68	21.7	60	38.3	Pass	401
2750	3000	1	RMS	2999.375	-47.66	-25	22.66	Pass	401
3000	7000	1	RMS	5262	-60.13	-25	35.13	Pass	4001
7000	26500	1	RMS	25294	-46.08	-25	21.08	Pass	19501



2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.2	-25	30.2	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-25	30.09	Pass	2986
30	1000	0.1	RMS	921.4	-60.81	-25	35.81	Pass	9701
1000	2436	1	RMS	2409	-48.26	-25	23.26	Pass	1437
2436	2750	1	RMS	2688.77	22.44	60	37.56	Pass	401
2750	3000	1	RMS	3000	-47.66	-25	22.66	Pass	401
3000	7000	1	RMS	5378	-62.42	-25	37.42	Pass	4001
7000	26500	1	RMS	25295	-46.09	-25	21.09	Pass	19501




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.73	-25	28.73	Pass	401
0.15	30	0.01	RMS	0.15	-56	-25	31	Pass	2986
30	1000	0.1	RMS	934.8	-60.86	-25	35.86	Pass	9701
1000	2396	1	RMS	2380	-48.28	-25	23.28	Pass	1397
2396	2790	1	RMS	2540.795	4.45	60	55.55	Pass	401
2790	3000	1	RMS	2790	-47.69	-25	22.69	Pass	401
3000	7000	1	RMS	6687	-65.54	-25	40.54	Pass	4001
7000	26500	1	RMS	25300	-46.1	-25	21.1	Pass	19501




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.39	-25	29.39	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-25	30.86	Pass	2986
30	1000	0.1	RMS	920.5	-60.73	-25	35.73	Pass	9701
1000	2396	1	RMS	2390	-48.35	-25	23.35	Pass	1397
2396	2790	1	RMS	2497.455	20.98	60	39.02	Pass	401
2790	3000	1	RMS	2998.425	-47.68	-25	22.68	Pass	401
3000	7000	1	RMS	4994	-58.29	-25	33.29	Pass	4001
7000	26500	1	RMS	25295	-45.96	-25	20.96	Pass	19501




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.93	-25	28.93	Pass	401
0.15	30	0.01	RMS	0.15	-56.98	-25	31.98	Pass	2986
30	1000	0.1	RMS	912.7	-60.84	-25	35.84	Pass	9701
1000	2396	1	RMS	2391	-48.35	-25	23.35	Pass	1397
2396	2790	1	RMS	2594.97	22.37	60	37.63	Pass	401
2790	3000	1	RMS	2790	-47.65	-25	22.65	Pass	401
3000	7000	1	RMS	5190	-59.78	-25	34.78	Pass	4001
7000	26500	1	RMS	25298	-45.95	-25	20.95	Pass	19501



2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.52	-25	29.52	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-25	30.77	Pass	2986
30	1000	0.1	RMS	920.3	-60.85	-25	35.85	Pass	9701
1000	2396	1	RMS	2395	-48.33	-25	23.33	Pass	1397
2396	2790	1	RMS	2583.15	4.49	60	55.51	Pass	401
2790	3000	1	RMS	2999.475	-47.64	-25	22.64	Pass	401
3000	7000	1	RMS	6690	-65.54	-25	40.54	Pass	4001
7000	26500	1	RMS	25299	-46.11	-25	21.11	Pass	19501




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-25	28.56	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-25	31.24	Pass	2986
30	1000	0.1	RMS	927.6	-60.85	-25	35.85	Pass	9701
1000	2396	1	RMS	2389	-48.33	-25	23.33	Pass	1397
2396	2790	1	RMS	2543.75	21.69	60	38.31	Pass	401
2790	3000	1	RMS	2999.475	-47.68	-25	22.68	Pass	401
3000	7000	1	RMS	5088	-59.62	-25	34.62	Pass	4001
7000	26500	1	RMS	25297	-46.11	-25	21.11	Pass	19501



2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-25	28.87	Pass	401
0.15	30	0.01	RMS	0.15	-56.28	-25	31.28	Pass	2986
30	1000	0.1	RMS	951.2	-60.86	-25	35.86	Pass	9701
1000	2396	1	RMS	2395	-48.36	-25	23.36	Pass	1397
2396	2790	1	RMS	2642.25	21.47	60	38.53	Pass	401
2790	3000	1	RMS	2998.95	-47.64	-25	22.64	Pass	401
3000	7000	1	RMS	5284	-61.14	-25	36.14	Pass	4001
7000	26500	1	RMS	25295	-45.97	-25	20.97	Pass	19501




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.64	-25	29.64	Pass	401
0.15	30	0.01	RMS	0.16	-56.4	-25	31.4	Pass	2986
30	1000	0.1	RMS	910.4	-60.93	-25	35.93	Pass	9701
1000	2396	1	RMS	2393	-48.33	-25	23.33	Pass	1397
2396	2790	1	RMS	2593	4.41	60	55.59	Pass	401
2790	3000	1	RMS	3000	-47.64	-25	22.64	Pass	401
3000	7000	1	RMS	6692	-65.64	-25	40.64	Pass	4001
7000	26500	1	RMS	25299	-46.08	-25	21.08	Pass	19501




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.4	-25	28.4	Pass	401
0.15	30	0.01	RMS	0.15	-56.68	-25	31.68	Pass	2986
30	1000	0.1	RMS	940.2	-60.93	-25	35.93	Pass	9701
1000	2396	1	RMS	2381	-48.28	-25	23.28	Pass	1397
2396	2790	1	RMS	2591.03	22.35	60	37.65	Pass	401
2790	3000	1	RMS	2999.475	-47.66	-25	22.66	Pass	401
3000	7000	1	RMS	5182	-59.53	-25	34.53	Pass	4001
7000	26500	1	RMS	25296	-46.09	-25	21.09	Pass	19501



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.39	-25	29.39	Pass	401
0.15	30	0.01	RMS	0.16	-57.38	-25	32.38	Pass	2986
30	1000	0.1	RMS	911.5	-60.77	-25	35.77	Pass	9701
1000	2396	1	RMS	2384	-48.38	-25	23.38	Pass	1397
2396	2790	1	RMS	2688.545	21.29	60	38.71	Pass	401
2790	3000	1	RMS	3000	-47.63	-25	22.63	Pass	401
3000	7000	1	RMS	5378	-62.4	-25	37.4	Pass	4001
7000	26500	1	RMS	25297	-46.01	-25	21.01	Pass	19501



11. n66 15kHz

11.1. Spurious Emission at Antenna Terminals for


SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	40.27	Pass	401
0.15	30	0.01	RMS	0.15	-56.23	-13	43.23	Pass	2986
30	1000	0.1	RMS	945.6	-60.82	-13	47.82	Pass	9701
1000	1700	1	RMS	1700	-46.41	-13	33.41	Pass	701
1700	1790	1	RMS	1713.725	14.31	60	45.69	Pass	401
1790	3000	1	RMS	3000	-47.48	-13	34.48	Pass	1211
3000	7000	1	RMS	6686	-65.75	-13	52.75	Pass	4001
7000	20000	1	RMS	19931	-50.66	-13	37.66	Pass	13001




11.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.57	-13	41.57	Pass	401
0.15	30	0.01	RMS	0.16	-57.73	-13	44.73	Pass	2986
30	1000	0.1	RMS	930.2	-60.9	-13	47.9	Pass	9701
1000	1700	1	RMS	1700	-50.91	-13	37.91	Pass	701
1700	1790	1	RMS	1710.35	20.32	60	39.68	Pass	401
1790	3000	1	RMS	3000	-47.5	-13	34.5	Pass	1211
3000	7000	1	RMS	6689	-65.7	-13	52.7	Pass	4001
7000	20000	1	RMS	19939	-50.7	-13	37.7	Pass	13001



11.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.27	-13	41.27	Pass	401
0.15	30	0.01	RMS	0.15	-57.01	-13	44.01	Pass	2986
30	1000	0.1	RMS	921.1	-60.94	-13	47.94	Pass	9701
1000	1700	1	RMS	1700	-51.12	-13	38.12	Pass	701
1700	1790	1	RMS	1714.625	20.33	60	39.67	Pass	401
1790	3000	1	RMS	3000	-47.5	-13	34.5	Pass	1211
3000	7000	1	RMS	6690	-65.63	-13	52.63	Pass	4001
7000	20000	1	RMS	19891	-50.69	-13	37.69	Pass	13001




11.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.63	-13	40.63	Pass	401
0.15	30	0.01	RMS	0.15	-57.01	-13	44.01	Pass	2986
30	1000	0.1	RMS	929.1	-60.94	-13	47.94	Pass	9701
1000	1700	1	RMS	1604	-51.2	-13	38.2	Pass	701
1700	1790	1	RMS	1745.9	14.11	60	45.89	Pass	401
1790	3000	1	RMS	2639	-47.51	-13	34.51	Pass	1211
3000	7000	1	RMS	6688	-65.78	-13	52.78	Pass	4001
7000	20000	1	RMS	19935	-50.66	-13	37.66	Pass	13001




11.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.88	-13	40.88	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-13	43.2	Pass	2986
30	1000	0.1	RMS	928.4	-60.89	-13	47.89	Pass	9701
1000	1700	1	RMS	1606	-51.14	-13	38.14	Pass	701
1700	1790	1	RMS	1742.75	20.19	60	39.81	Pass	401
1790	3000	1	RMS	2995	-47.52	-13	34.52	Pass	1211
3000	7000	1	RMS	6689	-65.71	-13	52.71	Pass	4001
7000	20000	1	RMS	19907	-50.64	-13	37.64	Pass	13001



11.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.37	-13	40.37	Pass	401
0.15	30	0.01	RMS	0.15	-56.75	-13	43.75	Pass	2986
30	1000	0.1	RMS	918.8	-60.91	-13	47.91	Pass	9701
1000	1700	1	RMS	1627	-51.15	-13	38.15	Pass	701
1700	1790	1	RMS	1747.25	20.15	60	39.85	Pass	401
1790	3000	1	RMS	2644	-47.52	-13	34.52	Pass	1211
3000	7000	1	RMS	6689	-65.65	-13	52.65	Pass	4001
7000	20000	1	RMS	19934	-50.69	-13	37.69	Pass	13001




11.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.05	-13	41.05	Pass	401
0.15	30	0.01	RMS	0.16	-56.24	-13	43.24	Pass	2986
30	1000	0.1	RMS	906.4	-60.84	-13	47.84	Pass	9701
1000	1700	1	RMS	1700	-51.2	-13	38.2	Pass	701
1700	1790	1	RMS	1778.525	14.12	60	45.88	Pass	401
1790	3000	1	RMS	2648	-47.44	-13	34.44	Pass	1211
3000	7000	1	RMS	6690	-65.7	-13	52.7	Pass	4001
7000	20000	1	RMS	19943	-50.65	-13	37.65	Pass	13001




**11.8. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.11	-13	41.11	Pass	401
0.15	30	0.01	RMS	0.15	-56.42	-13	43.42	Pass	2986
30	1000	0.1	RMS	939.7	-60.69	-13	47.69	Pass	9701
1000	1700	1	RMS	1649	-51.18	-13	38.18	Pass	701
1700	1790	1	RMS	1775.375	20.08	60	39.92	Pass	401
1790	3000	1	RMS	2641	-47.49	-13	34.49	Pass	1211
3000	7000	1	RMS	6688	-65.66	-13	52.66	Pass	4001
7000	20000	1	RMS	19951	-50.67	-13	37.67	Pass	13001



11.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.37	-13	41.37	Pass	401
0.15	30	0.01	RMS	0.16	-56.19	-13	43.19	Pass	2986
30	1000	0.1	RMS	910.2	-61	-13	48	Pass	9701
1000	1700	1	RMS	1629	-51.17	-13	38.17	Pass	701
1700	1790	1	RMS	1779.65	20.19	60	39.81	Pass	401
1790	3000	1	RMS	2651	-47.48	-13	34.48	Pass	1211
3000	7000	1	RMS	6690	-65.7	-13	52.7	Pass	4001
7000	20000	1	RMS	19915	-50.63	-13	37.63	Pass	13001




11.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.06	-13	42.06	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-13	43.18	Pass	2986
30	1000	0.1	RMS	929.6	-60.87	-13	47.87	Pass	9701
1000	1700	1	RMS	1700	-38.17	-13	25.17	Pass	701
1700	1790	1	RMS	1723.4	10.06	60	49.94	Pass	401
1790	3000	1	RMS	2649	-47.45	-13	34.45	Pass	1211
3000	7000	1	RMS	6689	-65.69	-13	52.69	Pass	4001
7000	20000	1	RMS	19901	-50.61	-13	37.61	Pass	13001




11.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.99	-13	39.99	Pass	401
0.15	30	0.01	RMS	0.15	-55.82	-13	42.82	Pass	2986
30	1000	0.1	RMS	909.1	-60.86	-13	47.86	Pass	9701
1000	1700	1	RMS	1700	-50.93	-13	37.93	Pass	701
1700	1790	1	RMS	1710.575	20.28	60	39.72	Pass	401
1790	3000	1	RMS	2648	-47.43	-13	34.43	Pass	1211
3000	7000	1	RMS	6688	-65.65	-13	52.65	Pass	4001
7000	20000	1	RMS	19954	-50.66	-13	37.66	Pass	13001



**11.12. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:3, Channel:343500, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.08	-13	41.08	Pass	401
0.15	30	0.01	RMS	0.15	-58.03	-13	45.03	Pass	2986
30	1000	0.1	RMS	903.3	-60.77	-13	47.77	Pass	9701
1000	1700	1	RMS	1700	-51.1	-13	38.1	Pass	701
1700	1790	1	RMS	1724.525	20.3	60	39.7	Pass	401
1790	3000	1	RMS	2649	-47.47	-13	34.47	Pass	1211
3000	7000	1	RMS	6684	-65.71	-13	52.71	Pass	4001
7000	20000	1	RMS	19951	-50.63	-13	37.63	Pass	13001




11.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.46	-13	40.46	Pass	401
0.15	30	0.01	RMS	0.15	-56.58	-13	43.58	Pass	2986
30	1000	0.1	RMS	946.6	-61	-13	48	Pass	9701
1000	1700	1	RMS	1700	-50.58	-13	37.58	Pass	701
1700	1790	1	RMS	1750.85	9.61	60	50.39	Pass	401
1790	3000	1	RMS	2639	-47.45	-13	34.45	Pass	1211
3000	7000	1	RMS	6689	-65.68	-13	52.68	Pass	4001
7000	20000	1	RMS	19922	-50.65	-13	37.65	Pass	13001




**11.14. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:15, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.1	-13	41.1	Pass	401
0.15	30	0.01	RMS	0.15	-56.81	-13	43.81	Pass	2986
30	1000	0.1	RMS	944.4	-61	-13	48	Pass	9701
1000	1700	1	RMS	1621	-51.17	-13	38.17	Pass	701
1700	1790	1	RMS	1738.025	20.31	60	39.69	Pass	401
1790	3000	1	RMS	2638	-47.48	-13	34.48	Pass	1211
3000	7000	1	RMS	6690	-65.71	-13	52.71	Pass	4001
7000	20000	1	RMS	19901	-50.63	-13	37.63	Pass	13001




11.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.43	-13	41.43	Pass	401
0.15	30	0.01	RMS	0.15	-57.12	-13	44.12	Pass	2986
30	1000	0.1	RMS	907.3	-60.84	-13	47.84	Pass	9701
1000	1700	1	RMS	1629	-51.17	-13	38.17	Pass	701
1700	1790	1	RMS	1751.975	20.27	60	39.73	Pass	401
1790	3000	1	RMS	2639	-47.49	-13	34.49	Pass	1211
3000	7000	1	RMS	6685	-65.72	-13	52.72	Pass	4001
7000	20000	1	RMS	19944	-50.66	-13	37.66	Pass	13001




11.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-13	40.64	Pass	401
0.15	30	0.01	RMS	0.15	-57.25	-13	44.25	Pass	2986
30	1000	0.1	RMS	932.6	-60.86	-13	47.86	Pass	9701
1000	1700	1	RMS	1626	-51.19	-13	38.19	Pass	701
1700	1790	1	RMS	1778.525	9.41	60	50.59	Pass	401
1790	3000	1	RMS	1790	-42.03	-13	29.03	Pass	1211
3000	7000	1	RMS	6689	-65.66	-13	52.66	Pass	4001
7000	20000	1	RMS	19951	-50.68	-13	37.68	Pass	13001




11.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.7	-13	40.7	Pass	401
0.15	30	0.01	RMS	0.15	-56.94	-13	43.94	Pass	2986
30	1000	0.1	RMS	920.3	-61	-13	48	Pass	9701
1000	1700	1	RMS	1615	-51.13	-13	38.13	Pass	701
1700	1790	1	RMS	1765.475	20.31	60	39.69	Pass	401
1790	3000	1	RMS	2651	-47.54	-13	34.54	Pass	1211
3000	7000	1	RMS	6684	-65.75	-13	52.75	Pass	4001
7000	20000	1	RMS	19953	-50.68	-13	37.68	Pass	13001




11.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.06	-13	41.06	Pass	401
0.15	30	0.01	RMS	0.15	-56.47	-13	43.47	Pass	2986
30	1000	0.1	RMS	918.5	-60.92	-13	47.92	Pass	9701
1000	1700	1	RMS	1621	-51.1	-13	38.1	Pass	701
1700	1790	1	RMS	1779.425	20.17	60	39.83	Pass	401
1790	3000	1	RMS	2645	-47.43	-13	34.43	Pass	1211
3000	7000	1	RMS	6689	-65.64	-13	52.64	Pass	4001
7000	20000	1	RMS	19925	-50.6	-13	37.6	Pass	13001




11.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-13	40.64	Pass	401
0.15	30	0.01	RMS	0.15	-56.42	-13	43.42	Pass	2986
30	1000	0.1	RMS	904.1	-60.94	-13	47.94	Pass	9701
1000	1700	1	RMS	1700	-37.81	-13	24.81	Pass	701
1700	1790	1	RMS	1728.35	8.67	60	51.33	Pass	401
1790	3000	1	RMS	2641	-47.47	-13	34.47	Pass	1211
3000	7000	1	RMS	6690	-65.69	-13	52.69	Pass	4001
7000	20000	1	RMS	19933	-50.66	-13	37.66	Pass	13001




11.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.74	-13	41.74	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	43.32	Pass	2986
30	1000	0.1	RMS	920	-60.92	-13	47.92	Pass	9701
1000	1700	1	RMS	1700	-50.73	-13	37.73	Pass	701
1700	1790	1	RMS	1710.575	20.42	60	39.58	Pass	401
1790	3000	1	RMS	2652	-47.48	-13	34.48	Pass	1211
3000	7000	1	RMS	6685	-65.7	-13	52.7	Pass	4001
7000	20000	1	RMS	19929	-50.65	-13	37.65	Pass	13001



11.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.64	-13	41.64	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-13	42.71	Pass	2986
30	1000	0.1	RMS	938.4	-61.01	-13	48.01	Pass	9701
1000	1700	1	RMS	1651	-51.19	-13	38.19	Pass	701
1700	1790	1	RMS	1729.475	20.24	60	39.76	Pass	401
1790	3000	1	RMS	2641	-47.49	-13	34.49	Pass	1211
3000	7000	1	RMS	6692	-65.71	-13	52.71	Pass	4001
7000	20000	1	RMS	19951	-50.6	-13	37.6	Pass	13001




11.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.89	-13	40.89	Pass	401
0.15	30	0.01	RMS	0.15	-56.47	-13	43.47	Pass	2986
30	1000	0.1	RMS	921.1	-60.89	-13	47.89	Pass	9701
1000	1700	1	RMS	1700	-49.01	-13	36.01	Pass	701
1700	1790	1	RMS	1753.325	8.52	60	51.48	Pass	401
1790	3000	1	RMS	2648	-47.5	-13	34.5	Pass	1211
3000	7000	1	RMS	6690	-65.66	-13	52.66	Pass	4001
7000	20000	1	RMS	19920	-50.62	-13	37.62	Pass	13001




11.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.21	-13	42.21	Pass	401
0.15	30	0.01	RMS	0.15	-57.63	-13	44.63	Pass	2986
30	1000	0.1	RMS	934	-60.94	-13	47.94	Pass	9701
1000	1700	1	RMS	1641	-51.17	-13	38.17	Pass	701
1700	1790	1	RMS	1735.55	20.36	60	39.64	Pass	401
1790	3000	1	RMS	2641	-47.44	-13	34.44	Pass	1211
3000	7000	1	RMS	6690	-65.7	-13	52.7	Pass	4001
7000	20000	1	RMS	19936	-50.62	-13	37.62	Pass	13001



11.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.74	-13	40.74	Pass	401
0.15	30	0.01	RMS	0.15	-57.1	-13	44.1	Pass	2986
30	1000	0.1	RMS	944.1	-60.82	-13	47.82	Pass	9701
1000	1700	1	RMS	1698	-51.16	-13	38.16	Pass	701
1700	1790	1	RMS	1754.45	20.37	60	39.63	Pass	401
1790	3000	1	RMS	2648	-47.53	-13	34.53	Pass	1211
3000	7000	1	RMS	6691	-65.72	-13	52.72	Pass	4001
7000	20000	1	RMS	19897	-50.62	-13	37.62	Pass	13001




11.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.79	-13	40.79	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	42.32	Pass	2986
30	1000	0.1	RMS	917.8	-60.94	-13	47.94	Pass	9701
1000	1700	1	RMS	1700	-51.12	-13	38.12	Pass	701
1700	1790	1	RMS	1761.425	8.41	60	51.59	Pass	401
1790	3000	1	RMS	1790	-41.42	-13	28.42	Pass	1211
3000	7000	1	RMS	6690	-65.72	-13	52.72	Pass	4001
7000	20000	1	RMS	19949	-50.68	-13	37.68	Pass	13001




11.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.36	-13	41.36	Pass	401
0.15	30	0.01	RMS	0.15	-56.43	-13	43.43	Pass	2986
30	1000	0.1	RMS	913.3	-60.86	-13	47.86	Pass	9701
1000	1700	1	RMS	1618	-51.13	-13	38.13	Pass	701
1700	1790	1	RMS	1760.525	20.27	60	39.73	Pass	401
1790	3000	1	RMS	2640	-47.5	-13	34.5	Pass	1211
3000	7000	1	RMS	6690	-65.7	-13	52.7	Pass	4001
7000	20000	1	RMS	19929	-50.66	-13	37.66	Pass	13001



11.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.73	-13	40.73	Pass	401
0.15	30	0.01	RMS	0.15	-57.18	-13	44.18	Pass	2986
30	1000	0.1	RMS	920.6	-60.99	-13	47.99	Pass	9701
1000	1700	1	RMS	1628	-51.16	-13	38.16	Pass	701
1700	1790	1	RMS	1779.425	20.24	60	39.76	Pass	401
1790	3000	1	RMS	2651	-47.47	-13	34.47	Pass	1211
3000	7000	1	RMS	6688	-65.76	-13	52.76	Pass	4001
7000	20000	1	RMS	19956	-50.64	-13	37.64	Pass	13001



12. n71 15kHz


**12.1. Spurious Emission at Antenna Terminals for
SA_Part22-24-27(NTNV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15,
OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-13	40.23	Pass	401
0.15	30	0.01	RMS	0.16	-57.36	-13	44.36	Pass	2986
30	653	0.1	RMS	500.2	-62.59	-13	49.59	Pass	6231
653	708	0.1	RMS	666.4	4.92	60	55.08	Pass	551
708	1000	0.1	RMS	875.7	-61.75	-13	48.75	Pass	2921
1000	3000	1	RMS	2641	-46.99	-13	33.99	Pass	2001
3000	10000	1	RMS	9743	-65.24	-13	52.24	Pass	7001



12.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.47	-13	41.47	Pass	401
0.15	30	0.01	RMS	0.15	-57.27	-13	44.27	Pass	2986
30	653	0.1	RMS	488.9	-62.55	-13	49.55	Pass	6231
653	708	0.1	RMS	663.3	18.14	60	41.86	Pass	551
708	1000	0.1	RMS	922.9	-61.55	-13	48.55	Pass	2921
1000	3000	1	RMS	2641	-47	-13	34	Pass	2001
3000	10000	1	RMS	9755	-65.23	-13	52.23	Pass	7001



12.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.39	-13	42.39	Pass	401
0.15	30	0.01	RMS	0.16	-57.14	-13	44.14	Pass	2986
30	653	0.1	RMS	651.1	-62.59	-13	49.59	Pass	6231
653	708	0.1	RMS	667.6	17.55	60	42.45	Pass	551
708	1000	0.1	RMS	918.2	-61.7	-13	48.7	Pass	2921
1000	3000	1	RMS	2644	-47	-13	34	Pass	2001
3000	10000	1	RMS	9750	-65.16	-13	52.16	Pass	7001

