

Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49	-13	Pass	401
0.15	30	0.01	Peak	0.22	-54.12	-13	Pass	2986
30	500	0.1	Peak	384.7	-43.21	-13	Pass	4701
500	1000	0.1	Peak	824.3	32.8	-13	N/A	5001
1000	10000	1	Peak	7202	-20	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-48.98	-13	Pass	401
0.15	30	0.01	Peak	0.19	-54.06	-13	Pass	2986
30	500	0.1	Peak	496.4	-42.84	-13	Pass	4701
500	1000	0.1	Peak	836.5	32.82	-13	N/A	5001
1000	10000	1	Peak	7642	-19.73	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.95	-13	Pass	401
0.15	30	0.01	Peak	0.24	-53.58	-13	Pass	2986
30	500	0.1	Peak	484	-43.4	-13	Pass	4701
500	1000	0.1	Peak	848.9	32.77	-13	N/A	5001
1000	10000	1	Peak	7119	-20	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-49.74	-13	Pass	401
0.15	30	0.01	Peak	0.22	-58.69	-13	Pass	2986
30	1000	0.1	Peak	843	-48.58	-13	Pass	9701
1000	3000	1	Peak	1850	30.55	-13	N/A	2001
3000	20000	1	Peak	19810	-38.06	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-50.96	-13	Pass	401
0.15	30	0.01	Peak	0.18	-60.6	-13	Pass	2986
30	1000	0.1	Peak	890.628	-48.48	-13	Pass	9701
1000	3000	1	Peak	1880	28.27	-13	N/A	2001
3000	20000	1	Peak	19403	-38.05	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-49.19	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.94	-13	Pass	2986
30	1000	0.1	Peak	768.8	-48.33	-13	Pass	9701
1000	3000	1	Peak	1909	29.08	-13	N/A	2001
3000	20000	1	Peak	19375	-38.09	-13	Pass	17003




EGPRS

1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.37	-13	Pass	401
0.15	30	0.01	Peak	0.18	-54.33	-13	Pass	2986
30	500	0.1	Peak	338.5	-42.52	-13	Pass	4701
500	1000	0.1	Peak	824.2	29.47	-13	N/A	5001
1000	10000	1	Peak	7604	-19.87	-13	Pass	9002




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.57	-13	Pass	401
0.15	30	0.01	Peak	0.15	-53.26	-13	Pass	2986
30	500	0.1	Peak	406.6	-42.36	-13	Pass	4701
500	1000	0.1	Peak	836.6	30.14	-13	N/A	5001
1000	10000	1	Peak	6949	-19.73	-13	Pass	9002



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-47.75	-13	Pass	401
0.15	30	0.01	Peak	0.41	-54.35	-13	Pass	2986
30	500	0.1	Peak	494.5	-43.29	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.72	-13	N/A	5001
1000	10000	1	Peak	6952	-19.76	-13	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-47	-13	Pass	401
0.15	30	0.01	Peak	0.91	-59.77	-13	Pass	2986
30	1000	0.1	Peak	902.135	-48.53	-13	Pass	9701
1000	3000	1	Peak	1851	27.94	-13	N/A	2001
3000	20000	1	Peak	5783	-33.04	-13	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-48.59	-13	Pass	401
0.15	30	0.01	Peak	0.16	-59.81	-13	Pass	2986
30	1000	0.1	Peak	836.3	-47.21	-13	Pass	9701
1000	3000	1	Peak	1880	29.36	-13	N/A	2001
3000	20000	1	Peak	19432	-38.14	-13	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-50.25	-13	Pass	401
0.15	30	0.01	Peak	0.18	-59.79	-13	Pass	2986
30	1000	0.1	Peak	727	-48.35	-13	Pass	9701
1000	3000	1	Peak	1909	26.88	-13	N/A	2001
3000	20000	1	Peak	19419	-38.2	-13	Pass	17003




WCDMA

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.037	-62.5	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.24	-13	Pass	2986
30	1000	0.1	Peak	870.914	-51.94	-13	Pass	9701
1000	3000	1	Peak	1854	22.99	-13	N/A	2001
3000	20000	1	Peak	19973	-19.27	-13	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-60.47	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.16	-13	Pass	2986
30	1000	0.1	Peak	978.286	-52.52	-13	Pass	9701
1000	3000	1	Peak	1879	22.87	-13	N/A	2001
3000	20000	1	Peak	19381	-19.78	-13	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.36	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.35	-13	Pass	2986
30	1000	0.1	Peak	900.234	-52.58	-13	Pass	9701
1000	3000	1	Peak	1906	22.85	-13	N/A	2001
3000	20000	1	Peak	19404	-19.82	-13	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.038	-63.07	-13	Pass	401
0.15	30	0.01	Peak	0.22	-63.9	-13	Pass	2986
30	1000	0.1	Peak	865.811	-52.7	-13	Pass	9701
1000	3000	1	Peak	1714	23.32	-13	N/A	2001
3000	20000	1	Peak	19424	-19.25	-13	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-62.15	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.3	-13	Pass	2986
30	1000	0.1	Peak	817.5	-52.17	-13	Pass	9701
1000	3000	1	Peak	1731	23.54	-13	N/A	2001
3000	20000	1	Peak	19400	-18.8	-13	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-63.73	-13	Pass	401
0.15	30	0.01	Peak	0.24	-64.25	-13	Pass	2986
30	1000	0.1	Peak	354.8	-52.74	-13	Pass	9701
1000	3000	1	Peak	1751	23.56	-13	N/A	2001
3000	20000	1	Peak	19870	-19.38	-13	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.025	-62.83	-13	Pass	401
0.15	30	0.01	Peak	0.37	-64.39	-13	Pass	2986
30	500	0.1	Peak	482.6	-52.38	-13	Pass	4701
500	1000	0.1	Peak	825.2	17.53	-13	N/A	5001
1000	10000	1	Peak	7263	-29.97	-13	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.023	-63.24	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.56	-13	Pass	2986
30	500	0.1	Peak	334.7	-53.91	-13	Pass	4701
500	1000	0.1	Peak	837.1	17.88	-13	N/A	5001
1000	10000	1	Peak	6962	-30.14	-13	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.038	-62.56	-13	Pass	401
0.15	30	0.01	Peak	0.3	-64.79	-13	Pass	2986
30	500	0.1	Peak	473.3	-53.7	-13	Pass	4701
500	1000	0.1	Peak	847.3	16.6	-13	N/A	5001
1000	10000	1	Peak	7131	-30.37	-13	Pass	9002




LTE

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.22	-13	Pass	2986
30	1000	0.1	RMS	936.6	-61.89	-13	Pass	9701
1000	1840	1	RMS	1840	-50.06	-13	Pass	841
1840	1920	1	RMS	1850.2	23.01	60	Pass	401
1920	3000	1	RMS	2647	-46.42	-13	Pass	1081
3000	12000	1	RMS	11858	-37.9	-13	Pass	9001
12000	20000	1	RMS	19998	-22.53	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.09	-13	Pass	2986
30	1000	0.1	RMS	906	-61.81	-13	Pass	9701
1000	1840	1	RMS	1840	-50.12	-13	Pass	841
1840	1920	1	RMS	1850.2	22	60	Pass	401
1920	3000	1	RMS	2640	-46.38	-13	Pass	1081
3000	12000	1	RMS	11846	-37.97	-13	Pass	9001
12000	20000	1	RMS	19995	-22.55	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.49	-13	Pass	2986
30	1000	0.1	RMS	921.4	-61.71	-13	Pass	9701
1000	1840	1	RMS	1837	-50.25	-13	Pass	841
1840	1920	1	RMS	1879.6	22.76	60	Pass	401
1920	3000	1	RMS	2643	-46.41	-13	Pass	1081
3000	12000	1	RMS	11872	-37.93	-13	Pass	9001
12000	20000	1	RMS	20000	-22.65	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.12	-13	Pass	2986
30	1000	0.1	RMS	927.3	-61.84	-13	Pass	9701
1000	1840	1	RMS	1839	-50.32	-13	Pass	841
1840	1920	1	RMS	1879.6	21.8	60	Pass	401
1920	3000	1	RMS	2649	-46.45	-13	Pass	1081
3000	12000	1	RMS	11848	-37.96	-13	Pass	9001
12000	20000	1	RMS	20000	-22.61	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.29	-13	Pass	2986
30	1000	0.1	RMS	965.1	-61.8	-13	Pass	9701
1000	1840	1	RMS	1839	-50.21	-13	Pass	841
1840	1920	1	RMS	1908.8	22.7	60	Pass	401
1920	3000	1	RMS	2650	-46.39	-13	Pass	1081
3000	12000	1	RMS	11856	-37.97	-13	Pass	9001
12000	20000	1	RMS	19997	-22.52	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.35	-13	Pass	2986
30	1000	0.1	RMS	902.5	-61.91	-13	Pass	9701
1000	1840	1	RMS	1839	-50.29	-13	Pass	841
1840	1920	1	RMS	1908.8	21.74	60	Pass	401
1920	3000	1	RMS	2653	-46.37	-13	Pass	1081
3000	12000	1	RMS	11850	-37.93	-13	Pass	9001
12000	20000	1	RMS	19999	-22.62	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-13	Pass	2986
30	1000	0.1	RMS	907.7	-61.93	-13	Pass	9701
1000	1840	1	RMS	1840	-49.81	-13	Pass	841
1840	1920	1	RMS	1850.2	23.1	60	Pass	401
1920	3000	1	RMS	2653	-46.41	-13	Pass	1081
3000	12000	1	RMS	11858	-37.86	-13	Pass	9001
12000	20000	1	RMS	19998	-22.62	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.54	-13	Pass	2986
30	1000	0.1	RMS	931.2	-61.87	-13	Pass	9701
1000	1840	1	RMS	1840	-49.91	-13	Pass	841
1840	1920	1	RMS	1850.2	22.26	60	Pass	401
1920	3000	1	RMS	2639	-46.39	-13	Pass	1081
3000	12000	1	RMS	11858	-37.9	-13	Pass	9001
12000	20000	1	RMS	20000	-22.57	-13	Pass	8001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.16	-13	Pass	2986
30	1000	0.1	RMS	935.8	-61.74	-13	Pass	9701
1000	1840	1	RMS	1839	-50.25	-13	Pass	841
1840	1920	1	RMS	1878.8	22.89	60	Pass	401
1920	3000	1	RMS	2644	-46.33	-13	Pass	1081
3000	12000	1	RMS	11848	-37.91	-13	Pass	9001
12000	20000	1	RMS	20000	-22.56	-13	Pass	8001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.23	-13	Pass	2986
30	1000	0.1	RMS	907.8	-61.78	-13	Pass	9701
1000	1840	1	RMS	1836	-50.26	-13	Pass	841
1840	1920	1	RMS	1878.8	21.88	60	Pass	401
1920	3000	1	RMS	2641	-46.39	-13	Pass	1081
3000	12000	1	RMS	11851	-37.93	-13	Pass	9001
12000	20000	1	RMS	19999	-22.55	-13	Pass	8001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.58	-13	Pass	2986
30	1000	0.1	RMS	909.4	-61.74	-13	Pass	9701
1000	1840	1	RMS	1837	-50.22	-13	Pass	841
1840	1920	1	RMS	1907.2	22.8	60	Pass	401
1920	3000	1	RMS	2646	-46.35	-13	Pass	1081
3000	12000	1	RMS	11857	-37.96	-13	Pass	9001
12000	20000	1	RMS	20000	-22.48	-13	Pass	8001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.11	-13	Pass	401
0.15	30	0.01	RMS	0.17	-59.19	-13	Pass	2986
30	1000	0.1	RMS	923.1	-61.84	-13	Pass	9701
1000	1840	1	RMS	1839	-50.28	-13	Pass	841
1840	1920	1	RMS	1907.2	21.82	60	Pass	401
1920	3000	1	RMS	2643	-46.35	-13	Pass	1081
3000	12000	1	RMS	11848	-37.96	-13	Pass	9001
12000	20000	1	RMS	19999	-22.52	-13	Pass	8001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.16	-13	Pass	2986
30	1000	0.1	RMS	924.5	-61.67	-13	Pass	9701
1000	1840	1	RMS	1840	-49.8	-13	Pass	841
1840	1920	1	RMS	1850.4	22.96	60	Pass	401
1920	3000	1	RMS	2639	-46.37	-13	Pass	1081
3000	12000	1	RMS	11917	-37.91	-13	Pass	9001
12000	20000	1	RMS	19999	-22.55	-13	Pass	8001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.93	-13	Pass	2986
30	1000	0.1	RMS	966.9	-61.93	-13	Pass	9701
1000	1840	1	RMS	1840	-46.37	-13	Pass	841
1840	1920	1	RMS	1850.4	21.98	60	Pass	401
1920	3000	1	RMS	2641	-46.42	-13	Pass	1081
3000	12000	1	RMS	11855	-37.95	-13	Pass	9001
12000	20000	1	RMS	19996	-22.55	-13	Pass	8001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.58	-13	Pass	2986
30	1000	0.1	RMS	935.8	-61.83	-13	Pass	9701
1000	1840	1	RMS	1840	-50.23	-13	Pass	841
1840	1920	1	RMS	1877.8	22.77	60	Pass	401
1920	3000	1	RMS	2651	-46.37	-13	Pass	1081
3000	12000	1	RMS	11848	-37.77	-13	Pass	9001
12000	20000	1	RMS	20000	-22.59	-13	Pass	8001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.07	-13	Pass	2986
30	1000	0.1	RMS	938.8	-61.83	-13	Pass	9701
1000	1840	1	RMS	1840	-50.21	-13	Pass	841
1840	1920	1	RMS	1877.8	21.89	60	Pass	401
1920	3000	1	RMS	2643	-46.42	-13	Pass	1081
3000	12000	1	RMS	11855	-37.95	-13	Pass	9001
12000	20000	1	RMS	19999	-22.59	-13	Pass	8001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.05	-13	Pass	2986
30	1000	0.1	RMS	954.7	-61.91	-13	Pass	9701
1000	1840	1	RMS	1839	-50.28	-13	Pass	841
1840	1920	1	RMS	1905.4	22.64	60	Pass	401
1920	3000	1	RMS	2646	-46.37	-13	Pass	1081
3000	12000	1	RMS	11863	-37.95	-13	Pass	9001
12000	20000	1	RMS	19998	-22.64	-13	Pass	8001




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.74	-13	Pass	2986
30	1000	0.1	RMS	939	-61.89	-13	Pass	9701
1000	1840	1	RMS	1839	-50.3	-13	Pass	841
1840	1920	1	RMS	1905.4	21.84	60	Pass	401
1920	3000	1	RMS	2651	-46.35	-13	Pass	1081
3000	12000	1	RMS	11860	-37.97	-13	Pass	9001
12000	20000	1	RMS	19993	-22.6	-13	Pass	8001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.32	-13	Pass	2986
30	1000	0.1	RMS	912	-61.86	-13	Pass	9701
1000	1840	1	RMS	1833	-45.64	-13	Pass	841
1840	1920	1	RMS	1850.6	23.07	60	Pass	401
1920	3000	1	RMS	2650	-46.41	-13	Pass	1081
3000	12000	1	RMS	11850	-37.98	-13	Pass	9001
12000	20000	1	RMS	19995	-22.66	-13	Pass	8001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.44	-13	Pass	2986
30	1000	0.1	RMS	952.6	-61.81	-13	Pass	9701
1000	1840	1	RMS	1833	-46.4	-13	Pass	841
1840	1920	1	RMS	1850.6	22.21	60	Pass	401
1920	3000	1	RMS	2639	-46.34	-13	Pass	1081
3000	12000	1	RMS	11849	-37.98	-13	Pass	9001
12000	20000	1	RMS	20000	-22.55	-13	Pass	8001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.99	-13	Pass	2986
30	1000	0.1	RMS	948.1	-61.94	-13	Pass	9701
1000	1840	1	RMS	1840	-50.16	-13	Pass	841
1840	1920	1	RMS	1875.6	22.92	60	Pass	401
1920	3000	1	RMS	2655	-46.38	-13	Pass	1081
3000	12000	1	RMS	11849	-37.87	-13	Pass	9001
12000	20000	1	RMS	19999	-22.5	-13	Pass	8001




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.95	-13	Pass	2986
30	1000	0.1	RMS	928.2	-61.88	-13	Pass	9701
1000	1840	1	RMS	1840	-50.3	-13	Pass	841
1840	1920	1	RMS	1875.6	21.92	60	Pass	401
1920	3000	1	RMS	2648	-46.37	-13	Pass	1081
3000	12000	1	RMS	11846	-37.91	-13	Pass	9001
12000	20000	1	RMS	19998	-22.54	-13	Pass	8001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.91	-13	Pass	2986
30	1000	0.1	RMS	919.2	-61.85	-13	Pass	9701
1000	1840	1	RMS	1839	-50.19	-13	Pass	841
1840	1920	1	RMS	1900.6	22.81	60	Pass	401
1920	3000	1	RMS	2657	-46.37	-13	Pass	1081
3000	12000	1	RMS	11854	-37.92	-13	Pass	9001
12000	20000	1	RMS	19997	-22.63	-13	Pass	8001




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.98	-13	Pass	2986
30	1000	0.1	RMS	908.2	-61.88	-13	Pass	9701
1000	1840	1	RMS	1834	-50.31	-13	Pass	841
1840	1920	1	RMS	1900.6	21.86	60	Pass	401
1920	3000	1	RMS	2642	-46.4	-13	Pass	1081
3000	12000	1	RMS	11851	-37.9	-13	Pass	9001
12000	20000	1	RMS	20000	-22.57	-13	Pass	8001




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-56.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.01	-13	Pass	2986
30	1000	0.1	RMS	914.2	-61.8	-13	Pass	9701
1000	1840	1	RMS	1838	-45.89	-13	Pass	841
1840	1920	1	RMS	1850.8	22.98	60	Pass	401
1920	3000	1	RMS	2641	-46.37	-13	Pass	1081
3000	12000	1	RMS	11856	-37.98	-13	Pass	9001
12000	20000	1	RMS	19999	-22.54	-13	Pass	8001




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.35	-13	Pass	2986
30	1000	0.1	RMS	889.8	-61.79	-13	Pass	9701
1000	1840	1	RMS	1840	-44.44	-13	Pass	841
1840	1920	1	RMS	1850.8	22.13	60	Pass	401
1920	3000	1	RMS	2642	-46.34	-13	Pass	1081
3000	12000	1	RMS	11862	-37.88	-13	Pass	9001
12000	20000	1	RMS	19991	-22.61	-13	Pass	8001




1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.56	-13	Pass	2986
30	1000	0.1	RMS	923.1	-61.88	-13	Pass	9701
1000	1840	1	RMS	1838	-50.18	-13	Pass	841
1840	1920	1	RMS	1873.4	22.85	60	Pass	401
1920	3000	1	RMS	2641	-46.41	-13	Pass	1081
3000	12000	1	RMS	11851	-37.96	-13	Pass	9001
12000	20000	1	RMS	20000	-22.46	-13	Pass	8001




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.3	-13	Pass	2986
30	1000	0.1	RMS	930.7	-61.88	-13	Pass	9701
1000	1840	1	RMS	1839	-50.21	-13	Pass	841
1840	1920	1	RMS	1873.4	21.83	60	Pass	401
1920	3000	1	RMS	2647	-46.39	-13	Pass	1081
3000	12000	1	RMS	11835	-37.95	-13	Pass	9001
12000	20000	1	RMS	19997	-22.61	-13	Pass	8001




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.11	-13	Pass	2986
30	1000	0.1	RMS	925.6	-61.78	-13	Pass	9701
1000	1840	1	RMS	1840	-50.23	-13	Pass	841
1840	1920	1	RMS	1895.8	22.64	60	Pass	401
1920	3000	1	RMS	1922	-33.46	-13	Pass	1081
3000	12000	1	RMS	11866	-37.95	-13	Pass	9001
12000	20000	1	RMS	20000	-22.55	-13	Pass	8001




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.9	-13	Pass	2986
30	1000	0.1	RMS	940.8	-61.8	-13	Pass	9701
1000	1840	1	RMS	1840	-50.29	-13	Pass	841
1840	1920	1	RMS	1895.8	21.77	60	Pass	401
1920	3000	1	RMS	1922	-34.5	-13	Pass	1081
3000	12000	1	RMS	11851	-37.98	-13	Pass	9001
12000	20000	1	RMS	19997	-22.6	-13	Pass	8001




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.19	-13	Pass	2986
30	1000	0.1	RMS	948.8	-61.73	-13	Pass	9701
1000	1840	1	RMS	1833	-47.06	-13	Pass	841
1840	1920	1	RMS	1851	22.73	60	Pass	401
1920	3000	1	RMS	2643	-46.39	-13	Pass	1081
3000	12000	1	RMS	11845	-37.9	-13	Pass	9001
12000	20000	1	RMS	19991	-22.61	-13	Pass	8001




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.72	-13	Pass	2986
30	1000	0.1	RMS	926.2	-61.81	-13	Pass	9701
1000	1840	1	RMS	1840	-47.53	-13	Pass	841
1840	1920	1	RMS	1851	21.88	60	Pass	401
1920	3000	1	RMS	2644	-46.37	-13	Pass	1081
3000	12000	1	RMS	11856	-37.86	-13	Pass	9001
12000	20000	1	RMS	20000	-22.56	-13	Pass	8001




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.88	-13	Pass	2986
30	1000	0.1	RMS	941.6	-61.79	-13	Pass	9701
1000	1840	1	RMS	1836	-45.47	-13	Pass	841
1840	1920	1	RMS	1871	22.68	60	Pass	401
1920	3000	1	RMS	2644	-46.35	-13	Pass	1081
3000	12000	1	RMS	11848	-37.86	-13	Pass	9001
12000	20000	1	RMS	19994	-22.51	-13	Pass	8001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.67	-13	Pass	2986
30	1000	0.1	RMS	930	-61.87	-13	Pass	9701
1000	1840	1	RMS	1835	-47.21	-13	Pass	841
1840	1920	1	RMS	1871	21.68	60	Pass	401
1920	3000	1	RMS	2640	-46.41	-13	Pass	1081
3000	12000	1	RMS	11851	-37.88	-13	Pass	9001
12000	20000	1	RMS	19998	-22.61	-13	Pass	8001




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.96	-13	Pass	2986
30	1000	0.1	RMS	904.5	-61.89	-13	Pass	9701
1000	1840	1	RMS	1837	-50.26	-13	Pass	841
1840	1920	1	RMS	1891	22.41	60	Pass	401
1920	3000	1	RMS	1922	-45.68	-13	Pass	1081
3000	12000	1	RMS	11849	-37.94	-13	Pass	9001
12000	20000	1	RMS	20000	-22.59	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.48	-13	Pass	2986
30	1000	0.1	RMS	920	-61.83	-13	Pass	9701
1000	1840	1	RMS	1836	-50.32	-13	Pass	841
1840	1920	1	RMS	1891	21.42	60	Pass	401
1920	3000	1	RMS	1922	-46.03	-13	Pass	1081
3000	12000	1	RMS	11839	-37.92	-13	Pass	9001
12000	20000	1	RMS	19998	-22.53	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.93	-13	Pass	2986
30	1000	0.1	RMS	931.4	-61.79	-13	Pass	9701
1000	1700	1	RMS	1700	-50.63	-13	Pass	701
1700	1765	1	RMS	1710.238	23.12	60	Pass	401
1765	3000	1	RMS	2641	-46.34	-13	Pass	1236
3000	12000	1	RMS	11854	-37.82	-13	Pass	9001
12000	20000	1	RMS	19997	-22.56	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.2	-13	Pass	2986
30	1000	0.1	RMS	915.8	-61.68	-13	Pass	9701
1000	1700	1	RMS	1700	-50.68	-13	Pass	701
1700	1765	1	RMS	1710.238	22.15	60	Pass	401
1765	3000	1	RMS	2652	-46.41	-13	Pass	1236
3000	12000	1	RMS	11851	-37.92	-13	Pass	9001
12000	20000	1	RMS	19999	-22.58	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.83	-13	Pass	2986
30	1000	0.1	RMS	900.7	-61.81	-13	Pass	9701
1000	1700	1	RMS	1699	-50.79	-13	Pass	701
1700	1765	1	RMS	1732.013	23.17	60	Pass	401
1765	3000	1	RMS	2643	-46.37	-13	Pass	1236
3000	12000	1	RMS	11858	-37.87	-13	Pass	9001
12000	20000	1	RMS	19998	-22.59	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.4	-13	Pass	2986
30	1000	0.1	RMS	940.9	-61.75	-13	Pass	9701
1000	1700	1	RMS	1697	-50.83	-13	Pass	701
1700	1765	1	RMS	1732.013	22.12	60	Pass	401
1765	3000	1	RMS	2641	-46.36	-13	Pass	1236
3000	12000	1	RMS	11873	-37.9	-13	Pass	9001
12000	20000	1	RMS	19995	-22.53	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.08	-13	Pass	2986
30	1000	0.1	RMS	893.4	-61.84	-13	Pass	9701
1000	1700	1	RMS	1700	-50.82	-13	Pass	701
1700	1765	1	RMS	1753.788	23.19	60	Pass	401
1765	3000	1	RMS	1773	-42.21	-13	Pass	1236
3000	12000	1	RMS	11850	-37.87	-13	Pass	9001
12000	20000	1	RMS	19998	-22.49	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.45	-13	Pass	2986
30	1000	0.1	RMS	902.6	-61.93	-13	Pass	9701
1000	1700	1	RMS	1699	-50.51	-13	Pass	701
1700	1765	1	RMS	1753.788	22.17	60	Pass	401
1765	3000	1	RMS	1766	-38.9	-13	Pass	1236
3000	12000	1	RMS	11848	-37.94	-13	Pass	9001
12000	20000	1	RMS	19998	-22.56	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.5	-13	Pass	2986
30	1000	0.1	RMS	929.3	-61.68	-13	Pass	9701
1000	1700	1	RMS	1700	-50.44	-13	Pass	701
1700	1765	1	RMS	1710.238	23.16	60	Pass	401
1765	3000	1	RMS	2639	-46.42	-13	Pass	1236
3000	12000	1	RMS	11872	-37.94	-13	Pass	9001
12000	20000	1	RMS	19999	-22.62	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.89	-13	Pass	2986
30	1000	0.1	RMS	931.1	-61.83	-13	Pass	9701
1000	1700	1	RMS	1700	-50.22	-13	Pass	701
1700	1765	1	RMS	1710.238	22.28	60	Pass	401
1765	3000	1	RMS	2656	-46.4	-13	Pass	1236
3000	12000	1	RMS	11863	-37.94	-13	Pass	9001
12000	20000	1	RMS	19998	-22.54	-13	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.38	-13	Pass	2986
30	1000	0.1	RMS	952.8	-61.83	-13	Pass	9701
1000	1700	1	RMS	1698	-50.78	-13	Pass	701
1700	1765	1	RMS	1731.2	23.21	60	Pass	401
1765	3000	1	RMS	2641	-46.34	-13	Pass	1236
3000	12000	1	RMS	11846	-37.92	-13	Pass	9001
12000	20000	1	RMS	19999	-22.45	-13	Pass	8001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.93	-13	Pass	2986
30	1000	0.1	RMS	898.1	-61.78	-13	Pass	9701
1000	1700	1	RMS	1698	-50.83	-13	Pass	701
1700	1765	1	RMS	1731.2	22.17	60	Pass	401
1765	3000	1	RMS	2644	-46.35	-13	Pass	1236
3000	12000	1	RMS	11848	-37.89	-13	Pass	9001
12000	20000	1	RMS	19999	-22.61	-13	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.96	-13	Pass	2986
30	1000	0.1	RMS	925.3	-61.85	-13	Pass	9701
1000	1700	1	RMS	1700	-50.31	-13	Pass	701
1700	1765	1	RMS	1752.163	23.19	60	Pass	401
1765	3000	1	RMS	1773	-43.08	-13	Pass	1236
3000	12000	1	RMS	11857	-37.95	-13	Pass	9001
12000	20000	1	RMS	19995	-22.58	-13	Pass	8001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.65	-13	Pass	2986
30	1000	0.1	RMS	924	-61.88	-13	Pass	9701
1000	1700	1	RMS	1698	-50.56	-13	Pass	701
1700	1765	1	RMS	1752.325	22.2	60	Pass	401
1765	3000	1	RMS	1770	-41.58	-13	Pass	1236
3000	12000	1	RMS	11853	-37.89	-13	Pass	9001
12000	20000	1	RMS	19999	-22.6	-13	Pass	8001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.79	-13	Pass	2986
30	1000	0.1	RMS	945.5	-61.83	-13	Pass	9701
1000	1700	1	RMS	1700	-50.23	-13	Pass	701
1700	1765	1	RMS	1710.4	22.99	60	Pass	401
1765	3000	1	RMS	2646	-46.32	-13	Pass	1236
3000	12000	1	RMS	11854	-37.96	-13	Pass	9001
12000	20000	1	RMS	19999	-22.61	-13	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.21	-13	Pass	2986
30	1000	0.1	RMS	932	-61.77	-13	Pass	9701
1000	1700	1	RMS	1700	-50.29	-13	Pass	701
1700	1765	1	RMS	1710.4	22.04	60	Pass	401
1765	3000	1	RMS	2649	-46.38	-13	Pass	1236
3000	12000	1	RMS	11836	-37.9	-13	Pass	9001
12000	20000	1	RMS	19996	-22.59	-13	Pass	8001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.36	-13	Pass	2986
30	1000	0.1	RMS	892.8	-61.8	-13	Pass	9701
1000	1700	1	RMS	1696	-50.81	-13	Pass	701
1700	1765	1	RMS	1730.388	23.09	60	Pass	401
1765	3000	1	RMS	2640	-46.42	-13	Pass	1236
3000	12000	1	RMS	11861	-37.87	-13	Pass	9001
12000	20000	1	RMS	19998	-22.55	-13	Pass	8001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.02	-13	Pass	2986
30	1000	0.1	RMS	915.2	-61.74	-13	Pass	9701
1000	1700	1	RMS	1700	-50.76	-13	Pass	701
1700	1765	1	RMS	1730.388	22.18	60	Pass	401
1765	3000	1	RMS	2649	-46.36	-13	Pass	1236
3000	12000	1	RMS	11867	-37.94	-13	Pass	9001
12000	20000	1	RMS	20000	-22.56	-13	Pass	8001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.49	-13	Pass	2986
30	1000	0.1	RMS	928.1	-61.96	-13	Pass	9701
1000	1700	1	RMS	1696	-50.81	-13	Pass	701
1700	1765	1	RMS	1750.375	23.16	60	Pass	401
1765	3000	1	RMS	2640	-46.39	-13	Pass	1236
3000	12000	1	RMS	11844	-37.88	-13	Pass	9001
12000	20000	1	RMS	20000	-22.57	-13	Pass	8001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.76	-13	Pass	2986
30	1000	0.1	RMS	971.3	-61.85	-13	Pass	9701
1000	1700	1	RMS	1700	-50.34	-13	Pass	701
1700	1765	1	RMS	1750.375	22.31	60	Pass	401
1765	3000	1	RMS	1767	-45.1	-13	Pass	1236
3000	12000	1	RMS	11849	-37.87	-13	Pass	9001
12000	20000	1	RMS	19999	-22.61	-13	Pass	8001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.24	-13	Pass	2986
30	1000	0.1	RMS	917.3	-61.8	-13	Pass	9701
1000	1700	1	RMS	1693	-43.37	-13	Pass	701
1700	1765	1	RMS	1710.563	23.14	60	Pass	401
1765	3000	1	RMS	2647	-46.36	-13	Pass	1236
3000	12000	1	RMS	11844	-37.89	-13	Pass	9001
12000	20000	1	RMS	20000	-22.52	-13	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.18	-13	Pass	2986
30	1000	0.1	RMS	977.1	-61.87	-13	Pass	9701
1000	1700	1	RMS	1693	-44.63	-13	Pass	701
1700	1765	1	RMS	1710.563	22.25	60	Pass	401
1765	3000	1	RMS	2645	-46.41	-13	Pass	1236
3000	12000	1	RMS	11849	-37.91	-13	Pass	9001
12000	20000	1	RMS	19999	-22.57	-13	Pass	8001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2986
30	1000	0.1	RMS	915	-61.76	-13	Pass	9701
1000	1700	1	RMS	1699	-50.69	-13	Pass	701
1700	1765	1	RMS	1728.113	23.23	60	Pass	401
1765	3000	1	RMS	2645	-46.39	-13	Pass	1236
3000	12000	1	RMS	11846	-37.82	-13	Pass	9001
12000	20000	1	RMS	20000	-22.62	-13	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.15	-13	Pass	2986
30	1000	0.1	RMS	918.1	-61.83	-13	Pass	9701
1000	1700	1	RMS	1699	-50.78	-13	Pass	701
1700	1765	1	RMS	1728.113	22.18	60	Pass	401
1765	3000	1	RMS	2650	-46.4	-13	Pass	1236
3000	12000	1	RMS	11850	-37.88	-13	Pass	9001
12000	20000	1	RMS	19999	-22.55	-13	Pass	8001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-13	Pass	2986
30	1000	0.1	RMS	898.5	-61.9	-13	Pass	9701
1000	1700	1	RMS	1699	-50.81	-13	Pass	701
1700	1765	1	RMS	1745.663	23.13	60	Pass	401
1765	3000	1	RMS	2640	-46.36	-13	Pass	1236
3000	12000	1	RMS	11852	-37.92	-13	Pass	9001
12000	20000	1	RMS	20000	-22.53	-13	Pass	8001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.56	-13	Pass	2986
30	1000	0.1	RMS	923.3	-61.82	-13	Pass	9701
1000	1700	1	RMS	1695	-50.57	-13	Pass	701
1700	1765	1	RMS	1745.663	22.22	60	Pass	401
1765	3000	1	RMS	2647	-46.41	-13	Pass	1236
3000	12000	1	RMS	11849	-38	-13	Pass	9001
12000	20000	1	RMS	20000	-22.52	-13	Pass	8001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.3	-13	Pass	2986
30	1000	0.1	RMS	956.6	-61.78	-13	Pass	9701
1000	1700	1	RMS	1698	-45.46	-13	Pass	701
1700	1765	1	RMS	1710.888	23.03	60	Pass	401
1765	3000	1	RMS	2649	-46.37	-13	Pass	1236
3000	12000	1	RMS	11855	-37.95	-13	Pass	9001
12000	20000	1	RMS	19997	-22.6	-13	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.09	-13	Pass	2986
30	1000	0.1	RMS	909.6	-61.88	-13	Pass	9701
1000	1700	1	RMS	1698	-46.35	-13	Pass	701
1700	1765	1	RMS	1710.888	22.16	60	Pass	401
1765	3000	1	RMS	2642	-46.37	-13	Pass	1236
3000	12000	1	RMS	11853	-37.92	-13	Pass	9001
12000	20000	1	RMS	20000	-22.61	-13	Pass	8001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.94	-13	Pass	2986
30	1000	0.1	RMS	934.6	-61.85	-13	Pass	9701
1000	1700	1	RMS	1699	-42.2	-13	Pass	701
1700	1765	1	RMS	1725.838	23.17	60	Pass	401
1765	3000	1	RMS	2642	-46.38	-13	Pass	1236
3000	12000	1	RMS	11843	-37.93	-13	Pass	9001
12000	20000	1	RMS	19999	-22.59	-13	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57	-13	Pass	2986
30	1000	0.1	RMS	919	-61.82	-13	Pass	9701
1000	1700	1	RMS	1699	-44.15	-13	Pass	701
1700	1765	1	RMS	1725.838	22.11	60	Pass	401
1765	3000	1	RMS	2645	-46.38	-13	Pass	1236
3000	12000	1	RMS	11852	-37.9	-13	Pass	9001
12000	20000	1	RMS	19999	-22.48	-13	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.46	-13	Pass	2986
30	1000	0.1	RMS	891.2	-61.71	-13	Pass	9701
1000	1700	1	RMS	1695	-50.81	-13	Pass	701
1700	1765	1	RMS	1740.788	23.01	60	Pass	401
1765	3000	1	RMS	1767	-26.56	-13	Pass	1236
3000	12000	1	RMS	11847	-37.91	-13	Pass	9001
12000	20000	1	RMS	19998	-22.55	-13	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	Pass	2986
30	1000	0.1	RMS	942.2	-61.83	-13	Pass	9701
1000	1700	1	RMS	1696	-50.84	-13	Pass	701
1700	1765	1	RMS	1740.788	22.15	60	Pass	401
1765	3000	1	RMS	1767	-27.82	-13	Pass	1236
3000	12000	1	RMS	11848	-37.95	-13	Pass	9001
12000	20000	1	RMS	20000	-22.54	-13	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.09	-13	Pass	2986
30	1000	0.1	RMS	923.8	-61.85	-13	Pass	9701
1000	1700	1	RMS	1700	-46.73	-13	Pass	701
1700	1765	1	RMS	1711.05	22.86	60	Pass	401
1765	3000	1	RMS	2649	-46.38	-13	Pass	1236
3000	12000	1	RMS	11852	-37.92	-13	Pass	9001
12000	20000	1	RMS	20000	-22.58	-13	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.02	-13	Pass	2986
30	1000	0.1	RMS	952.5	-61.9	-13	Pass	9701
1000	1700	1	RMS	1700	-47.43	-13	Pass	701
1700	1765	1	RMS	1711.05	22.01	60	Pass	401
1765	3000	1	RMS	2648	-46.35	-13	Pass	1236
3000	12000	1	RMS	11858	-37.94	-13	Pass	9001
12000	20000	1	RMS	20000	-22.51	-13	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.29	-13	Pass	2986
30	1000	0.1	RMS	921.1	-61.86	-13	Pass	9701
1000	1700	1	RMS	1688	-50.06	-13	Pass	701
1700	1765	1	RMS	1723.563	22.93	60	Pass	401
1765	3000	1	RMS	2653	-46.3	-13	Pass	1236
3000	12000	1	RMS	11850	-37.86	-13	Pass	9001
12000	20000	1	RMS	19999	-22.54	-13	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.43	-13	Pass	2986
30	1000	0.1	RMS	975.4	-61.84	-13	Pass	9701
1000	1700	1	RMS	1688	-50.41	-13	Pass	701
1700	1765	1	RMS	1723.563	21.88	60	Pass	401
1765	3000	1	RMS	2642	-46.39	-13	Pass	1236
3000	12000	1	RMS	11868	-37.92	-13	Pass	9001
12000	20000	1	RMS	19999	-22.5	-13	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.28	-13	Pass	2986
30	1000	0.1	RMS	934.2	-61.83	-13	Pass	9701
1000	1700	1	RMS	1700	-44.58	-13	Pass	701
1700	1765	1	RMS	1736.075	22.78	60	Pass	401
1765	3000	1	RMS	1772	-27.89	-13	Pass	1236
3000	12000	1	RMS	11858	-37.99	-13	Pass	9001
12000	20000	1	RMS	19999	-22.65	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.55	-13	Pass	2986
30	1000	0.1	RMS	949.7	-61.92	-13	Pass	9701
1000	1700	1	RMS	1700	-45.47	-13	Pass	701
1700	1765	1	RMS	1736.075	21.78	60	Pass	401
1765	3000	1	RMS	1772	-29.7	-13	Pass	1236
3000	12000	1	RMS	11848	-38.01	-13	Pass	9001
12000	20000	1	RMS	19994	-22.64	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2986
30	814	0.1	RMS	812.8	-49.63	-13	Pass	7841
814	860	0.1	RMS	824.3	20.13	60	Pass	461
860	1000	0.1	RMS	910.4	-62.19	-13	Pass	1401
1000	3000	1	RMS	2640	-46.45	-13	Pass	2001
3000	10000	1	RMS	9953	-40.78	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.61	-13	Pass	2986
30	814	0.1	RMS	813	-49.63	-13	Pass	7841
814	860	0.1	RMS	824.3	19.25	60	Pass	461
860	1000	0.1	RMS	922.5	-62.13	-13	Pass	1401
1000	3000	1	RMS	2639	-46.46	-13	Pass	2001
3000	10000	1	RMS	9951	-40.8	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.5	-13	Pass	2986
30	814	0.1	RMS	813.6	-58.06	-13	Pass	7841
814	860	0.1	RMS	836.1	20.11	60	Pass	461
860	1000	0.1	RMS	882.6	-62.16	-13	Pass	1401
1000	3000	1	RMS	2642	-46.44	-13	Pass	2001
3000	10000	1	RMS	9962	-40.81	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.21	-13	Pass	2986
30	814	0.1	RMS	813.5	-58.86	-13	Pass	7841
814	860	0.1	RMS	836.1	19.29	60	Pass	461
860	1000	0.1	RMS	952.6	-62.07	-13	Pass	1401
1000	3000	1	RMS	2640	-46.43	-13	Pass	2001
3000	10000	1	RMS	9953	-40.79	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.24	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.08	-13	Pass	7841
814	860	0.1	RMS	847.9	20.2	60	Pass	461
860	1000	0.1	RMS	937.9	-62.06	-13	Pass	1401
1000	3000	1	RMS	2649	-46.44	-13	Pass	2001
3000	10000	1	RMS	9959	-40.82	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.21	-13	Pass	2986
30	814	0.1	RMS	803.7	-62.21	-13	Pass	7841
814	860	0.1	RMS	847.9	19.16	60	Pass	461
860	1000	0.1	RMS	925.7	-61.98	-13	Pass	1401
1000	3000	1	RMS	2643	-46.42	-13	Pass	2001
3000	10000	1	RMS	9969	-40.79	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.06	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.85	-13	Pass	7841
814	860	0.1	RMS	824.2	20.26	60	Pass	461
860	1000	0.1	RMS	914.8	-62.09	-13	Pass	1401
1000	3000	1	RMS	2643	-46.44	-13	Pass	2001
3000	10000	1	RMS	9960	-40.76	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.8	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.83	-13	Pass	7841
814	860	0.1	RMS	824.2	19.38	60	Pass	461
860	1000	0.1	RMS	921.8	-61.99	-13	Pass	1401
1000	3000	1	RMS	2650	-46.38	-13	Pass	2001
3000	10000	1	RMS	9953	-40.69	-13	Pass	7001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.96	-13	Pass	2986
30	814	0.1	RMS	813.1	-61.84	-13	Pass	7841
814	860	0.1	RMS	835.2	20.42	60	Pass	461
860	1000	0.1	RMS	915.1	-61.98	-13	Pass	1401
1000	3000	1	RMS	2647	-46.37	-13	Pass	2001
3000	10000	1	RMS	9961	-40.71	-13	Pass	7001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.97	-13	Pass	2986
30	814	0.1	RMS	813.2	-61.68	-13	Pass	7841
814	860	0.1	RMS	835.2	19.35	60	Pass	461
860	1000	0.1	RMS	930.6	-62.14	-13	Pass	1401
1000	3000	1	RMS	2642	-46.35	-13	Pass	2001
3000	10000	1	RMS	9951	-40.7	-13	Pass	7001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.03	-13	Pass	2986
30	814	0.1	RMS	810.8	-61.85	-13	Pass	7841
814	860	0.1	RMS	846.2	20.55	60	Pass	461
860	1000	0.1	RMS	930.3	-62.07	-13	Pass	1401
1000	3000	1	RMS	2645	-46.33	-13	Pass	2001
3000	10000	1	RMS	9969	-40.7	-13	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58	-13	Pass	2986
30	814	0.1	RMS	788.4	-62.03	-13	Pass	7841
814	860	0.1	RMS	846.2	19.51	60	Pass	461
860	1000	0.1	RMS	931	-62.07	-13	Pass	1401
1000	3000	1	RMS	2647	-46.37	-13	Pass	2001
3000	10000	1	RMS	9961	-40.76	-13	Pass	7001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.25	-13	Pass	2986
30	814	0.1	RMS	814	-61.73	-13	Pass	7841
814	860	0.1	RMS	824.3	20.27	60	Pass	461
860	1000	0.1	RMS	935	-62.07	-13	Pass	1401
1000	3000	1	RMS	2651	-46.36	-13	Pass	2001
3000	10000	1	RMS	9965	-40.69	-13	Pass	7001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.34	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.81	-13	Pass	7841
814	860	0.1	RMS	824.3	19.16	60	Pass	461
860	1000	0.1	RMS	933	-62.02	-13	Pass	1401
1000	3000	1	RMS	2641	-46.33	-13	Pass	2001
3000	10000	1	RMS	9950	-40.7	-13	Pass	7001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.77	-13	Pass	2986
30	814	0.1	RMS	804.1	-61.92	-13	Pass	7841
814	860	0.1	RMS	834.3	20.19	60	Pass	461
860	1000	0.1	RMS	910.9	-62.03	-13	Pass	1401
1000	3000	1	RMS	2650	-46.35	-13	Pass	2001
3000	10000	1	RMS	9955	-40.72	-13	Pass	7001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.54	-13	Pass	2986
30	814	0.1	RMS	814	-62.05	-13	Pass	7841
814	860	0.1	RMS	834.3	19.45	60	Pass	461
860	1000	0.1	RMS	969	-62.02	-13	Pass	1401
1000	3000	1	RMS	2639	-46.33	-13	Pass	2001
3000	10000	1	RMS	9951	-40.75	-13	Pass	7001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.48	-13	Pass	2986
30	814	0.1	RMS	798.1	-61.94	-13	Pass	7841
814	860	0.1	RMS	844.3	20.54	60	Pass	461
860	1000	0.1	RMS	928.2	-61.78	-13	Pass	1401
1000	3000	1	RMS	2641	-46.34	-13	Pass	2001
3000	10000	1	RMS	9956	-40.71	-13	Pass	7001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.4	-13	Pass	2986
30	814	0.1	RMS	779.6	-62.05	-13	Pass	7841
814	860	0.1	RMS	844.3	19.69	60	Pass	461
860	1000	0.1	RMS	917.7	-62	-13	Pass	1401
1000	3000	1	RMS	2644	-46.38	-13	Pass	2001
3000	10000	1	RMS	9954	-40.7	-13	Pass	7001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.55	-13	Pass	2986
30	814	0.1	RMS	813.8	-60.64	-13	Pass	7841
814	860	0.1	RMS	824.6	20.73	60	Pass	461
860	1000	0.1	RMS	928.5	-62.01	-13	Pass	1401
1000	3000	1	RMS	2644	-46.32	-13	Pass	2001
3000	10000	1	RMS	9963	-40.71	-13	Pass	7001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.67	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.4	-13	Pass	7841
814	860	0.1	RMS	824.6	19.92	60	Pass	461
860	1000	0.1	RMS	945.4	-62	-13	Pass	1401
1000	3000	1	RMS	2646	-46.35	-13	Pass	2001
3000	10000	1	RMS	9945	-40.73	-13	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.77	-13	Pass	2986
30	814	0.1	RMS	814	-59.12	-13	Pass	7841
814	860	0.1	RMS	832.1	20.84	60	Pass	461
860	1000	0.1	RMS	915.3	-61.99	-13	Pass	1401
1000	3000	1	RMS	2639	-46.34	-13	Pass	2001
3000	10000	1	RMS	9954	-40.67	-13	Pass	7001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.97	-13	Pass	2986
30	814	0.1	RMS	814	-60.08	-13	Pass	7841
814	860	0.1	RMS	832.1	19.77	60	Pass	461
860	1000	0.1	RMS	936.6	-62.13	-13	Pass	1401
1000	3000	1	RMS	2643	-46.36	-13	Pass	2001
3000	10000	1	RMS	9963	-40.75	-13	Pass	7001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.03	-13	Pass	2986
30	814	0.1	RMS	806.5	-62.05	-13	Pass	7841
814	860	0.1	RMS	839.6	20.97	60	Pass	461
860	1000	0.1	RMS	940.2	-62.05	-13	Pass	1401
1000	3000	1	RMS	2641	-46.35	-13	Pass	2001
3000	10000	1	RMS	9957	-40.75	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.62	-13	Pass	2986
30	814	0.1	RMS	790.7	-61.89	-13	Pass	7841
814	860	0.1	RMS	839.6	19.96	60	Pass	461
860	1000	0.1	RMS	931.6	-62.05	-13	Pass	1401
1000	3000	1	RMS	2651	-46.37	-13	Pass	2001
3000	10000	1	RMS	9953	-40.71	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.08	-25	Pass	2986
30	1000	0.1	RMS	951.3	-61.83	-25	Pass	9701
1000	2490	1	RMS	2490	-47.32	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.16	60	Pass	401
2580	3000	1	RMS	2653	-46.39	-25	Pass	421
3000	12000	1	RMS	11870	-61.63	-25	Pass	9001
12000	26000	1	RMS	25014	-35.58	-25	Pass	14001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.32	-25	Pass	2986
30	1000	0.1	RMS	907.8	-61.65	-25	Pass	9701
1000	2490	1	RMS	2490	-47.36	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.2	60	Pass	401
2580	3000	1	RMS	2652	-46.4	-25	Pass	421
3000	12000	1	RMS	11890	-61.66	-25	Pass	9001
12000	26000	1	RMS	25017	-36.4	-25	Pass	14001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.36	-25	Pass	2986
30	1000	0.1	RMS	920.7	-61.64	-25	Pass	9701
1000	2490	1	RMS	2488	-47.54	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.63	60	Pass	401
2580	3000	1	RMS	2646	-46.35	-25	Pass	421
3000	12000	1	RMS	11855	-61.52	-25	Pass	9001
12000	26000	1	RMS	25010	-36.36	-25	Pass	14001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-25	Pass	2986
30	1000	0.1	RMS	942.4	-61.81	-25	Pass	9701
1000	2490	1	RMS	2487	-47.57	-25	Pass	1491
2490	2580	1	RMS	2532.75	20.77	60	Pass	401
2580	3000	1	RMS	2644	-46.38	-25	Pass	421
3000	12000	1	RMS	11892	-61.59	-25	Pass	9001
12000	26000	1	RMS	25009	-36.4	-25	Pass	14001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.02	-25	Pass	401
0.15	30	0.01	RMS	0.16	-57.66	-25	Pass	2986
30	1000	0.1	RMS	928.8	-61.75	-25	Pass	9701
1000	2490	1	RMS	2490	-47.57	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.68	60	Pass	401
2580	3000	1	RMS	2643	-46.38	-25	Pass	421
3000	12000	1	RMS	11861	-61.62	-25	Pass	9001
12000	26000	1	RMS	25013	-36.28	-25	Pass	14001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.06	-25	Pass	2986
30	1000	0.1	RMS	911.8	-61.69	-25	Pass	9701
1000	2490	1	RMS	2490	-47.6	-25	Pass	1491
2490	2580	1	RMS	2565.375	20.89	60	Pass	401
2580	3000	1	RMS	2639	-46.4	-25	Pass	421
3000	12000	1	RMS	11845	-61.59	-25	Pass	9001
12000	26000	1	RMS	25009	-36.35	-25	Pass	14001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.42	-25	Pass	2986
30	1000	0.1	RMS	937.3	-61.69	-25	Pass	9701
1000	2490	1	RMS	2483	-42.55	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.32	60	Pass	401
2580	3000	1	RMS	2646	-46.36	-25	Pass	421
3000	12000	1	RMS	11847	-61.52	-25	Pass	9001
12000	26000	1	RMS	25012	-36.41	-25	Pass	14001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.94	-25	Pass	2986
30	1000	0.1	RMS	952.8	-61.75	-25	Pass	9701
1000	2490	1	RMS	2483	-44.04	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.44	60	Pass	401
2580	3000	1	RMS	2646	-46.38	-25	Pass	421
3000	12000	1	RMS	11856	-61.61	-25	Pass	9001
12000	26000	1	RMS	25013	-36.41	-25	Pass	14001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.61	-25	Pass	2986
30	1000	0.1	RMS	928.2	-61.75	-25	Pass	9701
1000	2490	1	RMS	2485	-47.55	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.82	60	Pass	401
2580	3000	1	RMS	2647	-46.36	-25	Pass	421
3000	12000	1	RMS	11850	-61.63	-25	Pass	9001
12000	26000	1	RMS	25014	-36.29	-25	Pass	14001



4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.86	-25	Pass	2986
30	1000	0.1	RMS	947.2	-61.69	-25	Pass	9701
1000	2490	1	RMS	2490	-47.61	-25	Pass	1491
2490	2580	1	RMS	2530.5	20.84	60	Pass	401
2580	3000	1	RMS	2646	-46.38	-25	Pass	421
3000	12000	1	RMS	11845	-61.65	-25	Pass	9001
12000	26000	1	RMS	25013	-36.22	-25	Pass	14001




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.65	-25	Pass	2986
30	1000	0.1	RMS	941.4	-61.7	-25	Pass	9701
1000	2490	1	RMS	2487	-47.52	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.68	60	Pass	401
2580	3000	1	RMS	2640	-46.37	-25	Pass	421
3000	12000	1	RMS	11867	-61.62	-25	Pass	9001
12000	26000	1	RMS	25007	-36.38	-25	Pass	14001




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.44	-25	Pass	2986
30	1000	0.1	RMS	904.9	-61.72	-25	Pass	9701
1000	2490	1	RMS	2490	-47.61	-25	Pass	1491
2490	2580	1	RMS	2560.65	20.74	60	Pass	401
2580	3000	1	RMS	2641	-46.4	-25	Pass	421
3000	12000	1	RMS	11875	-61.64	-25	Pass	9001
12000	26000	1	RMS	25013	-36.32	-25	Pass	14001



4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.08	-25	Pass	2986
30	1000	0.1	RMS	894.6	-61.8	-25	Pass	9701
1000	2490	1	RMS	2488	-41.89	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.21	60	Pass	401
2580	3000	1	RMS	2639	-46.4	-25	Pass	421
3000	12000	1	RMS	11856	-61.64	-25	Pass	9001
12000	26000	1	RMS	25011	-36.43	-25	Pass	14001



4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.25	-25	Pass	2986
30	1000	0.1	RMS	934.1	-61.83	-25	Pass	9701
1000	2490	1	RMS	2487	-42.66	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.35	60	Pass	401
2580	3000	1	RMS	2644	-46.41	-25	Pass	421
3000	12000	1	RMS	11864	-61.62	-25	Pass	9001
12000	26000	1	RMS	25012	-36.36	-25	Pass	14001




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.95	-25	Pass	2986
30	1000	0.1	RMS	925.9	-61.8	-25	Pass	9701
1000	2490	1	RMS	2489	-47.5	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.78	60	Pass	401
2580	3000	1	RMS	2650	-46.37	-25	Pass	421
3000	12000	1	RMS	11913	-61.63	-25	Pass	9001
12000	26000	1	RMS	25019	-36.28	-25	Pass	14001




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-57.64	-25	Pass	2986
30	1000	0.1	RMS	910.8	-61.8	-25	Pass	9701
1000	2490	1	RMS	2490	-47.59	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.04	60	Pass	401
2580	3000	1	RMS	2644	-46.48	-25	Pass	421
3000	12000	1	RMS	11893	-61.63	-25	Pass	9001
12000	26000	1	RMS	25010	-36.45	-25	Pass	14001




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.65	-25	Pass	2986
30	1000	0.1	RMS	906.8	-61.8	-25	Pass	9701
1000	2490	1	RMS	2489	-47.65	-25	Pass	1491
2490	2595	1	RMS	2555.888	21.92	60	Pass	401
2595	3000	1	RMS	2649	-46.48	-25	Pass	406
3000	12000	1	RMS	11856	-61.65	-25	Pass	9001
12000	26000	1	RMS	25016	-36.47	-25	Pass	14001




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.92	-25	Pass	2986
30	1000	0.1	RMS	928.1	-61.86	-25	Pass	9701
1000	2490	1	RMS	2490	-47.65	-25	Pass	1491
2490	2595	1	RMS	2555.888	21.07	60	Pass	401
2595	3000	1	RMS	2648	-46.49	-25	Pass	406
3000	12000	1	RMS	11876	-61.65	-25	Pass	9001
12000	26000	1	RMS	25014	-36.48	-25	Pass	14001




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.03	-25	Pass	2986
30	1000	0.1	RMS	939.3	-61.87	-25	Pass	9701
1000	2490	1	RMS	2483	-43.5	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.93	60	Pass	401
2580	3000	1	RMS	2649	-46.48	-25	Pass	421
3000	12000	1	RMS	11850	-61.62	-25	Pass	9001
12000	26000	1	RMS	25010	-36.46	-25	Pass	14001




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.86	-25	Pass	2986
30	1000	0.1	RMS	930.3	-61.81	-25	Pass	9701
1000	2490	1	RMS	2483	-44.01	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.46	60	Pass	401
2580	3000	1	RMS	2638	-46.5	-25	Pass	421
3000	12000	1	RMS	11854	-61.66	-25	Pass	9001
12000	26000	1	RMS	25012	-36.47	-25	Pass	14001




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.33	-25	Pass	2986
30	1000	0.1	RMS	916.7	-61.77	-25	Pass	9701
1000	2490	1	RMS	2490	-45.08	-25	Pass	1491
2490	2580	1	RMS	2526	21.5	60	Pass	401
2580	3000	1	RMS	2644	-46.5	-25	Pass	421
3000	12000	1	RMS	11849	-61.67	-25	Pass	9001
12000	26000	1	RMS	25012	-36.5	-25	Pass	14001




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.49	-25	Pass	2986
30	1000	0.1	RMS	939.6	-61.83	-25	Pass	9701
1000	2490	1	RMS	2490	-46.41	-25	Pass	1491
2490	2580	1	RMS	2526	20.5	60	Pass	401
2580	3000	1	RMS	2650	-46.5	-25	Pass	421
3000	12000	1	RMS	11859	-61.66	-25	Pass	9001
12000	26000	1	RMS	25013	-36.49	-25	Pass	14001




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.21	-25	Pass	2986
30	1000	0.1	RMS	904.2	-61.73	-25	Pass	9701
1000	2490	1	RMS	2489	-47.6	-25	Pass	1491
2490	2595	1	RMS	2551.163	21.4	60	Pass	401
2595	3000	1	RMS	2648	-46.52	-25	Pass	406
3000	12000	1	RMS	11849	-61.66	-25	Pass	9001
12000	26000	1	RMS	25012	-36.48	-25	Pass	14001



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.49	-25	Pass	2986
30	1000	0.1	RMS	930.3	-61.85	-25	Pass	9701
1000	2490	1	RMS	2487	-47.76	-25	Pass	1491
2490	2595	1	RMS	2551.163	20.41	60	Pass	401
2595	3000	1	RMS	2648	-46.5	-25	Pass	406
3000	12000	1	RMS	11854	-61.65	-25	Pass	9001
12000	26000	1	RMS	25015	-36.46	-25	Pass	14001



5. LTE_Band12


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.79	-13	Pass	6591
689	726	0.1	RMS	699.268	20.85	60	Pass	401
726	1000	0.1	RMS	968.9	-63.54	-13	Pass	2741
1000	3000	1	RMS	1398	-48.39	-13	Pass	2001
3000	10000	1	RMS	6960	-41.38	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	Pass	2986
30	689	0.1	RMS	688.5	-63.57	-13	Pass	6591
689	726	0.1	RMS	699.268	19.8	60	Pass	401
726	1000	0.1	RMS	837.8	-63.54	-13	Pass	2741
1000	3000	1	RMS	2959	-48.75	-13	Pass	2001
3000	10000	1	RMS	6960	-41.34	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.86	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.99	-13	Pass	2986
30	689	0.1	RMS	497.4	-64.5	-13	Pass	6591
689	726	0.1	RMS	707.038	20.86	60	Pass	401
726	1000	0.1	RMS	822.7	-63.48	-13	Pass	2741
1000	3000	1	RMS	2951	-48.72	-13	Pass	2001
3000	10000	1	RMS	6960	-41.36	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	Pass	2986
30	689	0.1	RMS	489.7	-64.47	-13	Pass	6591
689	726	0.1	RMS	707.038	19.89	60	Pass	401
726	1000	0.1	RMS	945.2	-63.6	-13	Pass	2741
1000	3000	1	RMS	2954	-48.72	-13	Pass	2001
3000	10000	1	RMS	6961	-41.39	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.91	-13	Pass	401
0.15	30	0.01	RMS	0.35	-72.46	-13	Pass	2986
30	689	0.1	RMS	478	-64.44	-13	Pass	6591
689	726	0.1	RMS	714.808	20.29	60	Pass	401
726	1000	0.1	RMS	838.6	-63.47	-13	Pass	2741
1000	3000	1	RMS	2957	-48.69	-13	Pass	2001
3000	10000	1	RMS	6961	-41.32	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.01	-13	Pass	2986
30	689	0.1	RMS	492.8	-64.46	-13	Pass	6591
689	726	0.1	RMS	714.9	19.36	60	Pass	401
726	1000	0.1	RMS	870.3	-63.34	-13	Pass	2741
1000	3000	1	RMS	2958	-48.73	-13	Pass	2001
3000	10000	1	RMS	6960	-41.36	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.24	-13	Pass	6591
689	726	0.1	RMS	699.268	20.75	60	Pass	401
726	1000	0.1	RMS	831.1	-63.41	-13	Pass	2741
1000	3000	1	RMS	1398	-48.3	-13	Pass	2001
3000	10000	1	RMS	6960	-41.41	-13	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.87	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.62	-13	Pass	2986
30	689	0.1	RMS	688.5	-63.47	-13	Pass	6591
689	726	0.1	RMS	699.268	19.93	60	Pass	401
726	1000	0.1	RMS	874.6	-63.43	-13	Pass	2741
1000	3000	1	RMS	2957	-48.74	-13	Pass	2001
3000	10000	1	RMS	6962	-41.41	-13	Pass	7001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.34	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.22	-13	Pass	2986
30	689	0.1	RMS	488.7	-64.49	-13	Pass	6591
689	726	0.1	RMS	706.205	20.58	60	Pass	401
726	1000	0.1	RMS	850.2	-63.52	-13	Pass	2741
1000	3000	1	RMS	1412	-47.33	-13	Pass	2001
3000	10000	1	RMS	6958	-41.38	-13	Pass	7001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.35	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.31	-13	Pass	2986
30	689	0.1	RMS	490	-64.44	-13	Pass	6591
689	726	0.1	RMS	706.205	19.58	60	Pass	401
726	1000	0.1	RMS	850.8	-63.4	-13	Pass	2741
1000	3000	1	RMS	1412	-48.31	-13	Pass	2001
3000	10000	1	RMS	6960	-41.36	-13	Pass	7001




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.37	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.27	-13	Pass	2986
30	689	0.1	RMS	492.8	-64.51	-13	Pass	6591
689	726	0.1	RMS	713.235	20.91	60	Pass	401
726	1000	0.1	RMS	859.7	-63.52	-13	Pass	2741
1000	3000	1	RMS	1426	-48.25	-13	Pass	2001
3000	10000	1	RMS	6960	-41.33	-13	Pass	7001




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-64.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2986
30	689	0.1	RMS	508.4	-64.45	-13	Pass	6591
689	726	0.1	RMS	713.235	20.04	60	Pass	401
726	1000	0.1	RMS	851.9	-63.47	-13	Pass	2741
1000	3000	1	RMS	2957	-48.71	-13	Pass	2001
3000	10000	1	RMS	6961	-41.4	-13	Pass	7001




5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.88	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.4	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.79	-13	Pass	6591
689	726	0.1	RMS	699.36	20.56	60	Pass	401
726	1000	0.1	RMS	834.4	-63.48	-13	Pass	2741
1000	3000	1	RMS	1398	-48.48	-13	Pass	2001
3000	10000	1	RMS	6961	-41.39	-13	Pass	7001




5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.16	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.45	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.97	-13	Pass	6591
689	726	0.1	RMS	699.36	19.86	60	Pass	401
726	1000	0.1	RMS	846.8	-63.49	-13	Pass	2741
1000	3000	1	RMS	2951	-48.73	-13	Pass	2001
3000	10000	1	RMS	6962	-41.36	-13	Pass	7001




5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.5	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.2	-13	Pass	2986
30	689	0.1	RMS	480.9	-64.48	-13	Pass	6591
689	726	0.1	RMS	705.373	20.47	60	Pass	401
726	1000	0.1	RMS	851.5	-63.51	-13	Pass	2741
1000	3000	1	RMS	1410	-47.42	-13	Pass	2001
3000	10000	1	RMS	6962	-41.4	-13	Pass	7001




5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.3	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.54	-13	Pass	2986
30	689	0.1	RMS	504.5	-64.5	-13	Pass	6591
689	726	0.1	RMS	705.373	19.7	60	Pass	401
726	1000	0.1	RMS	972.1	-63.52	-13	Pass	2741
1000	3000	1	RMS	1410	-48.06	-13	Pass	2001
3000	10000	1	RMS	6960	-41.34	-13	Pass	7001




5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2986
30	689	0.1	RMS	496.3	-64.5	-13	Pass	6591
689	726	0.1	RMS	711.293	20.19	60	Pass	401
726	1000	0.1	RMS	822.3	-63.4	-13	Pass	2741
1000	3000	1	RMS	2955	-48.72	-13	Pass	2001
3000	10000	1	RMS	6959	-41.45	-13	Pass	7001




5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.49	-13	Pass	2986
30	689	0.1	RMS	474.5	-64.46	-13	Pass	6591
689	726	0.1	RMS	711.385	19.38	60	Pass	401
726	1000	0.1	RMS	850.9	-63.47	-13	Pass	2741
1000	3000	1	RMS	2957	-48.71	-13	Pass	2001
3000	10000	1	RMS	6959	-41.38	-13	Pass	7001




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2986
30	689	0.1	RMS	688.9	-62.11	-13	Pass	6591
689	726	0.1	RMS	699.545	20.28	60	Pass	401
726	1000	0.1	RMS	970.5	-63.54	-13	Pass	2741
1000	3000	1	RMS	1399	-48.64	-13	Pass	2001
3000	10000	1	RMS	6960	-41.35	-13	Pass	7001




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	Pass	2986
30	689	0.1	RMS	688.9	-62.5	-13	Pass	6591
689	726	0.1	RMS	699.545	19.47	60	Pass	401
726	1000	0.1	RMS	847.1	-63.56	-13	Pass	2741
1000	3000	1	RMS	2955	-48.73	-13	Pass	2001
3000	10000	1	RMS	6962	-41.39	-13	Pass	7001




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2986
30	689	0.1	RMS	484.3	-64.43	-13	Pass	6591
689	726	0.1	RMS	703.06	20.69	60	Pass	401
726	1000	0.1	RMS	830.4	-63.55	-13	Pass	2741
1000	3000	1	RMS	1406	-47.3	-13	Pass	2001
3000	10000	1	RMS	6961	-41.38	-13	Pass	7001




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.92	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.24	-13	Pass	2986
30	689	0.1	RMS	497.2	-64.46	-13	Pass	6591
689	726	0.1	RMS	703.06	19.74	60	Pass	401
726	1000	0.1	RMS	834.5	-63.4	-13	Pass	2741
1000	3000	1	RMS	1406	-48.03	-13	Pass	2001
3000	10000	1	RMS	6961	-41.37	-13	Pass	7001




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	Pass	2986
30	689	0.1	RMS	689	-55.83	-13	Pass	6591
689	726	0.1	RMS	706.575	20.88	60	Pass	401
726	1000	0.1	RMS	825.3	-63.53	-13	Pass	2741
1000	3000	1	RMS	1413	-48.37	-13	Pass	2001
3000	10000	1	RMS	6960	-41.25	-13	Pass	7001



5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.49	-13	Pass	401
0.15	30	0.01	RMS	0.32	-72.2	-13	Pass	2986
30	689	0.1	RMS	689	-56.69	-13	Pass	6591
689	726	0.1	RMS	706.575	19.97	60	Pass	401
726	1000	0.1	RMS	836.9	-63.52	-13	Pass	2741
1000	3000	1	RMS	2956	-48.7	-13	Pass	2001
3000	10000	1	RMS	6960	-41.33	-13	Pass	7001



6. LTE_Band17


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	Pass	2986
30	694	0.1	RMS	693.6	-62.31	-13	Pass	6641
694	726	0.1	RMS	704.32	20.72	60	Pass	401
726	1000	0.1	RMS	862.6	-63.51	-13	Pass	2741
1000	3000	1	RMS	1408	-47.64	-13	Pass	2001
3000	10000	1	RMS	6962	-41.33	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.25	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.23	-13	Pass	2986
30	694	0.1	RMS	693.6	-63.19	-13	Pass	6641
694	726	0.1	RMS	704.32	19.81	60	Pass	401
726	1000	0.1	RMS	842.3	-63.46	-13	Pass	2741
1000	3000	1	RMS	1408	-48.41	-13	Pass	2001
3000	10000	1	RMS	6960	-41.41	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.33	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.81	-13	Pass	2986
30	694	0.1	RMS	511	-64.47	-13	Pass	6641
694	726	0.1	RMS	707.84	20.83	60	Pass	401
726	1000	0.1	RMS	848.8	-63.41	-13	Pass	2741
1000	3000	1	RMS	2951	-48.69	-13	Pass	2001
3000	10000	1	RMS	6960	-41.38	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.43	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72	-13	Pass	2986
30	694	0.1	RMS	484.6	-64.43	-13	Pass	6641
694	726	0.1	RMS	707.84	20.07	60	Pass	401
726	1000	0.1	RMS	840.4	-63.42	-13	Pass	2741
1000	3000	1	RMS	2957	-48.73	-13	Pass	2001
3000	10000	1	RMS	6960	-41.37	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-66.23	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.53	-13	Pass	2986
30	694	0.1	RMS	693.9	-64.42	-13	Pass	6641
694	726	0.1	RMS	711.36	20.52	60	Pass	401
726	1000	0.1	RMS	845.6	-63.57	-13	Pass	2741
1000	3000	1	RMS	1422	-48.69	-13	Pass	2001
3000	10000	1	RMS	6962	-41.38	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.09	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.05	-13	Pass	2986
30	694	0.1	RMS	694	-64.39	-13	Pass	6641
694	726	0.1	RMS	711.36	19.95	60	Pass	401
726	1000	0.1	RMS	847.7	-63.49	-13	Pass	2741
1000	3000	1	RMS	2955	-48.73	-13	Pass	2001
3000	10000	1	RMS	6958	-41.42	-13	Pass	7001



6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.65	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.37	-13	Pass	2986
30	694	0.1	RMS	687	-61.11	-13	Pass	6641
694	726	0.1	RMS	704.56	20.75	60	Pass	401
726	1000	0.1	RMS	858.6	-63.48	-13	Pass	2741
1000	3000	1	RMS	1409	-47.77	-13	Pass	2001
3000	10000	1	RMS	6960	-41.34	-13	Pass	7001



6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2986
30	694	0.1	RMS	693.9	-61.31	-13	Pass	6641
694	726	0.1	RMS	704.56	19.92	60	Pass	401
726	1000	0.1	RMS	872	-63.43	-13	Pass	2741
1000	3000	1	RMS	1409	-48.39	-13	Pass	2001
3000	10000	1	RMS	6959	-41.34	-13	Pass	7001

