



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.83	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.89	-13	Pass	2986
30	694	0.1	RMS	688	-57.54	-13	Pass	6641
694	726	0.1	RMS	705.6	20.99	60	Pass	401
726	1000	0.1	RMS	850.3	-63.44	-13	Pass	2741
1000	3000	1	RMS	1411	-47.54	-13	Pass	2001
3000	10000	1	RMS	6961	-41.32	-13	Pass	7001




6.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2986
30	694	0.1	RMS	688	-59.09	-13	Pass	6641
694	726	0.1	RMS	705.6	19.93	60	Pass	401
726	1000	0.1	RMS	889.3	-63.34	-13	Pass	2741
1000	3000	1	RMS	1411	-48.37	-13	Pass	2001
3000	10000	1	RMS	6960	-41.4	-13	Pass	7001




6.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.34	-13	Pass	401
0.15	30	0.01	RMS	0.3	-72.37	-13	Pass	2986
30	694	0.1	RMS	689	-55.78	-13	Pass	6641
694	726	0.1	RMS	706.56	20.73	60	Pass	401
726	1000	0.1	RMS	860.9	-63.56	-13	Pass	2741
1000	3000	1	RMS	1413	-48.33	-13	Pass	2001
3000	10000	1	RMS	6960	-41.29	-13	Pass	7001



6.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	Pass	2986
30	694	0.1	RMS	689	-57.55	-13	Pass	6641
694	726	0.1	RMS	706.56	19.81	60	Pass	401
726	1000	0.1	RMS	814.9	-63.63	-13	Pass	2741
1000	3000	1	RMS	2955	-48.75	-13	Pass	2001
3000	10000	1	RMS	6960	-41.41	-13	Pass	7001



8. LTE_Band25


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.17	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.98	-13	Pass	2986
30	1000	0.1	RMS	841.8	-63.65	-13	Pass	9701
1000	1840	1	RMS	1840	-51.76	-13	Pass	841
1840	1925	1	RMS	1850.2	21.54	60	Pass	401
1925	3000	1	RMS	2953	-48.67	-13	Pass	1076
3000	12000	1	RMS	11842	-40.18	-13	Pass	9002
12000	20000	1	RMS	19411	-31.14	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2986
30	1000	0.1	RMS	847.5	-63.82	-13	Pass	9701
1000	1840	1	RMS	1840	-51.84	-13	Pass	841
1840	1925	1	RMS	1850.2	20.52	60	Pass	401
1925	3000	1	RMS	2953	-48.73	-13	Pass	1076
3000	12000	1	RMS	11849	-40.04	-13	Pass	9002
12000	20000	1	RMS	19407	-31.1	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2986
30	1000	0.1	RMS	845.4	-63.76	-13	Pass	9701
1000	1840	1	RMS	1810	-52.19	-13	Pass	841
1840	1925	1	RMS	1881.863	21.5	60	Pass	401
1925	3000	1	RMS	2952	-48.66	-13	Pass	1076
3000	12000	1	RMS	11942	-40.14	-13	Pass	9002
12000	20000	1	RMS	19404	-31.1	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2986
30	1000	0.1	RMS	868.413	-63.7	-13	Pass	9701
1000	1840	1	RMS	1838	-52.18	-13	Pass	841
1840	1925	1	RMS	1881.863	20.51	60	Pass	401
1925	3000	1	RMS	2955	-48.71	-13	Pass	1076
3000	12000	1	RMS	11847	-40.16	-13	Pass	9002
12000	20000	1	RMS	19409	-31.11	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.26	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.56	-13	Pass	2986
30	1000	0.1	RMS	841.8	-63.72	-13	Pass	9701
1000	1840	1	RMS	1808	-52.19	-13	Pass	841
1840	1925	1	RMS	1913.738	22.26	60	Pass	401
1925	3000	1	RMS	2953	-48.69	-13	Pass	1076
3000	12000	1	RMS	11956	-40.12	-13	Pass	9002
12000	20000	1	RMS	19399	-31.07	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.74	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.48	-13	Pass	2986
30	1000	0.1	RMS	844.4	-63.66	-13	Pass	9701
1000	1840	1	RMS	1810	-52.21	-13	Pass	841
1840	1925	1	RMS	1913.738	21.4	60	Pass	401
1925	3000	1	RMS	2947	-48.73	-13	Pass	1076
3000	12000	1	RMS	11847	-40.14	-13	Pass	9002
12000	20000	1	RMS	19389	-31.09	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.13	-13	Pass	2986
30	1000	0.1	RMS	851.902	-63.62	-13	Pass	9701
1000	1840	1	RMS	1840	-51.54	-13	Pass	841
1840	1925	1	RMS	1850.2	21.92	60	Pass	401
1925	3000	1	RMS	2957	-48.7	-13	Pass	1076
3000	12000	1	RMS	11941	-40.18	-13	Pass	9002
12000	20000	1	RMS	19724	-31.08	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.17	-13	Pass	401
0.15	30	0.01	RMS	0.5	-72.94	-13	Pass	2986
30	1000	0.1	RMS	830.4	-63.73	-13	Pass	9701
1000	1840	1	RMS	1840	-51.53	-13	Pass	841
1840	1925	1	RMS	1850.2	21.28	60	Pass	401
1925	3000	1	RMS	2950	-48.74	-13	Pass	1076
3000	12000	1	RMS	11958	-40.14	-13	Pass	9002
12000	20000	1	RMS	19402	-31.06	-13	Pass	8001




8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	1000	0.1	RMS	857.706	-63.74	-13	Pass	9701
1000	1840	1	RMS	1840	-52.14	-13	Pass	841
1840	1925	1	RMS	1881.225	22.08	60	Pass	401
1925	3000	1	RMS	2949	-48.67	-13	Pass	1076
3000	12000	1	RMS	11952	-40.09	-13	Pass	9002
12000	20000	1	RMS	19398	-31.03	-13	Pass	8001




8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	1000	0.1	RMS	846.1	-63.81	-13	Pass	9701
1000	1840	1	RMS	1838	-52.13	-13	Pass	841
1840	1925	1	RMS	1881.225	21.19	60	Pass	401
1925	3000	1	RMS	2954	-48.7	-13	Pass	1076
3000	12000	1	RMS	11949	-40.14	-13	Pass	9002
12000	20000	1	RMS	19404	-31.08	-13	Pass	8001




8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2986
30	1000	0.1	RMS	845.7	-63.69	-13	Pass	9701
1000	1840	1	RMS	1836	-52.2	-13	Pass	841
1840	1925	1	RMS	1912.038	22.39	60	Pass	401
1925	3000	1	RMS	2956	-48.72	-13	Pass	1076
3000	12000	1	RMS	11950	-40.09	-13	Pass	9002
12000	20000	1	RMS	19406	-31.09	-13	Pass	8001




8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	Pass	2986
30	1000	0.1	RMS	843.6	-63.73	-13	Pass	9701
1000	1840	1	RMS	1840	-52.18	-13	Pass	841
1840	1925	1	RMS	1912.038	21.5	60	Pass	401
1925	3000	1	RMS	2958	-48.64	-13	Pass	1076
3000	12000	1	RMS	11949	-40.02	-13	Pass	9002
12000	20000	1	RMS	19399	-31.07	-13	Pass	8001




8.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-13	Pass	2986
30	1000	0.1	RMS	848.8	-63.74	-13	Pass	9701
1000	1840	1	RMS	1840	-51.07	-13	Pass	841
1840	1925	1	RMS	1850.2	22.63	60	Pass	401
1925	3000	1	RMS	2950	-48.7	-13	Pass	1076
3000	12000	1	RMS	11850	-40.08	-13	Pass	9002
12000	20000	1	RMS	19411	-31.01	-13	Pass	8001




8.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.47	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.86	-13	Pass	2986
30	1000	0.1	RMS	857.606	-63.74	-13	Pass	9701
1000	1840	1	RMS	1840	-47.72	-13	Pass	841
1840	1925	1	RMS	1850.2	21.76	60	Pass	401
1925	3000	1	RMS	2955	-48.68	-13	Pass	1076
3000	12000	1	RMS	11952	-40.12	-13	Pass	9002
12000	20000	1	RMS	19402	-31.06	-13	Pass	8001




8.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.62	-13	Pass	9701
1000	1840	1	RMS	1809	-52.13	-13	Pass	841
1840	1925	1	RMS	1880.163	22.38	60	Pass	401
1925	3000	1	RMS	2949	-48.71	-13	Pass	1076
3000	12000	1	RMS	11846	-40.13	-13	Pass	9002
12000	20000	1	RMS	19400	-31.08	-13	Pass	8001




8.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.53	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.49	-13	Pass	2986
30	1000	0.1	RMS	844.5	-63.54	-13	Pass	9701
1000	1840	1	RMS	1807	-52.16	-13	Pass	841
1840	1925	1	RMS	1880.163	21.56	60	Pass	401
1925	3000	1	RMS	2952	-48.67	-13	Pass	1076
3000	12000	1	RMS	11952	-40.09	-13	Pass	9002
12000	20000	1	RMS	19398	-30.98	-13	Pass	8001




8.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.08	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.34	-13	Pass	2986
30	1000	0.1	RMS	842.2	-63.52	-13	Pass	9701
1000	1840	1	RMS	1818	-52.14	-13	Pass	841
1840	1925	1	RMS	1910.125	22.4	60	Pass	401
1925	3000	1	RMS	2958	-48.64	-13	Pass	1076
3000	12000	1	RMS	11848	-40.11	-13	Pass	9002
12000	20000	1	RMS	19408	-31.1	-13	Pass	8001




8.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.72	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.13	-13	Pass	2986
30	1000	0.1	RMS	853.703	-63.71	-13	Pass	9701
1000	1840	1	RMS	1840	-52.16	-13	Pass	841
1840	1925	1	RMS	1910.125	21.57	60	Pass	401
1925	3000	1	RMS	2950	-48.72	-13	Pass	1076
3000	12000	1	RMS	11850	-40.06	-13	Pass	9002
12000	20000	1	RMS	19401	-31.04	-13	Pass	8001



8.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.81	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.47	-13	Pass	2986
30	1000	0.1	RMS	848.1	-63.72	-13	Pass	9701
1000	1840	1	RMS	1833	-46.91	-13	Pass	841
1840	1925	1	RMS	1850.413	22.81	60	Pass	401
1925	3000	1	RMS	2951	-48.69	-13	Pass	1076
3000	12000	1	RMS	11840	-40.12	-13	Pass	9002
12000	20000	1	RMS	19399	-31.03	-13	Pass	8001



8.20. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2986
30	1000	0.1	RMS	847.7	-63.77	-13	Pass	9701
1000	1840	1	RMS	1833	-47.77	-13	Pass	841
1840	1925	1	RMS	1850.413	22	60	Pass	401
1925	3000	1	RMS	2956	-48.64	-13	Pass	1076
3000	12000	1	RMS	11850	-40.15	-13	Pass	9002
12000	20000	1	RMS	19401	-31	-13	Pass	8001




8.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2986
30	1000	0.1	RMS	855.304	-63.69	-13	Pass	9701
1000	1840	1	RMS	1840	-52.14	-13	Pass	841
1840	1925	1	RMS	1878.038	22.65	60	Pass	401
1925	3000	1	RMS	2947	-48.69	-13	Pass	1076
3000	12000	1	RMS	11942	-40.14	-13	Pass	9002
12000	20000	1	RMS	19398	-31.03	-13	Pass	8001




8.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2986
30	1000	0.1	RMS	837	-63.71	-13	Pass	9701
1000	1840	1	RMS	1839	-52.11	-13	Pass	841
1840	1925	1	RMS	1878.038	21.65	60	Pass	401
1925	3000	1	RMS	2957	-48.7	-13	Pass	1076
3000	12000	1	RMS	11948	-40.08	-13	Pass	9002
12000	20000	1	RMS	19402	-31.02	-13	Pass	8001



8.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.79	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.6	-13	Pass	2986
30	1000	0.1	RMS	847.3	-63.55	-13	Pass	9701
1000	1840	1	RMS	1807	-52.13	-13	Pass	841
1840	1925	1	RMS	1905.45	22.57	60	Pass	401
1925	3000	1	RMS	2956	-48.68	-13	Pass	1076
3000	12000	1	RMS	11853	-40.08	-13	Pass	9002
12000	20000	1	RMS	19404	-30.94	-13	Pass	8001



8.24. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	1000	0.1	RMS	854.604	-63.59	-13	Pass	9701
1000	1840	1	RMS	1839	-52.15	-13	Pass	841
1840	1925	1	RMS	1905.45	21.64	60	Pass	401
1925	3000	1	RMS	2951	-48.7	-13	Pass	1076
3000	12000	1	RMS	11849	-40.08	-13	Pass	9002
12000	20000	1	RMS	19400	-30.94	-13	Pass	8001




8.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2986
30	1000	0.1	RMS	855.004	-63.66	-13	Pass	9701
1000	1840	1	RMS	1840	-47.21	-13	Pass	841
1840	1925	1	RMS	1850.625	22.7	60	Pass	401
1925	3000	1	RMS	2957	-48.67	-13	Pass	1076
3000	12000	1	RMS	11844	-40.1	-13	Pass	9002
12000	20000	1	RMS	19408	-31	-13	Pass	8001




8.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.05	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.74	-13	Pass	2986
30	1000	0.1	RMS	844	-63.7	-13	Pass	9701
1000	1840	1	RMS	1840	-47.42	-13	Pass	841
1840	1925	1	RMS	1850.625	21.82	60	Pass	401
1925	3000	1	RMS	2952	-48.68	-13	Pass	1076
3000	12000	1	RMS	11951	-40.13	-13	Pass	9002
12000	20000	1	RMS	19402	-30.98	-13	Pass	8001



8.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.97	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.53	-13	Pass	2986
30	1000	0.1	RMS	841.9	-63.66	-13	Pass	9701
1000	1840	1	RMS	1839	-52.14	-13	Pass	841
1840	1925	1	RMS	1875.7	22.62	60	Pass	401
1925	3000	1	RMS	2949	-48.67	-13	Pass	1076
3000	12000	1	RMS	11853	-40.11	-13	Pass	9002
12000	20000	1	RMS	19406	-30.94	-13	Pass	8001



8.28. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2986
30	1000	0.1	RMS	851.001	-63.63	-13	Pass	9701
1000	1840	1	RMS	1806	-52.14	-13	Pass	841
1840	1925	1	RMS	1875.7	21.56	60	Pass	401
1925	3000	1	RMS	2951	-48.7	-13	Pass	1076
3000	12000	1	RMS	11845	-40.11	-13	Pass	9002
12000	20000	1	RMS	19401	-30.99	-13	Pass	8001




8.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	1000	0.1	RMS	828.1	-63.66	-13	Pass	9701
1000	1840	1	RMS	1813	-52.11	-13	Pass	841
1840	1925	1	RMS	1900.775	22.37	60	Pass	401
1925	3000	1	RMS	2961	-48.68	-13	Pass	1076
3000	12000	1	RMS	11849	-40	-13	Pass	9002
12000	20000	1	RMS	19398	-31.03	-13	Pass	8001




8.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.97	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.06	-13	Pass	2986
30	1000	0.1	RMS	848.9	-63.74	-13	Pass	9701
1000	1840	1	RMS	1809	-52.05	-13	Pass	841
1840	1925	1	RMS	1900.775	21.46	60	Pass	401
1925	3000	1	RMS	2464	-44.14	-13	Pass	1076
3000	12000	1	RMS	11950	-40.06	-13	Pass	9002
12000	20000	1	RMS	19403	-30.99	-13	Pass	8001



8.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2986
30	1000	0.1	RMS	848.6	-63.73	-13	Pass	9701
1000	1840	1	RMS	1840	-48.11	-13	Pass	841
1840	1925	1	RMS	1851.05	22.57	60	Pass	401
1925	3000	1	RMS	2960	-48.68	-13	Pass	1076
3000	12000	1	RMS	11950	-40.04	-13	Pass	9002
12000	20000	1	RMS	19403	-30.99	-13	Pass	8001



8.32. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.64	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.51	-13	Pass	2986
30	1000	0.1	RMS	836.4	-63.59	-13	Pass	9701
1000	1840	1	RMS	1840	-48.22	-13	Pass	841
1840	1925	1	RMS	1851.05	21.73	60	Pass	401
1925	3000	1	RMS	2947	-48.72	-13	Pass	1076
3000	12000	1	RMS	11953	-40.08	-13	Pass	9002
12000	20000	1	RMS	19410	-31.05	-13	Pass	8001




8.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2986
30	1000	0.1	RMS	848.4	-63.75	-13	Pass	9701
1000	1840	1	RMS	1838	-46.14	-13	Pass	841
1840	1925	1	RMS	1873.575	22.4	60	Pass	401
1925	3000	1	RMS	2951	-48.66	-13	Pass	1076
3000	12000	1	RMS	11851	-40.08	-13	Pass	9002
12000	20000	1	RMS	19404	-31.05	-13	Pass	8001




8.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.27	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.25	-13	Pass	2986
30	1000	0.1	RMS	843.7	-63.76	-13	Pass	9701
1000	1840	1	RMS	1838	-48.63	-13	Pass	841
1840	1925	1	RMS	1873.575	21.42	60	Pass	401
1925	3000	1	RMS	2954	-48.69	-13	Pass	1076
3000	12000	1	RMS	11952	-40.09	-13	Pass	9002
12000	20000	1	RMS	19394	-30.97	-13	Pass	8001




8.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-68.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.36	-13	Pass	2986
30	1000	0.1	RMS	852.202	-63.76	-13	Pass	9701
1000	1840	1	RMS	1840	-52.08	-13	Pass	841
1840	1925	1	RMS	1895.888	22.24	60	Pass	401
1925	3000	1	RMS	2957	-48.65	-13	Pass	1076
3000	12000	1	RMS	11951	-40.07	-13	Pass	9002
12000	20000	1	RMS	19411	-31.04	-13	Pass	8001



8.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	Pass	2986
30	1000	0.1	RMS	863.009	-63.71	-13	Pass	9701
1000	1840	1	RMS	1809	-52.11	-13	Pass	841
1840	1925	1	RMS	1895.888	21.2	60	Pass	401
1925	3000	1	RMS	2954	-48.69	-13	Pass	1076
3000	12000	1	RMS	11845	-40.11	-13	Pass	9002
12000	20000	1	RMS	19400	-31.06	-13	Pass	8001




--BLANK BELOW--

5. LTE_Band26(part22)


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.24	-13	Pass	2986
30	814	0.1	RMS	808	-61.98	-13	Pass	7841
814	860	0.1	RMS	824.3	20.32	60	Pass	461
860	1000	0.1	RMS	914.1	-61.94	-13	Pass	1401
1000	3000	1	RMS	2643	-46.47	-13	Pass	2001
3000	10000	1	RMS	9948	-40.8	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.44	-13	Pass	2986
30	814	0.1	RMS	810.7	-62.13	-13	Pass	7841
814	860	0.1	RMS	824.3	19.29	60	Pass	461
860	1000	0.1	RMS	924.1	-62.13	-13	Pass	1401
1000	3000	1	RMS	2642	-46.44	-13	Pass	2001
3000	10000	1	RMS	9953	-40.75	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.5	-13	Pass	2986
30	814	0.1	RMS	812.5	-62.07	-13	Pass	7841
814	860	0.1	RMS	836.1	20.33	60	Pass	461
860	1000	0.1	RMS	882.1	-62.15	-13	Pass	1401
1000	3000	1	RMS	2642	-46.39	-13	Pass	2001
3000	10000	1	RMS	9953	-40.81	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.72	-13	Pass	2986
30	814	0.1	RMS	812	-61.98	-13	Pass	7841
814	860	0.1	RMS	836.1	19.3	60	Pass	461
860	1000	0.1	RMS	894.3	-62.09	-13	Pass	1401
1000	3000	1	RMS	2653	-46.47	-13	Pass	2001
3000	10000	1	RMS	9951	-40.77	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.33	-13	Pass	2986
30	814	0.1	RMS	795.5	-62.01	-13	Pass	7841
814	860	0.1	RMS	847.9	20.57	60	Pass	461
860	1000	0.1	RMS	888.8	-62.08	-13	Pass	1401
1000	3000	1	RMS	2639	-46.4	-13	Pass	2001
3000	10000	1	RMS	9953	-40.82	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.57	-13	Pass	2986
30	814	0.1	RMS	809.3	-62.06	-13	Pass	7841
814	860	0.1	RMS	847.9	19.43	60	Pass	461
860	1000	0.1	RMS	923.2	-62.19	-13	Pass	1401
1000	3000	1	RMS	2643	-46.43	-13	Pass	2001
3000	10000	1	RMS	9959	-40.76	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.73	-13	Pass	2986
30	814	0.1	RMS	814	-60.37	-13	Pass	7841
814	860	0.1	RMS	824.2	20.51	60	Pass	461
860	1000	0.1	RMS	938.3	-62.08	-13	Pass	1401
1000	3000	1	RMS	2640	-46.43	-13	Pass	2001
3000	10000	1	RMS	9960	-40.8	-13	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.06	-13	Pass	2986
30	814	0.1	RMS	813.4	-61.71	-13	Pass	7841
814	860	0.1	RMS	824.2	19.6	60	Pass	461
860	1000	0.1	RMS	934.4	-62.19	-13	Pass	1401
1000	3000	1	RMS	2639	-46.44	-13	Pass	2001
3000	10000	1	RMS	9955	-40.76	-13	Pass	7001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.86	-13	Pass	2986
30	814	0.1	RMS	812.4	-61.98	-13	Pass	7841
814	860	0.1	RMS	835.2	20.58	60	Pass	461
860	1000	0.1	RMS	932.3	-62.02	-13	Pass	1401
1000	3000	1	RMS	2642	-46.48	-13	Pass	2001
3000	10000	1	RMS	9956	-40.81	-13	Pass	7001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.29	-13	Pass	2986
30	814	0.1	RMS	803.9	-62.12	-13	Pass	7841
814	860	0.1	RMS	835.2	19.54	60	Pass	461
860	1000	0.1	RMS	925.4	-62.09	-13	Pass	1401
1000	3000	1	RMS	2648	-46.48	-13	Pass	2001
3000	10000	1	RMS	9955	-40.75	-13	Pass	7001




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.24	-13	Pass	2986
30	814	0.1	RMS	774.7	-62.14	-13	Pass	7841
814	860	0.1	RMS	846.2	20.77	60	Pass	461
860	1000	0.1	RMS	932.1	-62.11	-13	Pass	1401
1000	3000	1	RMS	2644	-46.44	-13	Pass	2001
3000	10000	1	RMS	9948	-40.75	-13	Pass	7001




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.52	-13	Pass	2986
30	814	0.1	RMS	806.9	-62.09	-13	Pass	7841
814	860	0.1	RMS	846.2	19.78	60	Pass	461
860	1000	0.1	RMS	920.3	-61.99	-13	Pass	1401
1000	3000	1	RMS	2645	-46.46	-13	Pass	2001
3000	10000	1	RMS	9947	-40.77	-13	Pass	7001




5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.34	-13	Pass	2986
30	814	0.1	RMS	814	-61.58	-13	Pass	7841
814	860	0.1	RMS	824.3	21.07	60	Pass	461
860	1000	0.1	RMS	931.1	-61.98	-13	Pass	1401
1000	3000	1	RMS	2642	-46.38	-13	Pass	2001
3000	10000	1	RMS	9962	-40.73	-13	Pass	7001




5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.65	-13	Pass	2986
30	814	0.1	RMS	812.3	-61.89	-13	Pass	7841
814	860	0.1	RMS	824.3	20.09	60	Pass	461
860	1000	0.1	RMS	984.9	-62.14	-13	Pass	1401
1000	3000	1	RMS	2648	-46.44	-13	Pass	2001
3000	10000	1	RMS	9946	-40.82	-13	Pass	7001




5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.34	-13	Pass	2986
30	814	0.1	RMS	813.1	-62.03	-13	Pass	7841
814	860	0.1	RMS	834.3	21	60	Pass	461
860	1000	0.1	RMS	943.6	-62.08	-13	Pass	1401
1000	3000	1	RMS	2649	-46.4	-13	Pass	2001
3000	10000	1	RMS	9945	-40.79	-13	Pass	7001




5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.65	-13	Pass	2986
30	814	0.1	RMS	806.6	-62.07	-13	Pass	7841
814	860	0.1	RMS	834.3	20.04	60	Pass	461
860	1000	0.1	RMS	923	-62.13	-13	Pass	1401
1000	3000	1	RMS	2638	-46.41	-13	Pass	2001
3000	10000	1	RMS	9949	-40.81	-13	Pass	7001




5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.96	-13	Pass	2986
30	814	0.1	RMS	813.3	-61.95	-13	Pass	7841
814	860	0.1	RMS	844.3	21.01	60	Pass	461
860	1000	0.1	RMS	961.7	-62.11	-13	Pass	1401
1000	3000	1	RMS	2650	-46.38	-13	Pass	2001
3000	10000	1	RMS	9952	-40.79	-13	Pass	7001




5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.37	-13	Pass	2986
30	814	0.1	RMS	797.8	-62.13	-13	Pass	7841
814	860	0.1	RMS	844.3	19.98	60	Pass	461
860	1000	0.1	RMS	943.1	-62.02	-13	Pass	1401
1000	3000	1	RMS	2649	-46.4	-13	Pass	2001
3000	10000	1	RMS	9951	-40.78	-13	Pass	7001




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.78	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.65	-13	Pass	7841
814	860	0.1	RMS	824.6	21.57	60	Pass	461
860	1000	0.1	RMS	974.1	-62.08	-13	Pass	1401
1000	3000	1	RMS	2642	-46.42	-13	Pass	2001
3000	10000	1	RMS	9969	-40.79	-13	Pass	7001




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.2	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.78	-13	Pass	7841
814	860	0.1	RMS	824.6	20.59	60	Pass	461
860	1000	0.1	RMS	936.4	-62.09	-13	Pass	1401
1000	3000	1	RMS	2640	-46.39	-13	Pass	2001
3000	10000	1	RMS	9964	-40.76	-13	Pass	7001




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.99	-13	Pass	2986
30	814	0.1	RMS	814	-61.56	-13	Pass	7841
814	860	0.1	RMS	832.1	21.48	60	Pass	461
860	1000	0.1	RMS	916.7	-62.17	-13	Pass	1401
1000	3000	1	RMS	2640	-46.42	-13	Pass	2001
3000	10000	1	RMS	9956	-40.74	-13	Pass	7001




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.96	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.89	-13	Pass	7841
814	860	0.1	RMS	832.1	20.47	60	Pass	461
860	1000	0.1	RMS	912.1	-62.14	-13	Pass	1401
1000	3000	1	RMS	2643	-46.44	-13	Pass	2001
3000	10000	1	RMS	9956	-40.81	-13	Pass	7001




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.13	-13	Pass	2986
30	814	0.1	RMS	809.7	-61.94	-13	Pass	7841
814	860	0.1	RMS	839.6	21.01	60	Pass	461
860	1000	0.1	RMS	926.3	-62.1	-13	Pass	1401
1000	3000	1	RMS	2642	-46.43	-13	Pass	2001
3000	10000	1	RMS	9953	-40.66	-13	Pass	7001




5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.03	-13	Pass	2986
30	814	0.1	RMS	812.7	-62.15	-13	Pass	7841
814	860	0.1	RMS	839.6	20.63	60	Pass	461
860	1000	0.1	RMS	932.7	-62.11	-13	Pass	1401
1000	3000	1	RMS	2647	-46.41	-13	Pass	2001
3000	10000	1	RMS	9954	-40.8	-13	Pass	7001




5.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.65	-13	Pass	2986
30	814	0.1	RMS	811.5	-41.8	-13	Pass	7841
814	860	0.1	RMS	824.8	20.87	60	Pass	461
860	1000	0.1	RMS	923.9	-62.1	-13	Pass	1401
1000	3000	1	RMS	2649	-46.41	-13	Pass	2001
3000	10000	1	RMS	9951	-40.79	-13	Pass	7001




5.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-13	Pass	2986
30	814	0.1	RMS	811.5	-43.74	-13	Pass	7841
814	860	0.1	RMS	824.8	19.96	60	Pass	461
860	1000	0.1	RMS	935.8	-62.1	-13	Pass	1401
1000	3000	1	RMS	2642	-46.41	-13	Pass	2001
3000	10000	1	RMS	9960	-40.81	-13	Pass	7001




5.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.06	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.93	-13	Pass	7841
814	860	0.1	RMS	829.8	20.94	60	Pass	461
860	1000	0.1	RMS	927.6	-62.01	-13	Pass	1401
1000	3000	1	RMS	2646	-46.41	-13	Pass	2001
3000	10000	1	RMS	9954	-40.81	-13	Pass	7001




5.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.31	-13	Pass	2986
30	814	0.1	RMS	814	-60.15	-13	Pass	7841
814	860	0.1	RMS	829.8	19.85	60	Pass	461
860	1000	0.1	RMS	997.7	-61.96	-13	Pass	1401
1000	3000	1	RMS	2643	-46.41	-13	Pass	2001
3000	10000	1	RMS	9958	-40.78	-13	Pass	7001




5.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.51	-13	Pass	2986
30	814	0.1	RMS	811.8	-59.3	-13	Pass	7841
814	860	0.1	RMS	834.8	20.68	60	Pass	461
860	1000	0.1	RMS	913.2	-62.01	-13	Pass	1401
1000	3000	1	RMS	2645	-46.43	-13	Pass	2001
3000	10000	1	RMS	9964	-40.79	-13	Pass	7001



5.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.77	-13	Pass	2986
30	814	0.1	RMS	811.8	-59.54	-13	Pass	7841
814	860	0.1	RMS	834.8	19.88	60	Pass	461
860	1000	0.1	RMS	886.8	-62.19	-13	Pass	1401
1000	3000	1	RMS	2646	-46.41	-13	Pass	2001
3000	10000	1	RMS	9960	-40.77	-13	Pass	7001



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-47.38	-13	Pass	401
0.15	30	0.01	Peak	0.17	-51.44	-13	Pass	2986
30	809	0.1	Peak	803.8	-51.16	-13	Pass	7791
809	829	0.1	Peak	814.25	25.67	60	Pass	401
829	1000	0.1	Peak	997.3	-51.04	-13	Pass	1711
1000	3000	1	Peak	2643	-34.79	-13	Pass	2001
3000	10000	1	Peak	9942	-29.04	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-48.24	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.8	-13	Pass	2986
30	809	0.1	Peak	765.9	-50.65	-13	Pass	7791
809	829	0.1	Peak	814.25	26.11	60	Pass	401
829	1000	0.1	Peak	978.5	-50.06	-13	Pass	1711
1000	3000	1	Peak	2635	-35.27	-13	Pass	2001
3000	10000	1	Peak	9999	-28.87	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-48.82	-13	Pass	401
0.15	30	0.01	Peak	0.16	-49.28	-13	Pass	2986
30	809	0.1	Peak	746.6	-51.65	-13	Pass	7791
809	829	0.1	Peak	818.55	25.78	60	Pass	401
829	1000	0.1	Peak	840.4	-43.17	-13	Pass	1711
1000	3000	1	Peak	2719	-34.95	-13	Pass	2001
3000	10000	1	Peak	9967	-29.06	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.1	-13	Pass	2986
30	809	0.1	Peak	789.4	-51.97	-13	Pass	7791
809	829	0.1	Peak	818.6	25.9	60	Pass	401
829	1000	0.1	Peak	830.1	-42.46	-13	Pass	1711
1000	3000	1	Peak	2781	-34.52	-13	Pass	2001
3000	10000	1	Peak	9953	-29.15	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.9	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.19	-13	Pass	2986
30	809	0.1	Peak	808.4	-51.16	-13	Pass	7791
809	829	0.1	Peak	822.9	25.87	60	Pass	401
829	1000	0.1	Peak	829.9	-36.73	-13	Pass	1711
1000	3000	1	Peak	2680	-35.06	-13	Pass	2001
3000	10000	1	Peak	8097	-29.17	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-48.79	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.02	-13	Pass	2986
30	809	0.1	Peak	788.7	-51.57	-13	Pass	7791
809	829	0.1	Peak	822.85	26.13	60	Pass	401
829	1000	0.1	Peak	843.1	-43.78	-13	Pass	1711
1000	3000	1	Peak	2676	-34.71	-13	Pass	2001
3000	10000	1	Peak	9956	-29.07	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-49.87	-13	Pass	401
0.15	30	0.01	Peak	0.17	-51.13	-13	Pass	2986
30	809	0.1	Peak	809	-50.59	-13	Pass	7791
809	829	0.1	Peak	814.3	25.83	60	Pass	401
829	1000	0.1	Peak	975.6	-50.86	-13	Pass	1711
1000	3000	1	Peak	2655	-35.31	-13	Pass	2001
3000	10000	1	Peak	9520	-29.34	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-50.24	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.88	-13	Pass	2986
30	809	0.1	Peak	808.9	-50.01	-13	Pass	7791
809	829	0.1	Peak	814.2	26.07	60	Pass	401
829	1000	0.1	Peak	834.6	-50.08	-13	Pass	1711
1000	3000	1	Peak	2538	-34.27	-13	Pass	2001
3000	10000	1	Peak	8117	-28.5	-13	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-48.93	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.06	-13	Pass	2986
30	809	0.1	Peak	779.8	-51.16	-13	Pass	7791
809	829	0.1	Peak	817.7	25.62	60	Pass	401
829	1000	0.1	Peak	958.9	-51.03	-13	Pass	1711
1000	3000	1	Peak	2991	-34.89	-13	Pass	2001
3000	10000	1	Peak	9912	-29.42	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-50.34	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.57	-13	Pass	2986
30	809	0.1	Peak	745.7	-51.15	-13	Pass	7791
809	829	0.1	Peak	817.75	25.85	60	Pass	401
829	1000	0.1	Peak	831	-51.31	-13	Pass	1711
1000	3000	1	Peak	2725	-34.83	-13	Pass	2001
3000	10000	1	Peak	9954	-29.31	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-49.71	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.79	-13	Pass	2986
30	809	0.1	Peak	797.7	-51.02	-13	Pass	7791
809	829	0.1	Peak	821.25	25.86	60	Pass	401
829	1000	0.1	Peak	829.1	-36.05	-13	Pass	1711
1000	3000	1	Peak	2902	-34.94	-13	Pass	2001
3000	10000	1	Peak	9513	-28.75	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.81	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.42	-13	Pass	2986
30	809	0.1	Peak	723.7	-51.33	-13	Pass	7791
809	829	0.1	Peak	821.25	26.34	60	Pass	401
829	1000	0.1	Peak	829.2	-34.03	-13	Pass	1711
1000	3000	1	Peak	2668	-35.12	-13	Pass	2001
3000	10000	1	Peak	9955	-29	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-50.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.84	-13	Pass	2986
30	809	0.1	Peak	809	-49.32	-13	Pass	7791
809	829	0.1	Peak	814.35	26.15	60	Pass	401
829	1000	0.1	Peak	830.4	-50.68	-13	Pass	1711
1000	3000	1	Peak	2787	-35.14	-13	Pass	2001
3000	10000	1	Peak	9923	-28.87	-13	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-49.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.68	-13	Pass	2986
30	809	0.1	Peak	779.2	-51.3	-13	Pass	7791
809	829	0.1	Peak	814.3	26.24	60	Pass	401
829	1000	0.1	Peak	833.5	-48.88	-13	Pass	1711
1000	3000	1	Peak	2743	-34.96	-13	Pass	2001
3000	10000	1	Peak	9996	-29.17	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.24	-13	Pass	401
0.15	30	0.01	Peak	0.16	-51.07	-13	Pass	2986
30	809	0.1	Peak	738.1	-51.47	-13	Pass	7791
809	829	0.1	Peak	816.85	25.91	60	Pass	401
829	1000	0.1	Peak	926.8	-51.05	-13	Pass	1711
1000	3000	1	Peak	2734	-34.75	-13	Pass	2001
3000	10000	1	Peak	9538	-29.29	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.22	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.77	-13	Pass	2986
30	809	0.1	Peak	781.8	-51.34	-13	Pass	7791
809	829	0.1	Peak	816.8	25.56	60	Pass	401
829	1000	0.1	Peak	883.9	-51.42	-13	Pass	1711
1000	3000	1	Peak	2732	-34.96	-13	Pass	2001
3000	10000	1	Peak	9513	-29.32	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-48.45	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.76	-13	Pass	2986
30	809	0.1	Peak	803.1	-50.39	-13	Pass	7791
809	829	0.1	Peak	819.35	25.62	60	Pass	401
829	1000	0.1	Peak	829.1	-48.16	-13	Pass	1711
1000	3000	1	Peak	2952	-35	-13	Pass	2001
3000	10000	1	Peak	7657	-28.61	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.33	-13	Pass	2986
30	809	0.1	Peak	803.5	-51.72	-13	Pass	7791
809	829	0.1	Peak	819.35	25.87	60	Pass	401
829	1000	0.1	Peak	829.1	-46.38	-13	Pass	1711
1000	3000	1	Peak	2626	-34.64	-13	Pass	2001
3000	10000	1	Peak	9500	-29.21	-13	Pass	7001




**1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-49.22	-13	Pass	401
0.15	30	0.01	Peak	0.16	-50.42	-13	Pass	2986
30	809	0.1	Peak	721.4	-51.13	-13	Pass	7791
809	829	0.1	Peak	814.6	26.09	60	Pass	401
829	1000	0.1	Peak	829.9	-37.19	-13	Pass	1711
1000	3000	1	Peak	2666	-34.56	-13	Pass	2001
3000	10000	1	Peak	8351	-29.33	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-49.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.94	-13	Pass	2986
30	809	0.1	Peak	793.4	-51.55	-13	Pass	7791
809	829	0.1	Peak	814.55	26.04	60	Pass	401
829	1000	0.1	Peak	829.9	-37.08	-13	Pass	1711
1000	3000	1	Peak	2756	-34.94	-13	Pass	2001
3000	10000	1	Peak	7742	-28.49	-13	Pass	7001



7. LTE_Band38


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.12	-25	Pass	2986
30	1000	0.1	RMS	933.2	-57.83	-25	Pass	9701
1000	2560	1	RMS	2534	-43.49	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.23	60	Pass	401
2630	3000	1	RMS	2643.875	-42.48	-25	Pass	401
3000	12000	1	RMS	11899	-57.64	-25	Pass	9001
12000	26500	1	RMS	25011	-31.64	-25	Pass	14501




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.67	-25	Pass	2986
30	1000	0.1	RMS	935.2	-57.92	-25	Pass	9701
1000	2560	1	RMS	2496	-43.46	-25	Pass	1561
2560	2630	1	RMS	2570.5	21.26	60	Pass	401
2630	3000	1	RMS	2646.65	-42.46	-25	Pass	401
3000	12000	1	RMS	5141	-56.62	-25	Pass	9001
12000	26500	1	RMS	25010	-31.55	-25	Pass	14501




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.25	-25	Pass	2986
30	1000	0.1	RMS	920.5	-57.88	-25	Pass	9701
1000	2560	1	RMS	2499	-43.46	-25	Pass	1561
2560	2630	1	RMS	2592.725	21.96	60	Pass	401
2630	3000	1	RMS	2641.1	-42.47	-25	Pass	401
3000	12000	1	RMS	11862	-57.67	-25	Pass	9001
12000	26500	1	RMS	25014	-31.74	-25	Pass	14501




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.47	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.13	-25	Pass	2986
30	1000	0.1	RMS	904.5	-57.78	-25	Pass	9701
1000	2560	1	RMS	2497	-43.48	-25	Pass	1561
2560	2630	1	RMS	2592.9	21.28	60	Pass	401
2630	3000	1	RMS	2650.35	-42.46	-25	Pass	401
3000	12000	1	RMS	5186	-52.71	-25	Pass	9001
12000	26500	1	RMS	25015	-31.65	-25	Pass	14501




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.9	-25	Pass	2986
30	1000	0.1	RMS	925.4	-57.82	-25	Pass	9701
1000	2560	1	RMS	2536	-43.51	-25	Pass	1561
2560	2630	1	RMS	2615.3	22.11	60	Pass	401
2630	3000	1	RMS	2643.875	-42.46	-25	Pass	401
3000	12000	1	RMS	5231	-50.75	-25	Pass	9001
12000	26500	1	RMS	25012	-31.68	-25	Pass	14501




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.63	-25	Pass	2986
30	1000	0.1	RMS	931.2	-57.91	-25	Pass	9701
1000	2560	1	RMS	2497	-43.46	-25	Pass	1561
2560	2630	1	RMS	2615.3	20.98	60	Pass	401
2630	3000	1	RMS	2646.65	-42.45	-25	Pass	401
3000	12000	1	RMS	5231	-53.59	-25	Pass	9001
12000	26500	1	RMS	25010	-31.73	-25	Pass	14501




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.16	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.2	-25	Pass	2986
30	1000	0.1	RMS	909.9	-57.94	-25	Pass	9701
1000	2560	1	RMS	2560	-43.03	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.74	60	Pass	401
2630	3000	1	RMS	2647.575	-42.47	-25	Pass	401
3000	12000	1	RMS	5141	-54.73	-25	Pass	9001
12000	26500	1	RMS	25014	-31.66	-25	Pass	14501




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.98	-25	Pass	2986
30	1000	0.1	RMS	935.9	-57.82	-25	Pass	9701
1000	2560	1	RMS	2553	-42.85	-25	Pass	1561
2560	2630	1	RMS	2570.675	21.76	60	Pass	401
2630	3000	1	RMS	2638.325	-42.46	-25	Pass	401
3000	12000	1	RMS	11882	-57.59	-25	Pass	9001
12000	26500	1	RMS	25012	-31.69	-25	Pass	14501




7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-25	Pass	2986
30	1000	0.1	RMS	940.1	-57.87	-25	Pass	9701
1000	2560	1	RMS	2560	-43.41	-25	Pass	1561
2560	2630	1	RMS	2590.625	22.36	60	Pass	401
2630	3000	1	RMS	2651.275	-42.44	-25	Pass	401
3000	12000	1	RMS	5182	-56.44	-25	Pass	9001
12000	26500	1	RMS	25009	-31.68	-25	Pass	14501




7.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.14	-25	Pass	2986
30	1000	0.1	RMS	908.3	-57.72	-25	Pass	9701
1000	2560	1	RMS	2549	-43.4	-25	Pass	1561
2560	2630	1	RMS	2590.45	20.89	60	Pass	401
2630	3000	1	RMS	2640.175	-42.46	-25	Pass	401
3000	12000	1	RMS	5181	-53.12	-25	Pass	9001
12000	26500	1	RMS	25013	-31.68	-25	Pass	14501




7.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.03	-25	Pass	2986
30	1000	0.1	RMS	879.6	-57.92	-25	Pass	9701
1000	2560	1	RMS	2502	-43.49	-25	Pass	1561
2560	2630	1	RMS	2610.575	22.14	60	Pass	401
2630	3000	1	RMS	2630	-42.19	-25	Pass	401
3000	12000	1	RMS	5221	-55.65	-25	Pass	9001
12000	26500	1	RMS	25012	-31.68	-25	Pass	14501




7.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.42	-25	Pass	2986
30	1000	0.1	RMS	922.5	-57.75	-25	Pass	9701
1000	2560	1	RMS	2504	-43.51	-25	Pass	1561
2560	2630	1	RMS	2610.575	20.56	60	Pass	401
2630	3000	1	RMS	2630	-42.13	-25	Pass	401
3000	12000	1	RMS	11900	-57.65	-25	Pass	9001
12000	26500	1	RMS	25010	-31.61	-25	Pass	14501




7.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.81	-25	Pass	2986
30	1000	0.1	RMS	919.3	-57.72	-25	Pass	9701
1000	2560	1	RMS	2559	-40.86	-25	Pass	1561
2560	2630	1	RMS	2570.675	21.92	60	Pass	401
2630	3000	1	RMS	2644.8	-42.46	-25	Pass	401
3000	12000	1	RMS	11851	-57.64	-25	Pass	9001
12000	26500	1	RMS	25017	-31.64	-25	Pass	14501




7.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.38	-25	Pass	2986
30	1000	0.1	RMS	916.9	-57.95	-25	Pass	9701
1000	2560	1	RMS	2560	-41.56	-25	Pass	1561
2560	2630	1	RMS	2570.85	21.11	60	Pass	401
2630	3000	1	RMS	2642.025	-42.47	-25	Pass	401
3000	12000	1	RMS	11845	-57.63	-25	Pass	9001
12000	26500	1	RMS	25010	-31.68	-25	Pass	14501




7.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.74	-25	Pass	2986
30	1000	0.1	RMS	931.5	-57.94	-25	Pass	9701
1000	2560	1	RMS	2560	-43.35	-25	Pass	1561
2560	2630	1	RMS	2588.175	21.58	60	Pass	401
2630	3000	1	RMS	2640.175	-42.44	-25	Pass	401
3000	12000	1	RMS	5177	-51.67	-25	Pass	9001
12000	26500	1	RMS	25017	-31.64	-25	Pass	14501




7.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.67	-25	Pass	2986
30	1000	0.1	RMS	966.5	-57.88	-25	Pass	9701
1000	2560	1	RMS	2501	-43.46	-25	Pass	1561
2560	2630	1	RMS	2588.35	21.42	60	Pass	401
2630	3000	1	RMS	2642.025	-42.47	-25	Pass	401
3000	12000	1	RMS	5177	-55.72	-25	Pass	9001
12000	26500	1	RMS	25017	-31.61	-25	Pass	14501




7.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-25	Pass	2986
30	1000	0.1	RMS	955.9	-57.94	-25	Pass	9701
1000	2560	1	RMS	2537	-43.51	-25	Pass	1561
2560	2645	1	RMS	2605.9	21.9	60	Pass	401
2645	3000	1	RMS	2649.438	-42.46	-25	Pass	401
3000	12000	1	RMS	5212	-53.42	-25	Pass	9001
12000	26500	1	RMS	25011	-31.63	-25	Pass	14501




7.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.74	-25	Pass	2986
30	1000	0.1	RMS	972.4	-57.88	-25	Pass	9701
1000	2560	1	RMS	2465	-43.21	-25	Pass	1561
2560	2645	1	RMS	2605.688	20.98	60	Pass	401
2645	3000	1	RMS	2647.663	-42.47	-25	Pass	401
3000	12000	1	RMS	5211	-54.8	-25	Pass	9001
12000	26500	1	RMS	25012	-31.75	-25	Pass	14501




7.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.08	-25	Pass	2986
30	1000	0.1	RMS	906.9	-57.78	-25	Pass	9701
1000	2560	1	RMS	2559	-40.59	-25	Pass	1561
2560	2630	1	RMS	2571.2	22.19	60	Pass	401
2630	3000	1	RMS	2646.65	-42.45	-25	Pass	401
3000	12000	1	RMS	11847	-57.61	-25	Pass	9001
12000	26500	1	RMS	25026	-31.69	-25	Pass	14501




7.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.43	-25	Pass	2986
30	1000	0.1	RMS	936.3	-57.82	-25	Pass	9701
1000	2560	1	RMS	2560	-40.06	-25	Pass	1561
2560	2630	1	RMS	2571.025	21.17	60	Pass	401
2630	3000	1	RMS	2642.025	-42.5	-25	Pass	401
3000	12000	1	RMS	11860	-57.64	-25	Pass	9001
12000	26500	1	RMS	25012	-31.64	-25	Pass	14501




7.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.61	-25	Pass	2986
30	1000	0.1	RMS	936.1	-57.62	-25	Pass	9701
1000	2560	1	RMS	2550	-43.28	-25	Pass	1561
2560	2630	1	RMS	2586.075	21.47	60	Pass	401
2630	3000	1	RMS	2645.725	-42.47	-25	Pass	401
3000	12000	1	RMS	5172	-57.24	-25	Pass	9001
12000	26500	1	RMS	25015	-31.59	-25	Pass	14501




7.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.39	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.98	-25	Pass	2986
30	1000	0.1	RMS	955.9	-57.82	-25	Pass	9701
1000	2560	1	RMS	2550	-43.14	-25	Pass	1561
2560	2630	1	RMS	2586.25	20.73	60	Pass	401
2630	3000	1	RMS	2640.175	-42.47	-25	Pass	401
3000	12000	1	RMS	11862	-57.64	-25	Pass	9001
12000	26500	1	RMS	25014	-31.71	-25	Pass	14501




7.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.41	-25	Pass	2986
30	1000	0.1	RMS	953.4	-57.92	-25	Pass	9701
1000	2560	1	RMS	2422	-43.1	-25	Pass	1561
2560	2645	1	RMS	2601.013	21.32	60	Pass	401
2645	3000	1	RMS	2646.775	-42.49	-25	Pass	401
3000	12000	1	RMS	5202	-52.2	-25	Pass	9001
12000	26500	1	RMS	25011	-31.57	-25	Pass	14501



7.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.03	-25	Pass	2986
30	1000	0.1	RMS	973.6	-57.89	-25	Pass	9701
1000	2560	1	RMS	2551	-43.52	-25	Pass	1561
2560	2645	1	RMS	2601.013	20.74	60	Pass	401
2645	3000	1	RMS	2649.438	-42.48	-25	Pass	401
3000	12000	1	RMS	5202	-52.37	-25	Pass	9001
12000	26500	1	RMS	25007	-31.66	-25	Pass	14501



1. LTE_Band41 full


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.07	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.49	-25	Pass	2986
30	1000	0.1	RMS	843.5	-59.7	-25	Pass	9701
1000	2486	1	RMS	2484	-45.18	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.15	60	Pass	401
2700	3000	1	RMS	2954.25	-44.82	-25	Pass	401
3000	12000	1	RMS	11851	-55.37	-25	Pass	9002
12000	27000	1	RMS	26000	-39.31	-25	Pass	15002




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.07	-25	Pass	2986
30	1000	0.1	RMS	844.4	-59.53	-25	Pass	9701
1000	2486	1	RMS	2485	-45.34	-25	Pass	1487
2486	2700	1	RMS	2496.165	20.88	60	Pass	401
2700	3000	1	RMS	2956.5	-44.77	-25	Pass	401
3000	12000	1	RMS	4993	-55.05	-25	Pass	9002
12000	27000	1	RMS	26001	-39.43	-25	Pass	15002




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.73	-25	Pass	2986
30	1000	0.1	RMS	849.2	-59.69	-25	Pass	9701
1000	2486	1	RMS	2479	-46.58	-25	Pass	1487
2486	2700	1	RMS	2590.86	20.66	60	Pass	401
2700	3000	1	RMS	2956.5	-44.83	-25	Pass	401
3000	12000	1	RMS	5182	-52.06	-25	Pass	9002
12000	27000	1	RMS	25996	-39.34	-25	Pass	15002




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.9	-25	Pass	2986
30	1000	0.1	RMS	843.4	-59.73	-25	Pass	9701
1000	2486	1	RMS	2480	-46.55	-25	Pass	1487
2486	2700	1	RMS	2590.325	20.04	60	Pass	401
2700	3000	1	RMS	2953.5	-44.81	-25	Pass	401
3000	12000	1	RMS	5182	-51.8	-25	Pass	9002
12000	27000	1	RMS	26000	-39.33	-25	Pass	15002




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.86	-25	Pass	2986
30	1000	0.1	RMS	849.901	-59.66	-25	Pass	9701
1000	2486	1	RMS	2479	-46.56	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.3	60	Pass	401
2700	3000	1	RMS	2941.5	-44.84	-25	Pass	401
3000	12000	1	RMS	5371	-53.45	-25	Pass	9002
12000	27000	1	RMS	26016	-39.35	-25	Pass	15002




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-65.88	-25	Pass	401
0.15	30	0.01	RMS	0.29	-68.1	-25	Pass	2986
30	1000	0.1	RMS	851.502	-59.6	-25	Pass	9701
1000	2486	1	RMS	2486	-46.61	-25	Pass	1487
2486	2700	1	RMS	2685.02	21.33	60	Pass	401
2700	3000	1	RMS	2958	-44.84	-25	Pass	401
3000	12000	1	RMS	5370	-52.15	-25	Pass	9002
12000	27000	1	RMS	25996	-39.4	-25	Pass	15002




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.95	-25	Pass	2986
30	1000	0.1	RMS	837.5	-59.78	-25	Pass	9701
1000	2486	1	RMS	2479	-38.2	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.79	60	Pass	401
2700	3000	1	RMS	2957.25	-44.84	-25	Pass	401
3000	12000	1	RMS	4993	-53.86	-25	Pass	9002
12000	27000	1	RMS	25997	-39.42	-25	Pass	15002




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.74	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.94	-25	Pass	2986
30	1000	0.1	RMS	864.61	-59.73	-25	Pass	9701
1000	2486	1	RMS	2479	-42.81	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.27	60	Pass	401
2700	3000	1	RMS	2956.5	-44.81	-25	Pass	401
3000	12000	1	RMS	11851	-55.36	-25	Pass	9002
12000	27000	1	RMS	26002	-39.3	-25	Pass	15002




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.09	-25	Pass	2986
30	1000	0.1	RMS	832.3	-59.68	-25	Pass	9701
1000	2486	1	RMS	2479	-46.58	-25	Pass	1487
2486	2700	1	RMS	2588.185	20.85	60	Pass	401
2700	3000	1	RMS	2958	-44.83	-25	Pass	401
3000	12000	1	RMS	5177	-51.67	-25	Pass	9002
12000	27000	1	RMS	25997	-39.31	-25	Pass	15002




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.44	-25	Pass	2986
30	1000	0.1	RMS	854.404	-59.72	-25	Pass	9701
1000	2486	1	RMS	2481	-46.51	-25	Pass	1487
2486	2700	1	RMS	2588.185	20.76	60	Pass	401
2700	3000	1	RMS	2957.25	-44.83	-25	Pass	401
3000	12000	1	RMS	11854	-55.37	-25	Pass	9002
12000	27000	1	RMS	26003	-39.29	-25	Pass	15002




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.49	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.4	-25	Pass	2986
30	1000	0.1	RMS	845.6	-59.69	-25	Pass	9701
1000	2486	1	RMS	2485	-46.56	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.15	60	Pass	401
2700	3000	1	RMS	2948.25	-44.86	-25	Pass	401
3000	12000	1	RMS	5362	-53.36	-25	Pass	9002
12000	27000	1	RMS	26005	-39.33	-25	Pass	15002




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.61	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.02	-25	Pass	2986
30	1000	0.1	RMS	862.709	-59.72	-25	Pass	9701
1000	2486	1	RMS	2481	-46.56	-25	Pass	1487
2486	2700	1	RMS	2680.205	20.9	60	Pass	401
2700	3000	1	RMS	2949.75	-44.85	-25	Pass	401
3000	12000	1	RMS	5362	-54.4	-25	Pass	9002
12000	27000	1	RMS	26007	-39.43	-25	Pass	15002




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.4	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.35	-25	Pass	2986
30	1000	0.1	RMS	841	-59.8	-25	Pass	9701
1000	2486	1	RMS	2484	-41.26	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.91	60	Pass	401
2700	3000	1	RMS	2956.5	-44.84	-25	Pass	401
3000	12000	1	RMS	11845	-55.39	-25	Pass	9002
12000	27000	1	RMS	26001	-39.28	-25	Pass	15002




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-64.72	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.26	-25	Pass	2986
30	1000	0.1	RMS	839.3	-59.5	-25	Pass	9701
1000	2486	1	RMS	2483	-41.09	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.48	60	Pass	401
2700	3000	1	RMS	2954.25	-44.83	-25	Pass	401
3000	12000	1	RMS	11845	-55.37	-25	Pass	9002
12000	27000	1	RMS	26003	-39.3	-25	Pass	15002




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-25	Pass	2986
30	1000	0.1	RMS	842.7	-59.58	-25	Pass	9701
1000	2486	1	RMS	2481	-46.52	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.89	60	Pass	401
2700	3000	1	RMS	2954.25	-44.83	-25	Pass	401
3000	12000	1	RMS	5173	-55.1	-25	Pass	9002
12000	27000	1	RMS	26000	-39.35	-25	Pass	15002




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:40620, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-65.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.12	-25	Pass	2986
30	1000	0.1	RMS	830.9	-59.67	-25	Pass	9701
1000	2486	1	RMS	2480	-46.58	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.42	60	Pass	401
2700	3000	1	RMS	2954.25	-44.84	-25	Pass	401
3000	12000	1	RMS	11854	-55.36	-25	Pass	9002
12000	27000	1	RMS	25992	-39.32	-25	Pass	15002




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-64.04	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.51	-25	Pass	2986
30	1000	0.1	RMS	830.7	-59.49	-25	Pass	9701
1000	2486	1	RMS	2485	-46.49	-25	Pass	1487
2486	2700	1	RMS	2675.39	21.66	60	Pass	401
2705	3000	1	RMS	2956.488	-44.79	-25	Pass	401
3000	12000	1	RMS	5352	-49.72	-25	Pass	9002
12000	27000	1	RMS	26005	-39.29	-25	Pass	15002




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.15	30	0.01	RMS	0.2	-68.42	-25	Pass	2986
30	1000	0.1	RMS	854.704	-59.55	-25	Pass	9701
1000	2486	1	RMS	2481	-46.54	-25	Pass	1487
2486	2700	1	RMS	2675.39	20.21	60	Pass	401
2705	3000	1	RMS	2960.175	-44.84	-25	Pass	401
3000	12000	1	RMS	5352	-52.76	-25	Pass	9002
12000	27000	1	RMS	26006	-39.26	-25	Pass	15002




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.31	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.45	-25	Pass	2986
30	1000	0.1	RMS	842.5	-59.57	-25	Pass	9701
1000	2486	1	RMS	2485	-42.93	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.72	60	Pass	401
2700	3000	1	RMS	2960.25	-44.83	-25	Pass	401
3000	12000	1	RMS	4994	-54.93	-25	Pass	9002
12000	27000	1	RMS	26001	-39.23	-25	Pass	15002




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.72	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.59	-25	Pass	2986
30	1000	0.1	RMS	832.1	-59.71	-25	Pass	9701
1000	2486	1	RMS	2484	-43.49	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.98	60	Pass	401
2700	3000	1	RMS	2958	-44.87	-25	Pass	401
3000	12000	1	RMS	11847	-55.41	-25	Pass	9002
12000	27000	1	RMS	25996	-39.29	-25	Pass	15002




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.14	-25	Pass	2986
30	1000	0.1	RMS	854.203	-59.54	-25	Pass	9701
1000	2486	1	RMS	2484	-46.58	-25	Pass	1487
2486	2700	1	RMS	2583.905	20.62	60	Pass	401
2700	3000	1	RMS	2947.5	-44.83	-25	Pass	401
3000	12000	1	RMS	5168	-55.11	-25	Pass	9002
12000	27000	1	RMS	26001	-39.26	-25	Pass	15002




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:40620, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.08	-25	Pass	2986
30	1000	0.1	RMS	842.9	-59.67	-25	Pass	9701
1000	2486	1	RMS	2481	-46.54	-25	Pass	1487
2486	2700	1	RMS	2583.905	20.03	60	Pass	401
2700	3000	1	RMS	2956.5	-44.82	-25	Pass	401
3000	12000	1	RMS	11849	-55.38	-25	Pass	9002
12000	27000	1	RMS	26001	-39.27	-25	Pass	15002




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.15	30	0.01	RMS	0.25	-68.36	-25	Pass	2986
30	1000	0.1	RMS	843.1	-59.58	-25	Pass	9701
1000	2486	1	RMS	2485	-46.61	-25	Pass	1487
2486	2700	1	RMS	2671.11	20.89	60	Pass	401
2710	3000	1	RMS	2960.125	-44.89	-25	Pass	401
3000	12000	1	RMS	5342	-52.5	-25	Pass	9002
12000	27000	1	RMS	26012	-39.31	-25	Pass	15002



1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-65.24	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.44	-25	Pass	2986
30	1000	0.1	RMS	846.3	-59.63	-25	Pass	9701
1000	2486	1	RMS	2484	-46.6	-25	Pass	1487
2486	2700	1	RMS	2670.575	19.73	60	Pass	401
2710	3000	1	RMS	2957.225	-44.87	-25	Pass	401
3000	12000	1	RMS	11849	-55.39	-25	Pass	9002
12000	27000	1	RMS	26006	-39.3	-25	Pass	15002



6. LTE_Band66


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.85	-13	Pass	2986
30	1000	0.1	RMS	941.8	-61.81	-13	Pass	9701
1000	1700	1	RMS	1700	-44.43	-13	Pass	701
1700	1790	1	RMS	1710.35	22.92	60	Pass	401
1790	3000	1	RMS	2641	-46.45	-13	Pass	1211
3000	12000	1	RMS	11853	-38.02	-13	Pass	9001
12000	20000	1	RMS	19997	-22.6	-13	Pass	8001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.41	-13	Pass	2986
30	1000	0.1	RMS	930.7	-61.85	-13	Pass	9701
1000	1700	1	RMS	1700	-50.68	-13	Pass	701
1700	1790	1	RMS	1710.35	21.88	60	Pass	401
1790	3000	1	RMS	2651	-46.45	-13	Pass	1211
3000	12000	1	RMS	11846	-38	-13	Pass	9001
12000	20000	1	RMS	19997	-22.72	-13	Pass	8001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.1	-13	Pass	2986
30	1000	0.1	RMS	909.2	-61.9	-13	Pass	9701
1000	1700	1	RMS	1700	-50.84	-13	Pass	701
1700	1790	1	RMS	1744.55	23.08	60	Pass	401
1790	3000	1	RMS	2639	-46.42	-13	Pass	1211
3000	12000	1	RMS	11851	-38	-13	Pass	9001
12000	20000	1	RMS	20000	-22.59	-13	Pass	8001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.86	-13	Pass	2986
30	1000	0.1	RMS	877.1	-62	-13	Pass	9701
1000	1700	1	RMS	1699	-50.85	-13	Pass	701
1700	1790	1	RMS	1744.55	22.16	60	Pass	401
1790	3000	1	RMS	2654	-46.41	-13	Pass	1211
3000	12000	1	RMS	11854	-37.99	-13	Pass	9001
12000	20000	1	RMS	19996	-22.6	-13	Pass	8001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.44	-13	Pass	2986
30	1000	0.1	RMS	928.1	-61.91	-13	Pass	9701
1000	1700	1	RMS	1602	-50.88	-13	Pass	701
1700	1790	1	RMS	1778.75	23.23	60	Pass	401
1790	3000	1	RMS	2652	-46.4	-13	Pass	1211
3000	12000	1	RMS	11846	-38	-13	Pass	9001
12000	20000	1	RMS	19998	-22.65	-13	Pass	8001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.63	-13	Pass	2986
30	1000	0.1	RMS	926.6	-61.8	-13	Pass	9701
1000	1700	1	RMS	1601	-50.85	-13	Pass	701
1700	1790	1	RMS	1778.75	22.27	60	Pass	401
1790	3000	1	RMS	2642	-46.45	-13	Pass	1211
3000	12000	1	RMS	11854	-38.01	-13	Pass	9001
12000	20000	1	RMS	19994	-22.59	-13	Pass	8001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.48	-13	Pass	2986
30	1000	0.1	RMS	918.6	-61.86	-13	Pass	9701
1000	1700	1	RMS	1700	-50.56	-13	Pass	701
1700	1790	1	RMS	1710.35	23.01	60	Pass	401
1790	3000	1	RMS	2639	-46.42	-13	Pass	1211
3000	12000	1	RMS	11856	-38	-13	Pass	9001
12000	20000	1	RMS	20000	-22.65	-13	Pass	8001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.17	-13	Pass	2986
30	1000	0.1	RMS	929.9	-61.93	-13	Pass	9701
1000	1700	1	RMS	1700	-50.23	-13	Pass	701
1700	1790	1	RMS	1710.125	22.15	60	Pass	401
1790	3000	1	RMS	2639	-46.39	-13	Pass	1211
3000	12000	1	RMS	11849	-37.96	-13	Pass	9001
12000	20000	1	RMS	19997	-22.6	-13	Pass	8001




6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-13	Pass	2986
30	1000	0.1	RMS	926.9	-61.88	-13	Pass	9701
1000	1700	1	RMS	1700	-50.82	-13	Pass	701
1700	1790	1	RMS	1743.65	23.09	60	Pass	401
1790	3000	1	RMS	2647	-46.41	-13	Pass	1211
3000	12000	1	RMS	11846	-38.05	-13	Pass	9001
12000	20000	1	RMS	19999	-22.68	-13	Pass	8001




6.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.07	-13	Pass	2986
30	1000	0.1	RMS	887.2	-61.89	-13	Pass	9701
1000	1700	1	RMS	1695	-50.84	-13	Pass	701
1700	1790	1	RMS	1743.65	22.1	60	Pass	401
1790	3000	1	RMS	2652	-46.41	-13	Pass	1211
3000	12000	1	RMS	11851	-37.99	-13	Pass	9001
12000	20000	1	RMS	19998	-22.66	-13	Pass	8001




6.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.14	-13	Pass	2986
30	1000	0.1	RMS	930.3	-61.86	-13	Pass	9701
1000	1700	1	RMS	1696	-50.85	-13	Pass	701
1700	1790	1	RMS	1777.175	23.37	60	Pass	401
1790	3000	1	RMS	2652	-46.44	-13	Pass	1211
3000	12000	1	RMS	11851	-37.92	-13	Pass	9001
12000	20000	1	RMS	19991	-22.73	-13	Pass	8001




6.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.58	-13	Pass	2986
30	1000	0.1	RMS	964.7	-61.8	-13	Pass	9701
1000	1700	1	RMS	1697	-50.87	-13	Pass	701
1700	1790	1	RMS	1777.175	22.4	60	Pass	401
1790	3000	1	RMS	2649	-46.41	-13	Pass	1211
3000	12000	1	RMS	11864	-38.03	-13	Pass	9001
12000	20000	1	RMS	19999	-22.69	-13	Pass	8001




6.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.75	-13	Pass	2986
30	1000	0.1	RMS	934.6	-61.89	-13	Pass	9701
1000	1700	1	RMS	1700	-50.22	-13	Pass	701
1700	1790	1	RMS	1710.35	23.01	60	Pass	401
1790	3000	1	RMS	2643	-46.35	-13	Pass	1211
3000	12000	1	RMS	11862	-37.95	-13	Pass	9001
12000	20000	1	RMS	20000	-22.69	-13	Pass	8001




6.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.3	-13	Pass	2986
30	1000	0.1	RMS	819.3	-61.83	-13	Pass	9701
1000	1700	1	RMS	1700	-50.33	-13	Pass	701
1700	1790	1	RMS	1710.35	22.08	60	Pass	401
1790	3000	1	RMS	2647	-46.36	-13	Pass	1211
3000	12000	1	RMS	11851	-37.94	-13	Pass	9001
12000	20000	1	RMS	19991	-22.64	-13	Pass	8001




6.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.2	-13	Pass	2986
30	1000	0.1	RMS	935.4	-61.73	-13	Pass	9701
1000	1700	1	RMS	1700	-50.85	-13	Pass	701
1700	1790	1	RMS	1742.75	23.03	60	Pass	401
1790	3000	1	RMS	2640	-46.43	-13	Pass	1211
3000	12000	1	RMS	11879	-37.96	-13	Pass	9001
12000	20000	1	RMS	19998	-22.65	-13	Pass	8001




6.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.42	-13	Pass	2986
30	1000	0.1	RMS	937.2	-61.82	-13	Pass	9701
1000	1700	1	RMS	1608	-50.87	-13	Pass	701
1700	1790	1	RMS	1742.75	22.19	60	Pass	401
1790	3000	1	RMS	2639	-46.43	-13	Pass	1211
3000	12000	1	RMS	11847	-38.03	-13	Pass	9001
12000	20000	1	RMS	20000	-22.72	-13	Pass	8001




6.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.06	-13	Pass	2986
30	1000	0.1	RMS	933.4	-61.87	-13	Pass	9701
1000	1700	1	RMS	1593	-50.85	-13	Pass	701
1700	1790	1	RMS	1775.375	23.25	60	Pass	401
1790	3000	1	RMS	2652	-46.42	-13	Pass	1211
3000	12000	1	RMS	11841	-38.01	-13	Pass	9001
12000	20000	1	RMS	20000	-22.68	-13	Pass	8001




6.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.78	-13	Pass	2986
30	1000	0.1	RMS	940.1	-61.78	-13	Pass	9701
1000	1700	1	RMS	1699	-50.86	-13	Pass	701
1700	1790	1	RMS	1775.375	22.51	60	Pass	401
1790	3000	1	RMS	2652	-46.44	-13	Pass	1211
3000	12000	1	RMS	11861	-38.08	-13	Pass	9001
12000	20000	1	RMS	19995	-22.62	-13	Pass	8001




6.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.23	-13	Pass	2986
30	1000	0.1	RMS	900.9	-61.74	-13	Pass	9701
1000	1700	1	RMS	1693	-43.31	-13	Pass	701
1700	1790	1	RMS	1710.575	23.16	60	Pass	401
1790	3000	1	RMS	2643	-46.33	-13	Pass	1211
3000	12000	1	RMS	11864	-37.99	-13	Pass	9001
12000	20000	1	RMS	19997	-22.64	-13	Pass	8001




6.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.17	-13	Pass	2986
30	1000	0.1	RMS	924.5	-61.91	-13	Pass	9701
1000	1700	1	RMS	1693	-44.54	-13	Pass	701
1700	1790	1	RMS	1710.575	22.28	60	Pass	401
1790	3000	1	RMS	2650	-46.44	-13	Pass	1211
3000	12000	1	RMS	11844	-37.98	-13	Pass	9001
12000	20000	1	RMS	19998	-22.6	-13	Pass	8001




6.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.83	-13	Pass	2986
30	1000	0.1	RMS	943.6	-61.8	-13	Pass	9701
1000	1700	1	RMS	1700	-50.83	-13	Pass	701
1700	1790	1	RMS	1740.5	23.08	60	Pass	401
1790	3000	1	RMS	2649	-46.4	-13	Pass	1211
3000	12000	1	RMS	11849	-38	-13	Pass	9001
12000	20000	1	RMS	20000	-22.6	-13	Pass	8001




6.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.38	-13	Pass	2986
30	1000	0.1	RMS	926	-61.92	-13	Pass	9701
1000	1700	1	RMS	1697	-50.87	-13	Pass	701
1700	1790	1	RMS	1740.5	22.11	60	Pass	401
1790	3000	1	RMS	2649	-46.42	-13	Pass	1211
3000	12000	1	RMS	11875	-38.03	-13	Pass	9001
12000	20000	1	RMS	19999	-22.61	-13	Pass	8001




6.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.75	-13	Pass	2986
30	1000	0.1	RMS	932.5	-61.85	-13	Pass	9701
1000	1700	1	RMS	1591	-50.87	-13	Pass	701
1700	1790	1	RMS	1770.65	23.3	60	Pass	401
1790	3000	1	RMS	2640	-46.4	-13	Pass	1211
3000	12000	1	RMS	11848	-38	-13	Pass	9001
12000	20000	1	RMS	19989	-22.7	-13	Pass	8001




6.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.4	-13	Pass	2986
30	1000	0.1	RMS	943.8	-61.77	-13	Pass	9701
1000	1700	1	RMS	1694	-50.88	-13	Pass	701
1700	1790	1	RMS	1770.65	22.3	60	Pass	401
1790	3000	1	RMS	2641	-46.41	-13	Pass	1211
3000	12000	1	RMS	11851	-38.02	-13	Pass	9001
12000	20000	1	RMS	19999	-22.62	-13	Pass	8001




6.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.99	-13	Pass	2986
30	1000	0.1	RMS	903.6	-61.81	-13	Pass	9701
1000	1700	1	RMS	1698	-42.39	-13	Pass	701
1700	1790	1	RMS	1710.8	23.03	60	Pass	401
1790	3000	1	RMS	2641	-46.36	-13	Pass	1211
3000	12000	1	RMS	11880	-38.01	-13	Pass	9001
12000	20000	1	RMS	20000	-22.56	-13	Pass	8001




6.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.22	-13	Pass	2986
30	1000	0.1	RMS	913.6	-61.79	-13	Pass	9701
1000	1700	1	RMS	1698	-43.95	-13	Pass	701
1700	1790	1	RMS	1710.8	22.18	60	Pass	401
1790	3000	1	RMS	2645	-46.43	-13	Pass	1211
3000	12000	1	RMS	11854	-38.01	-13	Pass	9001
12000	20000	1	RMS	20000	-22.75	-13	Pass	8001




6.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.81	-13	Pass	2986
30	1000	0.1	RMS	931.4	-61.79	-13	Pass	9701
1000	1700	1	RMS	1699	-50.81	-13	Pass	701
1700	1790	1	RMS	1738.25	23.05	60	Pass	401
1790	3000	1	RMS	2471	-45.78	-13	Pass	1211
3000	12000	1	RMS	11861	-37.97	-13	Pass	9001
12000	20000	1	RMS	20000	-22.54	-13	Pass	8001




6.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.82	-13	Pass	2986
30	1000	0.1	RMS	950.1	-61.92	-13	Pass	9701
1000	1700	1	RMS	1697	-50.88	-13	Pass	701
1700	1790	1	RMS	1738.25	22.06	60	Pass	401
1790	3000	1	RMS	2640	-46.36	-13	Pass	1211
3000	12000	1	RMS	11869	-37.97	-13	Pass	9001
12000	20000	1	RMS	20000	-22.58	-13	Pass	8001




6.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.47	-13	Pass	2986
30	1000	0.1	RMS	914.5	-61.79	-13	Pass	9701
1000	1700	1	RMS	1590	-50.81	-13	Pass	701
1700	1790	1	RMS	1765.925	23.24	60	Pass	401
1790	3000	1	RMS	1792	-29.09	-13	Pass	1211
3000	12000	1	RMS	11856	-37.99	-13	Pass	9001
12000	20000	1	RMS	19996	-22.69	-13	Pass	8001




6.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.37	-13	Pass	2986
30	1000	0.1	RMS	944.7	-61.91	-13	Pass	9701
1000	1700	1	RMS	1695	-50.85	-13	Pass	701
1700	1790	1	RMS	1765.925	22.32	60	Pass	401
1790	3000	1	RMS	1792	-30.27	-13	Pass	1211
3000	12000	1	RMS	11846	-38.01	-13	Pass	9001
12000	20000	1	RMS	19991	-22.67	-13	Pass	8001




6.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.88	-13	Pass	2986
30	1000	0.1	RMS	926.9	-61.81	-13	Pass	9701
1000	1700	1	RMS	1700	-46.76	-13	Pass	701
1700	1790	1	RMS	1711.025	22.9	60	Pass	401
1790	3000	1	RMS	2652	-46.41	-13	Pass	1211
3000	12000	1	RMS	11850	-37.96	-13	Pass	9001
12000	20000	1	RMS	20000	-22.7	-13	Pass	8001




6.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.55	-13	Pass	2986
30	1000	0.1	RMS	939.5	-61.76	-13	Pass	9701
1000	1700	1	RMS	1700	-47.32	-13	Pass	701
1700	1790	1	RMS	1711.025	22.08	60	Pass	401
1790	3000	1	RMS	2644	-46.43	-13	Pass	1211
3000	12000	1	RMS	11879	-37.97	-13	Pass	9001
12000	20000	1	RMS	19994	-22.64	-13	Pass	8001




6.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.28	-13	Pass	2986
30	1000	0.1	RMS	931	-61.82	-13	Pass	9701
1000	1700	1	RMS	1700	-44.81	-13	Pass	701
1700	1790	1	RMS	1736	22.88	60	Pass	401
1790	3000	1	RMS	2648	-46.45	-13	Pass	1211
3000	12000	1	RMS	11840	-38	-13	Pass	9001
12000	20000	1	RMS	20000	-22.61	-13	Pass	8001




6.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-56.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.05	-13	Pass	2986
30	1000	0.1	RMS	929	-61.89	-13	Pass	9701
1000	1700	1	RMS	1700	-45.97	-13	Pass	701
1700	1790	1	RMS	1736	21.89	60	Pass	401
1790	3000	1	RMS	2645	-46.33	-13	Pass	1211
3000	12000	1	RMS	11866	-38	-13	Pass	9001
12000	20000	1	RMS	20000	-22.65	-13	Pass	8001




6.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.48	-13	Pass	2986
30	1000	0.1	RMS	920.8	-61.83	-13	Pass	9701
1000	1700	1	RMS	1697	-50.85	-13	Pass	701
1700	1790	1	RMS	1761.2	22.94	60	Pass	401
1790	3000	1	RMS	1797	-28.55	-13	Pass	1211
3000	12000	1	RMS	11862	-37.99	-13	Pass	9001
12000	20000	1	RMS	20000	-22.67	-13	Pass	8001



6.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.32	-13	Pass	2986
30	1000	0.1	RMS	906.4	-61.86	-13	Pass	9701
1000	1700	1	RMS	1602	-50.85	-13	Pass	701
1700	1790	1	RMS	1760.975	21.97	60	Pass	401
1790	3000	1	RMS	1797	-30.04	-13	Pass	1211
3000	12000	1	RMS	11844	-38.03	-13	Pass	9001
12000	20000	1	RMS	19998	-22.67	-13	Pass	8001



--BLANK BELOW--