


11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1617.400	38.35	74.0	35.65	Peak	0.00	300	Vertical	Pass
1**	1617.400	29.35	54.0	24.65	AV	0.00	300	Vertical	Pass
2	4385.000	47.58	74.0	26.42	Peak	30.00	400	Vertical	Pass
2**	4385.000	37.50	54.0	16.50	AV	30.00	400	Vertical	Pass
3	5534.750	98.35	--	--	Peak	344.00	200	Vertical	N/A
3**	5534.750	90.65	--	--	AV	344.00	200	Vertical	N/A
4	7590.250	53.15	74.0	20.85	Peak	360.00	400	Vertical	Pass
4**	7590.250	43.24	54.0	10.76	AV	360.00	400	Vertical	Pass
5	12497.063	53.21	74.0	20.79	Peak	185.00	100	Vertical	Pass
5**	12497.063	44.01	54.0	9.99	AV	185.00	100	Vertical	Pass
6	15864.037	54.27	74.0	19.73	Peak	360.00	100	Vertical	Pass
6**	15864.037	43.56	54.0	10.44	AV	360.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.900	38.34	74.0	35.66	Peak	18.00	300	Horizontal	Pass
1**	1531.900	28.58	54.0	25.42	AV	18.00	300	Horizontal	Pass
2	4395.000	46.92	74.0	27.08	Peak	164.00	400	Horizontal	Pass
2**	4395.000	38.29	54.0	15.71	AV	164.00	400	Horizontal	Pass
3	5603.500	103.53	--	--	Peak	0.00	100	Horizontal	N/A
3**	5603.500	96.82	--	--	AV	0.00	100	Horizontal	N/A
4	7490.500	53.00	74.0	21.00	Peak	84.00	300	Horizontal	Pass
4**	7490.500	44.70	54.0	9.30	AV	84.00	300	Horizontal	Pass
5	12493.263	53.36	74.0	20.64	Peak	237.00	200	Horizontal	Pass
5**	12493.263	43.71	54.0	10.29	AV	237.00	200	Horizontal	Pass
6	16080.600	54.09	74.0	19.91	Peak	121.00	400	Horizontal	Pass
6**	16080.600	44.41	54.0	9.59	AV	121.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.000	39.05	74.0	34.95	Peak	353.00	200	Vertical	Pass
1**	1440.000	29.00	54.0	25.00	AV	353.00	200	Vertical	Pass
2	4247.250	48.25	74.0	25.75	Peak	227.00	200	Vertical	Pass
2**	4247.250	38.16	54.0	15.84	AV	227.00	200	Vertical	Pass
3	5603.250	103.05	--	--	Peak	360.00	200	Vertical	N/A
3**	5603.250	94.83	--	--	AV	360.00	200	Vertical	N/A
4	7490.500	53.66	74.0	20.34	Peak	286.00	400	Vertical	Pass
4**	7490.500	44.27	54.0	9.73	AV	286.00	400	Vertical	Pass
5	12495.162	54.14	74.0	19.86	Peak	343.00	200	Vertical	Pass
5**	12495.162	43.79	54.0	10.21	AV	343.00	200	Vertical	Pass
6	15925.463	53.98	74.0	20.02	Peak	92.00	200	Vertical	Pass
6**	15925.463	44.48	54.0	9.52	AV	92.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1530.200	38.86	74.0	35.14	Peak	173.00	200	Horizontal	Pass
1**	1530.200	29.18	54.0	24.82	AV	173.00	200	Horizontal	Pass
2	4259.250	47.64	74.0	26.36	Peak	0.00	400	Horizontal	Pass
2**	4259.250	38.08	54.0	15.92	AV	0.00	400	Horizontal	Pass
3	5743.000	107.27	--	--	Peak	9.00	100	Horizontal	N/A
3**	5743.000	100.00	--	--	AV	9.00	100	Horizontal	N/A
4	7662.250	53.66	74.0	20.34	Peak	283.00	100	Horizontal	Pass
4**	7662.250	43.50	54.0	10.50	AV	283.00	100	Horizontal	Pass
5	12498.962	53.34	74.0	20.66	Peak	304.00	200	Horizontal	Pass
5**	12498.962	44.71	54.0	9.29	AV	304.00	200	Horizontal	Pass
6	15925.724	54.47	74.0	19.53	Peak	213.00	200	Horizontal	Pass
6**	15925.724	45.34	54.0	8.66	AV	213.00	200	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.500	39.06	74.0	34.94	Peak	254.00	300	Vertical	Pass
1**	1464.500	29.62	54.0	24.38	AV	254.00	300	Vertical	Pass
2	4323.250	47.94	74.0	26.06	Peak	11.00	300	Vertical	Pass
2**	4323.250	38.52	54.0	15.48	AV	11.00	300	Vertical	Pass
3	5748.000	107.09	--	--	Peak	264.00	150	Vertical	N/A
3**	5748.000	99.50	--	--	AV	264.00	150	Vertical	N/A
4	7419.000	53.76	74.0	20.24	Peak	341.00	100	Vertical	Pass
4**	7419.000	43.86	54.0	10.14	AV	341.00	100	Vertical	Pass
5	12502.050	53.72	74.0	20.28	Peak	220.00	150	Vertical	Pass
5**	12502.050	44.70	54.0	9.30	AV	220.00	150	Vertical	Pass
6	16147.013	54.35	74.0	19.65	Peak	16.00	300	Vertical	Pass
6**	16147.013	46.26	54.0	7.74	AV	16.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1616.200	38.28	74.0	35.72	Peak	356.00	400	Horizontal	Pass
1**	1616.200	29.36	54.0	24.64	AV	356.00	400	Horizontal	Pass
2	4325.250	47.55	74.0	26.45	Peak	7.00	200	Horizontal	Pass
2**	4325.250	39.01	54.0	14.99	AV	7.00	200	Horizontal	Pass
3	5786.750	107.00	--	--	Peak	164.00	200	Horizontal	N/A
3**	5786.750	101.14	--	--	AV	164.00	200	Horizontal	N/A
4	7358.250	53.83	74.0	20.17	Peak	244.00	300	Horizontal	Pass
4**	7358.250	43.83	54.0	10.17	AV	244.00	300	Horizontal	Pass
5	12534.350	53.91	74.0	20.09	Peak	243.00	150	Horizontal	Pass
5**	12534.350	43.76	54.0	10.24	AV	243.00	150	Horizontal	Pass
6	16113.412	55.91	74.0	18.09	Peak	346.00	100	Horizontal	Pass
6**	16113.412	45.40	54.0	8.60	AV	346.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1444.800	37.93	74.0	36.07	Peak	122.00	200	Vertical	Pass
1**	1444.800	28.79	54.0	25.21	AV	122.00	200	Vertical	Pass
2	4168.000	47.66	74.0	26.34	Peak	145.00	300	Vertical	Pass
2**	4168.000	38.67	54.0	15.33	AV	145.00	300	Vertical	Pass
3	5787.500	107.31	--	--	Peak	262.00	150	Vertical	N/A
3**	5787.500	99.98	--	--	AV	262.00	150	Vertical	N/A
4	7696.500	53.42	74.0	20.58	Peak	28.00	100	Vertical	Pass
4**	7696.500	43.89	54.0	10.11	AV	28.00	100	Vertical	Pass
5	12459.062	53.99	74.0	20.01	Peak	192.00	200	Vertical	Pass
5**	12459.062	44.59	54.0	9.41	AV	192.00	200	Vertical	Pass
6	15644.849	54.26	74.0	19.74	Peak	0.00	300	Vertical	Pass
6**	15644.849	44.33	54.0	9.67	AV	0.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.200	39.27	74.0	34.73	Peak	360.00	100	Horizontal	Pass
1**	1601.200	28.58	54.0	25.42	AV	360.00	100	Horizontal	Pass
2	4342.750	47.71	74.0	26.29	Peak	240.00	200	Horizontal	Pass
2**	4342.750	37.87	54.0	16.13	AV	240.00	200	Horizontal	Pass
3	5826.750	106.96	--	--	Peak	280.00	150	Horizontal	N/A
3**	5826.750	99.71	--	--	AV	280.00	150	Horizontal	N/A
4	7638.250	53.51	74.0	20.49	Peak	142.00	400	Horizontal	Pass
4**	7638.250	43.86	54.0	10.14	AV	142.00	400	Horizontal	Pass
5	12472.600	53.52	74.0	20.48	Peak	142.00	200	Horizontal	Pass
5**	12472.600	44.20	54.0	9.80	AV	142.00	200	Horizontal	Pass
6	16120.237	54.74	74.0	19.26	Peak	48.00	100	Horizontal	Pass
6**	16120.237	46.80	54.0	7.20	AV	48.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.800	38.66	74.0	35.34	Peak	1.00	200	Vertical	Pass
1**	1595.800	30.12	54.0	23.88	AV	1.00	200	Vertical	Pass
2	4328.750	47.41	74.0	26.59	Peak	205.00	300	Vertical	Pass
2**	4328.750	38.03	54.0	15.97	AV	205.00	300	Vertical	Pass
3	5822.250	106.97	--	--	Peak	244.00	200	Vertical	N/A
3**	5822.250	99.28	--	--	AV	244.00	200	Vertical	N/A
4	7582.000	53.12	74.0	20.88	Peak	341.00	200	Vertical	Pass
4**	7582.000	44.05	54.0	9.95	AV	341.00	200	Vertical	Pass
5	12469.037	53.29	74.0	20.71	Peak	220.00	100	Vertical	Pass
5**	12469.037	45.47	54.0	8.53	AV	220.00	100	Vertical	Pass
6	16155.675	54.23	74.0	19.77	Peak	53.00	400	Vertical	Pass
6**	16155.675	44.63	54.0	9.37	AV	53.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1531.900	38.79	74.0	35.21	Peak	124.00	300	Horizontal	Pass
1**	1531.900	29.99	54.0	24.01	AV	124.00	300	Horizontal	Pass
2	4318.750	47.69	74.0	26.31	Peak	359.00	200	Horizontal	Pass
2**	4318.750	38.13	54.0	15.87	AV	359.00	200	Horizontal	Pass
3	5744.000	107.04	--	--	Peak	7.00	200	Horizontal	N/A
3**	5744.000	100.15	--	--	AV	7.00	200	Horizontal	N/A
4	7709.250	53.22	74.0	20.78	Peak	341.00	300	Horizontal	Pass
4**	7709.250	43.88	54.0	10.12	AV	341.00	300	Horizontal	Pass
5	12396.599	53.30	74.0	20.70	Peak	202.00	100	Horizontal	Pass
5**	12396.599	42.93	54.0	11.07	AV	202.00	100	Horizontal	Pass
6	15675.037	54.40	74.0	19.60	Peak	125.00	300	Horizontal	Pass
6**	15675.037	44.95	54.0	9.05	AV	125.00	300	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.900	38.46	74.0	35.54	Peak	0.00	200	Vertical	Pass
1**	1611.900	29.38	54.0	24.62	AV	0.00	200	Vertical	Pass
2	4331.750	47.32	74.0	26.68	Peak	69.00	300	Vertical	Pass
2**	4331.750	38.28	54.0	15.72	AV	69.00	300	Vertical	Pass
3	5743.500	107.33	--	--	Peak	264.00	200	Vertical	N/A
3**	5743.500	100.08	--	--	AV	264.00	200	Vertical	N/A
4	7600.750	53.43	74.0	20.57	Peak	108.00	100	Vertical	Pass
4**	7600.750	44.42	54.0	9.58	AV	108.00	100	Vertical	Pass
5	12477.350	53.74	74.0	20.26	Peak	286.00	200	Vertical	Pass
5**	12477.350	44.45	54.0	9.55	AV	286.00	200	Vertical	Pass
6	16125.750	55.89	74.0	18.11	Peak	0.00	200	Vertical	Pass
6**	16125.750	45.43	54.0	8.57	AV	0.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.700	37.97	74.0	36.03	Peak	289.00	100	Horizontal	Pass
1**	1519.700	28.30	54.0	25.70	AV	289.00	100	Horizontal	Pass
2	4347.500	47.25	74.0	26.75	Peak	87.00	200	Horizontal	Pass
2**	4347.500	38.30	54.0	15.70	AV	87.00	200	Horizontal	Pass
3	5786.000	107.36	--	--	Peak	164.00	200	Horizontal	N/A
3**	5786.000	100.33	--	--	AV	164.00	200	Horizontal	N/A
4	7651.500	53.51	74.0	20.49	Peak	359.00	300	Horizontal	Pass
4**	7651.500	43.42	54.0	10.58	AV	359.00	300	Horizontal	Pass
5	12445.287	53.35	74.0	20.65	Peak	360.00	150	Horizontal	Pass
5**	12445.287	43.78	54.0	10.22	AV	360.00	150	Horizontal	Pass
6	15897.638	54.53	74.0	19.47	Peak	0.00	400	Horizontal	Pass
6**	15897.638	45.19	54.0	8.81	AV	0.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.600	38.34	74.0	35.66	Peak	124.00	300	Vertical	Pass
1**	1437.600	28.96	54.0	25.04	AV	124.00	300	Vertical	Pass
2	4258.000	47.89	74.0	26.11	Peak	165.00	100	Vertical	Pass
2**	4258.000	37.96	54.0	16.04	AV	165.00	100	Vertical	Pass
3	5786.500	107.64	--	--	Peak	262.00	150	Vertical	N/A
3**	5786.500	100.48	--	--	AV	262.00	150	Vertical	N/A
4	7589.750	53.61	74.0	20.39	Peak	184.00	400	Vertical	Pass
4**	7589.750	44.02	54.0	9.98	AV	184.00	400	Vertical	Pass
5	12506.087	53.56	74.0	20.44	Peak	25.00	200	Vertical	Pass
5**	12506.087	44.71	54.0	9.29	AV	25.00	200	Vertical	Pass
6	15914.700	54.67	74.0	19.33	Peak	160.00	200	Vertical	Pass
6**	15914.700	45.27	54.0	8.73	AV	160.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.200	38.66	74.0	35.34	Peak	44.00	200	Horizontal	Pass
1**	1501.200	28.87	54.0	25.13	AV	44.00	200	Horizontal	Pass
2	4331.500	47.24	74.0	26.76	Peak	26.00	300	Horizontal	Pass
2**	4331.500	39.42	54.0	14.58	AV	26.00	300	Horizontal	Pass
3	5827.000	107.27	--	--	Peak	164.00	150	Horizontal	N/A
3**	5827.000	100.33	--	--	AV	164.00	150	Horizontal	N/A
4	7425.000	53.85	74.0	20.15	Peak	45.00	200	Horizontal	Pass
4**	7425.000	44.72	54.0	9.28	AV	45.00	200	Horizontal	Pass
5	12518.912	53.52	74.0	20.48	Peak	69.00	200	Horizontal	Pass
5**	12518.912	43.93	54.0	10.07	AV	69.00	200	Horizontal	Pass
6	16108.951	54.41	74.0	19.59	Peak	222.00	200	Horizontal	Pass
6**	16108.951	45.76	54.0	8.24	AV	222.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.200	38.58	74.0	35.42	Peak	180.00	400	Vertical	Pass
1**	1523.200	29.05	54.0	24.95	AV	180.00	400	Vertical	Pass
2	4304.250	47.46	74.0	26.54	Peak	45.00	400	Vertical	Pass
2**	4304.250	38.06	54.0	15.94	AV	45.00	400	Vertical	Pass
3	5827.000	106.65	--	--	Peak	262.00	100	Vertical	N/A
3**	5827.000	99.46	--	--	AV	262.00	100	Vertical	N/A
4	7359.500	53.28	74.0	20.72	Peak	104.00	100	Vertical	Pass
4**	7359.500	45.08	54.0	8.92	AV	104.00	100	Vertical	Pass
5	12510.599	53.78	74.0	20.22	Peak	169.00	100	Vertical	Pass
5**	12510.599	44.95	54.0	9.05	AV	169.00	100	Vertical	Pass
6	15900.262	54.58	74.0	19.42	Peak	312.00	200	Vertical	Pass
6**	15900.262	45.52	54.0	8.48	AV	312.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1604.900	38.49	74.0	35.51	Peak	224.00	100	Horizontal	Pass
1**	1604.900	29.56	54.0	24.44	AV	224.00	100	Horizontal	Pass
2	4340.500	47.56	74.0	26.44	Peak	201.00	400	Horizontal	Pass
2**	4340.500	38.45	54.0	15.55	AV	201.00	400	Horizontal	Pass
3	5753.250	105.30	--	--	Peak	281.00	150	Horizontal	N/A
3**	5753.250	98.22	--	--	AV	281.00	150	Horizontal	N/A
4	7612.750	53.68	74.0	20.32	Peak	240.00	300	Horizontal	Pass
4**	7612.750	44.17	54.0	9.83	AV	240.00	300	Horizontal	Pass
5	12459.537	53.87	74.0	20.13	Peak	19.00	100	Horizontal	Pass
5**	12459.537	44.75	54.0	9.25	AV	19.00	100	Horizontal	Pass
6	15904.987	54.29	74.0	19.71	Peak	56.00	200	Horizontal	Pass
6**	15904.987	44.96	54.0	9.04	AV	56.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.500	38.34	74.0	35.66	Peak	289.00	400	Vertical	Pass
1**	1592.500	28.75	54.0	25.25	AV	289.00	400	Vertical	Pass
2	4125.250	47.81	74.0	26.19	Peak	360.00	200	Vertical	Pass
2**	4125.250	38.50	54.0	15.50	AV	360.00	200	Vertical	Pass
3	5753.250	104.81	--	--	Peak	260.00	150	Vertical	N/A
3**	5753.250	97.88	--	--	AV	260.00	150	Vertical	N/A
4	7645.750	53.93	74.0	20.07	Peak	360.00	400	Vertical	Pass
4**	7645.750	45.27	54.0	8.73	AV	360.00	400	Vertical	Pass
5	12496.113	53.44	74.0	20.56	Peak	164.00	200	Vertical	Pass
5**	12496.113	44.05	54.0	9.95	AV	164.00	200	Vertical	Pass
6	16137.037	55.14	74.0	18.86	Peak	206.00	200	Vertical	Pass
6**	16137.037	44.86	54.0	9.14	AV	206.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.100	38.38	74.0	35.62	Peak	232.00	300	Horizontal	Pass
1**	1608.100	28.82	54.0	25.18	AV	232.00	300	Horizontal	Pass
2	4354.750	47.51	74.0	26.49	Peak	67.00	200	Horizontal	Pass
2**	4354.750	38.01	54.0	15.99	AV	67.00	200	Horizontal	Pass
3	5793.250	105.13	--	--	Peak	291.00	100	Horizontal	N/A
3**	5793.250	98.16	--	--	AV	291.00	100	Horizontal	N/A
4	7360.250	53.05	74.0	20.95	Peak	227.00	400	Horizontal	Pass
4**	7360.250	44.53	54.0	9.47	AV	227.00	400	Horizontal	Pass
5	12514.400	53.92	74.0	20.08	Peak	164.00	100	Horizontal	Pass
5**	12514.400	44.35	54.0	9.65	AV	164.00	100	Horizontal	Pass
6	15663.225	54.44	74.0	19.56	Peak	0.00	100	Horizontal	Pass
6**	15663.225	44.61	54.0	9.39	AV	0.00	100	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1579.200	38.02	74.0	35.98	Peak	212.00	400	Vertical	Pass
1**	1579.200	28.66	54.0	25.34	AV	212.00	400	Vertical	Pass
2	4091.750	47.42	74.0	26.58	Peak	191.00	400	Vertical	Pass
2**	4091.750	37.62	54.0	16.38	AV	191.00	400	Vertical	Pass
3	5796.250	104.55	--	--	Peak	274.00	150	Vertical	N/A
3**	5796.250	97.66	--	--	AV	274.00	150	Vertical	N/A
4	7678.000	53.47	74.0	20.53	Peak	211.00	400	Vertical	Pass
4**	7678.000	45.38	54.0	8.62	AV	211.00	400	Vertical	Pass
5	12507.987	54.10	74.0	19.90	Peak	50.00	200	Vertical	Pass
5**	12507.987	44.75	54.0	9.25	AV	50.00	200	Vertical	Pass
6	16128.638	54.15	74.0	19.85	Peak	284.00	200	Vertical	Pass
6**	16128.638	45.77	54.0	8.23	AV	284.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1618.200	38.67	74.0	35.33	Peak	177.00	400	Horizontal	Pass
1**	1618.200	29.31	54.0	24.69	AV	177.00	400	Horizontal	Pass
2	4242.000	47.75	74.0	26.25	Peak	302.00	300	Horizontal	Pass
2**	4242.000	39.18	54.0	14.82	AV	302.00	300	Horizontal	Pass
3	5743.250	107.39	--	--	Peak	6.00	150	Horizontal	N/A
3**	5743.250	100.38	--	--	AV	6.00	150	Horizontal	N/A
4	7588.750	53.13	74.0	20.87	Peak	360.00	100	Horizontal	Pass
4**	7588.750	43.99	54.0	10.01	AV	360.00	100	Horizontal	Pass
5	12534.825	54.68	74.0	19.32	Peak	254.00	100	Horizontal	Pass
5**	12534.825	43.60	54.0	10.40	AV	254.00	100	Horizontal	Pass
6	15888.451	54.75	74.0	19.25	Peak	283.00	300	Horizontal	Pass
6**	15888.451	46.13	54.0	7.87	AV	283.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1453.100	38.68	74.0	35.32	Peak	16.00	300	Vertical	Pass
1**	1453.100	29.27	54.0	24.73	AV	16.00	300	Vertical	Pass
2	4273.750	47.45	74.0	26.55	Peak	49.00	100	Vertical	Pass
2**	4273.750	38.73	54.0	15.27	AV	49.00	100	Vertical	Pass
3	5744.000	107.36	--	--	Peak	264.00	150	Vertical	N/A
3**	5744.000	99.93	--	--	AV	264.00	150	Vertical	N/A
4	7490.750	53.14	74.0	20.86	Peak	341.00	200	Vertical	Pass
4**	7490.750	43.72	54.0	10.28	AV	341.00	200	Vertical	Pass
5	12512.263	53.29	74.0	20.71	Peak	45.00	200	Vertical	Pass
5**	12512.263	44.31	54.0	9.69	AV	45.00	200	Vertical	Pass
6	15891.599	54.50	74.0	19.50	Peak	198.00	100	Vertical	Pass
6**	15891.599	45.38	54.0	8.62	AV	198.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1454.500	38.27	74.0	35.73	Peak	228.00	300	Horizontal	Pass
1**	1454.500	29.27	54.0	24.73	AV	228.00	300	Horizontal	Pass
2	4149.000	47.05	74.0	26.95	Peak	302.00	200	Horizontal	Pass
2**	4149.000	38.04	54.0	15.96	AV	302.00	200	Horizontal	Pass
3	5787.000	107.08	--	--	Peak	166.00	100	Horizontal	N/A
3**	5787.000	100.03	--	--	AV	166.00	100	Horizontal	N/A
4	7362.250	52.99	74.0	21.01	Peak	320.00	300	Horizontal	Pass
4**	7362.250	44.53	54.0	9.47	AV	320.00	300	Horizontal	Pass
5	12476.401	53.73	74.0	20.27	Peak	270.00	200	Horizontal	Pass
5**	12476.401	44.41	54.0	9.59	AV	270.00	200	Horizontal	Pass
6	16128.375	54.86	74.0	19.14	Peak	9.00	200	Horizontal	Pass
6**	16128.375	45.10	54.0	8.90	AV	9.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.000	38.54	74.0	35.46	Peak	110.00	100	Vertical	Pass
1**	1601.000	28.96	54.0	25.04	AV	110.00	100	Vertical	Pass
2	4275.750	47.77	74.0	26.23	Peak	145.00	200	Vertical	Pass
2**	4275.750	37.51	54.0	16.49	AV	145.00	200	Vertical	Pass
3	5786.750	107.69	--	--	Peak	262.00	200	Vertical	N/A
3**	5786.750	100.23	--	--	AV	262.00	200	Vertical	N/A
4	7598.750	53.32	74.0	20.68	Peak	28.00	400	Vertical	Pass
4**	7598.750	45.16	54.0	8.84	AV	28.00	400	Vertical	Pass
5	12521.050	53.78	74.0	20.22	Peak	309.00	100	Vertical	Pass
5**	12521.050	44.55	54.0	9.45	AV	309.00	100	Vertical	Pass
6	16125.225	54.41	74.0	19.59	Peak	169.00	400	Vertical	Pass
6**	16125.225	45.47	54.0	8.53	AV	169.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.000	38.93	74.0	35.07	Peak	243.00	200	Horizontal	Pass
1**	1443.000	28.44	54.0	25.56	AV	243.00	200	Horizontal	Pass
2	4320.750	47.20	74.0	26.80	Peak	183.00	400	Horizontal	Pass
2**	4320.750	38.78	54.0	15.22	AV	183.00	400	Horizontal	Pass
3	5823.250	107.24	--	--	Peak	6.00	200	Horizontal	N/A
3**	5823.250	99.99	--	--	AV	6.00	200	Horizontal	N/A
4	7597.250	54.34	74.0	19.66	Peak	341.00	300	Horizontal	Pass
4**	7597.250	44.07	54.0	9.93	AV	341.00	300	Horizontal	Pass
5	12483.287	53.38	74.0	20.62	Peak	91.00	150	Horizontal	Pass
5**	12483.287	44.27	54.0	9.73	AV	91.00	150	Horizontal	Pass
6	15896.063	54.65	74.0	19.35	Peak	26.00	300	Horizontal	Pass
6**	15896.063	46.85	54.0	7.15	AV	26.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.600	38.79	74.0	35.21	Peak	26.00	400	Vertical	Pass
1**	1612.600	30.67	54.0	23.33	AV	26.00	400	Vertical	Pass
2	4387.000	47.89	74.0	26.11	Peak	223.00	400	Vertical	Pass
2**	4387.000	38.11	54.0	15.89	AV	223.00	400	Vertical	Pass
3	5826.750	106.64	--	--	Peak	242.00	100	Vertical	N/A
3**	5826.750	99.58	--	--	AV	242.00	100	Vertical	N/A
4	7363.500	53.22	74.0	20.78	Peak	184.00	200	Vertical	Pass
4**	7363.500	43.73	54.0	10.27	AV	184.00	200	Vertical	Pass
5	12514.875	53.72	74.0	20.28	Peak	360.00	200	Vertical	Pass
5**	12514.875	44.33	54.0	9.67	AV	360.00	200	Vertical	Pass
6	16143.075	55.09	74.0	18.91	Peak	201.00	400	Vertical	Pass
6**	16143.075	45.98	54.0	8.02	AV	201.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1483.600	38.50	74.0	35.50	Peak	360.00	100	Horizontal	Pass
1**	1483.600	28.65	54.0	25.35	AV	360.00	100	Horizontal	Pass
2	4334.000	47.63	74.0	26.37	Peak	359.00	100	Horizontal	Pass
2**	4334.000	38.47	54.0	15.53	AV	359.00	100	Horizontal	Pass
3	5758.500	105.36	--	--	Peak	279.00	150	Horizontal	N/A
3**	5758.500	97.99	--	--	AV	279.00	150	Horizontal	N/A
4	7419.250	53.98	74.0	20.02	Peak	339.00	200	Horizontal	Pass
4**	7419.250	43.65	54.0	10.35	AV	339.00	200	Horizontal	Pass
5	12528.412	53.36	74.0	20.64	Peak	227.00	100	Horizontal	Pass
5**	12528.412	43.98	54.0	10.02	AV	227.00	100	Horizontal	Pass
6	15398.100	55.22	74.0	18.78	Peak	124.00	100	Horizontal	Pass
6**	15398.100	44.63	54.0	9.37	AV	124.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.800	38.36	74.0	35.64	Peak	360.00	300	Vertical	Pass
1**	1622.800	28.71	54.0	25.29	AV	360.00	300	Vertical	Pass
2	4302.750	48.17	74.0	25.83	Peak	220.00	100	Vertical	Pass
2**	4302.750	37.38	54.0	16.62	AV	220.00	100	Vertical	Pass
3	5753.250	104.50	--	--	Peak	261.00	100	Vertical	N/A
3**	5753.250	97.81	--	--	AV	261.00	100	Vertical	N/A
4	7600.250	53.51	74.0	20.49	Peak	0.00	100	Vertical	Pass
4**	7600.250	43.91	54.0	10.09	AV	0.00	100	Vertical	Pass
5	12510.125	53.66	74.0	20.34	Peak	18.00	100	Vertical	Pass
5**	12510.125	45.07	54.0	8.93	AV	18.00	100	Vertical	Pass
6	15903.412	54.58	74.0	19.42	Peak	20.00	300	Vertical	Pass
6**	15903.412	45.10	54.0	8.90	AV	20.00	300	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1526.000	38.07	74.0	35.93	Peak	138.00	400	Horizontal	Pass
1**	1526.000	29.36	54.0	24.64	AV	138.00	400	Horizontal	Pass
2	4342.000	47.26	74.0	26.74	Peak	358.00	200	Horizontal	Pass
2**	4342.000	38.23	54.0	15.77	AV	358.00	200	Horizontal	Pass
3	5793.250	104.66	--	--	Peak	291.00	200	Horizontal	N/A
3**	5793.250	97.50	--	--	AV	291.00	200	Horizontal	N/A
4	7363.250	53.74	74.0	20.26	Peak	33.00	400	Horizontal	Pass
4**	7363.250	44.54	54.0	9.46	AV	33.00	400	Horizontal	Pass
5	12525.325	53.32	74.0	20.68	Peak	236.00	200	Horizontal	Pass
5**	12525.325	44.13	54.0	9.87	AV	236.00	200	Horizontal	Pass
6	15898.687	55.11	74.0	18.89	Peak	281.00	200	Horizontal	Pass
6**	15898.687	46.25	54.0	7.75	AV	281.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1469.200	38.33	74.0	35.67	Peak	343.00	400	Vertical	Pass
1**	1469.200	28.39	54.0	25.61	AV	343.00	400	Vertical	Pass
2	4231.250	48.08	74.0	25.92	Peak	55.00	400	Vertical	Pass
2**	4231.250	37.23	54.0	16.77	AV	55.00	400	Vertical	Pass
3	5796.500	105.17	--	--	Peak	268.00	200	Vertical	N/A
3**	5796.500	97.67	--	--	AV	268.00	200	Vertical	N/A
4	7490.750	53.21	74.0	20.79	Peak	162.00	300	Vertical	Pass
4**	7490.750	44.65	54.0	9.35	AV	162.00	300	Vertical	Pass
5	12471.175	53.69	74.0	20.31	Peak	134.00	150	Vertical	Pass
5**	12471.175	44.95	54.0	9.05	AV	134.00	150	Vertical	Pass
6	15793.688	53.96	74.0	20.04	Peak	0.00	200	Vertical	Pass
6**	15793.688	44.06	54.0	9.94	AV	0.00	200	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1443.200	38.32	74.0	35.68	Peak	98.00	100	Horizontal	Pass
1**	1443.200	29.11	54.0	24.89	AV	98.00	100	Horizontal	Pass
2	4029.000	47.03	74.0	26.97	Peak	251.00	200	Horizontal	Pass
2**	4029.000	37.27	54.0	16.73	AV	251.00	200	Horizontal	Pass
3	5773.250	100.35	--	--	Peak	293.00	200	Horizontal	N/A
3**	5773.250	92.84	--	--	AV	293.00	200	Horizontal	N/A
4	7429.250	53.33	74.0	20.67	Peak	77.00	100	Horizontal	Pass
4**	7429.250	43.32	54.0	10.68	AV	77.00	100	Horizontal	Pass
5	12509.650	53.41	74.0	20.59	Peak	217.00	200	Horizontal	Pass
5**	12509.650	44.83	54.0	9.17	AV	217.00	200	Horizontal	Pass
6	16109.475	54.86	74.0	19.14	Peak	0.00	100	Horizontal	Pass
6**	16109.475	45.41	54.0	8.59	AV	0.00	100	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1453.300	38.64	74.0	35.36	Peak	360.00	100	Vertical	Pass
1**	1453.300	28.98	54.0	25.02	AV	360.00	100	Vertical	Pass
2	4232.250	47.91	74.0	26.09	Peak	143.00	300	Vertical	Pass
2**	4232.250	37.81	54.0	16.19	AV	143.00	300	Vertical	Pass
3	5771.750	100.58	--	--	Peak	271.00	200	Vertical	N/A
3**	5771.750	93.10	--	--	AV	271.00	200	Vertical	N/A
4	7606.500	53.07	74.0	20.93	Peak	58.00	200	Vertical	Pass
4**	7606.500	44.85	54.0	9.15	AV	58.00	200	Vertical	Pass
5	12429.612	53.38	74.0	20.62	Peak	319.00	100	Vertical	Pass
5**	12429.612	42.86	54.0	11.14	AV	319.00	100	Vertical	Pass
6	16096.874	54.50	74.0	19.50	Peak	143.00	100	Vertical	Pass
6**	16096.874	46.25	54.0	7.75	AV	143.00	100	Vertical	Pass


A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass

	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass


Test Data

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.833	65.62	74.0	8.38	Peak	296.00	100	Horizontal	Pass
1**	5147.833	48.12	54.0	5.88	AV	296.00	100	Horizontal	Pass
2	5150.000	67.77	74.0	6.23	Peak	286.00	100	Horizontal	Pass
2**	5150.000	50.38	54.0	3.62	AV	286.00	100	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.01	74.0	17.99	Peak	15.00	150	Horizontal	Pass
1**	5350.000	45.52	54.0	8.48	AV	15.00	150	Horizontal	Pass
2	5377.867	56.53	74.0	17.47	Peak	183.00	150	Horizontal	Pass
2**	5377.867	45.14	54.0	8.86	AV	183.00	150	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.750	66.34	74.0	7.66	Peak	279.00	150	Horizontal	Pass
1**	5146.750	49.13	54.0	4.87	AV	279.00	150	Horizontal	Pass
2	5150.000	69.29	74.0	4.71	Peak	268.00	150	Horizontal	Pass
2**	5150.000	50.48	54.0	3.52	AV	268.00	150	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.60	74.0	17.40	Peak	142.00	200	Horizontal	Pass
1**	5350.000	45.62	54.0	8.38	AV	142.00	200	Horizontal	Pass
2	5382.084	57.28	74.0	16.72	Peak	259.00	150	Horizontal	Pass
2**	5382.084	44.95	54.0	9.05	AV	259.00	150	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.917	67.08	74.0	6.92	Peak	269.00	100	Horizontal	Pass
1**	5148.917	48.86	54.0	5.14	AV	269.00	100	Horizontal	Pass
2	5150.000	70.25	74.0	3.75	Peak	276.00	100	Horizontal	Pass
2**	5150.000	49.47	54.0	4.53	AV	276.00	100	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.73	74.0	18.27	Peak	298.00	200	Horizontal	Pass
1**	5350.000	45.51	54.0	8.49	AV	298.00	200	Horizontal	Pass
2	5384.283	57.16	74.0	16.84	Peak	296.00	100	Horizontal	Pass
2**	5384.283	44.95	54.0	9.05	AV	296.00	100	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.917	64.89	74.0	9.11	Peak	300.00	100	Horizontal	Pass
1**	5148.917	49.20	54.0	4.80	AV	300.00	100	Horizontal	Pass
2	5150.000	67.02	74.0	6.98	Peak	283.00	150	Horizontal	Pass
2**	5150.000	49.30	54.0	4.70	AV	283.00	150	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.77	74.0	18.23	Peak	242.00	150	Horizontal	Pass
1**	5350.000	45.47	54.0	8.53	AV	242.00	150	Horizontal	Pass
2	5397.484	57.04	74.0	16.96	Peak	275.00	100	Horizontal	Pass
2**	5397.484	44.75	54.0	9.25	AV	275.00	100	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.833	66.11	74.0	7.89	Peak	296.00	150	Horizontal	Pass
1**	5147.833	49.67	54.0	4.33	AV	296.00	150	Horizontal	Pass
2	5150.000	66.39	74.0	7.61	Peak	278.00	100	Horizontal	Pass
2**	5150.000	50.14	54.0	3.86	AV	278.00	100	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.46	74.0	18.54	Peak	312.00	100	Horizontal	Pass
1**	5350.000	45.29	54.0	8.71	AV	312.00	100	Horizontal	Pass
2	5374.017	56.91	74.0	17.09	Peak	296.00	100	Horizontal	Pass
2**	5374.017	44.86	54.0	9.14	AV	296.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5148.917	66.91	74.0	7.09	Peak	279.00	100	Horizontal	Pass
1**	5148.917	50.22	54.0	3.78	AV	279.00	100	Horizontal	Pass
2	5150.000	67.21	74.0	6.79	Peak	271.00	200	Horizontal	Pass
2**	5150.000	49.93	54.0	4.07	AV	271.00	200	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.54	74.0	17.46	Peak	270.00	150	Horizontal	Pass
1**	5350.000	46.14	54.0	7.86	AV	270.00	150	Horizontal	Pass
2	5353.483	62.96	74.0	11.04	Peak	285.00	200	Horizontal	Pass
2**	5353.483	46.01	54.0	7.99	AV	285.00	200	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4901.917	56.14	74.0	17.86	Peak	108.00	200	Horizontal	Pass
1**	4901.917	43.87	54.0	10.13	AV	108.00	200	Horizontal	Pass
2	5150.000	54.81	74.0	19.19	Peak	345.00	100	Horizontal	Pass
2**	5150.000	44.70	54.0	9.30	AV	345.00	100	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	67.98	74.0	6.02	Peak	274.00	200	Horizontal	Pass
1**	5350.000	50.71	54.0	3.29	AV	274.00	200	Horizontal	Pass
2	5350.367	70.71	74.0	3.29	Peak	289.00	100	Horizontal	Pass
2**	5350.367	49.96	54.0	4.04	AV	289.00	100	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.167	56.35	74.0	17.65	Peak	360.00	100	Horizontal	Pass
1**	4996.167	43.77	54.0	10.23	AV	360.00	100	Horizontal	Pass
2	5150.000	55.11	74.0	18.89	Peak	259.00	100	Horizontal	Pass
2**	5150.000	44.58	54.0	9.42	AV	259.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	65.67	74.0	8.33	Peak	279.00	150	Horizontal	Pass
1**	5350.000	49.79	54.0	4.21	AV	279.00	150	Horizontal	Pass
2	5350.367	69.38	74.0	4.62	Peak	296.00	200	Horizontal	Pass
2**	5350.367	49.43	54.0	4.57	AV	296.00	200	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5053.583	57.99	74.0	16.01	Peak	72.00	200	Horizontal	Pass
1**	5053.583	43.36	54.0	10.64	AV	72.00	200	Horizontal	Pass
2	5150.000	56.40	74.0	17.60	Peak	230.00	200	Horizontal	Pass
2**	5150.000	44.62	54.0	9.38	AV	230.00	200	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	66.25	74.0	7.75	Peak	300.00	100	Horizontal	Pass
1**	5350.000	49.16	54.0	4.84	AV	300.00	100	Horizontal	Pass
2	5351.283	67.93	74.0	6.07	Peak	259.00	150	Horizontal	Pass
2**	5351.283	48.64	54.0	5.36	AV	259.00	150	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.584	56.44	74.0	17.56	Peak	100.00	200	Horizontal	Pass
1**	5144.584	44.77	54.0	9.23	AV	100.00	200	Horizontal	Pass
2	5150.000	55.28	74.0	18.72	Peak	261.00	100	Horizontal	Pass
2**	5150.000	44.45	54.0	9.55	AV	261.00	100	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	67.77	74.0	6.23	Peak	263.00	150	Horizontal	Pass
1**	5350.000	49.03	54.0	4.97	AV	263.00	150	Horizontal	Pass
2	5350.917	66.91	74.0	7.09	Peak	244.00	100	Horizontal	Pass
2**	5350.917	48.62	54.0	5.38	AV	244.00	100	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4866.166	56.13	74.0	17.87	Peak	322.00	150	Horizontal	Pass
1**	4866.166	44.00	54.0	10.00	AV	322.00	150	Horizontal	Pass
2	5150.000	55.03	74.0	18.97	Peak	314.00	100	Horizontal	Pass
2**	5150.000	44.42	54.0	9.58	AV	314.00	100	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	66.30	74.0	7.70	Peak	261.00	200	Horizontal	Pass
1**	5350.000	50.44	54.0	3.56	AV	261.00	200	Horizontal	Pass
2	5352.567	68.87	74.0	5.13	Peak	263.00	150	Horizontal	Pass
2**	5352.567	49.55	54.0	4.45	AV	263.00	150	Horizontal	Pass
3	5350.733	65.18	74.0	8.82	Peak	276.00	100	Horizontal	Pass
3**	5350.733	50.62	54.0	3.38	AV	276.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4919.250	56.25	74.0	17.75	Peak	40.00	200	Horizontal	Pass
1**	4919.250	43.51	54.0	10.49	AV	40.00	200	Horizontal	Pass
2	5150.000	54.36	74.0	19.64	Peak	271.00	100	Horizontal	Pass
2**	5150.000	44.47	54.0	9.53	AV	271.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.16	74.0	13.84	Peak	268.00	100	Horizontal	Pass
1**	5350.000	50.40	54.0	3.60	AV	268.00	100	Horizontal	Pass
2	5369.983	65.21	74.0	8.79	Peak	263.00	100	Horizontal	Pass
2**	5369.983	47.82	54.0	6.18	AV	263.00	100	Horizontal	Pass
3	5350.183	60.35	74.0	13.65	Peak	258.00	100	Horizontal	Pass
3**	5350.183	50.62	54.0	3.38	AV	258.00	100	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5450.800	57.13	74.0	16.87	Peak	266.00	150	Horizontal	Pass
1**	5450.800	45.27	54.0	8.73	AV	266.00	150	Horizontal	Pass
2	5460.000	55.12	74.0	18.88	Peak	93.00	200	Horizontal	Pass
2**	5460.000	45.75	54.0	8.25	AV	93.00	200	Horizontal	Pass
3	5469.200	62.90	68.2	5.30	Peak	259.00	200	Horizontal	Pass
3**	5469.200	45.77	--	--	AV	259.00	200	Horizontal	N/A
4	5469.800	59.20	68.2	9.00	Peak	259.00	150	Horizontal	Pass
4**	5469.800	46.22	--	--	AV	259.00	150	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.31	68.2	6.89	Peak	2.00	200	Horizontal	Pass
2	5725.209	62.71	68.2	5.49	Peak	280.00	150	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.400	57.93	74.0	16.07	Peak	278.00	200	Horizontal	Pass
1**	5454.400	45.06	54.0	8.94	AV	278.00	200	Horizontal	Pass
2	5460.000	55.15	74.0	18.85	Peak	261.00	200	Horizontal	Pass
2**	5460.000	44.92	54.0	9.08	AV	261.00	200	Horizontal	Pass
3	5469.200	63.26	68.2	4.94	Peak	261.00	200	Horizontal	Pass
3**	5469.200	45.31	--	--	AV	261.00	200	Horizontal	N/A
4	5469.800	59.74	68.2	8.46	Peak	237.00	100	Horizontal	Pass
4**	5469.800	45.32	--	--	AV	237.00	100	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.66	68.2	4.54	Peak	286.00	150	Horizontal	Pass
2	5727.709	64.38	68.2	3.82	Peak	257.00	200	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.400	59.62	74.0	14.38	Peak	261.00	100	Horizontal	Pass
1**	5457.400	44.92	54.0	9.08	AV	261.00	100	Horizontal	Pass
2	5460.000	57.29	74.0	16.71	Peak	253.00	150	Horizontal	Pass
2**	5460.000	44.96	54.0	9.04	AV	253.00	150	Horizontal	Pass
3	5463.800	62.73	68.2	5.47	Peak	254.00	150	Horizontal	Pass
3**	5463.800	45.30	--	--	AV	254.00	150	Horizontal	N/A
4	5469.800	61.63	68.2	6.57	Peak	264.00	200	Horizontal	Pass
4**	5469.800	45.72	--	--	AV	264.00	200	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.24	68.2	5.96	Peak	291.00	100	Horizontal	Pass
2	5725.209	64.09	68.2	4.11	Peak	9.00	200	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.200	60.94	74.0	13.06	Peak	251.00	150	Horizontal	Pass
1**	5457.200	45.14	54.0	8.86	AV	251.00	150	Horizontal	Pass
2	5460.000	55.59	74.0	18.41	Peak	281.00	150	Horizontal	Pass
2**	5460.000	45.07	54.0	8.93	AV	281.00	150	Horizontal	Pass
3	5469.200	64.42	68.2	3.78	Peak	292.00	100	Horizontal	Pass
3**	5469.200	46.03	--	--	AV	292.00	100	Horizontal	N/A
4	5469.800	61.89	68.2	6.31	Peak	322.00	100	Horizontal	Pass
4**	5469.800	46.20	--	--	AV	322.00	100	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.68	68.2	4.52	Peak	354.00	150	Horizontal	Pass
2	5728.125	63.66	68.2	4.54	Peak	324.00	100	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.200	60.44	74.0	13.56	Peak	267.00	100	Horizontal	Pass
1**	5459.200	44.69	54.0	9.31	AV	267.00	100	Horizontal	Pass
2	5460.000	54.97	74.0	19.03	Peak	245.00	100	Horizontal	Pass
2**	5460.000	44.70	54.0	9.30	AV	245.00	100	Horizontal	Pass
3	5468.400	61.65	68.2	6.55	Peak	296.00	150	Horizontal	Pass
3**	5468.400	45.02	--	--	AV	296.00	150	Horizontal	N/A
4	5469.800	56.52	68.2	11.68	Peak	0.00	200	Horizontal	Pass
4**	5469.800	45.15	--	--	AV	0.00	200	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	64.23	68.2	3.97	Peak	95.00	150	Horizontal	Pass
2	5725.416	65.19	68.2	3.01	Peak	164.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.600	63.67	74.0	10.33	Peak	170.00	100	Horizontal	Pass
1**	5452.600	45.27	54.0	8.73	AV	170.00	100	Horizontal	Pass
2	5460.000	61.53	74.0	12.47	Peak	197.00	100	Horizontal	Pass
2**	5460.000	45.03	54.0	8.97	AV	197.00	100	Horizontal	Pass
3	5469.000	64.70	68.2	3.50	Peak	161.00	100	Horizontal	Pass
3**	5469.000	46.49	--	--	AV	161.00	100	Horizontal	N/A
4	5469.800	61.25	68.2	6.95	Peak	164.00	150	Horizontal	Pass
4**	5469.800	46.59	--	--	AV	164.00	150	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.04	68.2	6.16	Peak	85.00	100	Horizontal	Pass
2	5734.792	63.86	68.2	4.34	Peak	88.00	100	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.750	57.15	68.2	11.05	Peak	193.00	200	Horizontal	Pass
2	5650.000	56.00	68.2	12.20	Peak	81.00	200	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	55.38	68.4	13.02	Peak	273.00	100	Horizontal	Pass
2	5998.750	57.42	68.2	10.78	Peak	42.00	150	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.584	56.41	68.2	11.79	Peak	171.00	100	Horizontal	Pass
2	5650.000	55.71	68.2	12.49	Peak	171.00	100	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	54.86	68.4	13.54	Peak	283.00	150	Horizontal	Pass
2	5967.750	57.51	68.2	10.69	Peak	310.00	150	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.791	59.84	68.2	8.36	Peak	92.00	100	Horizontal	Pass
2	5650.000	60.62	68.2	7.58	Peak	172.00	200	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	55.98	68.4	12.42	Peak	91.00	200	Horizontal	Pass
2	5943.750	57.75	68.2	10.45	Peak	94.00	200	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5635.209	56.75	68.2	11.45	Peak	100.00	100	Horizontal	Pass
2	5650.000	55.68	68.2	12.52	Peak	67.00	100	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	55.34	68.4	13.06	Peak	196.00	150	Horizontal	Pass
2	5984.000	59.57	68.2	8.63	Peak	9.00	200	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5647.500	60.11	68.2	8.09	Peak	156.00	100	Horizontal	Pass
2	5650.000	59.20	68.2	9.00	Peak	156.00	150	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	55.77	68.4	12.63	Peak	264.00	100	Horizontal	Pass
2	5928.250	57.24	68.2	10.96	Peak	81.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5642.916	63.32	68.2	4.88	Peak	181.00	150	Horizontal	Pass
2	5650.000	60.41	68.2	7.79	Peak	181.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	58.14	68.4	10.26	Peak	100.00	100	Horizontal	Pass
2	5929.000	59.31	68.2	8.89	Peak	217.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ25A0767-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ25A0767-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ25A0767-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--