


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.63	-13	Pass	2986
30	500	0.1	Peak	496.2	-41.44	-13	Pass	4701
500	1000	0.1	Peak	824.1	32.86	-13	N/A	5001
1000	10000	1	Peak	5770	-34.93	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-33.89	-13	Pass	401
0.15	30	0.01	Peak	0.16	-38.83	-13	Pass	2986
30	500	0.1	Peak	480.6	-41.89	-13	Pass	4701
500	1000	0.1	Peak	836.7	32.95	-13	N/A	5001
1000	10000	1	Peak	5857	-32.58	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-33.52	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.18	-13	Pass	2986
30	500	0.1	Peak	416.9	-41.77	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.84	-13	N/A	5001
1000	10000	1	Peak	5941	-33.45	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.13	-13	Pass	2986
30	1000	0.1	Peak	861.7	-45.22	-13	Pass	9701
1000	3000	1	Peak	1850	31.08	-13	N/A	2001
3000	20000	1	Peak	7401	-38.33	-13	Pass	17001




2.4. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-40.92	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.51	-13	Pass	2986
30	1000	0.1	Peak	871.2	-45.31	-13	Pass	9701
1000	3000	1	Peak	1879	27.09	-13	N/A	2001
3000	20000	1	Peak	13161	-38.7	-13	Pass	17001



2.5. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.036	-41.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.16	-13	Pass	2986
30	1000	0.1	Peak	881.4	-45.46	-13	Pass	9701
1000	3000	1	Peak	1910	30.28	-13	N/A	2001
3000	20000	1	Peak	19815	-38.64	-13	Pass	17001



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.83	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.83	-13	Pass	2986
30	500	0.1	Peak	374.9	-41.03	-13	Pass	4701
500	1000	0.1	Peak	824.2	29.53	-13	N/A	5001
1000	10000	1	Peak	9280	-37.88	-13	Pass	9001




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-35.69	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.34	-13	Pass	2986
30	500	0.1	Peak	455.5	-41.23	-13	Pass	4701
500	1000	0.1	Peak	836.6	30.07	-13	N/A	5001
1000	10000	1	Peak	9976	-37.83	-13	Pass	9001



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.15	-13	Pass	401
0.15	30	0.01	Peak	0.15	-35.77	-13	Pass	2986
30	500	0.1	Peak	465.9	-41.92	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.39	-13	N/A	5001
1000	10000	1	Peak	9287	-37.38	-13	Pass	9001



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.038	-42.17	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.11	-13	Pass	2986
30	1000	0.1	Peak	874.8	-46.05	-13	Pass	9701
1000	3000	1	Peak	1851	26.96	-13	N/A	2001
3000	20000	1	Peak	7401	-36.66	-13	Pass	17001




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.038	-42.33	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.23	-13	Pass	2986
30	1000	0.1	Peak	911.7	-45.87	-13	Pass	9701
1000	3000	1	Peak	1880	29.81	-13	N/A	2001
3000	20000	1	Peak	19957	-39.16	-13	Pass	17001



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.31	-13	Pass	401
0.15	30	0.01	Peak	0.16	-44.27	-13	Pass	2986
30	1000	0.1	Peak	995.8	-45.82	-13	Pass	9701
1000	3000	1	Peak	1910	29.46	-13	N/A	2001
3000	20000	1	Peak	19897	-38.54	-13	Pass	17001



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46.68	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.05	-13	Pass	2986
30	1000	0.1	Peak	767.2	-49.51	-13	Pass	9701
1000	3000	1	Peak	1851	23.64	-13	N/A	2001
3000	20000	1	Peak	19950	-25.1	-13	Pass	17001




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.02	-46.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.85	-13	Pass	2986
30	1000	0.1	Peak	923.5	-49.71	-13	Pass	9701
1000	3000	1	Peak	1879	23.89	-13	N/A	2001
3000	20000	1	Peak	18842	-24.1	-13	Pass	17001



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.53	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.15	-13	Pass	2986
30	1000	0.1	Peak	829.5	-49.48	-13	Pass	9701
1000	3000	1	Peak	1906	23.3	-13	N/A	2001
3000	20000	1	Peak	19860	-25.37	-13	Pass	17001



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-47.31	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.33	-13	Pass	2986
30	1000	0.1	Peak	946.8	-49.51	-13	Pass	9701
1000	3000	1	Peak	1711	23.11	-13	N/A	2001
3000	20000	1	Peak	19983	-24.96	-13	Pass	17001




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.16	-13	Pass	2986
30	1000	0.1	Peak	985.4	-49.47	-13	Pass	9701
1000	3000	1	Peak	1731	22.78	-13	N/A	2001
3000	20000	1	Peak	19904	-25.19	-13	Pass	17001



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.14	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.08	-13	Pass	2986
30	1000	0.1	Peak	886.3	-49.73	-13	Pass	9701
1000	3000	1	Peak	1751	23.04	-13	N/A	2001
3000	20000	1	Peak	18945	-25.37	-13	Pass	17001



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.96	-13	Pass	2986
30	500	0.1	Peak	430.3	-51.68	-13	Pass	4701
500	1000	0.1	Peak	827	18.48	-13	N/A	5001
1000	10000	1	Peak	9989	-28.89	-13	Pass	9001




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.38	-13	Pass	2986
30	500	0.1	Peak	493.7	-51.51	-13	Pass	4701
500	1000	0.1	Peak	835.4	16.99	-13	N/A	5001
1000	10000	1	Peak	9932	-29.23	-13	Pass	9001



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.81	-13	Pass	401
0.15	30	0.01	Peak	0.16	-49.2	-13	Pass	2986
30	500	0.1	Peak	377.6	-51.58	-13	Pass	4701
500	1000	0.1	Peak	847.3	17.49	-13	N/A	5001
1000	10000	1	Peak	9921	-28.68	-13	Pass	9001



1. LTE_Band2


1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.64	-13	Pass	2986
30	1000	0.1	RMS	986.3	-60.87	-13	Pass	9701
1000	1840	1	RMS	1840	-50.29	-13	Pass	841
1840	1920	1	RMS	1850.2	23.58	60	Pass	401
1920	3000	1	RMS	2692	-47.03	-13	Pass	1081
3000	12000	1	RMS	3700	-30.41	-13	Pass	9001
12000	20000	1	RMS	19936	-27.08	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2986
30	1000	0.1	RMS	954.3	-60.81	-13	Pass	9701
1000	1840	1	RMS	1840	-50.39	-13	Pass	841
1840	1920	1	RMS	1850.2	22.64	60	Pass	401
1920	3000	1	RMS	2690	-47.11	-13	Pass	1081
3000	12000	1	RMS	3700	-31.79	-13	Pass	9001
12000	20000	1	RMS	19976	-27.09	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.88	-13	Pass	2986
30	1000	0.1	RMS	912.9	-60.8	-13	Pass	9701
1000	1840	1	RMS	1837	-50.51	-13	Pass	841
1840	1920	1	RMS	1879.6	23.78	60	Pass	401
1920	3000	1	RMS	2682	-47.05	-13	Pass	1081
3000	12000	1	RMS	3759	-31.91	-13	Pass	9001
12000	20000	1	RMS	19950	-27.07	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	Pass	2986
30	1000	0.1	RMS	877	-60.83	-13	Pass	9701
1000	1840	1	RMS	1840	-50.49	-13	Pass	841
1840	1920	1	RMS	1879.6	22.6	60	Pass	401
1920	3000	1	RMS	2688	-47.09	-13	Pass	1081
3000	12000	1	RMS	3759	-33.57	-13	Pass	9001
12000	20000	1	RMS	19969	-27	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-13	Pass	2986
30	1000	0.1	RMS	954.9	-60.81	-13	Pass	9701
1000	1840	1	RMS	1836	-50.53	-13	Pass	841
1840	1920	1	RMS	1908.8	22.89	60	Pass	401
1920	3000	1	RMS	2676	-47.04	-13	Pass	1081
3000	12000	1	RMS	3818	-28.17	-13	Pass	9001
12000	20000	1	RMS	19954	-27.09	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.16	-13	Pass	2986
30	1000	0.1	RMS	969.3	-60.86	-13	Pass	9701
1000	1840	1	RMS	1839	-50.52	-13	Pass	841
1840	1920	1	RMS	1908.8	22.01	60	Pass	401
1920	3000	1	RMS	2683	-47.14	-13	Pass	1081
3000	12000	1	RMS	3818	-29.78	-13	Pass	9001
12000	20000	1	RMS	19968	-27.06	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.34	-13	Pass	2986
30	1000	0.1	RMS	894.4	-60.84	-13	Pass	9701
1000	1840	1	RMS	1840	-50.16	-13	Pass	841
1840	1920	1	RMS	1850.2	23.13	60	Pass	401
1920	3000	1	RMS	2695	-47.07	-13	Pass	1081
3000	12000	1	RMS	3700	-32.85	-13	Pass	9001
12000	20000	1	RMS	19961	-27.08	-13	Pass	8001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.49	-13	Pass	2986
30	1000	0.1	RMS	980.7	-60.84	-13	Pass	9701
1000	1840	1	RMS	1840	-50.26	-13	Pass	841
1840	1920	1	RMS	1850.2	22.3	60	Pass	401
1920	3000	1	RMS	2696	-47.11	-13	Pass	1081
3000	12000	1	RMS	3700	-33.92	-13	Pass	9001
12000	20000	1	RMS	19963	-27.05	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.35	-13	Pass	2986
30	1000	0.1	RMS	974	-60.86	-13	Pass	9701
1000	1840	1	RMS	1840	-50.43	-13	Pass	841
1840	1920	1	RMS	1878.8	23.26	60	Pass	401
1920	3000	1	RMS	2687	-47.07	-13	Pass	1081
3000	12000	1	RMS	3757	-34.97	-13	Pass	9001
12000	20000	1	RMS	19962	-27.05	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.68	-13	Pass	2986
30	1000	0.1	RMS	904.8	-60.85	-13	Pass	9701
1000	1840	1	RMS	1838	-50.44	-13	Pass	841
1840	1920	1	RMS	1878.8	22.25	60	Pass	401
1920	3000	1	RMS	2684	-47.04	-13	Pass	1081
3000	12000	1	RMS	3757	-36.28	-13	Pass	9001
12000	20000	1	RMS	19957	-27.02	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.67	-13	Pass	2986
30	1000	0.1	RMS	891.4	-60.86	-13	Pass	9701
1000	1840	1	RMS	1816	-50.49	-13	Pass	841
1840	1920	1	RMS	1907.2	22.93	60	Pass	401
1920	3000	1	RMS	2689	-46.99	-13	Pass	1081
3000	12000	1	RMS	3814	-30.4	-13	Pass	9001
12000	20000	1	RMS	19964	-27.06	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	1000	0.1	RMS	993.8	-60.73	-13	Pass	9701
1000	1840	1	RMS	1838	-50.47	-13	Pass	841
1840	1920	1	RMS	1907.2	22.05	60	Pass	401
1920	3000	1	RMS	2686	-47.1	-13	Pass	1081
3000	12000	1	RMS	3815	-31.44	-13	Pass	9001
12000	20000	1	RMS	19988	-27.11	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2986
30	1000	0.1	RMS	871.9	-60.71	-13	Pass	9701
1000	1840	1	RMS	1840	-46.69	-13	Pass	841
1840	1920	1	RMS	1850.4	22.97	60	Pass	401
1920	3000	1	RMS	2685	-47.04	-13	Pass	1081
3000	12000	1	RMS	3701	-32.61	-13	Pass	9001
12000	20000	1	RMS	19958	-27.04	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.46	-13	Pass	2986
30	1000	0.1	RMS	995.7	-60.76	-13	Pass	9701
1000	1840	1	RMS	1840	-50.1	-13	Pass	841
1840	1920	1	RMS	1850.4	22.06	60	Pass	401
1920	3000	1	RMS	2691	-47.07	-13	Pass	1081
3000	12000	1	RMS	3701	-33.44	-13	Pass	9001
12000	20000	1	RMS	19955	-27.09	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-13	Pass	2986
30	1000	0.1	RMS	934.2	-60.76	-13	Pass	9701
1000	1840	1	RMS	1838	-50.5	-13	Pass	841
1840	1920	1	RMS	1877.8	23.19	60	Pass	401
1920	3000	1	RMS	2689	-47.08	-13	Pass	1081
3000	12000	1	RMS	3756	-34.04	-13	Pass	9001
12000	20000	1	RMS	19957	-27.07	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.45	-13	Pass	2986
30	1000	0.1	RMS	895.1	-60.8	-13	Pass	9701
1000	1840	1	RMS	1838	-50.53	-13	Pass	841
1840	1920	1	RMS	1877.8	22.33	60	Pass	401
1920	3000	1	RMS	2683	-47.06	-13	Pass	1081
3000	12000	1	RMS	3756	-35.97	-13	Pass	9001
12000	20000	1	RMS	19983	-27.07	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.94	-13	Pass	2986
30	1000	0.1	RMS	985.9	-60.78	-13	Pass	9701
1000	1840	1	RMS	1840	-50.5	-13	Pass	841
1840	1920	1	RMS	1905.4	22.67	60	Pass	401
1920	3000	1	RMS	2683	-47.06	-13	Pass	1081
3000	12000	1	RMS	3811	-31.23	-13	Pass	9001
12000	20000	1	RMS	19959	-27.01	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.83	-13	Pass	2986
30	1000	0.1	RMS	882	-60.92	-13	Pass	9701
1000	1840	1	RMS	1816	-50.53	-13	Pass	841
1840	1920	1	RMS	1905.4	21.88	60	Pass	401
1920	3000	1	RMS	2685	-47.07	-13	Pass	1081
3000	12000	1	RMS	3811	-32.25	-13	Pass	9001
12000	20000	1	RMS	19967	-27.06	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.26	-13	Pass	2986
30	1000	0.1	RMS	943.7	-60.88	-13	Pass	9701
1000	1840	1	RMS	1833	-45.83	-13	Pass	841
1840	1920	1	RMS	1850.6	23.15	60	Pass	401
1920	3000	1	RMS	2676	-47.07	-13	Pass	1081
3000	12000	1	RMS	3701	-31.1	-13	Pass	9001
12000	20000	1	RMS	19964	-27.09	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-13	Pass	2986
30	1000	0.1	RMS	905.2	-60.83	-13	Pass	9701
1000	1840	1	RMS	1833	-46.9	-13	Pass	841
1840	1920	1	RMS	1850.6	22.38	60	Pass	401
1920	3000	1	RMS	2684	-47.03	-13	Pass	1081
3000	12000	1	RMS	3701	-32.91	-13	Pass	9001
12000	20000	1	RMS	19966	-27.09	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.01	-13	Pass	2986
30	1000	0.1	RMS	886.4	-60.89	-13	Pass	9701
1000	1840	1	RMS	1835	-50.44	-13	Pass	841
1840	1920	1	RMS	1875.6	23.35	60	Pass	401
1920	3000	1	RMS	2681	-47.08	-13	Pass	1081
3000	12000	1	RMS	3751	-33.06	-13	Pass	9001
12000	20000	1	RMS	19962	-27.08	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-13	Pass	2986
30	1000	0.1	RMS	987.5	-60.75	-13	Pass	9701
1000	1840	1	RMS	1839	-50.49	-13	Pass	841
1840	1920	1	RMS	1875.6	22.31	60	Pass	401
1920	3000	1	RMS	2685	-47.02	-13	Pass	1081
3000	12000	1	RMS	3751	-35.24	-13	Pass	9001
12000	20000	1	RMS	19956	-27.09	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.44	-13	Pass	2986
30	1000	0.1	RMS	900.7	-60.77	-13	Pass	9701
1000	1840	1	RMS	1827	-50.51	-13	Pass	841
1840	1920	1	RMS	1900.6	22.75	60	Pass	401
1920	3000	1	RMS	2687	-47.02	-13	Pass	1081
3000	12000	1	RMS	3801	-33.74	-13	Pass	9001
12000	20000	1	RMS	19954	-27.02	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.22	-13	Pass	2986
30	1000	0.1	RMS	883.6	-60.82	-13	Pass	9701
1000	1840	1	RMS	1840	-50.55	-13	Pass	841
1840	1920	1	RMS	1900.6	21.84	60	Pass	401
1920	3000	1	RMS	2688	-47.1	-13	Pass	1081
3000	12000	1	RMS	3801	-35.13	-13	Pass	9001
12000	20000	1	RMS	19957	-27.08	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.39	-13	Pass	2986
30	1000	0.1	RMS	906.6	-60.8	-13	Pass	9701
1000	1840	1	RMS	1840	-45.83	-13	Pass	841
1840	1920	1	RMS	1850.8	23.05	60	Pass	401
1920	3000	1	RMS	2685	-47.08	-13	Pass	1081
3000	12000	1	RMS	3702	-31.08	-13	Pass	9001
12000	20000	1	RMS	19959	-27.01	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.87	-13	Pass	2986
30	1000	0.1	RMS	908.2	-60.76	-13	Pass	9701
1000	1840	1	RMS	1839	-44.74	-13	Pass	841
1840	1920	1	RMS	1850.8	22.21	60	Pass	401
1920	3000	1	RMS	2693	-47.06	-13	Pass	1081
3000	12000	1	RMS	3702	-33.09	-13	Pass	9001
12000	20000	1	RMS	19950	-27.1	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.55	-13	Pass	2986
30	1000	0.1	RMS	881.6	-60.9	-13	Pass	9701
1000	1840	1	RMS	1826	-50.48	-13	Pass	841
1840	1920	1	RMS	1873.4	23.12	60	Pass	401
1920	3000	1	RMS	2678	-47.02	-13	Pass	1081
3000	12000	1	RMS	3747	-34.29	-13	Pass	9001
12000	20000	1	RMS	19976	-27.04	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2986
30	1000	0.1	RMS	887.9	-60.72	-13	Pass	9701
1000	1840	1	RMS	1839	-50.52	-13	Pass	841
1840	1920	1	RMS	1873.4	22.09	60	Pass	401
1920	3000	1	RMS	2694	-47.09	-13	Pass	1081
3000	12000	1	RMS	3747	-37.53	-13	Pass	9001
12000	20000	1	RMS	19955	-27.05	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-13	Pass	2986
30	1000	0.1	RMS	972.5	-60.79	-13	Pass	9701
1000	1840	1	RMS	1815	-50.49	-13	Pass	841
1840	1920	1	RMS	1895.8	22.72	60	Pass	401
1920	3000	1	RMS	2678	-47.04	-13	Pass	1081
3000	12000	1	RMS	3792	-35.79	-13	Pass	9001
12000	20000	1	RMS	19967	-27.1	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-13	Pass	2986
30	1000	0.1	RMS	996.8	-60.9	-13	Pass	9701
1000	1840	1	RMS	1839	-50.52	-13	Pass	841
1840	1920	1	RMS	1895.8	21.89	60	Pass	401
1920	3000	1	RMS	2679	-47.09	-13	Pass	1081
3000	12000	1	RMS	3792	-36.44	-13	Pass	9001
12000	20000	1	RMS	20000	-27.12	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-13	Pass	2986
30	1000	0.1	RMS	879.9	-60.63	-13	Pass	9701
1000	1840	1	RMS	1840	-46.62	-13	Pass	841
1840	1920	1	RMS	1851	22.8	60	Pass	401
1920	3000	1	RMS	2678	-47.09	-13	Pass	1081
3000	12000	1	RMS	3702	-30.61	-13	Pass	9001
12000	20000	1	RMS	19983	-27.09	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2986
30	1000	0.1	RMS	981.3	-60.77	-13	Pass	9701
1000	1840	1	RMS	1840	-46.9	-13	Pass	841
1840	1920	1	RMS	1851	21.98	60	Pass	401
1920	3000	1	RMS	2679	-47.1	-13	Pass	1081
3000	12000	1	RMS	3702	-31.96	-13	Pass	9001
12000	20000	1	RMS	19959	-27.1	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.15	-13	Pass	2986
30	1000	0.1	RMS	997.2	-60.75	-13	Pass	9701
1000	1840	1	RMS	1836	-46.8	-13	Pass	841
1840	1920	1	RMS	1871	22.87	60	Pass	401
1920	3000	1	RMS	2681	-47.1	-13	Pass	1081
3000	12000	1	RMS	3742	-32.76	-13	Pass	9001
12000	20000	1	RMS	19955	-27.08	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2986
30	1000	0.1	RMS	872	-60.8	-13	Pass	9701
1000	1840	1	RMS	1835	-48.79	-13	Pass	841
1840	1920	1	RMS	1871	21.84	60	Pass	401
1920	3000	1	RMS	2685	-47.07	-13	Pass	1081
3000	12000	1	RMS	3742	-37.12	-13	Pass	9001
12000	20000	1	RMS	19966	-27.08	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.25	-13	Pass	2986
30	1000	0.1	RMS	944.3	-60.92	-13	Pass	9701
1000	1840	1	RMS	1836	-50.5	-13	Pass	841
1840	1920	1	RMS	1891	22.74	60	Pass	401
1920	3000	1	RMS	2694	-47.06	-13	Pass	1081
3000	12000	1	RMS	3782	-34.98	-13	Pass	9001
12000	20000	1	RMS	19956	-27.05	-13	Pass	8001



1.37. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	1000	0.1	RMS	885.2	-60.86	-13	Pass	9701
1000	1840	1	RMS	1838	-50.52	-13	Pass	841
1840	1920	1	RMS	1891	21.77	60	Pass	401
1920	3000	1	RMS	2691	-47.08	-13	Pass	1081
3000	12000	1	RMS	3782	-36.28	-13	Pass	9001
12000	20000	1	RMS	19964	-27.05	-13	Pass	8001



2. LTE_Band4


2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.92	-13	Pass	2986
30	1000	0.1	RMS	894	-60.77	-13	Pass	9701
1000	1700	1	RMS	1700	-50.69	-13	Pass	701
1700	1765	1	RMS	1710.238	22.56	60	Pass	401
1765	3000	1	RMS	2694	-47.09	-13	Pass	1236
3000	12000	1	RMS	11964	-38.43	-13	Pass	9001
12000	20000	1	RMS	19982	-27.11	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.85	-13	Pass	2986
30	1000	0.1	RMS	874.4	-60.83	-13	Pass	9701
1000	1700	1	RMS	1699	-50.77	-13	Pass	701
1700	1765	1	RMS	1710.238	21.59	60	Pass	401
1765	3000	1	RMS	2692	-47.1	-13	Pass	1236
3000	12000	1	RMS	11946	-38.48	-13	Pass	9001
12000	20000	1	RMS	19963	-27.11	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.02	-13	Pass	2986
30	1000	0.1	RMS	988.1	-60.8	-13	Pass	9701
1000	1700	1	RMS	1696	-50.9	-13	Pass	701
1700	1765	1	RMS	1732.013	22.36	60	Pass	401
1765	3000	1	RMS	2691	-47.15	-13	Pass	1236
3000	12000	1	RMS	11960	-38.46	-13	Pass	9001
12000	20000	1	RMS	19953	-27.18	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.79	-13	Pass	2986
30	1000	0.1	RMS	993.7	-61.01	-13	Pass	9701
1000	1700	1	RMS	1686	-50.94	-13	Pass	701
1700	1765	1	RMS	1732.013	21.42	60	Pass	401
1765	3000	1	RMS	2692	-47.15	-13	Pass	1236
3000	12000	1	RMS	11974	-38.48	-13	Pass	9001
12000	20000	1	RMS	19959	-27.13	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.22	-13	Pass	2986
30	1000	0.1	RMS	892.3	-60.9	-13	Pass	9701
1000	1700	1	RMS	1676	-50.89	-13	Pass	701
1700	1765	1	RMS	1753.788	22.73	60	Pass	401
1765	3000	1	RMS	2683	-47.15	-13	Pass	1236
3000	12000	1	RMS	11967	-38.49	-13	Pass	9001
12000	20000	1	RMS	19948	-27.17	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	1000	0.1	RMS	879.1	-60.79	-13	Pass	9701
1000	1700	1	RMS	1699	-50.91	-13	Pass	701
1700	1765	1	RMS	1753.788	21.85	60	Pass	401
1765	3000	1	RMS	2684	-47.12	-13	Pass	1236
3000	12000	1	RMS	11948	-38.43	-13	Pass	9001
12000	20000	1	RMS	19955	-27.09	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.61	-13	Pass	2986
30	1000	0.1	RMS	881.3	-60.84	-13	Pass	9701
1000	1700	1	RMS	1700	-50.46	-13	Pass	701
1700	1765	1	RMS	1710.238	22.59	60	Pass	401
1765	3000	1	RMS	2692	-47.12	-13	Pass	1236
3000	12000	1	RMS	11960	-38.48	-13	Pass	9001
12000	20000	1	RMS	19958	-27.13	-13	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.3	-13	Pass	2986
30	1000	0.1	RMS	985.9	-60.82	-13	Pass	9701
1000	1700	1	RMS	1700	-50.51	-13	Pass	701
1700	1765	1	RMS	1710.238	21.71	60	Pass	401
1765	3000	1	RMS	2680	-47.11	-13	Pass	1236
3000	12000	1	RMS	11951	-38.46	-13	Pass	9001
12000	20000	1	RMS	19993	-27.11	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	1000	0.1	RMS	900.7	-60.87	-13	Pass	9701
1000	1700	1	RMS	1699	-50.9	-13	Pass	701
1700	1765	1	RMS	1731.2	22.44	60	Pass	401
1765	3000	1	RMS	2695	-47.1	-13	Pass	1236
3000	12000	1	RMS	11971	-38.5	-13	Pass	9001
12000	20000	1	RMS	19961	-27.1	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.3	-13	Pass	2986
30	1000	0.1	RMS	959.9	-60.93	-13	Pass	9701
1000	1700	1	RMS	1672	-50.92	-13	Pass	701
1700	1765	1	RMS	1731.2	21.47	60	Pass	401
1765	3000	1	RMS	2687	-47.13	-13	Pass	1236
3000	12000	1	RMS	11959	-38.51	-13	Pass	9001
12000	20000	1	RMS	19992	-27.08	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.16	-13	Pass	2986
30	1000	0.1	RMS	925.7	-60.79	-13	Pass	9701
1000	1700	1	RMS	1692	-50.92	-13	Pass	701
1700	1765	1	RMS	1752.163	22.71	60	Pass	401
1765	3000	1	RMS	2682	-47.08	-13	Pass	1236
3000	12000	1	RMS	11958	-38.41	-13	Pass	9001
12000	20000	1	RMS	19956	-27.12	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.86	-13	Pass	2986
30	1000	0.1	RMS	896.4	-60.83	-13	Pass	9701
1000	1700	1	RMS	1661	-50.93	-13	Pass	701
1700	1765	1	RMS	1752.163	21.93	60	Pass	401
1765	3000	1	RMS	2692	-47.19	-13	Pass	1236
3000	12000	1	RMS	11950	-38.46	-13	Pass	9001
12000	20000	1	RMS	19966	-27.09	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.57	-13	Pass	2986
30	1000	0.1	RMS	979.4	-60.9	-13	Pass	9701
1000	1700	1	RMS	1700	-50.54	-13	Pass	701
1700	1765	1	RMS	1710.4	22.42	60	Pass	401
1765	3000	1	RMS	2690	-47.13	-13	Pass	1236
3000	12000	1	RMS	11960	-38.48	-13	Pass	9001
12000	20000	1	RMS	19965	-27.12	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2986
30	1000	0.1	RMS	973.9	-60.94	-13	Pass	9701
1000	1700	1	RMS	1700	-50.6	-13	Pass	701
1700	1765	1	RMS	1710.4	21.52	60	Pass	401
1765	3000	1	RMS	2675	-47.11	-13	Pass	1236
3000	12000	1	RMS	11941	-38.5	-13	Pass	9001
12000	20000	1	RMS	19963	-27.12	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2986
30	1000	0.1	RMS	981.2	-60.75	-13	Pass	9701
1000	1700	1	RMS	1696	-50.89	-13	Pass	701
1700	1765	1	RMS	1730.388	22.32	60	Pass	401
1765	3000	1	RMS	2681	-47.12	-13	Pass	1236
3000	12000	1	RMS	11946	-38.45	-13	Pass	9001
12000	20000	1	RMS	19963	-27.1	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2986
30	1000	0.1	RMS	896.9	-60.9	-13	Pass	9701
1000	1700	1	RMS	1663	-50.9	-13	Pass	701
1700	1765	1	RMS	1730.388	21.53	60	Pass	401
1765	3000	1	RMS	2694	-47.13	-13	Pass	1236
3000	12000	1	RMS	11960	-38.48	-13	Pass	9001
12000	20000	1	RMS	19962	-27.15	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.97	-13	Pass	2986
30	1000	0.1	RMS	991.7	-60.82	-13	Pass	9701
1000	1700	1	RMS	1672	-50.92	-13	Pass	701
1700	1765	1	RMS	1750.375	22.58	60	Pass	401
1765	3000	1	RMS	2682	-47.15	-13	Pass	1236
3000	12000	1	RMS	11950	-38.45	-13	Pass	9001
12000	20000	1	RMS	19956	-27.13	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2986
30	1000	0.1	RMS	893.1	-60.86	-13	Pass	9701
1000	1700	1	RMS	1679	-50.91	-13	Pass	701
1700	1765	1	RMS	1750.375	21.88	60	Pass	401
1765	3000	1	RMS	2686	-47.14	-13	Pass	1236
3000	12000	1	RMS	11969	-38.41	-13	Pass	9001
12000	20000	1	RMS	19978	-27.14	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.66	-13	Pass	2986
30	1000	0.1	RMS	983.4	-60.87	-13	Pass	9701
1000	1700	1	RMS	1693	-44.08	-13	Pass	701
1700	1765	1	RMS	1710.563	22.61	60	Pass	401
1765	3000	1	RMS	2679	-47.08	-13	Pass	1236
3000	12000	1	RMS	11946	-38.48	-13	Pass	9001
12000	20000	1	RMS	19959	-27.04	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	Pass	2986
30	1000	0.1	RMS	856.4	-60.94	-13	Pass	9701
1000	1700	1	RMS	1693	-45.32	-13	Pass	701
1700	1765	1	RMS	1710.563	21.76	60	Pass	401
1765	3000	1	RMS	2685	-47.13	-13	Pass	1236
3000	12000	1	RMS	11949	-38.43	-13	Pass	9001
12000	20000	1	RMS	19958	-27.15	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2986
30	1000	0.1	RMS	950.8	-60.89	-13	Pass	9701
1000	1700	1	RMS	1681	-50.89	-13	Pass	701
1700	1765	1	RMS	1728.113	22.48	60	Pass	401
1765	3000	1	RMS	2695	-47.1	-13	Pass	1236
3000	12000	1	RMS	11963	-38.49	-13	Pass	9001
12000	20000	1	RMS	19973	-27.11	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2986
30	1000	0.1	RMS	996.3	-60.98	-13	Pass	9701
1000	1700	1	RMS	1681	-50.91	-13	Pass	701
1700	1765	1	RMS	1728.113	21.57	60	Pass	401
1765	3000	1	RMS	2691	-47.06	-13	Pass	1236
3000	12000	1	RMS	11940	-38.48	-13	Pass	9001
12000	20000	1	RMS	19967	-27.11	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.25	-13	Pass	2986
30	1000	0.1	RMS	994.6	-60.95	-13	Pass	9701
1000	1700	1	RMS	1698	-50.88	-13	Pass	701
1700	1765	1	RMS	1745.663	22.43	60	Pass	401
1765	3000	1	RMS	2687	-47.14	-13	Pass	1236
3000	12000	1	RMS	11945	-38.47	-13	Pass	9001
12000	20000	1	RMS	19957	-27.13	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.99	-13	Pass	2986
30	1000	0.1	RMS	880.3	-60.85	-13	Pass	9701
1000	1700	1	RMS	1697	-50.91	-13	Pass	701
1700	1765	1	RMS	1745.663	21.6	60	Pass	401
1765	3000	1	RMS	2678	-47.09	-13	Pass	1236
3000	12000	1	RMS	11953	-38.49	-13	Pass	9001
12000	20000	1	RMS	19955	-27.12	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	1000	0.1	RMS	999.9	-60.87	-13	Pass	9701
1000	1700	1	RMS	1698	-45.15	-13	Pass	701
1700	1765	1	RMS	1710.888	22.5	60	Pass	401
1765	3000	1	RMS	2686	-47.03	-13	Pass	1236
3000	12000	1	RMS	11964	-38.5	-13	Pass	9001
12000	20000	1	RMS	19956	-27.11	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.38	-13	Pass	2986
30	1000	0.1	RMS	866.7	-60.88	-13	Pass	9701
1000	1700	1	RMS	1698	-45.59	-13	Pass	701
1700	1765	1	RMS	1710.888	21.62	60	Pass	401
1765	3000	1	RMS	2677	-47.09	-13	Pass	1236
3000	12000	1	RMS	11945	-38.49	-13	Pass	9001
12000	20000	1	RMS	19964	-27.14	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	1000	0.1	RMS	953.5	-60.97	-13	Pass	9701
1000	1700	1	RMS	1699	-43.64	-13	Pass	701
1700	1765	1	RMS	1725.838	22.47	60	Pass	401
1765	3000	1	RMS	2689	-47.1	-13	Pass	1236
3000	12000	1	RMS	11948	-38.49	-13	Pass	9001
12000	20000	1	RMS	19963	-27.09	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2986
30	1000	0.1	RMS	990	-60.89	-13	Pass	9701
1000	1700	1	RMS	1699	-44.79	-13	Pass	701
1700	1765	1	RMS	1725.838	21.54	60	Pass	401
1765	3000	1	RMS	2677	-47.16	-13	Pass	1236
3000	12000	1	RMS	11949	-38.44	-13	Pass	9001
12000	20000	1	RMS	19959	-27.07	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-13	Pass	2986
30	1000	0.1	RMS	891.8	-60.83	-13	Pass	9701
1000	1700	1	RMS	1658	-50.89	-13	Pass	701
1700	1765	1	RMS	1740.788	22.16	60	Pass	401
1765	3000	1	RMS	1767	-25.59	-13	Pass	1236
3000	12000	1	RMS	11966	-38.5	-13	Pass	9001
12000	20000	1	RMS	19963	-27.11	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-13	Pass	2986
30	1000	0.1	RMS	878.5	-60.8	-13	Pass	9701
1000	1700	1	RMS	1667	-50.92	-13	Pass	701
1700	1765	1	RMS	1740.788	21.43	60	Pass	401
1765	3000	1	RMS	1767	-26.65	-13	Pass	1236
3000	12000	1	RMS	11948	-38.47	-13	Pass	9001
12000	20000	1	RMS	19956	-27.1	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2986
30	1000	0.1	RMS	901	-60.82	-13	Pass	9701
1000	1700	1	RMS	1693	-47.2	-13	Pass	701
1700	1765	1	RMS	1711.05	23.19	60	Pass	401
1765	3000	1	RMS	2677	-47.07	-13	Pass	1236
3000	12000	1	RMS	11954	-38.53	-13	Pass	9001
12000	20000	1	RMS	19955	-27.09	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-13	Pass	2986
30	1000	0.1	RMS	938.5	-60.86	-13	Pass	9701
1000	1700	1	RMS	1700	-47.91	-13	Pass	701
1700	1765	1	RMS	1711.05	21.4	60	Pass	401
1765	3000	1	RMS	2683	-47.15	-13	Pass	1236
3000	12000	1	RMS	11951	-38.54	-13	Pass	9001
12000	20000	1	RMS	19958	-27.14	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.87	-13	Pass	2986
30	1000	0.1	RMS	905.3	-60.95	-13	Pass	9701
1000	1700	1	RMS	1688	-49.36	-13	Pass	701
1700	1765	1	RMS	1723.563	22.39	60	Pass	401
1765	3000	1	RMS	2678	-47.1	-13	Pass	1236
3000	12000	1	RMS	11955	-38.5	-13	Pass	9001
12000	20000	1	RMS	19965	-27.12	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2986
30	1000	0.1	RMS	978.8	-60.82	-13	Pass	9701
1000	1700	1	RMS	1688	-50.03	-13	Pass	701
1700	1765	1	RMS	1723.563	21.6	60	Pass	401
1765	3000	1	RMS	2691	-47.16	-13	Pass	1236
3000	12000	1	RMS	11950	-38.39	-13	Pass	9001
12000	20000	1	RMS	19956	-27.11	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.2	-13	Pass	2986
30	1000	0.1	RMS	906.2	-60.89	-13	Pass	9701
1000	1700	1	RMS	1700	-47.25	-13	Pass	701
1700	1765	1	RMS	1736.075	22.13	60	Pass	401
1765	3000	1	RMS	1772	-26.99	-13	Pass	1236
3000	12000	1	RMS	11952	-38.42	-13	Pass	9001
12000	20000	1	RMS	19948	-27.13	-13	Pass	8001



2.37. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2986
30	1000	0.1	RMS	880.5	-60.91	-13	Pass	9701
1000	1700	1	RMS	1700	-49.14	-13	Pass	701
1700	1765	1	RMS	1736.075	21.25	60	Pass	401
1765	3000	1	RMS	1772	-28.46	-13	Pass	1236
3000	12000	1	RMS	11960	-38.47	-13	Pass	9001
12000	20000	1	RMS	19948	-27.12	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.22	-13	Pass	7841
814	860	0.1	RMS	824.3	19.05	60	Pass	461
860	1000	0.1	RMS	990.8	-62.11	-13	Pass	1401
1000	3000	1	RMS	2682	-46.67	-13	Pass	2001
3000	10000	1	RMS	9946	-40.35	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.26	-13	Pass	7841
814	860	0.1	RMS	824.3	18.19	60	Pass	461
860	1000	0.1	RMS	942.4	-62.16	-13	Pass	1401
1000	3000	1	RMS	2683	-46.66	-13	Pass	2001
3000	10000	1	RMS	9986	-40.37	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.6	-13	Pass	2986
30	814	0.1	RMS	796	-61.43	-13	Pass	7841
814	860	0.1	RMS	836.1	19.05	60	Pass	461
860	1000	0.1	RMS	879.2	-62.2	-13	Pass	1401
1000	3000	1	RMS	1672	-46.64	-13	Pass	2001
3000	10000	1	RMS	9954	-40.33	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.98	-13	Pass	2986
30	814	0.1	RMS	813.4	-61.24	-13	Pass	7841
814	860	0.1	RMS	836.1	18.2	60	Pass	461
860	1000	0.1	RMS	918.2	-62.28	-13	Pass	1401
1000	3000	1	RMS	2690	-46.67	-13	Pass	2001
3000	10000	1	RMS	9962	-40.37	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.75	-13	Pass	2986
30	814	0.1	RMS	810.1	-61.3	-13	Pass	7841
814	860	0.1	RMS	847.9	19.62	60	Pass	461
860	1000	0.1	RMS	998.6	-61.96	-13	Pass	1401
1000	3000	1	RMS	1696	-44.32	-13	Pass	2001
3000	10000	1	RMS	9960	-40.37	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.44	-13	Pass	2986
30	814	0.1	RMS	777.1	-61.23	-13	Pass	7841
814	860	0.1	RMS	847.9	18.68	60	Pass	461
860	1000	0.1	RMS	998.5	-62.22	-13	Pass	1401
1000	3000	1	RMS	1696	-46.5	-13	Pass	2001
3000	10000	1	RMS	9962	-40.33	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2986
30	814	0.1	RMS	813	-61.14	-13	Pass	7841
814	860	0.1	RMS	824.2	19.4	60	Pass	461
860	1000	0.1	RMS	999.7	-62.22	-13	Pass	1401
1000	3000	1	RMS	2679	-46.66	-13	Pass	2001
3000	10000	1	RMS	9989	-40.28	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	814	0.1	RMS	813.2	-61.41	-13	Pass	7841
814	860	0.1	RMS	824.2	18.47	60	Pass	461
860	1000	0.1	RMS	899.2	-62.27	-13	Pass	1401
1000	3000	1	RMS	2694	-46.65	-13	Pass	2001
3000	10000	1	RMS	9978	-40.37	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.27	-13	Pass	2986
30	814	0.1	RMS	785.2	-61.4	-13	Pass	7841
814	860	0.1	RMS	835.2	19.31	60	Pass	461
860	1000	0.1	RMS	866.2	-62.17	-13	Pass	1401
1000	3000	1	RMS	2683	-46.68	-13	Pass	2001
3000	10000	1	RMS	9963	-40.38	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2986
30	814	0.1	RMS	767.6	-61.39	-13	Pass	7841
814	860	0.1	RMS	835.2	18.36	60	Pass	461
860	1000	0.1	RMS	994.2	-62.24	-13	Pass	1401
1000	3000	1	RMS	2684	-46.66	-13	Pass	2001
3000	10000	1	RMS	9954	-40.32	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	814	0.1	RMS	805.2	-61.3	-13	Pass	7841
814	860	0.1	RMS	846.2	19.84	60	Pass	461
860	1000	0.1	RMS	883	-62.14	-13	Pass	1401
1000	3000	1	RMS	2684	-46.64	-13	Pass	2001
3000	10000	1	RMS	9972	-40.38	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2986
30	814	0.1	RMS	813.3	-61.47	-13	Pass	7841
814	860	0.1	RMS	846.2	18.92	60	Pass	461
860	1000	0.1	RMS	988.8	-62.19	-13	Pass	1401
1000	3000	1	RMS	2681	-46.68	-13	Pass	2001
3000	10000	1	RMS	9976	-40.39	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.34	-13	Pass	2986
30	814	0.1	RMS	813.8	-60.98	-13	Pass	7841
814	860	0.1	RMS	824.3	19.22	60	Pass	461
860	1000	0.1	RMS	993.1	-62.21	-13	Pass	1401
1000	3000	1	RMS	2691	-46.68	-13	Pass	2001
3000	10000	1	RMS	9970	-40.42	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	814	0.1	RMS	814	-61.16	-13	Pass	7841
814	860	0.1	RMS	824.3	18.27	60	Pass	461
860	1000	0.1	RMS	992.8	-62.22	-13	Pass	1401
1000	3000	1	RMS	2683	-46.68	-13	Pass	2001
3000	10000	1	RMS	9956	-40.38	-13	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-13	Pass	2986
30	814	0.1	RMS	813	-61.36	-13	Pass	7841
814	860	0.1	RMS	834.3	19.22	60	Pass	461
860	1000	0.1	RMS	986.8	-62.27	-13	Pass	1401
1000	3000	1	RMS	2690	-46.68	-13	Pass	2001
3000	10000	1	RMS	9955	-40.33	-13	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.64	-13	Pass	2986
30	814	0.1	RMS	809.8	-61.47	-13	Pass	7841
814	860	0.1	RMS	834.3	18.47	60	Pass	461
860	1000	0.1	RMS	868.4	-62.2	-13	Pass	1401
1000	3000	1	RMS	2679	-46.69	-13	Pass	2001
3000	10000	1	RMS	9970	-40.39	-13	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.13	-13	Pass	2986
30	814	0.1	RMS	764.8	-61.42	-13	Pass	7841
814	860	0.1	RMS	844.3	19.72	60	Pass	461
860	1000	0.1	RMS	999.7	-62.04	-13	Pass	1401
1000	3000	1	RMS	1689	-46.62	-13	Pass	2001
3000	10000	1	RMS	9982	-40.37	-13	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-13	Pass	2986
30	814	0.1	RMS	755.2	-61.43	-13	Pass	7841
814	860	0.1	RMS	844.3	18.94	60	Pass	461
860	1000	0.1	RMS	963.2	-62.21	-13	Pass	1401
1000	3000	1	RMS	2687	-46.66	-13	Pass	2001
3000	10000	1	RMS	9953	-40.41	-13	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.42	-13	Pass	7841
814	860	0.1	RMS	824.6	19.78	60	Pass	461
860	1000	0.1	RMS	956.2	-62.1	-13	Pass	1401
1000	3000	1	RMS	1649	-46.33	-13	Pass	2001
3000	10000	1	RMS	9954	-40.4	-13	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	814	0.1	RMS	813.8	-53.05	-13	Pass	7841
814	860	0.1	RMS	824.6	18.97	60	Pass	461
860	1000	0.1	RMS	970.2	-62.26	-13	Pass	1401
1000	3000	1	RMS	2687	-46.65	-13	Pass	2001
3000	10000	1	RMS	9962	-40.34	-13	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-13	Pass	2986
30	814	0.1	RMS	814	-60.45	-13	Pass	7841
814	860	0.1	RMS	832.1	19.72	60	Pass	461
860	1000	0.1	RMS	991.6	-62.08	-13	Pass	1401
1000	3000	1	RMS	2693	-46.65	-13	Pass	2001
3000	10000	1	RMS	9990	-40.37	-13	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2986
30	814	0.1	RMS	814	-61.07	-13	Pass	7841
814	860	0.1	RMS	832.1	18.71	60	Pass	461
860	1000	0.1	RMS	902.2	-62.31	-13	Pass	1401
1000	3000	1	RMS	2676	-46.65	-13	Pass	2001
3000	10000	1	RMS	9969	-40.35	-13	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.3	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.22	-13	Pass	7841
814	860	0.1	RMS	839.6	19.87	60	Pass	461
860	1000	0.1	RMS	973.4	-62.29	-13	Pass	1401
1000	3000	1	RMS	1679	-46.25	-13	Pass	2001
3000	10000	1	RMS	9969	-40.36	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.21	-13	Pass	2986
30	814	0.1	RMS	812.3	-61.4	-13	Pass	7841
814	860	0.1	RMS	839.6	19.13	60	Pass	461
860	1000	0.1	RMS	873.6	-62.04	-13	Pass	1401
1000	3000	1	RMS	2691	-46.62	-13	Pass	2001
3000	10000	1	RMS	9977	-40.35	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-25	Pass	2986
30	1000	0.1	RMS	954.8	-60.8	-25	Pass	9701
1000	2490	1	RMS	2490	-47.51	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.15	60	Pass	401
2580	3000	1	RMS	2683	-47.39	-25	Pass	421
3000	12000	1	RMS	11854	-62.2	-25	Pass	9001
12000	26000	1	RMS	25598	-42.38	-25	Pass	14001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.79	-25	Pass	2986
30	1000	0.1	RMS	935.1	-60.92	-25	Pass	9701
1000	2490	1	RMS	2490	-47.55	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.19	60	Pass	401
2580	3000	1	RMS	2678	-47.42	-25	Pass	421
3000	12000	1	RMS	11953	-62.19	-25	Pass	9001
12000	26000	1	RMS	25578	-42.81	-25	Pass	14001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.14	-25	Pass	2986
30	1000	0.1	RMS	989.2	-60.86	-25	Pass	9701
1000	2490	1	RMS	2487	-47.91	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.91	60	Pass	401
2580	3000	1	RMS	2680	-47.41	-25	Pass	421
3000	12000	1	RMS	11852	-62.09	-25	Pass	9001
12000	26000	1	RMS	25592	-42.89	-25	Pass	14001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.95	-25	Pass	2986
30	1000	0.1	RMS	895.3	-60.95	-25	Pass	9701
1000	2490	1	RMS	2489	-47.91	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.01	60	Pass	401
2580	3000	1	RMS	2690	-47.44	-25	Pass	421
3000	12000	1	RMS	11852	-62.11	-25	Pass	9001
12000	26000	1	RMS	25607	-42.89	-25	Pass	14001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-25	Pass	2986
30	1000	0.1	RMS	992.2	-60.84	-25	Pass	9701
1000	2490	1	RMS	2490	-47.9	-25	Pass	1491
2490	2580	1	RMS	2565.375	23.03	60	Pass	401
2580	3000	1	RMS	2685	-47.4	-25	Pass	421
3000	12000	1	RMS	11848	-62.12	-25	Pass	9001
12000	26000	1	RMS	25600	-42.88	-25	Pass	14001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-25	Pass	2986
30	1000	0.1	RMS	878.4	-60.78	-25	Pass	9701
1000	2490	1	RMS	2489	-47.87	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.2	60	Pass	401
2580	3000	1	RMS	2681	-47.44	-25	Pass	421
3000	12000	1	RMS	11856	-62.19	-25	Pass	9001
12000	26000	1	RMS	25600	-42.87	-25	Pass	14001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-25	Pass	2986
30	1000	0.1	RMS	943.3	-60.93	-25	Pass	9701
1000	2490	1	RMS	2483	-37.65	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.3	60	Pass	401
2580	3000	1	RMS	2686	-47.42	-25	Pass	421
3000	12000	1	RMS	11856	-62.21	-25	Pass	9001
12000	26000	1	RMS	25579	-42.86	-25	Pass	14001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-25	Pass	2986
30	1000	0.1	RMS	977.4	-60.85	-25	Pass	9701
1000	2490	1	RMS	2483	-40.41	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.41	60	Pass	401
2580	3000	1	RMS	2684	-47.41	-25	Pass	421
3000	12000	1	RMS	11855	-62.19	-25	Pass	9001
12000	26000	1	RMS	25595	-42.92	-25	Pass	14001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.8	-25	Pass	2986
30	1000	0.1	RMS	868.5	-60.95	-25	Pass	9701
1000	2490	1	RMS	2490	-47.87	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.03	60	Pass	401
2580	3000	1	RMS	2689	-47.46	-25	Pass	421
3000	12000	1	RMS	11856	-62.22	-25	Pass	9001
12000	26000	1	RMS	25601	-42.87	-25	Pass	14001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-25	Pass	2986
30	1000	0.1	RMS	899.5	-60.98	-25	Pass	9701
1000	2490	1	RMS	2488	-47.88	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.98	60	Pass	401
2580	3000	1	RMS	2679	-47.43	-25	Pass	421
3000	12000	1	RMS	11851	-62.17	-25	Pass	9001
12000	26000	1	RMS	25618	-42.88	-25	Pass	14001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.75	-25	Pass	2986
30	1000	0.1	RMS	895.8	-60.89	-25	Pass	9701
1000	2490	1	RMS	2490	-47.9	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.1	60	Pass	401
2580	3000	1	RMS	2580	-46.01	-25	Pass	421
3000	12000	1	RMS	11869	-62.2	-25	Pass	9001
12000	26000	1	RMS	25600	-42.88	-25	Pass	14001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.23	-25	Pass	2986
30	1000	0.1	RMS	906.6	-60.95	-25	Pass	9701
1000	2490	1	RMS	2490	-47.86	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.13	60	Pass	401
2580	3000	1	RMS	2580	-46.63	-25	Pass	421
3000	12000	1	RMS	11958	-62.21	-25	Pass	9001
12000	26000	1	RMS	25593	-42.89	-25	Pass	14001



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.44	-25	Pass	2986
30	1000	0.1	RMS	892.6	-60.67	-25	Pass	9701
1000	2490	1	RMS	2487	-42.7	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.23	60	Pass	401
2580	3000	1	RMS	2691	-47.42	-25	Pass	421
3000	12000	1	RMS	11849	-62.16	-25	Pass	9001
12000	26000	1	RMS	25600	-42.92	-25	Pass	14001



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.02	-25	Pass	2986
30	1000	0.1	RMS	928.2	-60.84	-25	Pass	9701
1000	2490	1	RMS	2488	-43.63	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.33	60	Pass	401
2580	3000	1	RMS	2695	-47.42	-25	Pass	421
3000	12000	1	RMS	11871	-62.21	-25	Pass	9001
12000	26000	1	RMS	25602	-42.87	-25	Pass	14001



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-25	Pass	2986
30	1000	0.1	RMS	990.2	-60.96	-25	Pass	9701
1000	2490	1	RMS	2488	-47.86	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.9	60	Pass	401
2580	3000	1	RMS	2679	-47.43	-25	Pass	421
3000	12000	1	RMS	11869	-62.16	-25	Pass	9001
12000	26000	1	RMS	25600	-42.91	-25	Pass	14001



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-25	Pass	2986
30	1000	0.1	RMS	884.1	-60.9	-25	Pass	9701
1000	2490	1	RMS	2490	-47.85	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.89	60	Pass	401
2580	3000	1	RMS	2684	-47.44	-25	Pass	421
3000	12000	1	RMS	11850	-62.24	-25	Pass	9001
12000	26000	1	RMS	25592	-42.86	-25	Pass	14001



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.31	-25	Pass	2986
30	1000	0.1	RMS	886.5	-60.95	-25	Pass	9701
1000	2490	1	RMS	2488	-47.88	-25	Pass	1491
2490	2595	1	RMS	2555.888	23.07	60	Pass	401
2595	3000	1	RMS	2681	-47.43	-25	Pass	406
3000	12000	1	RMS	11993	-62.23	-25	Pass	9001
12000	26000	1	RMS	25606	-42.81	-25	Pass	14001



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.77	-25	Pass	2986
30	1000	0.1	RMS	900.2	-60.94	-25	Pass	9701
1000	2490	1	RMS	2490	-47.88	-25	Pass	1491
2490	2595	1	RMS	2555.888	22.15	60	Pass	401
2595	3000	1	RMS	2681	-47.46	-25	Pass	406
3000	12000	1	RMS	11852	-62.18	-25	Pass	9001
12000	26000	1	RMS	25563	-42.82	-25	Pass	14001



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.31	-25	Pass	2986
30	1000	0.1	RMS	990.7	-60.84	-25	Pass	9701
1000	2490	1	RMS	2483	-44.85	-25	Pass	1491
2490	2580	1	RMS	2501.025	23	60	Pass	401
2580	3000	1	RMS	2683	-47.44	-25	Pass	421
3000	12000	1	RMS	11868	-62.19	-25	Pass	9001
12000	26000	1	RMS	25611	-42.83	-25	Pass	14001



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.56	-25	Pass	2986
30	1000	0.1	RMS	997.6	-60.9	-25	Pass	9701
1000	2490	1	RMS	2490	-45.85	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.17	60	Pass	401
2580	3000	1	RMS	2686	-47.45	-25	Pass	421
3000	12000	1	RMS	11926	-62.18	-25	Pass	9001
12000	26000	1	RMS	25601	-42.91	-25	Pass	14001



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-25	Pass	2986
30	1000	0.1	RMS	876.6	-60.86	-25	Pass	9701
1000	2490	1	RMS	2490	-39.68	-25	Pass	1491
2490	2580	1	RMS	2526	22.71	60	Pass	401
2580	3000	1	RMS	2687	-47.41	-25	Pass	421
3000	12000	1	RMS	11844	-62.2	-25	Pass	9001
12000	26000	1	RMS	25615	-42.87	-25	Pass	14001



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-25	Pass	2986
30	1000	0.1	RMS	879.2	-60.93	-25	Pass	9701
1000	2490	1	RMS	2490	-42.98	-25	Pass	1491
2490	2580	1	RMS	2526	21.68	60	Pass	401
2580	3000	1	RMS	2676	-47.44	-25	Pass	421
3000	12000	1	RMS	11851	-62.21	-25	Pass	9001
12000	26000	1	RMS	25608	-42.87	-25	Pass	14001



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-25	Pass	2986
30	1000	0.1	RMS	904.2	-60.91	-25	Pass	9701
1000	2490	1	RMS	2490	-47.95	-25	Pass	1491
2490	2595	1	RMS	2551.163	22.87	60	Pass	401
2595	3000	1	RMS	2690	-47.44	-25	Pass	406
3000	12000	1	RMS	11843	-62.2	-25	Pass	9001
12000	26000	1	RMS	25588	-42.84	-25	Pass	14001



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-25	Pass	2986
30	1000	0.1	RMS	976.7	-60.9	-25	Pass	9701
1000	2490	1	RMS	2490	-47.91	-25	Pass	1491
2490	2595	1	RMS	2551.163	21.86	60	Pass	401
2595	3000	1	RMS	2681	-47.45	-25	Pass	406
3000	12000	1	RMS	11976	-62.18	-25	Pass	9001
12000	26000	1	RMS	25592	-42.79	-25	Pass	14001



5. LTE_Band26(part22)


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.28	-13	Pass	2986
30	814	0.1	RMS	812	-61.26	-13	Pass	7841
814	860	0.1	RMS	824.3	19.26	60	Pass	461
860	1000	0.1	RMS	996	-62.07	-13	Pass	1401
1000	3000	1	RMS	2688	-46.64	-13	Pass	2001
3000	10000	1	RMS	9966	-40.33	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-13	Pass	2986
30	814	0.1	RMS	773.9	-61.35	-13	Pass	7841
814	860	0.1	RMS	824.3	18.28	60	Pass	461
860	1000	0.1	RMS	883.5	-62.3	-13	Pass	1401
1000	3000	1	RMS	2696	-46.66	-13	Pass	2001
3000	10000	1	RMS	9976	-40.37	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.86	-13	Pass	2986
30	814	0.1	RMS	811.2	-61.15	-13	Pass	7841
814	860	0.1	RMS	836.1	19.24	60	Pass	461
860	1000	0.1	RMS	996.8	-62.26	-13	Pass	1401
1000	3000	1	RMS	1672	-46.42	-13	Pass	2001
3000	10000	1	RMS	9966	-40.28	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	814	0.1	RMS	790.3	-61.41	-13	Pass	7841
814	860	0.1	RMS	836.1	18.3	60	Pass	461
860	1000	0.1	RMS	998.2	-62.19	-13	Pass	1401
1000	3000	1	RMS	2696	-46.69	-13	Pass	2001
3000	10000	1	RMS	9951	-40.37	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.1	-13	Pass	2986
30	814	0.1	RMS	780.7	-61.35	-13	Pass	7841
814	860	0.1	RMS	847.9	19.77	60	Pass	461
860	1000	0.1	RMS	971.2	-62.2	-13	Pass	1401
1000	3000	1	RMS	1696	-43.49	-13	Pass	2001
3000	10000	1	RMS	9951	-40.37	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.77	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.3	-13	Pass	7841
814	860	0.1	RMS	847.9	18.87	60	Pass	461
860	1000	0.1	RMS	991.8	-62.2	-13	Pass	1401
1000	3000	1	RMS	1696	-46.11	-13	Pass	2001
3000	10000	1	RMS	9970	-40.37	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2986
30	814	0.1	RMS	812.1	-61.18	-13	Pass	7841
814	860	0.1	RMS	824.2	19.54	60	Pass	461
860	1000	0.1	RMS	959.2	-62.25	-13	Pass	1401
1000	3000	1	RMS	2688	-46.65	-13	Pass	2001
3000	10000	1	RMS	9947	-40.37	-13	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.65	-13	Pass	2986
30	814	0.1	RMS	813.2	-61.11	-13	Pass	7841
814	860	0.1	RMS	824.2	18.65	60	Pass	461
860	1000	0.1	RMS	934	-62.17	-13	Pass	1401
1000	3000	1	RMS	2690	-46.65	-13	Pass	2001
3000	10000	1	RMS	9959	-40.4	-13	Pass	7001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2986
30	814	0.1	RMS	773.5	-61.32	-13	Pass	7841
814	860	0.1	RMS	835.2	19.49	60	Pass	461
860	1000	0.1	RMS	871	-62.21	-13	Pass	1401
1000	3000	1	RMS	2675	-46.65	-13	Pass	2001
3000	10000	1	RMS	9967	-40.36	-13	Pass	7001



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2986
30	814	0.1	RMS	767.5	-61.43	-13	Pass	7841
814	860	0.1	RMS	835.2	18.6	60	Pass	461
860	1000	0.1	RMS	875.4	-62.2	-13	Pass	1401
1000	3000	1	RMS	2691	-46.65	-13	Pass	2001
3000	10000	1	RMS	9965	-40.39	-13	Pass	7001



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2986
30	814	0.1	RMS	813.2	-61.28	-13	Pass	7841
814	860	0.1	RMS	846.2	20.11	60	Pass	461
860	1000	0.1	RMS	893.1	-62.05	-13	Pass	1401
1000	3000	1	RMS	2683	-46.67	-13	Pass	2001
3000	10000	1	RMS	9960	-40.36	-13	Pass	7001



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2986
30	814	0.1	RMS	812.5	-61.3	-13	Pass	7841
814	860	0.1	RMS	846.2	19.15	60	Pass	461
860	1000	0.1	RMS	874.4	-62.27	-13	Pass	1401
1000	3000	1	RMS	2688	-46.64	-13	Pass	2001
3000	10000	1	RMS	9974	-40.4	-13	Pass	7001



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55	-13	Pass	2986
30	814	0.1	RMS	812.6	-61.09	-13	Pass	7841
814	860	0.1	RMS	824.3	19.44	60	Pass	461
860	1000	0.1	RMS	949.2	-62.19	-13	Pass	1401
1000	3000	1	RMS	2677	-46.66	-13	Pass	2001
3000	10000	1	RMS	9970	-40.33	-13	Pass	7001



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.26	-13	Pass	7841
814	860	0.1	RMS	824.3	18.43	60	Pass	461
860	1000	0.1	RMS	998.5	-62.2	-13	Pass	1401
1000	3000	1	RMS	2683	-46.64	-13	Pass	2001
3000	10000	1	RMS	9967	-40.36	-13	Pass	7001



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-13	Pass	2986
30	814	0.1	RMS	811.8	-61.34	-13	Pass	7841
814	860	0.1	RMS	834.3	19.43	60	Pass	461
860	1000	0.1	RMS	881.5	-62.18	-13	Pass	1401
1000	3000	1	RMS	2683	-46.62	-13	Pass	2001
3000	10000	1	RMS	9980	-40.31	-13	Pass	7001



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2986
30	814	0.1	RMS	809.4	-61.31	-13	Pass	7841
814	860	0.1	RMS	834.3	18.66	60	Pass	461
860	1000	0.1	RMS	894	-62.23	-13	Pass	1401
1000	3000	1	RMS	2685	-46.66	-13	Pass	2001
3000	10000	1	RMS	9957	-40.22	-13	Pass	7001



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2986
30	814	0.1	RMS	791.3	-61.32	-13	Pass	7841
814	860	0.1	RMS	844.3	19.81	60	Pass	461
860	1000	0.1	RMS	913.1	-62.14	-13	Pass	1401
1000	3000	1	RMS	1689	-46.47	-13	Pass	2001
3000	10000	1	RMS	9950	-40.35	-13	Pass	7001



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2986
30	814	0.1	RMS	757.3	-61.35	-13	Pass	7841
814	860	0.1	RMS	844.3	18.97	60	Pass	461
860	1000	0.1	RMS	984.2	-62.16	-13	Pass	1401
1000	3000	1	RMS	2683	-46.66	-13	Pass	2001
3000	10000	1	RMS	9951	-40.35	-13	Pass	7001



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.26	-13	Pass	2986
30	814	0.1	RMS	814	-59.59	-13	Pass	7841
814	860	0.1	RMS	824.6	19.93	60	Pass	461
860	1000	0.1	RMS	998.4	-62.17	-13	Pass	1401
1000	3000	1	RMS	1649	-46.04	-13	Pass	2001
3000	10000	1	RMS	9966	-40.32	-13	Pass	7001



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.45	-13	Pass	2986
30	814	0.1	RMS	814	-59.53	-13	Pass	7841
814	860	0.1	RMS	824.6	19.1	60	Pass	461
860	1000	0.1	RMS	993.7	-62.26	-13	Pass	1401
1000	3000	1	RMS	2691	-46.65	-13	Pass	2001
3000	10000	1	RMS	9973	-40.39	-13	Pass	7001



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.25	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.27	-13	Pass	7841
814	860	0.1	RMS	832.1	19.81	60	Pass	461
860	1000	0.1	RMS	989.7	-62.24	-13	Pass	1401
1000	3000	1	RMS	2682	-46.65	-13	Pass	2001
3000	10000	1	RMS	9977	-40.41	-13	Pass	7001



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.38	-13	Pass	2986
30	814	0.1	RMS	811.7	-61.29	-13	Pass	7841
814	860	0.1	RMS	832.1	18.9	60	Pass	461
860	1000	0.1	RMS	890.6	-62.1	-13	Pass	1401
1000	3000	1	RMS	2677	-46.66	-13	Pass	2001
3000	10000	1	RMS	9984	-40.36	-13	Pass	7001



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.29	-13	Pass	2986
30	814	0.1	RMS	765.8	-61.39	-13	Pass	7841
814	860	0.1	RMS	839.6	20.16	60	Pass	461
860	1000	0.1	RMS	867.4	-62.22	-13	Pass	1401
1000	3000	1	RMS	1679	-45.95	-13	Pass	2001
3000	10000	1	RMS	9962	-40.36	-13	Pass	7001



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.9	-13	Pass	2986
30	814	0.1	RMS	813.2	-61.35	-13	Pass	7841
814	860	0.1	RMS	839.6	19.22	60	Pass	461
860	1000	0.1	RMS	996.3	-62.21	-13	Pass	1401
1000	3000	1	RMS	2678	-46.66	-13	Pass	2001
3000	10000	1	RMS	9958	-40.36	-13	Pass	7001



5.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2986
30	814	0.1	RMS	811.6	-56.1	-13	Pass	7841
814	860	0.1	RMS	824.8	19.35	60	Pass	461
860	1000	0.1	RMS	995.4	-62.18	-13	Pass	1401
1000	3000	1	RMS	1650	-46.36	-13	Pass	2001
3000	10000	1	RMS	9964	-40.38	-13	Pass	7001



5.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2986
30	814	0.1	RMS	811.5	-55.6	-13	Pass	7841
814	860	0.1	RMS	824.8	18.57	60	Pass	461
860	1000	0.1	RMS	884.5	-62.08	-13	Pass	1401
1000	3000	1	RMS	2692	-46.65	-13	Pass	2001
3000	10000	1	RMS	9983	-40.39	-13	Pass	7001



5.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.94	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.3	-13	Pass	7841
814	860	0.1	RMS	829.8	19.21	60	Pass	461
860	1000	0.1	RMS	993.8	-62.14	-13	Pass	1401
1000	3000	1	RMS	2694	-46.65	-13	Pass	2001
3000	10000	1	RMS	9954	-40.38	-13	Pass	7001



5.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.27	-13	Pass	2986
30	814	0.1	RMS	813.8	-60.47	-13	Pass	7841
814	860	0.1	RMS	829.8	18.23	60	Pass	461
860	1000	0.1	RMS	995	-62.18	-13	Pass	1401
1000	3000	1	RMS	2691	-46.7	-13	Pass	2001
3000	10000	1	RMS	9976	-40.39	-13	Pass	7001



5.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2986
30	814	0.1	RMS	811.8	-59.17	-13	Pass	7841
814	860	0.1	RMS	834.8	19.22	60	Pass	461
860	1000	0.1	RMS	885.8	-62.13	-13	Pass	1401
1000	3000	1	RMS	2685	-46.68	-13	Pass	2001
3000	10000	1	RMS	9945	-40.36	-13	Pass	7001



5.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2986
30	814	0.1	RMS	811.8	-59.48	-13	Pass	7841
814	860	0.1	RMS	834.8	18.42	60	Pass	461
860	1000	0.1	RMS	991	-62.19	-13	Pass	1401
1000	3000	1	RMS	2693	-46.68	-13	Pass	2001
3000	10000	1	RMS	9952	-40.33	-13	Pass	7001



6. LTE_Band66


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	1000	0.1	RMS	999.3	-60.86	-13	Pass	9701
1000	1700	1	RMS	1700	-50.79	-13	Pass	701
1700	1790	1	RMS	1710.35	22.43	60	Pass	401
1790	3000	1	RMS	2682	-47.17	-13	Pass	1211
3000	12000	1	RMS	11967	-38.64	-13	Pass	9001
12000	20000	1	RMS	19952	-27.27	-13	Pass	8001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-13	Pass	2986
30	1000	0.1	RMS	907	-60.94	-13	Pass	9701
1000	1700	1	RMS	1699	-50.9	-13	Pass	701
1700	1790	1	RMS	1710.35	21.5	60	Pass	401
1790	3000	1	RMS	2685	-47.13	-13	Pass	1211
3000	12000	1	RMS	11957	-38.58	-13	Pass	9001
12000	20000	1	RMS	19956	-27.22	-13	Pass	8001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.79	-13	Pass	2986
30	1000	0.1	RMS	860.1	-60.93	-13	Pass	9701
1000	1700	1	RMS	1663	-50.93	-13	Pass	701
1700	1790	1	RMS	1744.55	22.36	60	Pass	401
1790	3000	1	RMS	2682	-47.15	-13	Pass	1211
3000	12000	1	RMS	11953	-38.59	-13	Pass	9001
12000	20000	1	RMS	19964	-27.25	-13	Pass	8001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-13	Pass	2986
30	1000	0.1	RMS	883.8	-60.95	-13	Pass	9701
1000	1700	1	RMS	1682	-50.94	-13	Pass	701
1700	1790	1	RMS	1744.55	21.47	60	Pass	401
1790	3000	1	RMS	2688	-47.14	-13	Pass	1211
3000	12000	1	RMS	11976	-38.64	-13	Pass	9001
12000	20000	1	RMS	19969	-27.26	-13	Pass	8001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.8	-13	Pass	2986
30	1000	0.1	RMS	946	-60.86	-13	Pass	9701
1000	1700	1	RMS	1697	-50.98	-13	Pass	701
1700	1790	1	RMS	1778.75	22.21	60	Pass	401
1790	3000	1	RMS	2680	-47.14	-13	Pass	1211
3000	12000	1	RMS	11945	-38.59	-13	Pass	9001
12000	20000	1	RMS	19954	-27.26	-13	Pass	8001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-13	Pass	2986
30	1000	0.1	RMS	994.8	-60.87	-13	Pass	9701
1000	1700	1	RMS	1669	-50.96	-13	Pass	701
1700	1790	1	RMS	1778.75	21.35	60	Pass	401
1790	3000	1	RMS	2692	-47.17	-13	Pass	1211
3000	12000	1	RMS	11982	-38.63	-13	Pass	9001
12000	20000	1	RMS	19953	-27.22	-13	Pass	8001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-13	Pass	2986
30	1000	0.1	RMS	900.9	-60.95	-13	Pass	9701
1000	1700	1	RMS	1700	-50.41	-13	Pass	701
1700	1790	1	RMS	1710.125	22.45	60	Pass	401
1790	3000	1	RMS	2683	-47.15	-13	Pass	1211
3000	12000	1	RMS	11951	-38.59	-13	Pass	9001
12000	20000	1	RMS	19965	-27.19	-13	Pass	8001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2986
30	1000	0.1	RMS	926.6	-60.96	-13	Pass	9701
1000	1700	1	RMS	1700	-50.59	-13	Pass	701
1700	1790	1	RMS	1710.125	21.66	60	Pass	401
1790	3000	1	RMS	2678	-47.18	-13	Pass	1211
3000	12000	1	RMS	11938	-38.62	-13	Pass	9001
12000	20000	1	RMS	19979	-27.17	-13	Pass	8001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.12	-13	Pass	2986
30	1000	0.1	RMS	997.3	-60.93	-13	Pass	9701
1000	1700	1	RMS	1698	-50.91	-13	Pass	701
1700	1790	1	RMS	1743.65	22.32	60	Pass	401
1790	3000	1	RMS	2682	-47.12	-13	Pass	1211
3000	12000	1	RMS	11941	-38.63	-13	Pass	9001
12000	20000	1	RMS	19973	-27.23	-13	Pass	8001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	1000	0.1	RMS	900.2	-60.83	-13	Pass	9701
1000	1700	1	RMS	1700	-50.92	-13	Pass	701
1700	1790	1	RMS	1743.65	21.36	60	Pass	401
1790	3000	1	RMS	2676	-47.18	-13	Pass	1211
3000	12000	1	RMS	11959	-38.65	-13	Pass	9001
12000	20000	1	RMS	19974	-27.22	-13	Pass	8001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.34	-13	Pass	2986
30	1000	0.1	RMS	892.9	-60.99	-13	Pass	9701
1000	1700	1	RMS	1686	-50.95	-13	Pass	701
1700	1790	1	RMS	1777.175	22.27	60	Pass	401
1790	3000	1	RMS	2689	-47.19	-13	Pass	1211
3000	12000	1	RMS	11953	-38.64	-13	Pass	9001
12000	20000	1	RMS	19967	-27.25	-13	Pass	8001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2986
30	1000	0.1	RMS	943.1	-60.88	-13	Pass	9701
1000	1700	1	RMS	1684	-50.93	-13	Pass	701
1700	1790	1	RMS	1777.175	21.42	60	Pass	401
1790	3000	1	RMS	2690	-47.15	-13	Pass	1211
3000	12000	1	RMS	11946	-38.59	-13	Pass	9001
12000	20000	1	RMS	19957	-27.24	-13	Pass	8001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	Pass	2986
30	1000	0.1	RMS	995.6	-60.85	-13	Pass	9701
1000	1700	1	RMS	1700	-50.54	-13	Pass	701
1700	1790	1	RMS	1710.35	22.47	60	Pass	401
1790	3000	1	RMS	2687	-47.14	-13	Pass	1211
3000	12000	1	RMS	11954	-38.58	-13	Pass	9001
12000	20000	1	RMS	19960	-27.26	-13	Pass	8001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-13	Pass	2986
30	1000	0.1	RMS	897.6	-60.96	-13	Pass	9701
1000	1700	1	RMS	1700	-50.68	-13	Pass	701
1700	1790	1	RMS	1710.35	21.58	60	Pass	401
1790	3000	1	RMS	2687	-47.16	-13	Pass	1211
3000	12000	1	RMS	11952	-38.57	-13	Pass	9001
12000	20000	1	RMS	19956	-27.26	-13	Pass	8001



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.79	-13	Pass	2986
30	1000	0.1	RMS	868.4	-60.85	-13	Pass	9701
1000	1700	1	RMS	1670	-50.94	-13	Pass	701
1700	1790	1	RMS	1742.75	22.11	60	Pass	401
1790	3000	1	RMS	2686	-47.06	-13	Pass	1211
3000	12000	1	RMS	11953	-38.61	-13	Pass	9001
12000	20000	1	RMS	19960	-27.29	-13	Pass	8001



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.35	-13	Pass	2986
30	1000	0.1	RMS	893.5	-60.92	-13	Pass	9701
1000	1700	1	RMS	1682	-50.93	-13	Pass	701
1700	1790	1	RMS	1742.75	21.39	60	Pass	401
1790	3000	1	RMS	2682	-47.13	-13	Pass	1211
3000	12000	1	RMS	11948	-38.61	-13	Pass	9001
12000	20000	1	RMS	19964	-27.31	-13	Pass	8001



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.44	-13	Pass	2986
30	1000	0.1	RMS	914	-60.97	-13	Pass	9701
1000	1700	1	RMS	1696	-50.96	-13	Pass	701
1700	1790	1	RMS	1775.375	22.18	60	Pass	401
1790	3000	1	RMS	2693	-47.15	-13	Pass	1211
3000	12000	1	RMS	11951	-38.6	-13	Pass	9001
12000	20000	1	RMS	19968	-27.31	-13	Pass	8001



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-13	Pass	2986
30	1000	0.1	RMS	895.2	-60.85	-13	Pass	9701
1000	1700	1	RMS	1659	-50.95	-13	Pass	701
1700	1790	1	RMS	1775.375	21.44	60	Pass	401
1790	3000	1	RMS	2686	-47.16	-13	Pass	1211
3000	12000	1	RMS	11961	-38.58	-13	Pass	9001
12000	20000	1	RMS	19957	-27.28	-13	Pass	8001



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2986
30	1000	0.1	RMS	897.2	-60.95	-13	Pass	9701
1000	1700	1	RMS	1693	-44.67	-13	Pass	701
1700	1790	1	RMS	1710.575	22.56	60	Pass	401
1790	3000	1	RMS	2681	-47.17	-13	Pass	1211
3000	12000	1	RMS	11958	-38.58	-13	Pass	9001
12000	20000	1	RMS	19956	-27.25	-13	Pass	8001



6.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2986
30	1000	0.1	RMS	902	-60.75	-13	Pass	9701
1000	1700	1	RMS	1693	-46.04	-13	Pass	701
1700	1790	1	RMS	1710.575	21.75	60	Pass	401
1790	3000	1	RMS	2695	-47.11	-13	Pass	1211
3000	12000	1	RMS	11952	-38.63	-13	Pass	9001
12000	20000	1	RMS	19977	-27.28	-13	Pass	8001



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.44	-13	Pass	2986
30	1000	0.1	RMS	902.1	-60.91	-13	Pass	9701
1000	1700	1	RMS	1682	-50.92	-13	Pass	701
1700	1790	1	RMS	1740.5	22.22	60	Pass	401
1790	3000	1	RMS	2682	-47.17	-13	Pass	1211
3000	12000	1	RMS	11945	-38.61	-13	Pass	9001
12000	20000	1	RMS	19963	-27.25	-13	Pass	8001



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.26	-13	Pass	2986
30	1000	0.1	RMS	923.5	-60.88	-13	Pass	9701
1000	1700	1	RMS	1671	-50.92	-13	Pass	701
1700	1790	1	RMS	1740.5	21.32	60	Pass	401
1790	3000	1	RMS	2679	-47.16	-13	Pass	1211
3000	12000	1	RMS	11936	-38.64	-13	Pass	9001
12000	20000	1	RMS	19968	-27.17	-13	Pass	8001



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.11	-13	Pass	2986
30	1000	0.1	RMS	996	-60.86	-13	Pass	9701
1000	1700	1	RMS	1699	-50.89	-13	Pass	701
1700	1790	1	RMS	1770.65	22.36	60	Pass	401
1790	3000	1	RMS	2676	-47.18	-13	Pass	1211
3000	12000	1	RMS	11967	-38.63	-13	Pass	9001
12000	20000	1	RMS	19960	-27.17	-13	Pass	8001



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.85	-13	Pass	2986
30	1000	0.1	RMS	878.6	-60.85	-13	Pass	9701
1000	1700	1	RMS	1664	-50.96	-13	Pass	701
1700	1790	1	RMS	1770.65	21.49	60	Pass	401
1790	3000	1	RMS	2688	-47.19	-13	Pass	1211
3000	12000	1	RMS	11948	-38.56	-13	Pass	9001
12000	20000	1	RMS	19956	-27.23	-13	Pass	8001



6.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	1000	0.1	RMS	901	-60.67	-13	Pass	9701
1000	1700	1	RMS	1697	-43.91	-13	Pass	701
1700	1790	1	RMS	1710.8	22.54	60	Pass	401
1790	3000	1	RMS	2677	-47.16	-13	Pass	1211
3000	12000	1	RMS	11948	-38.58	-13	Pass	9001
12000	20000	1	RMS	19966	-27.21	-13	Pass	8001



6.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.92	-13	Pass	2986
30	1000	0.1	RMS	912	-60.93	-13	Pass	9701
1000	1700	1	RMS	1698	-44.78	-13	Pass	701
1700	1790	1	RMS	1710.8	21.7	60	Pass	401
1790	3000	1	RMS	2684	-47.07	-13	Pass	1211
3000	12000	1	RMS	11990	-38.64	-13	Pass	9001
12000	20000	1	RMS	19956	-27.22	-13	Pass	8001



6.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	1000	0.1	RMS	876.7	-60.84	-13	Pass	9701
1000	1700	1	RMS	1690	-50.92	-13	Pass	701
1700	1790	1	RMS	1738.25	22.11	60	Pass	401
1790	3000	1	RMS	2682	-47.1	-13	Pass	1211
3000	12000	1	RMS	11944	-38.63	-13	Pass	9001
12000	20000	1	RMS	19950	-27.25	-13	Pass	8001



6.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2986
30	1000	0.1	RMS	882.2	-60.84	-13	Pass	9701
1000	1700	1	RMS	1662	-50.91	-13	Pass	701
1700	1790	1	RMS	1738.25	21.21	60	Pass	401
1790	3000	1	RMS	2687	-47.14	-13	Pass	1211
3000	12000	1	RMS	11939	-38.53	-13	Pass	9001
12000	20000	1	RMS	19970	-27.19	-13	Pass	8001



6.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	1000	0.1	RMS	994.5	-60.91	-13	Pass	9701
1000	1700	1	RMS	1685	-50.9	-13	Pass	701
1700	1790	1	RMS	1765.925	22.38	60	Pass	401
1790	3000	1	RMS	1792	-29.09	-13	Pass	1211
3000	12000	1	RMS	11957	-38.64	-13	Pass	9001
12000	20000	1	RMS	19953	-27.24	-13	Pass	8001



6.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	1000	0.1	RMS	897.5	-60.75	-13	Pass	9701
1000	1700	1	RMS	1695	-50.91	-13	Pass	701
1700	1790	1	RMS	1765.925	21.57	60	Pass	401
1790	3000	1	RMS	1792	-30.37	-13	Pass	1211
3000	12000	1	RMS	11942	-38.58	-13	Pass	9001
12000	20000	1	RMS	19998	-27.24	-13	Pass	8001



6.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2986
30	1000	0.1	RMS	998.8	-60.83	-13	Pass	9701
1000	1700	1	RMS	1693	-45.37	-13	Pass	701
1700	1790	1	RMS	1711.025	22.35	60	Pass	401
1790	3000	1	RMS	2694	-47.09	-13	Pass	1211
3000	12000	1	RMS	11970	-38.6	-13	Pass	9001
12000	20000	1	RMS	19956	-27.28	-13	Pass	8001



6.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.18	-13	Pass	2986
30	1000	0.1	RMS	875.1	-60.92	-13	Pass	9701
1000	1700	1	RMS	1693	-46.68	-13	Pass	701
1700	1790	1	RMS	1711.025	21.49	60	Pass	401
1790	3000	1	RMS	2689	-47.18	-13	Pass	1211
3000	12000	1	RMS	11951	-38.55	-13	Pass	9001
12000	20000	1	RMS	19956	-27.26	-13	Pass	8001



6.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2986
30	1000	0.1	RMS	993.8	-60.83	-13	Pass	9701
1000	1700	1	RMS	1700	-48.73	-13	Pass	701
1700	1790	1	RMS	1736	21.94	60	Pass	401
1790	3000	1	RMS	2676	-47.18	-13	Pass	1211
3000	12000	1	RMS	11952	-38.62	-13	Pass	9001
12000	20000	1	RMS	19962	-27.27	-13	Pass	8001



6.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2986
30	1000	0.1	RMS	901.2	-60.91	-13	Pass	9701
1000	1700	1	RMS	1700	-49.55	-13	Pass	701
1700	1790	1	RMS	1736	21.07	60	Pass	401
1790	3000	1	RMS	2693	-47.12	-13	Pass	1211
3000	12000	1	RMS	11951	-38.57	-13	Pass	9001
12000	20000	1	RMS	19992	-27.24	-13	Pass	8001



6.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2986
30	1000	0.1	RMS	991.6	-60.86	-13	Pass	9701
1000	1700	1	RMS	1667	-50.89	-13	Pass	701
1700	1790	1	RMS	1760.975	22.28	60	Pass	401
1790	3000	1	RMS	1797	-28.25	-13	Pass	1211
3000	12000	1	RMS	11961	-38.53	-13	Pass	9001
12000	20000	1	RMS	19958	-27.27	-13	Pass	8001



6.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2986
30	1000	0.1	RMS	861.7	-60.76	-13	Pass	9701
1000	1700	1	RMS	1689	-50.93	-13	Pass	701
1700	1790	1	RMS	1760.975	21.34	60	Pass	401
1790	3000	1	RMS	1797	-29.51	-13	Pass	1211
3000	12000	1	RMS	11962	-38.56	-13	Pass	9001
12000	20000	1	RMS	19958	-27.24	-13	Pass	8001



7. LTE_Band38


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.72	-25	Pass	2986
30	1000	0.1	RMS	920.5	-56.93	-25	Pass	9701
1000	2560	1	RMS	2559	-43.18	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.51	60	Pass	401
2630	3000	1	RMS	2688.275	-43.46	-25	Pass	401
3000	12000	1	RMS	5140	-36.51	-25	Pass	9001
12000	26500	1	RMS	25593	-38.38	-25	Pass	14501




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.64	-25	Pass	2986
30	1000	0.1	RMS	909	-56.8	-25	Pass	9701
1000	2560	1	RMS	2560	-43.2	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.35	60	Pass	401
2630	3000	1	RMS	2679.95	-43.48	-25	Pass	401
3000	12000	1	RMS	5141	-32.59	-25	Pass	9001
12000	26500	1	RMS	25601	-38.31	-25	Pass	14501




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.24	-25	Pass	2986
30	1000	0.1	RMS	995.4	-56.93	-25	Pass	9701
1000	2560	1	RMS	2557	-43.36	-25	Pass	1561
2560	2630	1	RMS	2592.9	24.15	60	Pass	401
2630	3000	1	RMS	2686.425	-43.49	-25	Pass	401
3000	12000	1	RMS	5186	-28.27	-25	Pass	9001
12000	26500	1	RMS	25594	-38.29	-25	Pass	14501




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.86	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.26	-25	Pass	2986
30	1000	0.1	RMS	997.6	-56.84	-25	Pass	9701
1000	2560	1	RMS	2560	-43.28	-25	Pass	1561
2560	2630	1	RMS	2592.725	23.45	60	Pass	401
2630	3000	1	RMS	2679.95	-43.48	-25	Pass	401
3000	12000	1	RMS	5186	-31.33	-25	Pass	9001
12000	26500	1	RMS	25592	-38.34	-25	Pass	14501




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.94	-25	Pass	2986
30	1000	0.1	RMS	920.3	-56.8	-25	Pass	9701
1000	2560	1	RMS	2559	-43.36	-25	Pass	1561
2560	2630	1	RMS	2615.475	23.54	60	Pass	401
2630	3000	1	RMS	2680.875	-43.47	-25	Pass	401
3000	12000	1	RMS	5231	-30.83	-25	Pass	9001
12000	26500	1	RMS	25607	-38.34	-25	Pass	14501




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.51	-25	Pass	2986
30	1000	0.1	RMS	897.3	-56.82	-25	Pass	9701
1000	2560	1	RMS	2544	-43.4	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.36	60	Pass	401
2630	3000	1	RMS	2686.425	-43.48	-25	Pass	401
3000	12000	1	RMS	5231	-32.8	-25	Pass	9001
12000	26500	1	RMS	25613	-38.33	-25	Pass	14501




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.61	-25	Pass	2986
30	1000	0.1	RMS	897.4	-56.99	-25	Pass	9701
1000	2560	1	RMS	2553	-39.71	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.49	60	Pass	401
2630	3000	1	RMS	2690.125	-43.48	-25	Pass	401
3000	12000	1	RMS	5142	-36.86	-25	Pass	9001
12000	26500	1	RMS	25600	-38.4	-25	Pass	14501




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.53	-25	Pass	2986
30	1000	0.1	RMS	992.6	-56.94	-25	Pass	9701
1000	2560	1	RMS	2553	-38.75	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.16	60	Pass	401
2630	3000	1	RMS	2677.175	-43.48	-25	Pass	401
3000	12000	1	RMS	5141	-31.51	-25	Pass	9001
12000	26500	1	RMS	25595	-38.34	-25	Pass	14501



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.99	-25	Pass	2986
30	1000	0.1	RMS	985.2	-56.86	-25	Pass	9701
1000	2560	1	RMS	2554	-43.35	-25	Pass	1561
2560	2630	1	RMS	2590.625	24.58	60	Pass	401
2630	3000	1	RMS	2685.5	-43.46	-25	Pass	401
3000	12000	1	RMS	5181	-31.04	-25	Pass	9001
12000	26500	1	RMS	25605	-38.36	-25	Pass	14501



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.47	-25	Pass	2986
30	1000	0.1	RMS	891.5	-56.84	-25	Pass	9701
1000	2560	1	RMS	2554	-43.34	-25	Pass	1561
2560	2630	1	RMS	2590.45	23.4	60	Pass	401
2630	3000	1	RMS	2686.425	-43.48	-25	Pass	401
3000	12000	1	RMS	5181	-34.13	-25	Pass	9001
12000	26500	1	RMS	25590	-38.38	-25	Pass	14501



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.27	-25	Pass	2986
30	1000	0.1	RMS	984.8	-56.87	-25	Pass	9701
1000	2560	1	RMS	2556	-43.31	-25	Pass	1561
2560	2630	1	RMS	2610.575	24.29	60	Pass	401
2630	3000	1	RMS	2630	-43.17	-25	Pass	401
3000	12000	1	RMS	5222	-40.34	-25	Pass	9001
12000	26500	1	RMS	25593	-38.31	-25	Pass	14501



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.78	-25	Pass	2986
30	1000	0.1	RMS	987.3	-56.82	-25	Pass	9701
1000	2560	1	RMS	2556	-43.34	-25	Pass	1561
2560	2630	1	RMS	2610.75	23.21	60	Pass	401
2630	3000	1	RMS	2682.725	-43.47	-25	Pass	401
3000	12000	1	RMS	5221	-39.29	-25	Pass	9001
12000	26500	1	RMS	25587	-38.3	-25	Pass	14501



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.14	-25	Pass	2986
30	1000	0.1	RMS	991.6	-56.91	-25	Pass	9701
1000	2560	1	RMS	2544	-37.53	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.82	60	Pass	401
2630	3000	1	RMS	2688.275	-43.45	-25	Pass	401
3000	12000	1	RMS	5141	-33.51	-25	Pass	9001
12000	26500	1	RMS	25586	-38.43	-25	Pass	14501



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.38	-25	Pass	2986
30	1000	0.1	RMS	982.5	-56.9	-25	Pass	9701
1000	2560	1	RMS	2544	-38.25	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.47	60	Pass	401
2630	3000	1	RMS	2690.125	-43.47	-25	Pass	401
3000	12000	1	RMS	5142	-36.77	-25	Pass	9001
12000	26500	1	RMS	25601	-38.36	-25	Pass	14501



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.37	-25	Pass	2986
30	1000	0.1	RMS	925.5	-56.8	-25	Pass	9701
1000	2560	1	RMS	2557	-43.27	-25	Pass	1561
2560	2630	1	RMS	2588.175	24.38	60	Pass	401
2630	3000	1	RMS	2681.8	-43.4	-25	Pass	401
3000	12000	1	RMS	5176	-30.75	-25	Pass	9001
12000	26500	1	RMS	25585	-38.21	-25	Pass	14501



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.19	-25	Pass	2986
30	1000	0.1	RMS	870	-56.92	-25	Pass	9701
1000	2560	1	RMS	2560	-43.32	-25	Pass	1561
2560	2630	1	RMS	2588.175	22.92	60	Pass	401
2630	3000	1	RMS	2691.975	-43.5	-25	Pass	401
3000	12000	1	RMS	5176	-38.39	-25	Pass	9001
12000	26500	1	RMS	25591	-38.44	-25	Pass	14501



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.73	-25	Pass	2986
30	1000	0.1	RMS	875.3	-56.76	-25	Pass	9701
1000	2560	1	RMS	2552	-43.32	-25	Pass	1561
2560	2645	1	RMS	2605.688	23.67	60	Pass	401
2645	3000	1	RMS	2689.375	-43.47	-25	Pass	401
3000	12000	1	RMS	5212	-30.32	-25	Pass	9001
12000	26500	1	RMS	25589	-38.41	-25	Pass	14501



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.13	-25	Pass	2986
30	1000	0.1	RMS	882.5	-56.83	-25	Pass	9701
1000	2560	1	RMS	2555	-43.34	-25	Pass	1561
2560	2645	1	RMS	2605.688	23.17	60	Pass	401
2645	3000	1	RMS	2693.813	-43.45	-25	Pass	401
3000	12000	1	RMS	5212	-34.4	-25	Pass	9001
12000	26500	1	RMS	25607	-38.39	-25	Pass	14501



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.65	-25	Pass	2986
30	1000	0.1	RMS	892.8	-56.99	-25	Pass	9701
1000	2560	1	RMS	2535	-38.47	-25	Pass	1561
2560	2630	1	RMS	2571.2	23.64	60	Pass	401
2630	3000	1	RMS	2691.05	-43.43	-25	Pass	401
3000	12000	1	RMS	5142	-38.93	-25	Pass	9001
12000	26500	1	RMS	25593	-38.39	-25	Pass	14501



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.15	-25	Pass	2986
30	1000	0.1	RMS	907.8	-56.89	-25	Pass	9701
1000	2560	1	RMS	2536	-39.58	-25	Pass	1561
2560	2630	1	RMS	2571.2	23.12	60	Pass	401
2630	3000	1	RMS	2690.125	-43.46	-25	Pass	401
3000	12000	1	RMS	5142	-34.76	-25	Pass	9001
12000	26500	1	RMS	25597	-38.34	-25	Pass	14501



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.53	-25	Pass	2986
30	1000	0.1	RMS	944.7	-56.74	-25	Pass	9701
1000	2560	1	RMS	2551	-37.95	-25	Pass	1561
2560	2630	1	RMS	2586.25	24.29	60	Pass	401
2630	3000	1	RMS	2693.825	-43.48	-25	Pass	401
3000	12000	1	RMS	5172	-29.96	-25	Pass	9001
12000	26500	1	RMS	25592	-38.43	-25	Pass	14501



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.11	-25	Pass	2986
30	1000	0.1	RMS	905.8	-56.95	-25	Pass	9701
1000	2560	1	RMS	2550	-41.77	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.66	60	Pass	401
2630	3000	1	RMS	2691.975	-43.46	-25	Pass	401
3000	12000	1	RMS	5172	-33.4	-25	Pass	9001
12000	26500	1	RMS	25613	-38.33	-25	Pass	14501



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.23	-25	Pass	2986
30	1000	0.1	RMS	949.4	-56.89	-25	Pass	9701
1000	2560	1	RMS	2560	-43.35	-25	Pass	1561
2560	2645	1	RMS	2601.013	24.28	60	Pass	401
2645	3000	1	RMS	2678.725	-43.46	-25	Pass	401
3000	12000	1	RMS	5202	-39.12	-25	Pass	9001
12000	26500	1	RMS	25583	-38.3	-25	Pass	14501



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.63	-25	Pass	2986
30	1000	0.1	RMS	895.1	-56.92	-25	Pass	9701
1000	2560	1	RMS	2556	-43.32	-25	Pass	1561
2560	2645	1	RMS	2601.013	22.67	60	Pass	401
2645	3000	1	RMS	2680.5	-43.48	-25	Pass	401
3000	12000	1	RMS	5202	-31	-25	Pass	9001
12000	26500	1	RMS	25593	-38.39	-25	Pass	14501



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-45.56	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.3	-13	Pass	2986
30	809	0.1	Peak	763.5	-50.86	-13	Pass	7791
809	829	0.1	Peak	814.25	25.14	60	Pass	401
829	1000	0.1	Peak	830.3	-27.17	-13	Pass	1711
1000	3000	1	Peak	2606	-35.12	-13	Pass	2001
3000	10000	1	Peak	9888	-28.43	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.95	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.17	-13	Pass	2986
30	809	0.1	Peak	735	-50.79	-13	Pass	7791
809	829	0.1	Peak	814.25	25.8	60	Pass	401
829	1000	0.1	Peak	965.7	-51.25	-13	Pass	1711
1000	3000	1	Peak	1629	-34.57	-13	Pass	2001
3000	10000	1	Peak	9909	-28.64	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.79	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.96	-13	Pass	2986
30	809	0.1	Peak	739.8	-50.39	-13	Pass	7791
809	829	0.1	Peak	818.6	25.34	60	Pass	401
829	1000	0.1	Peak	998.2	-51.48	-13	Pass	1711
1000	3000	1	Peak	2683	-34.5	-13	Pass	2001
3000	10000	1	Peak	9876	-28.33	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.09	-13	Pass	401
0.15	30	0.01	Peak	0.16	-49.34	-13	Pass	2986
30	809	0.1	Peak	776	-50.52	-13	Pass	7791
809	829	0.1	Peak	818.55	25.7	60	Pass	401
829	1000	0.1	Peak	870.8	-51.31	-13	Pass	1711
1000	3000	1	Peak	2796	-35.1	-13	Pass	2001
3000	10000	1	Peak	9256	-28.01	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-47.37	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.09	-13	Pass	2986
30	809	0.1	Peak	774.5	-49.69	-13	Pass	7791
809	829	0.1	Peak	822.85	24.91	60	Pass	401
829	1000	0.1	Peak	840.6	-50.59	-13	Pass	1711
1000	3000	1	Peak	2684	-34.84	-13	Pass	2001
3000	10000	1	Peak	9943	-28.62	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-47.09	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.85	-13	Pass	2986
30	809	0.1	Peak	782.8	-50.35	-13	Pass	7791
809	829	0.1	Peak	822.85	25.27	60	Pass	401
829	1000	0.1	Peak	931.1	-51.16	-13	Pass	1711
1000	3000	1	Peak	2673	-34.96	-13	Pass	2001
3000	10000	1	Peak	9958	-28.14	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.74	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.39	-13	Pass	2986
30	809	0.1	Peak	809	-47.44	-13	Pass	7791
809	829	0.1	Peak	814.25	25.41	60	Pass	401
829	1000	0.1	Peak	873	-50.94	-13	Pass	1711
1000	3000	1	Peak	2949	-35.1	-13	Pass	2001
3000	10000	1	Peak	9845	-28.86	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.62	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.48	-13	Pass	2986
30	809	0.1	Peak	808.9	-48.95	-13	Pass	7791
809	829	0.1	Peak	814.2	25.59	60	Pass	401
829	1000	0.1	Peak	873.2	-51.14	-13	Pass	1711
1000	3000	1	Peak	2676	-34.48	-13	Pass	2001
3000	10000	1	Peak	9291	-27.96	-13	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.73	-13	Pass	401
0.15	30	0.01	Peak	0.16	-47.5	-13	Pass	2986
30	809	0.1	Peak	763.4	-50.04	-13	Pass	7791
809	829	0.1	Peak	817.75	25.67	60	Pass	401
829	1000	0.1	Peak	961.4	-51.06	-13	Pass	1711
1000	3000	1	Peak	2694	-35.08	-13	Pass	2001
3000	10000	1	Peak	9925	-28.56	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.56	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.62	-13	Pass	2986
30	809	0.1	Peak	749.4	-50.15	-13	Pass	7791
809	829	0.1	Peak	817.75	25.59	60	Pass	401
829	1000	0.1	Peak	935.5	-51.3	-13	Pass	1711
1000	3000	1	Peak	2719	-35.09	-13	Pass	2001
3000	10000	1	Peak	9942	-28.58	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.68	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.74	-13	Pass	2986
30	809	0.1	Peak	776.3	-50.38	-13	Pass	7791
809	829	0.1	Peak	821.25	25.42	60	Pass	401
829	1000	0.1	Peak	829.1	-44.71	-13	Pass	1711
1000	3000	1	Peak	2682	-34.66	-13	Pass	2001
3000	10000	1	Peak	9948	-28.09	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.34	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.68	-13	Pass	2986
30	809	0.1	Peak	806.3	-50.64	-13	Pass	7791
809	829	0.1	Peak	821.3	25.93	60	Pass	401
829	1000	0.1	Peak	829	-42.84	-13	Pass	1711
1000	3000	1	Peak	2809	-35.07	-13	Pass	2001
3000	10000	1	Peak	9261	-28.63	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.1	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.28	-13	Pass	2986
30	809	0.1	Peak	753.6	-50.36	-13	Pass	7791
809	829	0.1	Peak	814.35	25.85	60	Pass	401
829	1000	0.1	Peak	872.8	-51.43	-13	Pass	1711
1000	3000	1	Peak	1629	-34.65	-13	Pass	2001
3000	10000	1	Peak	9904	-28.78	-13	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46.98	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.45	-13	Pass	2986
30	809	0.1	Peak	809	-50.16	-13	Pass	7791
809	829	0.1	Peak	814.3	26.06	60	Pass	401
829	1000	0.1	Peak	863.1	-50.99	-13	Pass	1711
1000	3000	1	Peak	2701	-35.05	-13	Pass	2001
3000	10000	1	Peak	9956	-28.67	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.1	-13	Pass	401
0.15	30	0.01	Peak	0.18	-49.07	-13	Pass	2986
30	809	0.1	Peak	753	-50.89	-13	Pass	7791
809	829	0.1	Peak	816.85	25.62	60	Pass	401
829	1000	0.1	Peak	980.4	-50.85	-13	Pass	1711
1000	3000	1	Peak	2460	-34.76	-13	Pass	2001
3000	10000	1	Peak	9975	-28.65	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46.07	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.48	-13	Pass	2986
30	809	0.1	Peak	627.4	-50.96	-13	Pass	7791
809	829	0.1	Peak	816.8	25.64	60	Pass	401
829	1000	0.1	Peak	896.8	-50.72	-13	Pass	1711
1000	3000	1	Peak	2689	-35.09	-13	Pass	2001
3000	10000	1	Peak	9970	-28.16	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.88	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.63	-13	Pass	2986
30	809	0.1	Peak	799.3	-50.19	-13	Pass	7791
809	829	0.1	Peak	819.3	25.14	60	Pass	401
829	1000	0.1	Peak	829	-47.32	-13	Pass	1711
1000	3000	1	Peak	2825	-34.41	-13	Pass	2001
3000	10000	1	Peak	9899	-28.16	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.45	-13	Pass	401
0.15	30	0.01	Peak	0.17	-47.97	-13	Pass	2986
30	809	0.1	Peak	808.8	-34.66	-13	Pass	7791
809	829	0.1	Peak	819.3	25.49	60	Pass	401
829	1000	0.1	Peak	851.5	-41.96	-13	Pass	1711
1000	3000	1	Peak	2805	-34.65	-13	Pass	2001
3000	10000	1	Peak	9976	-28.31	-13	Pass	7001




**1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46.67	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.04	-13	Pass	2986
30	809	0.1	Peak	808.8	-49.64	-13	Pass	7791
809	829	0.1	Peak	814.6	25.48	60	Pass	401
829	1000	0.1	Peak	829.9	-38.53	-13	Pass	1711
1000	3000	1	Peak	1629	-34.6	-13	Pass	2001
3000	10000	1	Peak	9301	-28.68	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.39	-13	Pass	401
0.15	30	0.01	Peak	0.16	-49.9	-13	Pass	2986
30	809	0.1	Peak	809	-49.53	-13	Pass	7791
809	829	0.1	Peak	814.55	25.6	60	Pass	401
829	1000	0.1	Peak	829.9	-39.53	-13	Pass	1711
1000	3000	1	Peak	1629	-34.99	-13	Pass	2001
3000	10000	1	Peak	9959	-28.39	-13	Pass	7001



--BLANK BELOW--