


1 GHz to 18 GHz, ANT V 802.11n20 Low Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1345.900	42.04	74.0	31.96	Peak	167.00	200	Vertical	Pass
1**	1345.900	32.99	54.0	21.01	AV	167.00	200	Vertical	Pass
2	2409.900	107.25	74.0	-33.25	Peak	38.00	100	Vertical	N/A
2**	2409.900	100.38	54.0	-46.38	AV	38.00	100	Vertical	N/A
3	4894.250	49.35	74.0	24.65	Peak	56.00	200	Vertical	Pass
3**	4894.250	39.53	54.0	14.47	AV	56.00	200	Vertical	Pass
4	7929.750	54.29	74.0	19.71	Peak	93.00	400	Vertical	Pass
4**	7929.750	46.40	54.0	7.60	AV	93.00	400	Vertical	Pass
5	12477.587	53.55	74.0	20.45	Peak	228.00	200	Vertical	Pass
5**	12477.587	44.27	54.0	9.73	AV	228.00	200	Vertical	Pass
6	17133.225	55.15	74.0	18.85	Peak	88.00	300	Vertical	Pass
6**	17133.225	46.00	54.0	8.00	AV	88.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.000	43.31	74.0	30.69	Peak	21.00	100	Horizontal	Pass
1**	1582.000	33.76	54.0	20.24	AV	21.00	100	Horizontal	Pass
2	2436.000	107.95	74.0	-33.95	Peak	345.00	150	Horizontal	N/A
2**	2436.000	101.13	54.0	-47.13	AV	345.00	150	Horizontal	N/A
3	4900.250	49.62	74.0	24.38	Peak	268.00	200	Horizontal	Pass
3**	4900.250	40.79	54.0	13.21	AV	268.00	200	Horizontal	Pass
4	7937.000	54.29	74.0	19.71	Peak	92.00	400	Horizontal	Pass
4**	7937.000	44.91	54.0	9.09	AV	92.00	400	Horizontal	Pass
5	13048.463	54.64	74.0	19.36	Peak	187.00	100	Horizontal	Pass
5**	13048.463	44.89	54.0	9.11	AV	187.00	100	Horizontal	Pass
6	16978.875	55.73	74.0	18.27	Peak	3.00	100	Horizontal	Pass
6**	16978.875	46.72	54.0	7.28	AV	3.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1341.800	42.08	74.0	31.92	Peak	62.00	200	Vertical	Pass
1**	1341.800	32.96	54.0	21.04	AV	62.00	200	Vertical	Pass
2	2435.400	107.51	74.0	-33.51	Peak	28.00	100	Vertical	N/A
2**	2435.400	100.41	54.0	-46.41	AV	28.00	100	Vertical	N/A
3	4866.250	50.69	74.0	23.31	Peak	0.00	150	Vertical	Pass
3**	4866.250	39.82	54.0	14.18	AV	0.00	150	Vertical	Pass
4	7934.250	54.59	74.0	19.41	Peak	132.00	100	Vertical	Pass
4**	7934.250	45.41	54.0	8.59	AV	132.00	100	Vertical	Pass
5	12495.162	53.21	74.0	20.79	Peak	104.00	100	Vertical	Pass
5**	12495.162	45.09	54.0	8.91	AV	104.00	100	Vertical	Pass
6	14439.451	55.36	74.0	18.64	Peak	115.00	100	Vertical	Pass
6**	14439.451	47.11	54.0	6.89	AV	115.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 High Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1408.500	42.01	74.0	31.99	Peak	224.00	200	Horizontal	Pass
1**	1408.500	32.44	54.0	21.56	AV	224.00	200	Horizontal	Pass
2	2460.700	107.63	74.0	-33.63	Peak	326.00	200	Horizontal	N/A
2**	2460.700	100.07	54.0	-46.07	AV	326.00	200	Horizontal	N/A
3	4860.750	49.56	74.0	24.44	Peak	0.00	200	Horizontal	Pass
3**	4860.750	40.09	54.0	13.91	AV	0.00	200	Horizontal	Pass
4	7189.750	54.00	74.0	20.00	Peak	54.00	300	Horizontal	Pass
4**	7189.750	44.12	54.0	9.88	AV	54.00	300	Horizontal	Pass
5	12510.125	53.44	74.0	20.56	Peak	235.00	300	Horizontal	Pass
5**	12510.125	44.00	54.0	10.00	AV	235.00	300	Horizontal	Pass
6	17105.137	55.94	74.0	18.06	Peak	336.00	400	Horizontal	Pass
6**	17105.137	46.63	54.0	7.37	AV	336.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 High Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1364.800	42.73	74.0	31.27	Peak	65.00	400	Vertical	Pass
1**	1364.800	32.08	54.0	21.92	AV	65.00	400	Vertical	Pass
2	2463.500	107.17	74.0	-33.17	Peak	38.00	200	Vertical	N/A
2**	2463.500	99.93	54.0	-45.93	AV	38.00	200	Vertical	N/A
3	4938.000	49.93	74.0	24.07	Peak	0.00	200	Vertical	Pass
3**	4938.000	40.35	54.0	13.65	AV	0.00	200	Vertical	Pass
4	7931.750	54.55	74.0	19.45	Peak	15.00	400	Vertical	Pass
4**	7931.750	44.82	54.0	9.18	AV	15.00	400	Vertical	Pass
5	12411.088	53.31	74.0	20.69	Peak	43.00	300	Vertical	Pass
5**	12411.088	44.45	54.0	9.55	AV	43.00	300	Vertical	Pass
6	14478.037	55.20	74.0	18.80	Peak	151.00	400	Vertical	Pass
6**	14478.037	46.10	54.0	7.90	AV	151.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Low Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.000	42.56	74.0	31.44	Peak	157.00	100	Horizontal	Pass
1**	1576.000	32.85	54.0	21.15	AV	157.00	100	Horizontal	Pass
2	2426.400	104.99	74.0	-30.99	Peak	320.00	200	Horizontal	N/A
2**	2426.400	97.80	54.0	-43.80	AV	320.00	200	Horizontal	N/A
3	4917.000	49.87	74.0	24.13	Peak	113.00	150	Horizontal	Pass
3**	4917.000	39.98	54.0	14.02	AV	113.00	150	Horizontal	Pass
4	7923.000	53.87	74.0	20.13	Peak	0.00	200	Horizontal	Pass
4**	7923.000	43.72	54.0	10.28	AV	0.00	200	Horizontal	Pass
5	12538.625	53.40	74.0	20.60	Peak	351.00	400	Horizontal	Pass
5**	12538.625	43.95	54.0	10.05	AV	351.00	400	Horizontal	Pass
6	17082.037	55.54	74.0	18.46	Peak	40.00	100	Horizontal	Pass
6**	17082.037	45.65	54.0	8.35	AV	40.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Low Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.800	42.41	74.0	31.59	Peak	0.00	100	Vertical	Pass
1**	1586.800	32.59	54.0	21.41	AV	0.00	100	Vertical	Pass
2	2426.500	104.41	74.0	-30.41	Peak	38.00	100	Vertical	N/A
2**	2426.500	96.91	54.0	-42.91	AV	38.00	100	Vertical	N/A
3	5292.000	50.68	74.0	23.32	Peak	307.00	100	Vertical	Pass
3**	5292.000	41.41	54.0	12.59	AV	307.00	100	Vertical	Pass
4	7933.750	54.02	74.0	19.98	Peak	152.00	200	Vertical	Pass
4**	7933.750	44.81	54.0	9.19	AV	152.00	200	Vertical	Pass
5	12518.674	53.78	74.0	20.22	Peak	84.00	200	Vertical	Pass
5**	12518.674	45.15	54.0	8.85	AV	84.00	200	Vertical	Pass
6	16858.651	55.94	74.0	18.06	Peak	286.00	300	Vertical	Pass
6**	16858.651	45.93	54.0	8.07	AV	286.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1407.900	42.65	74.0	31.35	Peak	194.00	100	Horizontal	Pass
1**	1407.900	32.20	54.0	21.80	AV	194.00	100	Horizontal	Pass
2	2432.600	104.83	74.0	-30.83	Peak	338.00	200	Horizontal	N/A
2**	2432.600	97.83	54.0	-43.83	AV	338.00	200	Horizontal	N/A
3	4942.250	49.90	74.0	24.10	Peak	113.00	200	Horizontal	Pass
3**	4942.250	39.88	54.0	14.12	AV	113.00	200	Horizontal	Pass
4	7930.750	53.79	74.0	20.21	Peak	191.00	400	Horizontal	Pass
4**	7930.750	44.79	54.0	9.21	AV	191.00	400	Horizontal	Pass
5	12452.175	53.62	74.0	20.38	Peak	200.00	300	Horizontal	Pass
5**	12452.175	44.73	54.0	9.27	AV	200.00	300	Horizontal	Pass
6	14459.924	55.68	74.0	18.32	Peak	57.00	400	Horizontal	Pass
6**	14459.924	46.78	54.0	7.22	AV	57.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.000	42.22	74.0	31.78	Peak	360.00	100	Vertical	Pass
1**	1593.000	32.34	54.0	21.66	AV	360.00	100	Vertical	Pass
2	2433.300	104.04	74.0	-30.04	Peak	31.00	150	Vertical	N/A
2**	2433.300	96.65	54.0	-42.65	AV	31.00	150	Vertical	N/A
3	4880.500	49.33	74.0	24.67	Peak	0.00	150	Vertical	Pass
3**	4880.500	39.98	54.0	14.02	AV	0.00	150	Vertical	Pass
4	7358.750	54.61	74.0	19.39	Peak	264.00	400	Vertical	Pass
4**	7358.750	44.90	54.0	9.10	AV	264.00	400	Vertical	Pass
5	12491.837	53.00	74.0	21.00	Peak	201.00	200	Vertical	Pass
5**	12491.837	44.28	54.0	9.72	AV	201.00	200	Vertical	Pass
6	13759.838	55.87	74.0	18.13	Peak	215.00	100	Vertical	Pass
6**	13759.838	45.37	54.0	8.63	AV	215.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 High Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1536.000	42.42	74.0	31.58	Peak	47.00	400	Horizontal	Pass
1**	1536.000	32.07	54.0	21.93	AV	47.00	400	Horizontal	Pass
2	2454.500	101.99	74.0	-27.99	Peak	4.00	100	Horizontal	N/A
2**	2454.500	94.50	54.0	-40.50	AV	4.00	100	Horizontal	N/A
3	4864.750	49.74	74.0	24.26	Peak	249.00	150	Horizontal	Pass
3**	4864.750	40.98	54.0	13.02	AV	249.00	150	Horizontal	Pass
4	7932.000	54.01	74.0	19.99	Peak	288.00	400	Horizontal	Pass
4**	7932.000	45.28	54.0	8.72	AV	288.00	400	Horizontal	Pass
5	12457.400	53.49	74.0	20.51	Peak	332.00	400	Horizontal	Pass
5**	12457.400	44.60	54.0	9.40	AV	332.00	400	Horizontal	Pass
6	17643.262	55.71	74.0	18.29	Peak	237.00	100	Horizontal	Pass
6**	17643.262	45.59	54.0	8.41	AV	237.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 High Channel

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.500	42.33	74.0	31.67	Peak	255.00	300	Vertical	Pass
1**	1592.500	32.98	54.0	21.02	AV	255.00	300	Vertical	Pass
2	2454.800	101.48	74.0	-27.48	Peak	30.00	200	Vertical	N/A
2**	2454.800	93.41	54.0	-39.41	AV	30.00	200	Vertical	N/A
3	4903.000	50.39	74.0	23.61	Peak	0.00	100	Vertical	Pass
3**	4903.000	40.35	54.0	13.65	AV	0.00	100	Vertical	Pass
4	7879.250	53.70	74.0	20.30	Peak	112.00	100	Vertical	Pass
4**	7879.250	44.56	54.0	9.44	AV	112.00	100	Vertical	Pass
5	12990.713	54.06	74.0	19.94	Peak	0.00	300	Vertical	Pass
5**	12990.713	44.14	54.0	9.86	AV	0.00	300	Vertical	Pass
6	17121.412	55.75	74.0	18.25	Peak	186.00	400	Vertical	Pass
6**	17121.412	46.41	54.0	7.59	AV	186.00	400	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.


Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


Test Data

802.11b LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2376.667	55.72	74.0	18.28	Peak	76.00	100	Horizontal	Pass
1**	2376.667	43.26	54.0	10.74	AV	76.00	100	Horizontal	Pass
2	2389.833	53.58	74.0	20.42	Peak	205.00	150	Horizontal	Pass
2**	2389.833	42.95	54.0	11.05	AV	205.00	150	Horizontal	Pass

802.11b HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.69	74.0	19.31	Peak	232.00	100	Horizontal	Pass
1**	2483.500	44.47	54.0	9.53	AV	232.00	100	Horizontal	Pass
2	2489.450	56.27	74.0	17.73	Peak	64.00	200	Horizontal	Pass
2**	2489.450	43.45	54.0	10.55	AV	64.00	200	Horizontal	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2357.667	55.51	74.0	18.49	Peak	0.00	200	Horizontal	Pass
1**	2357.667	43.50	54.0	10.50	AV	0.00	200	Horizontal	Pass
2	2389.833	53.37	74.0	20.63	Peak	0.00	100	Horizontal	Pass
2**	2389.833	43.28	54.0	10.72	AV	0.00	100	Horizontal	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.98	74.0	8.02	Peak	275.00	150	Horizontal	Pass
1**	2483.500	50.70	54.0	3.30	AV	275.00	150	Horizontal	Pass
2	2483.800	67.05	74.0	6.95	Peak	276.00	150	Horizontal	Pass
2**	2483.800	49.84	54.0	4.16	AV	276.00	150	Horizontal	Pass

802.11n20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2329.500	55.62	74.0	18.38	Peak	159.00	200	Horizontal	Pass
1**	2329.500	43.77	54.0	10.23	AV	159.00	200	Horizontal	Pass
2	2389.833	54.29	74.0	19.71	Peak	360.00	200	Horizontal	Pass
2**	2389.833	42.92	54.0	11.08	AV	360.00	200	Horizontal	Pass

802.11n20 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	66.40	74.0	7.60	Peak	261.00	150	Horizontal	Pass
1**	2483.550	49.93	54.0	4.07	AV	261.00	150	Horizontal	Pass
2	2484.200	69.87	74.0	4.13	Peak	269.00	100	Horizontal	Pass
2**	2484.200	48.95	54.0	5.05	AV	269.00	100	Horizontal	Pass

802.11n40 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2345.000	55.67	74.0	18.33	Peak	84.00	200	Horizontal	Pass
1**	2345.000	43.61	54.0	10.39	AV	84.00	200	Horizontal	Pass
2	2389.833	54.01	74.0	19.99	Peak	2.00	200	Horizontal	Pass
2**	2389.833	43.19	54.0	10.81	AV	2.00	200	Horizontal	Pass

802.11n40 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	70.35	74.0	3.65	Peak	271.00	100	Horizontal	Pass
1**	2483.500	49.95	54.0	4.05	AV	271.00	100	Horizontal	Pass
2	2484.100	70.99	74.0	3.01	Peak	271.00	150	Horizontal	Pass
2**	2484.100	50.09	54.0	3.91	AV	271.00	150	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Test Data

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-6.46	8
Middle	-5.73	8
High	-5.24	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.24	8
Middle	-11.00	8
High	-10.02	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.93	8
Middle	-10.74	8
High	-11.31	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-13.67	8
Middle	-14.28	8
High	-15.83	8

Test Plots

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL




802.11n-40 MHz LOW CHANNEL



802.11n-40 MHz MIDDLE CHANNEL



802.11n-40 MHz HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ25A0767-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ25A0767-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ25A0767-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--