



427 West 12800 South
Draper, UT 84020

Test Report Attachment

FCC ID	SWX-UTR
ISED ID	6545A-UTR
Equipment Under Test	UTR
Test Report Serial Number	TR10556_02
Date of Tests	3 November 2025
Report Issue Date	24 November 2025

Test Personnel

Testing performed by	Evan Hartzell
-----------------------------	---------------

Test Location

Testing was performed at the Unified Compliance Laboratory located at 427 West 12800 South, Draper, UT 84020. Unified Compliance Laboratory is accredited by National Voluntary Laboratory Accreditation Program (NVLAP); NVLAP Code 600241-0 which is effective until 30 June 2026. This site has also been registered with Innovations, Science and Economic Development (ISED) department as was accepted under Appendix B, Phase 1 procedures of the APEC Tel MRA for Canadian recognition. ISED No.: 25346, effective until 30 June 2026. Unified Compliance Laboratory has been assigned Conformity Assessment Number US0223 by ISED and MRA US5037.



Revision History		
Revision	Description	Date
01	Original Report Release	24 November 2025
02	Added Notation on Pages 25 and 42	5 December 2025

Table of Contents

1	RF Conducted WiFi	4
1.1	b Mode	4
1.2	20 MHz Bandwidth.....	4
1.3	g Mode	20
1.4	20 MHz Bandwidth.....	20
1.5	n Mode	36
1.6	20 MHz Bandwidth.....	36
1.7	40 MHz Bandwidth.....	55

1 RF Conducted WiFi

NOTE: The first channel contains the equipment setting table(s), if subsequent channels do not have an equipment setting table(s) then the equipment setting table(s) is the same as the first channel.

1.1 b Mode

1.1.1 Summary

Test	Frequency (MHz)	Nominal Power (dBm)	Nominal Bandwidth (MHz)	Result
RF output power	2412.000	24.0	20.000000	PASS
Minimum Emission Bandwidth 6 dB	2412.000	24.0	20.000000	PASS
Power Spectral Density	2412.000	24.0	20.000000	PASS
Occupied Channel Bandwidth 99%	2412.000	24.0	20.000000	PASS
Tx Spurious Emission	2412.000	24.0	20.000000	PASS
Minimum Emission Bandwidth 6 dB	2437.000	24.0	20.000000	PASS
Power Spectral Density	2437.000	24.0	20.000000	PASS
Occupied Channel Bandwidth 99%	2437.000	24.0	20.000000	PASS
Tx Spurious Emission	2437.000	24.0	20.000000	PASS
Minimum Emission Bandwidth 6 dB	2462.000	24.0	20.000000	PASS
Power Spectral Density	2462.000	24.0	20.000000	PASS
Occupied Channel Bandwidth 99%	2462.000	24.0	20.000000	PASS
Tx Spurious Emission	2462.000	24.0	20.000000	PASS

1.2 20 MHz Bandwidth

RF output power (2412 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
2412.000000	22.8	30.0	22.8	99.300	PASS

OSP PowerMeter settings


Setting	Instrument Value	Target Value
Measurement Time	1.000 s	1.000 s
Points	1000000	1000000
Time resolution	1.000 μ s	1.000 μ s

Minimum Emission Bandwidth 6 dB (2412 MHz; 24.000 dBm; 20 MHz)


6 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2412.000000	8.150000	0.500000	---	2407.925000	2416.075000

DUT Frequency (MHz)	Max Level (dBm)	Result
2412.000000	10.7	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.39200 GHz	2.39200 GHz
Stop Frequency	2.43200 GHz	2.43200 GHz

Span	40.000 MHz	40.000 MHz
RBW	100.000 kHz	~ 100.000 kHz
VBW	300.000 kHz	~ 300.000 kHz
SweepPoints	800	~ 800
SweepTime	56.836 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Power Spectral Density (2412 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
2412.000000	2410.998750	-6.270	8.0	PASS

Ports

Port	State
1	used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.39700 GHz	2.39700 GHz
Stop Frequency	2.42700 GHz	2.42700 GHz
Span	30.000 MHz	30.000 MHz
RBW	3.000 kHz	$\leq$ 3.000 kHz
VBW	10.000 kHz	$\geq$ 9.000 kHz
SweepPoints	20000	~ 20000
SweepTime	4.424 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm

Attenuation	30.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	FFT	AUTO
Preamp	off	off


Occupied Channel Bandwidth 99% (2412 MHz; 24.000 dBm; 20 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2412.000000	13.500000	---	---	2405.375000	2418.875000

DUT Frequency (MHz)	Result
2412.000000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.39200 GHz	2.39200 GHz
Stop Frequency	2.43200 GHz	2.43200 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	>= 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	160	~ 160
SweepTime	11.344 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Tx Spurious Emission (2412 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Result
2412.000000	PASS

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
2399.025000	-26.7	10.7	-16.1
2398.975000	-26.7	10.7	-16.1
15804.078646	-26.8	10.7	-16.1

15839.352294	-26.9	10.8	-16.1
17775.728579	-27.7	11.6	-16.1
2399.475000	-27.8	11.8	-16.1
15737.205689	-27.9	11.9	-16.1
15729.857012	-28.0	11.9	-16.1
15662.984055	-28.0	11.9	-16.1
15696.053100	-28.0	11.9	-16.1
15702.666909	-28.0	12.0	-16.1
15701.197174	-28.0	12.0	-16.1
25071.494711	-28.1	12.0	-16.1
15723.243203	-28.1	12.0	-16.1
15720.303733	-28.1	12.0	-16.1

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
30.000000	2350.000000	1	1
2350.000000	2483.500000	2	1
2483.500000	26000.000000	1	1

Spurious



— Limit — Threshold — SumLevel × Critical × Final Critical

Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	32001	~ 46400
SweepTime	32.100 ms	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	100.000 kHz	≤ 100.000 kHz
VBW	300.000 kHz	≥ 300.000 kHz
SweepPoints	2670	~ 2670
SweepTime	151.563 μ s	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	300	300
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Minimum Emission Bandwidth 6 dB (2437 MHz; 24.000 dBm; 20 MHz)

6 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2437.000000	9.150000	0.500000	---	2432.425000	2441.575000

DUT Frequency (MHz)	Max Level (dBm)	Result
2437.000000	8.7	PASS

6 dB Bandwidth



Bandwidth




Power Spectral Density (2437 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
2437.000000	2437.620250	-9.238	8.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (2437 MHz; 24.000 dBm; 20 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2437.000000	14.500000	---	---	2429.875000	2444.375000

DUT Frequency (MHz)	Result
2437.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.41700 GHz	2.41700 GHz
Stop Frequency	2.45700 GHz	2.45700 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	$\geq$ 500.000 kHz
VBW	2.000 MHz	$\geq$ 1.500 MHz
SweepPoints	160	$\sim$ 160
SweepTime	11.344 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Tx Spurious Emission (2437 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Result
2437.000000	PASS

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
15730.591880	-26.4	9.0	-17.5
15724.712939	-26.5	9.0	-17.5

15716.629394	-26.6	9.2	-17.5
15723.243203	-26.7	9.3	-17.5
15725.447806	-26.8	9.3	-17.5
15673.272202	-26.9	9.5	-17.5
15674.007070	-27.1	9.7	-17.5
15720.303733	-27.4	9.9	-17.5
15735.001086	-27.4	9.9	-17.5
15703.401777	-27.6	10.1	-17.5
15742.349763	-27.6	10.2	-17.5
15685.764953	-27.6	10.2	-17.5
15728.387277	-27.7	10.2	-17.5
15701.932041	-27.7	10.2	-17.5
15686.499820	-27.7	10.2	-17.5

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
30.000000	2350.000000	1	1
2350.000000	2483.500000	2	1
2483.500000	26000.000000	1	1

Spurious




Minimum Emission Bandwidth 6 dB (2462 MHz; 24.000 dBm; 20 MHz)


6 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2462.000000	9.150000	0.500000	---	2457.425000	2466.575000

DUT Frequency (MHz)	Max Level (dBm)	Result
2462.000000	8.1	PASS



Bandwidth




Power Spectral Density (2462 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
2462.000000	2461.289750	-7.347	8.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (2462 MHz; 24.000 dBm; 20 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2462.000000	14.000000	---	---	2455.125000	2469.125000

DUT Frequency (MHz)	Result
2462.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.44200 GHz	2.44200 GHz
Stop Frequency	2.48200 GHz	2.48200 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	$\geq$ 500.000 kHz
VBW	2.000 MHz	$\geq$ 1.500 MHz
SweepPoints	160	$\sim$ 160
Sweeptime	11.344 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm

Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off
Start Frequency	2.44200 GHz	2.44200 GHz
Stop Frequency	2.48200 GHz	2.48200 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	>= 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	160	~ 160
SweepTime	11.344 µs	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Tx Spurious Emission (2462 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Result
2462.000000	PASS

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
15718.099130	-26.4	8.4	-18.0
15761.456322	-26.5	8.4	-18.0
15739.410292	-26.8	8.8	-18.0
17789.691064	-26.8	8.8	-18.0
15729.122145	-26.8	8.8	-18.0
15691.643894	-26.9	8.9	-18.0
15717.364262	-27.3	9.2	-18.0
17817.616035	-27.4	9.4	-18.0
15711.485321	-27.5	9.5	-18.0
15693.113629	-27.6	9.6	-18.0
15720.303733	-27.8	9.7	-18.0
15710.750453	-27.8	9.8	-18.0
15719.568865	-27.8	9.8	-18.0
15734.266218	-27.8	9.8	-18.0
15695.318232	-27.9	9.8	-18.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
30.000000	2350.000000	1	1
2350.000000	2483.500000	2	1
2483.500000	26000.000000	1	1



1.3 g Mode

1.3.1 Summary

Test	Frequency (MHz)	Nominal Bandwidth (MHz)	Result
RF output power	2412.000	20.000000	PASS
Minimum Emission Bandwidth 6 dB	2412.000	20.000000	PASS
Power Spectral Density	2412.000	20.000000	PASS
Occupied Channel Bandwidth 99%	2412.000	20.000000	PASS
Tx Spurious Emission	2412.000	20.000000	PASS
Minimum Emission Bandwidth 6 dB	2437.000	20.000000	PASS
Power Spectral Density	2437.000	20.000000	PASS
Occupied Channel Bandwidth 99%	2437.000	20.000000	PASS
Tx Spurious Emission	2437.000	20.000000	PASS
Minimum Emission Bandwidth 6 dB	2462.000	20.000000	PASS
Power Spectral Density	2462.000	20.000000	PASS
Occupied Channel Bandwidth 99%	2462.000	20.000000	PASS
Tx Spurious Emission	2462.000	20.000000	PASS

1.4 20 MHz Bandwidth

RF output power (2412 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
2412.000000	20.7	30.0	20.7	95.612	PASS

OSP PowerMeter settings


Setting	Instrument Value	Target Value
Measurement Time	1.000 s	1.000 s
Points	1000000	1000000
Time resolution	1.000 μ s	1.000 μ s

Minimum Emission Bandwidth 6 dB (2412 MHz; 24.000 dBm; 20 MHz)


6 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2412.000000	16.050000	0.500000	---	2404.175000	2420.225000

DUT Frequency (MHz)	Max Level (dBm)	Result
2412.000000	5.6	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.39200 GHz	2.39200 GHz
Stop Frequency	2.43200 GHz	2.43200 GHz
Span	40.000 MHz	40.000 MHz
RBW	100.000 kHz	~ 100.000 kHz
VBW	300.000 kHz	~ 300.000 kHz
SweepPoints	800	~ 800
Sweptime	56.836 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm

Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	FFT	AUTO
Preamp	off	off


Power Spectral Density (2412 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
2412.000000	2417.337750	-13.247	8.0	PASS

Ports

Port	State
1	used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.39700 GHz	2.39700 GHz
Stop Frequency	2.42700 GHz	2.42700 GHz
Span	30.000 MHz	30.000 MHz
RBW	3.000 kHz	<= 3.000 kHz
VBW	10.000 kHz	>= 9.000 kHz
SweepPoints	20000	~ 20000
SweepTime	4.424 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	FFT	AUTO

Preamp	off	off
--------	-----	-----


Occupied Channel Bandwidth 99% (2412 MHz; 24.000 dBm; 20 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2412.000000	17.750000	---	---	2403.375000	2421.125000

DUT Frequency (MHz)	Result
2412.000000	PASS

99 %Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.39200 GHz	2.39200 GHz
Stop Frequency	2.43200 GHz	2.43200 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	>= 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	160	~ 160
SweepTime	11.344 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Tx Spurious Emission (2412 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Result
2412.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
2399.775125	-16.7	-26.4	-23.0	3.4	PASS


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
2399.825000	-16.0	-7.0	-23.0
2399.225000	-16.3	-6.7	-23.0
2397.025000	-16.4	-6.6	-23.0
2396.975000	-16.5	-6.5	-23.0
2399.275000	-16.5	-6.5	-23.0
2399.175000	-16.5	-6.4	-23.0
2399.775000	-16.7	-6.3	-23.0
2399.125000	-16.8	-6.2	-23.0
2399.875000	-16.8	-6.2	-23.0
2398.625000	-17.1	-5.9	-23.0
2398.575000	-17.2	-5.8	-23.0
2399.925000	-17.3	-5.7	-23.0
2399.075000	-17.4	-5.6	-23.0
2397.975000	-17.6	-5.4	-23.0
2398.025000	-17.6	-5.4	-23.0

Measurement Settings


Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
30.000000	2350.000000	1	1
2350.000000	2483.500000	2	1
2483.500000	26000.000000	1	1

Spurious



Note: This plot is for informational purposes only. See the “Final Measurements” table above for results.

FinalMeas_2399825000Hz



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	≤ 100.000 kHz
VBW	300.000 kHz	≥ 300.000 kHz
SweepPoints	32001	~ 46400
SweepTime	32.100 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	100.000 kHz	≤ 100.000 kHz
VBW	300.000 kHz	≥ 300.000 kHz
SweepPoints	2670	~ 2670
SweepTime	151.563 μ s	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	300	300
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Final Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	≤ 100.000 kHz
VBW	300.000 kHz	≥ 300.000 kHz
SweepPoints	401	~ 401
SweepTime	37.907 μ s	AUTO

Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	Sample	Sample
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Linear	Average Linear
SweepType	FFT	AUTO
Preamp	off	off


Minimum Emission Bandwidth 6 dB (2437 MHz; 24.000 dBm; 20 MHz)

6 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2437.000000	15.900000	0.500000	---	2429.275000	2445.175000

DUT Frequency (MHz)	Max Level (dBm)	Result
2437.000000	7.8	PASS

6 dB Bandwidth



Bandwidth




Power Spectral Density (2437 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
2437.000000	2431.986250	-11.810	8.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (2437 MHz; 24.000 dBm; 20 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2437.000000	24.500000	---	---	2425.375000	2449.875000

DUT Frequency (MHz)	Result
2437.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.41700 GHz	2.41700 GHz
Stop Frequency	2.45700 GHz	2.45700 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	>= 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	160	~ 160
SweepTime	11.344 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Tx Spurious Emission (2437 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Result
2437.000000	PASS

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
2398.225000	-33.3	12.3	-21.0
2398.275000	-33.4	12.4	-21.0
2399.475000	-33.9	12.9	-21.0

2396.375000	-34.1	13.1	-21.0
2399.525000	-34.1	13.2	-21.0
2399.275000	-34.2	13.2	-21.0
2399.225000	-34.2	13.2	-21.0
2399.825000	-34.6	13.6	-21.0
2395.725000	-34.6	13.6	-21.0
2399.875000	-34.7	13.7	-21.0
2395.775000	-34.7	13.8	-21.0
2398.175000	-34.8	13.8	-21.0
2396.425000	-34.8	13.8	-21.0
2396.325000	-34.8	13.8	-21.0
2396.975000	-34.8	13.8	-21.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
30.000000	2350.000000	1	1
2350.000000	2483.500000	2	1
2483.500000	26000.000000	1	1

Spurious




— Limit — Threshold — Sum Level × Critical × Final Critical

Minimum Emission Bandwidth 6 dB (2462 MHz; 24.000 dBm; 20 MHz)


6 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2462.000000	16.650000	0.500000	---	2453.675000	2470.325000

DUT Frequency (MHz)	Max Level (dBm)	Result
2462.000000	1.4	PASS



Bandwidth




Power Spectral Density (2462 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
2462.000000	2461.087250	-13.950	8.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (2462 MHz; 24.000 dBm; 20 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2462.000000	18.000000	---	---	2453.375000	2471.375000

DUT Frequency (MHz)	Result
2462.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.44200 GHz	2.44200 GHz
Stop Frequency	2.48200 GHz	2.48200 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	≥ 500.000 kHz
VBW	2.000 MHz	≥ 1.500 MHz
SweepPoints	160	~ 160
SweepTime	11.344 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamplifier	off	off

Tx Spurious Emission (2462 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Result
2462.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result

---	---	---	---	---	---
-----	-----	-----	-----	-----	-----


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
2483.867434	-29.4	7.2	-22.3
2484.602301	-31.6	9.3	-22.3
2485.337169	-33.4	11.1	-22.3
2486.072037	-35.3	13.0	-22.3
2489.011507	-36.1	13.8	-22.3
2487.541772	-36.9	14.7	-22.3
2486.806904	-37.1	14.8	-22.3
2488.276640	-39.8	17.5	-22.3
2489.746375	-40.1	17.9	-22.3
2387.175000	-40.8	18.5	-22.3
2385.775000	-41.0	18.7	-22.3
2387.125000	-41.1	18.8	-22.3
2385.725000	-41.2	18.9	-22.3
2350.825000	-41.2	19.0	-22.3
2385.825000	-41.4	19.1	-22.3

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
30.000000	2350.000000	1	1
2350.000000	2483.500000	2	1
2483.500000	26000.000000	1	1

Spurious



1.5 n Mode

1.5.1 Summary

Test	Frequency (MHz)	Nominal Bandwidth (MHz)	Result
RF output power	2412.000	20.000000	PASS
Minimum Emission Bandwidth 6 dB	2412.000	20.000000	PASS
Power Spectral Density	2412.000	20.000000	PASS
Occupied Channel Bandwidth 99%	2412.000	20.000000	PASS
Tx Spurious Emission	2412.000	20.000000	PASS
Minimum Emission Bandwidth 6 dB	2437.000	20.000000	PASS
Power Spectral Density	2437.000	20.000000	PASS
Occupied Channel Bandwidth 99%	2437.000	20.000000	PASS
Tx Spurious Emission	2437.000	20.000000	PASS
Minimum Emission Bandwidth 6 dB	2462.000	20.000000	PASS
Power Spectral Density	2462.000	20.000000	PASS
Occupied Channel Bandwidth 99%	2462.000	20.000000	PASS
Tx Spurious Emission	2462.000	20.000000	PASS
Minimum Emission Bandwidth 6 dB	2422.000	40.000000	PASS
Power Spectral Density	2422.000	40.000000	PASS
Occupied Channel Bandwidth 99%	2422.000	40.000000	PASS
Tx Spurious Emission	2422.000	40.000000	PASS
Minimum Emission Bandwidth 6 dB	2437.000	40.000000	PASS
Power Spectral Density	2437.000	40.000000	PASS
Occupied Channel Bandwidth 99%	2437.000	40.000000	PASS
Tx Spurious Emission	2437.000	40.000000	PASS
Minimum Emission Bandwidth 6 dB	2452.000	40.000000	PASS
Power Spectral Density	2452.000	40.000000	PASS
Occupied Channel Bandwidth 99%	2452.000	40.000000	PASS
Tx Spurious Emission	2452.000	40.000000	PASS

1.6 20 MHz Bandwidth

RF output power (2412 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
2412.000000	19.4	30.0	19.4	95.738	PASS

OSP PowerMeter settings

Setting	Instrument Value	Target Value
Measurement Time	1.000 s	1.000 s
Points	1000000	1000000
Time resolution	1.000 μ s	1.000 μ s


Minimum Emission Bandwidth 6 dB (2412 MHz; 24.000 dBm; 20 MHz)

6 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2412.000000	17.750000	0.500000	---	2403.175000	2420.925000

DUT Frequency (MHz)	Max Level (dBm)	Result
2412.000000	2.1	PASS

6 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.39200 GHz	2.39200 GHz
Stop Frequency	2.43200 GHz	2.43200 GHz
Span	40.000 MHz	40.000 MHz
RBW	100.000 kHz	~ 100.000 kHz
VBW	300.000 kHz	~ 300.000 kHz
SweepPoints	800	~ 800
SweepTime	56.836 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Power Spectral Density (2412 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
2412.000000	2412.623250	-14.553	8.0	PASS

Ports

Port	State
1	used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.39700 GHz	2.39700 GHz
Stop Frequency	2.42700 GHz	2.42700 GHz
Span	30.000 MHz	30.000 MHz
RBW	3.000 kHz	<= 3.000 kHz
VBW	10.000 kHz	>= 9.000 kHz
SweepPoints	20000	~ 20000
SweepTime	4.424 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	FFT	AUTO
Preamp	off	off


Occupied Channel Bandwidth 99% (2412 MHz; 24.000 dBm; 20 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2412.000000	18.500000	---	---	2402.875000	2421.375000

DUT Frequency (MHz)	Result
2412.000000	PASS

99 %Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.39200 GHz	2.39200 GHz
Stop Frequency	2.43200 GHz	2.43200 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	$\geq$ 500.000 kHz
VBW	2.000 MHz	$\geq$ 1.500 MHz
SweepPoints	160	$\sim$ 160
Sweeptime	11.344 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm

Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Tx Spurious Emission (2412 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Result
2412.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
2399.874002	-21.7	-30.6	-24.6	6.0	PASS

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
2399.475000	-20.6	-4.0	-24.6
2399.525000	-20.6	-3.9	-24.6
2397.925000	-20.8	-3.8	-24.6
2398.625000	-20.8	-3.8	-24.6
2397.975000	-20.8	-3.8	-24.6
2399.425000	-20.8	-3.7	-24.6
2396.975000	-21.1	-3.4	-24.6
2397.025000	-21.2	-3.4	-24.6
2398.875000	-21.2	-3.3	-24.6
2399.125000	-21.2	-3.3	-24.6
2398.225000	-21.3	-3.3	-24.6
2398.575000	-21.4	-3.1	-24.6
2397.575000	-21.4	-3.1	-24.6
2397.625000	-21.5	-3.1	-24.6
2399.825000	-21.5	-3.1	-24.6

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
30.000000	2350.000000	1	1
2350.000000	2483.500000	2	1
2483.500000	26000.000000	1	1



Note: This plot is for informational purposes only. See the “Final Measurements” table above for results.



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	32001	~ 46400
SweepTime	32.100 ms	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO

Preamp	off	off
--------	-----	-----

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	2670	~ 2670
SweepTime	151.563 μ s	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	300	300
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Final Measurement 1


Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	401	~ 401
SweepTime	37.907 μ s	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	Sample	Sample
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Linear	Average Linear
SweepType	FFT	AUTO
Preamp	off	off

Minimum Emission Bandwidth 6 dB (2437 MHz; 24.000 dBm; 20 MHz)


6 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2437.000000	17.650000	0.500000	---	2428.175000	2445.825000

DUT Frequency (MHz)	Max Level (dBm)	Result
2437.000000	5.6	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.41700 GHz	2.41700 GHz
Stop Frequency	2.45700 GHz	2.45700 GHz
Span	40.000 MHz	40.000 MHz
RBW	100.000 kHz	~ 100.000 kHz
VBW	300.000 kHz	~ 300.000 kHz
SweepPoints	800	~ 800
Sweptime	56.836 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm

Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	FFT	AUTO
Preamp	off	off


Power Spectral Density (2437 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
2437.000000	2437.621750	-12.117	8.0	PASS

Ports

Port	State
1	used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.42200 GHz	2.42200 GHz
Stop Frequency	2.45200 GHz	2.45200 GHz
Span	30.000 MHz	30.000 MHz
RBW	3.000 kHz	<= 3.000 kHz
VBW	10.000 kHz	>= 9.000 kHz
SweepPoints	20000	~ 20000
SweepTime	4.424 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	FFT	AUTO

Preamp	off	off
--------	-----	-----


Occupied Channel Bandwidth 99% (2437 MHz; 24.000 dBm; 20 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2437.000000	26.500000	---	---	2423.875000	2450.375000

DUT Frequency (MHz)	Result
2437.000000	PASS

99 %Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.41700 GHz	2.41700 GHz
Stop Frequency	2.45700 GHz	2.45700 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	>= 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	160	~ 160
SweepTime	11.344 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Tx Spurious Emission (2437 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Result
2437.000000	PASS

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
15730.591880	-26.7	6.7	-20.0
15722.508336	-27.1	7.2	-20.0
17782.342388	-27.2	7.2	-20.0

15720.303733	-27.6	7.7	-20.0
17779.402917	-27.7	7.8	-20.0
17772.789108	-27.8	7.8	-20.0
15777.623410	-27.8	7.9	-20.0
17772.054240	-27.8	7.9	-20.0
15723.243203	-27.8	7.9	-20.0
17796.304873	-27.9	7.9	-20.0
15817.306264	-27.9	7.9	-20.0
15709.280718	-27.9	7.9	-20.0
15745.289233	-27.9	8.0	-20.0
15742.349763	-28.0	8.0	-20.0
15746.758968	-28.0	8.0	-20.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
30.000000	2350.000000	1	1
2350.000000	2483.500000	2	1
2483.500000	26000.000000	1	1

Spurious



— Limit — Threshold — SumLevel × Critical × Final Critical

Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	32001	~ 46400
SweepTime	32.100 ms	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	100.000 kHz	≤ 100.000 kHz
VBW	300.000 kHz	≥ 300.000 kHz
SweepPoints	2670	~ 2670
SweepTime	151.563 μ s	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	300	300
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Minimum Emission Bandwidth 6 dB (2462 MHz; 24.000 dBm; 20 MHz)

6 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2462.000000	17.850000	0.500000	---	2453.125000	2470.975000

DUT Frequency (MHz)	Max Level (dBm)	Result
2462.000000	0.9	PASS

6 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.44200 GHz	2.44200 GHz
Stop Frequency	2.48200 GHz	2.48200 GHz
Span	40.000 MHz	40.000 MHz
RBW	100.000 kHz	~ 100.000 kHz
VBW	300.000 kHz	~ 300.000 kHz
SweepPoints	800	~ 800
Sweeptime	56.836 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Power Spectral Density (2462 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
2462.000000	2462.621750	-15.037	8.0	PASS

Ports

Port	State
1	used
2	used



Measurement


Setting	Instrument Value	Target Value
Start Frequency	2.44700 GHz	2.44700 GHz
Stop Frequency	2.47700 GHz	2.47700 GHz
Span	30.000 MHz	30.000 MHz
RBW	3.000 kHz	<= 3.000 kHz
VBW	10.000 kHz	>= 9.000 kHz
SweepPoints	20000	~ 20000
SweepTime	4.424 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	FFT	AUTO
Preamp	off	off

Occupied Channel Bandwidth 99% (2462 MHz; 24.000 dBm; 20 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2462.000000	18.750000	---	---	2452.625000	2471.375000

DUT Frequency (MHz)	Result
2462.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.44200 GHz	2.44200 GHz
Stop Frequency	2.48200 GHz	2.48200 GHz
Span	40.000 MHz	40.000 MHz
RBW	500.000 kHz	≥ 500.000 kHz
VBW	2.000 MHz	≥ 1.500 MHz
SweepPoints	160	~ 160
Sweptime	11.344 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm

Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Tx Spurious Emission (2462 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Result
2462.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
15727.652409	-26.3	0.5	-25.8
15707.076115	-27.0	1.2	-25.8
15729.122145	-27.3	1.5	-25.8
15726.182674	-27.3	1.5	-25.8
15699.727438	-27.4	1.6	-25.8
15717.364262	-27.7	1.9	-25.8
17785.281858	-27.8	2.0	-25.8
15687.969556	-27.8	2.0	-25.8
15834.943088	-27.8	2.0	-25.8
15728.387277	-27.8	2.0	-25.8
15735.735954	-27.9	2.1	-25.8
17815.411432	-27.9	2.1	-25.8
15706.341247	-28.0	2.2	-25.8
17793.365403	-28.0	2.2	-25.8
15732.061615	-28.0	2.2	-25.8

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
30.000000	2350.000000	1	1
2350.000000	2483.500000	2	1
2483.500000	26000.000000	1	1



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	≤ 100.000 kHz
VBW	300.000 kHz	≥ 300.000 kHz
SweepPoints	32001	~ 46400
SweepTime	32.100 ms	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	100.000 kHz	≤ 100.000 kHz
VBW	300.000 kHz	≥ 300.000 kHz
SweepPoints	2670	~ 2670
SweepTime	151.563 μ s	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	300	300
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

1.7 40 MHz Bandwidth


Minimum Emission Bandwidth 6 dB (2422 MHz; 24.000 dBm; 40 MHz)

6 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2422.000000	36.500000	0.500000	---	2403.775000	2440.275000

DUT Frequency (MHz)	Max Level (dBm)	Result
2422.000000	-2.6	PASS

6 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.38200 GHz	2.38200 GHz
Stop Frequency	2.46200 GHz	2.46200 GHz
Span	80.000 MHz	80.000 MHz
RBW	100.000 kHz	~ 100.000 kHz
VBW	300.000 kHz	~ 300.000 kHz
SweepPoints	1600	~ 1600
Sweeptime	94.727 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	FFT	AUTO
Preamp	off	off


Power Spectral Density (2422 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
2422.000000	2434.211493	-18.135	8.0	PASS

Ports

Port	State
1	used
2	used



Measurement


Setting	Instrument Value	Target Value
Start Frequency	2.39200 GHz	2.39200 GHz
Stop Frequency	2.45200 GHz	2.45200 GHz
Span	60.000 MHz	60.000 MHz
RBW	3.000 kHz	<= 3.000 kHz
VBW	10.000 kHz	>= 9.000 kHz
SweepPoints	32001	~ 40000
SweepTime	8.849 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	FFT	AUTO
Preamp	off	off

Occupied Channel Bandwidth 99% (2422 MHz; 24.000 dBm; 40 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2422.000000	37.000000	---	---	2403.750000	2440.750000

DUT Frequency (MHz)	Result
2422.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.38200 GHz	2.38200 GHz
Stop Frequency	2.46200 GHz	2.46200 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	≥ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	160	~ 160
Sweptime	11.438 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm

Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Tx Spurious Emission (2422 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Result
2422.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
15719.838420	-28.4	-35.4	-27.1	8.3	PASS

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
15723.978071	-26.2	-0.9	-27.1
15712.220188	-26.6	-0.4	-27.1
15712.955056	-27.0	-0.1	-27.1
15759.251719	-27.5	0.5	-27.1
15701.932041	-27.6	0.5	-27.1
15668.862996	-27.7	0.6	-27.1
2398.925000	-27.7	0.6	-27.1
15738.675424	-27.7	0.7	-27.1
15704.136644	-27.8	0.7	-27.1
15700.462306	-27.8	0.7	-27.1
15685.030085	-27.9	0.8	-27.1
15733.531351	-27.9	0.8	-27.1
2398.875000	-28.0	0.9	-27.1
15740.880027	-28.0	0.9	-27.1
15748.963571	-28.0	0.9	-27.1


Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
30.000000	2350.000000	1	1
2350.000000	2483.500000	2	1
2483.500000	26000.000000	1	1



x Limit Final Critical
 ◆ Threshold Fail
 ◆ SumLevel Pass
 x Critical

FinalMeas_15723978071 Hz



— SumLevel
 — Limit

Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	≤ 100.000 kHz
VBW	300.000 kHz	≥ 300.000 kHz
SweepPoints	32001	~ 46400
SweepTime	32.100 ms	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	2670	~ 2670
SweepTime	151.563 μ s	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	300	300
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Final Measurement 1


Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	401	~ 401
SweepTime	113.721 μ s	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	Sample	Sample
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Linear	Average Linear
SweepType	FFT	AUTO
Preamp	off	off

Minimum Emission Bandwidth 6 dB (2437 MHz; 24.000 dBm; 40 MHz)


6 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2437.000000	36.400000	0.500000	---	2418.825000	2455.225000

DUT Frequency (MHz)	Max Level (dBm)	Result
2437.000000	1.3	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.39700 GHz	2.39700 GHz
Stop Frequency	2.47700 GHz	2.47700 GHz
Span	80.000 MHz	80.000 MHz
RBW	100.000 kHz	~ 100.000 kHz
VBW	300.000 kHz	~ 300.000 kHz
SweepPoints	1600	~ 1600
Sweeptime	94.727 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm

Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	FFT	AUTO
Preamp	off	off


Power Spectral Density (2437 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
2437.000000	2432.329521	-16.224	8.0	PASS

Ports

Port	State
1	used
2	used



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.40700 GHz	2.40700 GHz
Stop Frequency	2.46700 GHz	2.46700 GHz
Span	60.000 MHz	60.000 MHz
RBW	3.000 kHz	<= 3.000 kHz
VBW	10.000 kHz	>= 9.000 kHz
SweepPoints	32001	~ 40000
SweepTime	8.849 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
Sweeptype	FFT	AUTO

Preamp	off	off
--------	-----	-----


Occupied Channel Bandwidth 99% (2437 MHz; 24.000 dBm; 40 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2437.000000	37.000000	---	---	2418.750000	2455.750000

DUT Frequency (MHz)	Result
2437.000000	PASS

99 %Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.39700 GHz	2.39700 GHz
Stop Frequency	2.47700 GHz	2.47700 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	>= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	160	~ 160
SweepTime	11.438 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Tx Spurious Emission (2437 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Result
2437.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
2399.468890	-25.2	-34.8	-24.8	9.9	PASS


Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
2397.025000	-24.0	-0.9	-24.8
2396.975000	-24.0	-0.8	-24.8
2398.875000	-25.0	0.2	-24.8
2399.475000	-25.1	0.2	-24.8
2399.525000	-25.2	0.3	-24.8
2398.825000	-25.4	0.5	-24.8
2399.225000	-25.7	0.9	-24.8
2397.075000	-25.9	1.0	-24.8
2398.525000	-25.9	1.1	-24.8
2399.725000	-26.0	1.1	-24.8
2397.875000	-26.0	1.2	-24.8
2398.925000	-26.0	1.2	-24.8
2398.475000	-26.0	1.2	-24.8
15735.735954	-26.2	1.3	-24.8
2399.775000	-26.3	1.4	-24.8

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
30.000000	2350.000000	1	1
2350.000000	2483.500000	2	1
2483.500000	26000.000000	1	1

Spurious





Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	≤ 100.000 kHz
VBW	300.000 kHz	≥ 300.000 kHz
SweepPoints	32001	~ 46400
SweepTime	32.100 ms	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	100.000 kHz	≤ 100.000 kHz
VBW	300.000 kHz	≥ 300.000 kHz
SweepPoints	2670	~ 2670
SweepTime	151.563 μ s	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	300	300
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Final Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	≤ 100.000 kHz
VBW	300.000 kHz	≥ 300.000 kHz
SweepPoints	401	~ 401

SweepTime	37.907 μ s	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	Sample	Sample
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Linear	Average Linear
SweepType	FFT	AUTO
Preamp	off	off


Minimum Emission Bandwidth 6 dB (2452 MHz; 24.000 dBm; 40 MHz)

6 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2452.000000	36.500000	0.500000	---	2433.775000	2470.275000

DUT Frequency (MHz)	Max Level (dBm)	Result
2452.000000	-2.9	PASS

6 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.41200 GHz	2.41200 GHz
Stop Frequency	2.49200 GHz	2.49200 GHz
Span	80.000 MHz	80.000 MHz
RBW	100.000 kHz	~ 100.000 kHz
VBW	300.000 kHz	~ 300.000 kHz
SweepPoints	1600	~ 1600
Sweptime	94.727 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm
Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Power Spectral Density (2452 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
2452.000000	2447.329521	-18.320	8.0	PASS

Ports

Port	State
1	used
2	used



Measurement


Setting	Instrument Value	Target Value
Start Frequency	2.42200 GHz	2.42200 GHz
Stop Frequency	2.48200 GHz	2.48200 GHz
Span	60.000 MHz	60.000 MHz
RBW	3.000 kHz	<= 3.000 kHz
VBW	10.000 kHz	>= 9.000 kHz
SweepPoints	32001	~ 40000
SweepTime	8.849 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	FFT	AUTO
Preamp	off	off

Occupied Channel Bandwidth 99% (2452 MHz; 24.000 dBm; 40 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
2452.000000	37.000000	---	---	2433.750000	2470.750000

DUT Frequency (MHz)	Result
2452.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	2.41200 GHz	2.41200 GHz
Stop Frequency	2.49200 GHz	2.49200 GHz
Span	80.000 MHz	80.000 MHz
RBW	1.000 MHz	≥ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	160	~ 160
Sweptime	11.438 μ s	AUTO
Reference Level	-5.000 dBm	-5.000 dBm

Attenuation	15.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Tx Spurious Emission (2452 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Result
2452.000000	PASS

Final measurements



Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
15742.196964	-29.7	-35.9	-26.8	9.1	PASS

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
15745.289233	-26.0	-0.8	-26.8
15768.070131	-26.9	0.1	-26.8
15707.810982	-26.9	0.1	-26.8
15712.955056	-27.1	0.3	-26.8
15746.758968	-27.1	0.3	-26.8
15719.568865	-27.2	0.5	-26.8
15726.917542	-27.3	0.5	-26.8
15743.819498	-27.7	0.9	-26.8
15704.136644	-27.7	0.9	-26.8
15698.257703	-27.7	0.9	-26.8
15688.704423	-27.8	1.0	-26.8
15731.326748	-27.8	1.0	-26.8
23429.065490	-27.8	1.0	-26.8
15710.015585	-28.0	1.2	-26.8
15664.453791	-28.0	1.2	-26.8

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
30.000000	2350.000000	1	1
2350.000000	2483.500000	2	1
2483.500000	26000.000000	1	1



Pre Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	≤ 100.000 kHz
VBW	300.000 kHz	≥ 300.000 kHz
SweepPoints	32001	~ 46400
SweepTime	32.100 ms	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	3	3
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off

Pre Measurement 2

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	2670	~ 2670
SweepTime	151.563 μ s	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	300	300
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Final Measurement 1

Setting	Instrument Value	Target Value
RBW	100.000 kHz	<= 100.000 kHz
VBW	300.000 kHz	>= 300.000 kHz
SweepPoints	401	~ 401
SweepTime	113.721 μ s	AUTO
Reference Level	20.000 dBm	20.000 dBm
Attenuation	40.000 dB	40.000 dB
Detector	Sample	Sample
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Linear	Average Linear
SweepType	FFT	AUTO
Preamp	off	off

-- End of Report--