



427 West 12800 South
Draper, UT 84020

Test Report Attachment

FCC ID	SWX-WAVEML6
ISED ID	6545A-WAVEML6
Equipment Under Test	Wave-MLO6
Test Report Serial Number	TR10564_01
Date of Tests	15 - 16 May 2025
Report Issue Date	3 December 2025

Test Personnel

Testing performed by	Evan Hartzell
-----------------------------	---------------

Test Location

Testing was performed at the Unified Compliance Laboratory located at 427 West 12800 South, Draper, UT 84020. Unified Compliance Laboratory is accredited by National Voluntary Laboratory Accreditation Program (NVLAP); NVLAP Code 600241-0 which is effective until 30 June 2026. This site has also been registered with Innovations, Science and Economic Development (ISED) department as was accepted under Appendix B, Phase 1 procedures of the APEC Tel MRA for Canadian recognition. ISED No.: 25346, effective until 30 June 2026. Unified Compliance Laboratory has been assigned Conformity Assessment Number US0223 by ISED and MRA US5037.



Revision History		
Revision	Description	Date
01	Original Report Release	3 December 2025

Table of Contents

1	RF Conducted UNII-2c	4
1.1	EHT Mode - Horn Antenna	4
1.2	EHT Mode - Dish Mode	45

1 RF Conducted UNII-2c

NOTE: The first channel contains the equipment setting table(s), if subsequent channels do not have an equipment setting table(s) then the equipment setting table(s) is the same as the first channel.

1.1 EHT Mode - Horn Antenna

Summary

Test	Frequency (MHz)	Nominal Bandwidth (MHz)	Result
Emission Bandwidth 26 dB	5500.000	20.000000	PASS
RF output power	5500.000	20.000000	PASS
Power Spectral Density	5500.000	20.000000	PASS
Occupied Channel Bandwidth 99%	5500.000	20.000000	PASS
Emission Bandwidth 26 dB	5600.000	20.000000	PASS
Power Spectral Density	5600.000	20.000000	PASS
Occupied Channel Bandwidth 99%	5600.000	20.000000	PASS
Emission Bandwidth 26 dB	5720.000	20.000000	PASS
Power Spectral Density	5720.000	20.000000	PASS
Occupied Channel Bandwidth 99%	5720.000	20.000000	PASS
Emission Bandwidth 26 dB	5510.000	40.000000	PASS
Power Spectral Density	5510.000	40.000000	PASS
Occupied Channel Bandwidth 99%	5510.000	40.000000	PASS
Emission Bandwidth 26 dB	5590.000	40.000000	PASS
Power Spectral Density	5590.000	40.000000	PASS
Occupied Channel Bandwidth 99%	5590.000	40.000000	PASS
Emission Bandwidth 26 dB	5710.000	40.000000	PASS
Power Spectral Density	5710.000	40.000000	PASS
Occupied Channel Bandwidth 99%	5710.000	40.000000	PASS
Emission Bandwidth 26 dB	5530.000	80.000000	PASS
Power Spectral Density	5530.000	80.000000	PASS
Occupied Channel Bandwidth 99%	5530.000	80.000000	PASS
Emission Bandwidth 26 dB	5610.000	80.000000	PASS
Power Spectral Density	5610.000	80.000000	PASS
Occupied Channel Bandwidth 99%	5610.000	80.000000	PASS
Emission Bandwidth 26 dB	5690.000	80.000000	PASS
Power Spectral Density	5690.000	80.000000	PASS
Occupied Channel Bandwidth 99%	5690.000	80.000000	PASS
Emission Bandwidth 26 dB	5570.000	160.000000	PASS
Power Spectral Density	5570.000	160.000000	PASS
Occupied Channel Bandwidth 99%	5570.000	160.000000	PASS
Emission Bandwidth 26 dB	5610.000	240.000000	PASS
Power Spectral Density	5610.000	240.000000	PASS
Occupied Channel Bandwidth 99%	5610.000	240.000000	PASS


Emission Bandwidth 26 dB (5500 MHz; 24.000 dBm; 20 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5500.000000	23.250000	---	---	5488.225000	5511.475000

DUT Frequency (MHz)	Max Level (dBm)	Result
5500.000000	-3.1	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.47000 GHz	5.47000 GHz
Stop Frequency	5.53000 GHz	5.53000 GHz
Span	60.000 MHz	60.000 MHz
RBW	300.000 kHz	≥ 300.000 kHz
VBW	1.000 MHz	≥ 900.000 kHz
SweepPoints	400	~ 400
SweepTime	25.313 μ s	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

RF output power (5500 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
5500.000000	9.6	24.0	9.6	99.730	PASS

OSP PowerMeter settings

Setting	Instrument Value	Target Value
Measurement Time	1.000 s	1.000 s
Points	1000000	1000000
Time resolution	1.000 μ s	1.000 μ s

Power Spectral Density (5500 MHz; 24.000 dBm; 20 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5500.000000	5508.316832	-3.261	11.0	PASS


Ports

Port	State
1	used
2	used


Power Spectral Density



PSD Connector 1



PSD Connector 2



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.49000 GHz	5.49000 GHz
Stop Frequency	5.51000 GHz	5.51000 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz

VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	2.020 ms	2.020 ms
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	FFT	AUTO
Preamp	off	off


Occupied Channel Bandwidth 99% (5500 MHz; 24.000 dBm; 20 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5500.000000	19.176030	---	---	5490.411985	5509.588015

DUT Frequency (MHz)	Result
5500.000000	PASS

99 %Bandwidth



Bandwidth



Measurement


Setting	Instrument Value	Target Value
Start Frequency	5.48000 GHz	5.48000 GHz
Stop Frequency	5.52000 GHz	5.52000 GHz
Span	40.000 MHz	40.000 MHz
RBW	300.000 kHz	>= 300.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	267	~ 267
SweepTime	18.930 μ s	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emission Bandwidth 26 dB (5600 MHz; 24.000 dBm; 20 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5600.000000	22.950000	---	---	5588.525000	5611.475000

DUT Frequency (MHz)	Max Level (dBm)	Result
5600.000000	-2.4	PASS



Bandwidth




Power Spectral Density (5600 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5600.000000	5607.920792	-2.968	11.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (5600 MHz; 24.000 dBm; 20 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5600.000000	19.176030	---	---	5590.411985	5609.588015

DUT Frequency (MHz)	Result
5600.000000	PASS



Bandwidth




Emission Bandwidth 26 dB (5720 MHz; 24.000 dBm; 20 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5720.000000	23.100000	16.625000	6.475000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Max Level (dBm)	Result
5720.000000	5708.375000	5731.475000	-2.3	PASS

26 dB Bandwidth



Bandwidth



Power Spectral Density (5720 MHz; 24.000 dBm; 20 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5720.000000	5711.683168	-3.063	11.0	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density




Occupied Channel Bandwidth 99% (5720 MHz; 24.000 dBm; 20 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5720.000000	19.176030	14.588015	4.588015	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Result
5720.000000	5710.411985	5729.588015	PASS



Bandwidth




Emission Bandwidth 26 dB (5510 MHz; 24.000 dBm; 40 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5510.000000	43.500000	---	---	5487.875000	5531.375000

DUT Frequency (MHz)	Max Level (dBm)	Result
5510.000000	-2.2	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.45000 GHz	5.45000 GHz
Stop Frequency	5.57000 GHz	5.57000 GHz
Span	120.000 MHz	120.000 MHz

RBW	500.000 kHz	>= 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	30.250 μ s	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamplifier	off	off

Power Spectral Density (5510 MHz; 24.000 dBm; 40 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5510.000000	5515.148515	-6.330	11.0	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density




Occupied Channel Bandwidth 99% (5510 MHz; 24.000 dBm; 40 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5510.000000	38.000000	---	---	5490.875000	5528.875000

DUT Frequency (MHz)	Result
5510.000000	PASS

99 % Bandwidth



Bandwidth



Measurement


Setting	Instrument Value	Target Value
Start Frequency	5.47000 GHz	5.47000 GHz
Stop Frequency	5.55000 GHz	5.55000 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	18.906 μ s	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emission Bandwidth 26 dB (5590 MHz; 24.000 dBm; 40 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5590.000000	43.000000	---	---	5568.375000	5611.375000

DUT Frequency (MHz)	Max Level (dBm)	Result
5590.000000	-1.9	PASS



Bandwidth



Power Spectral Density (5590 MHz; 24.000 dBm; 40 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5590.000000	5596.336634	-6.165	11.0	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density




Occupied Channel Bandwidth 99% (5590 MHz; 24.000 dBm; 40 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5590.000000	38.250000	---	---	5570.875000	5609.125000

DUT Frequency (MHz)	Result
5590.000000	PASS

99 % Bandwidth



Bandwidth




Emission Bandwidth 26 dB (5710 MHz; 24.000 dBm; 40 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5710.000000	43.750000	37.125000	6.625000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Max Level (dBm)	Result
5710.000000	5687.875000	5731.625000	-2.3	PASS



Bandwidth




Power Spectral Density (5710 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5710.000000	5699.306931	-6.497	11.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (5710 MHz; 24.000 dBm; 40 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5710.000000	38.250000	34.125000	4.125000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Result
5710.000000	5690.875000	5729.125000	PASS



Bandwidth




Emission Bandwidth 26 dB (5530 MHz; 24.000 dBm; 80 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5530.000000	88.000000	---	---	5484.750000	5572.750000

DUT Frequency (MHz)	Max Level (dBm)	Result
5530.000000	-1.5	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.41000 GHz	5.41000 GHz
Stop Frequency	5.65000 GHz	5.65000 GHz
Span	240.000 MHz	240.000 MHz

RBW	1.000 MHz	>= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	480	~ 480
SweepTime	32.406 μ s	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Power Spectral Density (5530 MHz; 24.000 dBm; 80 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5530.000000	5517.250000	-9.092	11.0	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density




Occupied Channel Bandwidth 99% (5530 MHz; 24.000 dBm; 80 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5530.000000	77.500000	---	---	5491.250000	5568.750000

DUT Frequency (MHz)	Result
5530.000000	PASS

99 % Bandwidth



Bandwidth



Measurement


Setting	Instrument Value	Target Value
Start Frequency	5.45000 GHz	5.45000 GHz
Stop Frequency	5.61000 GHz	5.61000 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	22.875 μ s	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emission Bandwidth 26 dB (5610 MHz; 24.000 dBm; 80 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5610.000000	90.500000	---	---	5563.750000	5654.250000

DUT Frequency (MHz)	Max Level (dBm)	Result
5610.000000	-1.4	PASS



Bandwidth




Power Spectral Density (5610 MHz; 24.000 dBm; 80 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5610.000000	5639.750000	-9.220	11.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (5610 MHz; 24.000 dBm; 80 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5610.000000	77.500000	---	---	5571.250000	5648.750000

DUT Frequency (MHz)	Result
5610.000000	PASS



Bandwidth




Emission Bandwidth 26 dB (5690 MHz; 24.000 dBm; 80 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5690.000000	88.500000	78.750000	9.750000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Max Level (dBm)	Result
5690.000000	5646.250000	5734.750000	-2.0	PASS



Bandwidth




Power Spectral Density (5690 MHz; 24.000 dBm; 80 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5690.000000	5656.250000	-9.130	11.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (5690 MHz; 24.000 dBm; 80 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5690.000000	78.000000	74.250000	3.750000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Result
5690.000000	5650.750000	5728.750000	PASS



Bandwidth




Emission Bandwidth 26 dB (5570 MHz; 24.000 dBm; 160 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5570.000000	178.000000	178.000000	0.000000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Max Level (dBm)	Result
5570.000000	5482.500000	5660.500000	0.2	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.33000 GHz	5.33000 GHz
Stop Frequency	5.81000 GHz	5.81000 GHz

Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	>= 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Start Frequency	5.33000 GHz	5.33000 GHz
Stop Frequency	5.81000 GHz	5.81000 GHz
Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	>= 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off


Power Spectral Density (5570 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5570.000000	5637.250000	-11.701	11.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (5570 MHz; 24.000 dBm; 160 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5570.000000	157.000000	157.000000	0.000000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Result
5570.000000	5491.500000	5648.500000	PASS



Bandwidth



Measurement


Setting	Instrument Value	Target Value
Start Frequency	5.41000 GHz	5.41000 GHz
Stop Frequency	5.73000 GHz	5.73000 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	32.813 μ s	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emission Bandwidth 26 dB (5610 MHz; 24.000 dBm; 240 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5610.000000	273.000000	244.750000	28.250000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Max Level (dBm)	Result
5610.000000	5480.250000	5753.250000	1.7	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.25000 GHz	5.25000 GHz
Stop Frequency	5.97000 GHz	5.97000 GHz
Span	720.000 MHz	720.000 MHz
RBW	3.000 MHz	>= 3.000 MHz
VBW	10.000 MHz	>= 9.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm

Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off


Power Spectral Density (5610 MHz; 24.000 dBm; 240 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5610.000000	5660.750000	-13.204	11.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (5610 MHz; 24.000 dBm; 240 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5610.000000	238.500000	234.250000	4.250000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Result
5610.000000	5490.750000	5729.250000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.37000 GHz	5.37000 GHz
Stop Frequency	5.85000 GHz	5.85000 GHz
Span	480.000 MHz	480.000 MHz
RBW	3.000 MHz	>= 3.000 MHz
VBW	10.000 MHz	>= 9.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	AUTO
Attenuation	20.000 dB	20.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

1.2 EHT Mode - Dish Mode

Summary

Test	Frequency (MHz)	Nominal Bandwidth (MHz)	Result
Emission Bandwidth 26 dB	5500.000	20.000000	PASS
RF output power	5500.000	20.000000	PASS
Power Spectral Density	5500.000	20.000000	PASS
Occupied Channel Bandwidth 99%	5500.000	20.000000	PASS
Emission Bandwidth 26 dB	5600.000	20.000000	PASS
Power Spectral Density	5600.000	20.000000	PASS
Occupied Channel Bandwidth 99%	5600.000	20.000000	PASS
Emission Bandwidth 26 dB	5720.000	20.000000	PASS
Power Spectral Density	5720.000	20.000000	PASS
Occupied Channel Bandwidth 99%	5720.000	20.000000	PASS
Emission Bandwidth 26 dB	5510.000	40.000000	PASS
Power Spectral Density	5510.000	40.000000	PASS
Occupied Channel Bandwidth 99%	5510.000	40.000000	PASS
Emission Bandwidth 26 dB	5590.000	40.000000	PASS
Power Spectral Density	5590.000	40.000000	PASS
Occupied Channel Bandwidth 99%	5590.000	40.000000	PASS
Emission Bandwidth 26 dB	5710.000	40.000000	PASS
Power Spectral Density	5710.000	40.000000	PASS
Occupied Channel Bandwidth 99%	5710.000	40.000000	PASS
Emission Bandwidth 26 dB	5530.000	80.000000	PASS
Power Spectral Density	5530.000	80.000000	PASS
Occupied Channel Bandwidth 99%	5530.000	80.000000	PASS
Emission Bandwidth 26 dB	5610.000	80.000000	PASS
Power Spectral Density	5610.000	80.000000	PASS
Occupied Channel Bandwidth 99%	5610.000	80.000000	PASS
Emission Bandwidth 26 dB	5690.000	80.000000	PASS
Power Spectral Density	5690.000	80.000000	PASS
Occupied Channel Bandwidth 99%	5690.000	80.000000	PASS
Emission Bandwidth 26 dB	5570.000	160.000000	PASS
Power Spectral Density	5570.000	160.000000	PASS
Occupied Channel Bandwidth 99%	5570.000	160.000000	PASS
Emission Bandwidth 26 dB	5610.000	240.000000	PASS
Power Spectral Density	5610.000	240.000000	PASS
Occupied Channel Bandwidth 99%	5610.000	240.000000	PASS


Emission Bandwidth 26 dB (5500 MHz; 24.000 dBm; 20 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5500.000000	22.950000	---	---	5488.525000	5511.475000

DUT Frequency (MHz)	Max Level (dBm)	Result
5500.000000	-12.8	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.47000 GHz	5.47000 GHz
Stop Frequency	5.53000 GHz	5.53000 GHz
Span	60.000 MHz	60.000 MHz
RBW	300.000 kHz	>= 300.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	400	~ 400
SweepTime	25.313 μ s	AUTO
Reference Level	-10.000 dBm	AUTO
Attenuation	0.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

RF output power (5500 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Gated RMS (dBm)	Limit Max (dBm)	Gated EIRP (dBm)	DutyCycle (%)	Result
5500.000000	-0.8	24.0	-0.8	99.719	PASS

OSP PowerMeter settings

Setting	Instrument Value	Target Value
Measurement Time	1.000 s	1.000 s
Points	1000000	1000000
Time resolution	1.000 μ s	1.000 μ s


Power Spectral Density (5500 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5500.000000	5508.118812	-13.619	11.0	PASS

Ports


Port	State
1	used
2	used



PSD Connector 1



PSD Connector 2



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.49000 GHz	5.49000 GHz
Stop Frequency	5.51000 GHz	5.51000 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz

VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	2.020 ms	2.020 ms
Reference Level	-10.000 dBm	-10.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	FFT	AUTO
Preamp	off	off


Occupied Channel Bandwidth 99% (5500 MHz; 24.000 dBm; 20 MHz)

99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5500.000000	19.325843	---	---	5490.262172	5509.588015

DUT Frequency (MHz)	Result
5500.000000	PASS

99 %Bandwidth



Bandwidth



Date: 16.MAY.2025 02:49:15

Measurement


Setting	Instrument Value	Target Value
Start Frequency	5.48000 GHz	5.48000 GHz
Stop Frequency	5.52000 GHz	5.52000 GHz
Span	40.000 MHz	40.000 MHz
RBW	300.000 kHz	>= 300.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	267	~ 267
Sweptime	18.930 μ s	AUTO
Reference Level	-10.000 dBm	AUTO
Attenuation	0.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emission Bandwidth 26 dB (5600 MHz; 24.000 dBm; 20 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5600.000000	23.100000	---	---	5588.675000	5611.775000

DUT Frequency (MHz)	Max Level (dBm)	Result
5600.000000	-12.9	PASS



Bandwidth




Power Spectral Density (5600 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5600.000000	5607.920792	-13.367	11.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (5600 MHz; 24.000 dBm; 20 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5600.000000	19.176030	---	---	5590.411985	5609.588015

DUT Frequency (MHz)	Result
5600.000000	PASS



Bandwidth




Emission Bandwidth 26 dB (5720 MHz; 24.000 dBm; 20 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5720.000000	22.950000	16.625000	6.325000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Max Level (dBm)	Result
5720.000000	5708.375000	5731.325000	-13.0	PASS



Bandwidth




Power Spectral Density (5720 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5720.000000	5728.316832	-13.579	11.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (5720 MHz; 24.000 dBm; 20 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5720.000000	19.176030	14.588015	4.588015	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Result
5720.000000	5710.411985	5729.588015	PASS



Bandwidth




Emission Bandwidth 26 dB (5510 MHz; 24.000 dBm; 40 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5510.000000	43.500000	---	---	5488.375000	5531.875000

DUT Frequency (MHz)	Max Level (dBm)	Result
5510.000000	-12.7	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.45000 GHz	5.45000 GHz
Stop Frequency	5.57000 GHz	5.57000 GHz
Span	120.000 MHz	120.000 MHz

RBW	500.000 kHz	>= 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	480	~ 480
SweepTime	30.250 μ s	AUTO
Reference Level	-10.000 dBm	AUTO
Attenuation	0.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Power Spectral Density (5510 MHz; 24.000 dBm; 40 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5510.000000	5516.336634	-16.599	11.0	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density




Occupied Channel Bandwidth 99% (5510 MHz; 24.000 dBm; 40 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5510.000000	38.000000	---	---	5490.875000	5528.875000

DUT Frequency (MHz)	Result
5510.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.47000 GHz	5.47000 GHz
Stop Frequency	5.55000 GHz	5.55000 GHz
Span	80.000 MHz	80.000 MHz

RBW	500.000 kHz	>= 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	18.906 μ s	AUTO
Reference Level	-10.000 dBm	AUTO
Attenuation	0.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (5590 MHz; 24.000 dBm; 40 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5590.000000	42.750000	---	---	5569.125000	5611.875000

DUT Frequency (MHz)	Max Level (dBm)	Result
5590.000000	-12.2	PASS

26 dB Bandwidth



Bandwidth




Power Spectral Density (5590 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5590.000000	5598.712871	-16.219	11.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (5590 MHz; 24.000 dBm; 40 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5590.000000	38.250000	---	---	5570.875000	5609.125000

DUT Frequency (MHz)	Result
5590.000000	PASS



Bandwidth




Emission Bandwidth 26 dB (5710 MHz; 24.000 dBm; 40 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5710.000000	44.000000	37.375000	6.625000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Max Level (dBm)	Result
5710.000000	5687.625000	5731.625000	-13.0	PASS

26 dB Bandwidth



Bandwidth




Power Spectral Density (5710 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5710.000000	5700.495050	-16.593	11.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (5710 MHz; 24.000 dBm; 40 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5710.000000	38.250000	34.125000	4.125000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Result
5710.000000	5690.875000	5729.125000	PASS



Bandwidth



Date: 16.MAY.2025 03:00:33


Emission Bandwidth 26 dB (5530 MHz; 24.000 dBm; 80 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5530.000000	87.500000	---	---	5484.750000	5572.250000

DUT Frequency (MHz)	Max Level (dBm)	Result
5530.000000	-11.0	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.41000 GHz	5.41000 GHz
Stop Frequency	5.65000 GHz	5.65000 GHz
Span	240.000 MHz	240.000 MHz
RBW	1.000 MHz	≥ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	480	~ 480
Sweptime	32.406 μ s	AUTO
Reference Level	-10.000 dBm	AUTO
Attenuation	0.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Power Spectral Density (5530 MHz; 24.000 dBm; 80 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5530.000000	5517.250000	-19.454	11.0	PASS

Ports

Port	State
------	-------

1	used
2	used




Occupied Channel Bandwidth 99% (5530 MHz; 24.000 dBm; 80 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5530.000000	78.000000	---	---	5490.750000	5568.750000

DUT Frequency (MHz)	Result
5530.000000	PASS



Bandwidth



Measurement


Setting	Instrument Value	Target Value
Start Frequency	5.45000 GHz	5.45000 GHz
Stop Frequency	5.61000 GHz	5.61000 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	≥ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	320	~ 320
SweepTime	22.875 μ s	AUTO
Reference Level	-10.000 dBm	AUTO
Attenuation	0.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emission Bandwidth 26 dB (5610 MHz; 24.000 dBm; 80 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5610.000000	89.500000	---	---	5566.250000	5655.750000

DUT Frequency (MHz)	Max Level (dBm)	Result
5610.000000	-12.6	PASS



Bandwidth




Power Spectral Density (5610 MHz; 24.000 dBm; 80 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5610.000000	5599.750000	-19.485	11.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (5610 MHz; 24.000 dBm; 80 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)
5610.000000	78.000000	---	---	5571.250000	5649.250000

DUT Frequency (MHz)	Result
5610.000000	PASS



Bandwidth




Emission Bandwidth 26 dB (5690 MHz; 24.000 dBm; 80 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5690.000000	88.500000	81.250000	7.250000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Max Level (dBm)	Result
5690.000000	5643.750000	5732.250000	-11.2	PASS



Bandwidth




Power Spectral Density (5690 MHz; 24.000 dBm; 80 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5690.000000	5655.750000	-19.252	11.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (5690 MHz; 24.000 dBm; 80 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5690.000000	78.000000	73.750000	4.250000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Result
5690.000000	5651.250000	5729.250000	PASS



Bandwidth




Emission Bandwidth 26 dB (5570 MHz; 24.000 dBm; 160 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5570.000000	177.000000	177.000000	0.000000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Max Level (dBm)	Result
5570.000000	5482.500000	5659.500000	-10.2	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.33000 GHz	5.33000 GHz
Stop Frequency	5.81000 GHz	5.81000 GHz

Span	480.000 MHz	480.000 MHz
RBW	2.000 MHz	>= 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	-10.000 dBm	AUTO
Attenuation	0.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off


Power Spectral Density (5570 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5570.000000	5643.250000	-22.453	11.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (5570 MHz; 24.000 dBm; 160 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5570.000000	157.000000	157.000000	0.000000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Result
5570.000000	5491.500000	5648.500000	PASS

99 % Bandwidth



Bandwidth



Measurement


Setting	Instrument Value	Target Value
Start Frequency	5.41000 GHz	5.41000 GHz
Stop Frequency	5.73000 GHz	5.73000 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	32.813 μ s	AUTO
Reference Level	-10.000 dBm	AUTO
Attenuation	0.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emission Bandwidth 26 dB (5610 MHz; 24.000 dBm; 240 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5610.000000	276.000000	244.750000	31.250000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Max Level (dBm)	Result
5610.000000	5480.250000	5756.250000	-10.9	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.25000 GHz	5.25000 GHz
Stop Frequency	5.97000 GHz	5.97000 GHz
Span	720.000 MHz	720.000 MHz
RBW	3.000 MHz	>= 3.000 MHz
VBW	10.000 MHz	>= 9.000 MHz
SweepPoints	480	~ 480
SweepTime	1.000 ms	AUTO
Reference Level	-10.000 dBm	AUTO

Attenuation	0.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off


Power Spectral Density (5610 MHz; 24.000 dBm; 240 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
5610.000000	5655.750000	-23.945	11.0	PASS

Ports

Port	State
1	used
2	used




Occupied Channel Bandwidth 99% (5610 MHz; 24.000 dBm; 240 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 2C (MHz)	Bandwidth U-NII 3 (MHz)	Limit Min (MHz)	Limit Max (MHz)
5610.000000	237.000000	232.750000	4.250000	---	---

DUT Frequency (MHz)	Band Edge Left (MHz)	Band Edge Right (MHz)	Result
5610.000000	5492.250000	5729.250000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.37000 GHz	5.37000 GHz
Stop Frequency	5.85000 GHz	5.85000 GHz
Span	480.000 MHz	480.000 MHz
RBW	3.000 MHz	>= 3.000 MHz
VBW	10.000 MHz	>= 9.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	-10.000 dBm	AUTO

Attenuation	0.000 dB	0.000 dB
Detector	MaxPeak	MaxPeak
SweepCount	500	500
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

-- End of Report--