



427 West 12800 South
Draper, UT 84020

Test Report Attachment

FCC ID	SWX-WAVEML6
ISED ID	6545A-WAVEML6
Equipment Under Test	Wave-MLO6
Test Report Serial Number	TR10569_01
Date of Tests	12 -13 May 2025
Report Issue Date	3 December 2025

Test Personnel

Testing performed by	Evan Hartzell
-----------------------------	---------------

Test Location

Testing was performed at the Unified Compliance Laboratory located at 427 West 12800 South, Draper, UT 84020. Unified Compliance Laboratory is accredited by National Voluntary Laboratory Accreditation Program (NVLAP); NVLAP Code 600241-0 which is effective until 30 June 2026. This site has also been registered with Innovations, Science and Economic Development (ISED) department as was accepted under Appendix B, Phase 1 procedures of the APEC Tel MRA for Canadian recognition. ISED No.: 25346, effective until 30 June 2026. Unified Compliance Laboratory has been assigned Conformity Assessment Number US0223 by ISED and MRA US5037.



Revision History		
Revision	Description	Date
01	Original Report Release	3 December 2025

Table of Contents

1	RF Conducted UNII-7	4
1.1	EHT Mode - Horn Antenna	4

1 RF Conducted UNII-7

NOTE: The first channel contains the equipment setting table(s), if subsequent channels do not have an equipment setting table(s) then the equipment setting table(s) is the same as the first channel.

1.1 EHT Mode - Horn Antenna

Summary

Test	Frequency (MHz)	Nominal Bandwidth (MHz)	Result
Emission Bandwidth 26 dB	6535.000	20.000000	PASS
RF output power	6535.000	20.000000	PASS
Power Spectral Density (SA-2)	6535.000	20.000000	PASS
In-Band Emissions	6535.000	20.000000	PASS
Occupied Channel Bandwidth 99%	6535.000	20.000000	PASS
Frequency Stability	6535.000	20.000000	PASS
Emission Bandwidth 26 dB	6695.000	20.000000	PASS
Power Spectral Density (SA-2)	6695.000	20.000000	PASS
In-Band Emissions	6695.000	20.000000	PASS
Occupied Channel Bandwidth 99%	6695.000	20.000000	PASS
Emission Bandwidth 26 dB	6875.000	20.000000	PASS
Power Spectral Density (SA-2)	6875.000	20.000000	PASS
In-Band Emissions	6875.000	20.000000	PASS
Occupied Channel Bandwidth 99%	6875.000	20.000000	PASS
Emission Bandwidth 26 dB	6525.000	40.000000	PASS
Power Spectral Density (SA-2)	6525.000	40.000000	PASS
In-Band Emissions	6525.000	40.000000	PASS
Occupied Channel Bandwidth 99%	6525.000	40.000000	PASS
Emission Bandwidth 26 dB	6685.000	40.000000	PASS
Power Spectral Density (SA-2)	6685.000	40.000000	PASS
In-Band Emissions	6685.000	40.000000	PASS
Occupied Channel Bandwidth 99%	6685.000	40.000000	PASS
Emission Bandwidth 26 dB	6885.000	40.000000	PASS
Power Spectral Density (SA-2)	6885.000	40.000000	PASS
In-Band Emissions	6885.000	40.000000	PASS
Occupied Channel Bandwidth 99%	6885.000	40.000000	PASS
Emission Bandwidth 26 dB	6545.000	80.000000	PASS
Power Spectral Density (SA-2)	6545.000	80.000000	PASS
In-Band Emissions	6545.000	80.000000	PASS
Occupied Channel Bandwidth 99%	6545.000	80.000000	PASS
Emission Bandwidth 26 dB	6705.000	80.000000	PASS
Power Spectral Density (SA-2)	6705.000	80.000000	PASS
In-Band Emissions	6705.000	80.000000	PASS
Occupied Channel Bandwidth 99%	6705.000	80.000000	PASS
Emission Bandwidth 26 dB	6865.000	80.000000	PASS
Power Spectral Density (SA-2)	6865.000	80.000000	PASS
In-Band Emissions	6865.000	80.000000	PASS
Occupied Channel Bandwidth 99%	6865.000	80.000000	PASS
Emission Bandwidth 26 dB	6505.000	160.000000	PASS
Power Spectral Density (SA-2)	6505.000	160.000000	PASS
In-Band Emissions	6505.000	160.000000	PASS
Occupied Channel Bandwidth 99%	6505.000	160.000000	PASS
Tx Spurious Emission	6505.000	160.000000	PASS
Emissions in restricted frequency bands (Average)	6505.000	160.000000	PASS

Emissions in restricted frequency bands (Peak)	6505.000	160.000000	PASS
Emission Bandwidth 26 dB	6665.000	160.000000	PASS
Power Spectral Density (SA-2)	6665.000	160.000000	PASS
In-Band Emissions	6665.000	160.000000	PASS
Occupied Channel Bandwidth 99%	6665.000	160.000000	PASS
Tx Spurious Emission	6665.000	160.000000	PASS
Emissions in restricted frequency bands (Average)	6665.000	160.000000	PASS
Emissions in restricted frequency bands (Peak)	6665.000	160.000000	PASS
Emission Bandwidth 26 dB	6825.000	160.000000	PASS
Power Spectral Density (SA-2)	6825.000	160.000000	PASS
In-Band Emissions	6825.000	160.000000	PASS
Occupied Channel Bandwidth 99%	6825.000	160.000000	PASS
Tx Spurious Emission	6825.000	160.000000	PASS
Emissions in restricted frequency bands (Average)	6825.000	160.000000	PASS
Emissions in restricted frequency bands (Peak)	6825.000	160.000000	PASS
Power Spectral Density (SA-2)	6585.000	320.000000	PASS
In-Band Emissions	6585.000	320.000000	PASS
Occupied Channel Bandwidth 99%	6585.000	320.000000	PASS
Tx Spurious Emission	6585.000	320.000000	PASS
Emissions in restricted frequency bands (Average)	6585.000	320.000000	PASS
Emissions in restricted frequency bands (Peak)	6585.000	320.000000	PASS


Emission Bandwidth 26 dB (6535 MHz; 24.000 dBm; 20 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6535.000000	23.220974	---	320.000000	6523.464419	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6535.000000	6546.685393	---	3.5	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.51500 GHz	6.51500 GHz
Stop Frequency	6.55500 GHz	6.55500 GHz
Span	40.000 MHz	40.000 MHz
RBW	300.000 kHz	>= 300.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	267	~ 267
SweepTime	18.930 μ s	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	30.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

RF output power (6535 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Gated EIRP (dBm)	Limit Max (dBm)	Gated RMS (dBm)	DutyCycle (%)	Result
6535.000000	15.8	24.0	15.8	99.729	PASS

OSP PowerMeter settings

Setting	Instrument Value	Target Value
Measurement Time	1.000 s	1.000 s
Points	1000000	1000000
Time resolution	1.000 μ s	1.000 μ s


Power Spectral Density (SA-2) (6535 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6535.000000	6543.316832	2.221	3.5	PASS

Ports


Port	State
1	used
2	used



PSD Connector 1



PSD Connector 2



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.52500 GHz	6.52500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	20.000 MHz	20.000 MHz
RBW	1.000 MHz	<= 1.000 MHz

VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 40
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6535 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Result
6535.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6542.796102	13.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6542.796102	13.7	0.0	13.7	PASS
6542.646177	13.7	0.0	13.7	PASS
6533.050975	13.6	0.1	13.7	PASS
6541.296852	13.5	0.2	13.7	PASS
6543.545727	13.5	0.3	13.7	PASS
6536.799100	13.5	0.3	13.7	PASS
6527.053973	13.4	0.4	13.7	PASS
6536.949025	13.4	0.4	13.7	PASS
6540.247376	13.3	0.4	13.7	PASS
6527.203898	13.3	0.4	13.7	PASS
6543.995502	13.3	0.4	13.7	PASS
6541.446777	13.3	0.5	13.7	PASS
6528.703148	13.3	0.5	13.7	PASS
6530.352324	13.3	0.5	13.7	PASS
6526.904048	13.2	0.5	13.7	PASS



Measurement 1


Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	100.000 MHz	100.000 MHz
RBW	300.000 kHz	>= 300.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	667	~ 667
SweepTime	1.100 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

Occupied Channel Bandwidth 99% (6535 MHz; 24.000 dBm; 20 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6535.000000	19.176030	---	320.000000	6525.411985	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6535.000000	6544.588015	7125.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.51500 GHz	6.51500 GHz
Stop Frequency	6.55500 GHz	6.55500 GHz
Span	40.000 MHz	40.000 MHz
RBW	300.000 kHz	>= 300.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	267	~ 267
SweepTime	18.930 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO


Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Frequency Stability (6535 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	Difference (ppm)	Frequency Difference (kHz)	Limit Min (MHz)	Limit Max (MHz)	Result
6535.000000	6534.997800	0.337	-2.200000	---	---	PASS

Frequency stability Pre



Center frequency Max Hold

Frequency stability



Edge points Max Hold Center frequency

Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.52400 GHz	6.52400 GHz
Stop Frequency	6.54600 GHz	6.54600 GHz
Span	22.000 MHz	22.000 MHz
RBW	20.000 kHz	<= 22.000 kHz
VBW	100.000 kHz	>= 60.000 kHz
SweepPoints	10001	~ 10001
SweepTime	473.902 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	50	50
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (6695 MHz; 24.000 dBm; 20 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6695.000000	23.520599	---	320.000000	6683.314607	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6695.000000	6706.835206	---	2.0	PASS

26 dB Bandwidth



Bandwidth



Power Spectral Density (SA-2) (6695 MHz; 24.000 dBm; 20 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6695.000000	6703.514851	3.074	3.5	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density (SA-2)



In-Band Emissions (6695 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Result
6695.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6703.095952	14.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6702.946027	14.6	0.3	14.9	PASS
6703.245877	14.4	0.6	14.9	PASS
6701.746627	14.2	0.7	14.9	PASS
6686.304348	14.2	0.7	14.9	PASS
6703.695652	14.1	0.8	14.9	PASS
6704.295352	14.1	0.8	14.9	PASS
6704.145427	14.1	0.8	14.9	PASS
6700.247376	14.1	0.8	14.9	PASS
6692.451274	14.0	1.0	14.9	PASS
6692.301349	13.9	1.0	14.9	PASS
6699.947526	13.9	1.0	14.9	PASS
6699.797601	13.9	1.0	14.9	PASS
6691.251874	13.9	1.0	14.9	PASS
6703.545727	13.9	1.0	14.9	PASS
6701.596702	13.9	1.0	14.9	PASS

In Band




Occupied Channel Bandwidth 99% (6695 MHz; 24.000 dBm; 20 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6695.000000	19.325843	---	320.000000	6685.411985	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6695.000000	6704.737828	7125.000000	PASS

99 % Bandwidth



Bandwidth




Emission Bandwidth 26 dB (6875 MHz; 24.000 dBm; 20 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	22.771536	11.235955	11.535581	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6875.000000	6863.764045	---	6886.535581	---	2.8	PASS

26 dB Bandwidth



Bandwidth




Power Spectral Density (SA-2) (6875 MHz; 24.000 dBm; 20 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6875.000000	6882.722772	2.890	3.5	PASS

Ports

Port	State
1	used
2	used



In-Band Emissions (6875 MHz; 24.000 dBm; 20 MHz)

Result


DUT Frequency (MHz)	Result
6875.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6879.797601	14.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6879.797601	14.7	0.0	14.7	PASS
6884.295352	14.6	0.1	14.7	PASS
6866.604198	14.6	0.1	14.7	PASS
6869.152924	14.6	0.2	14.7	PASS
6873.650675	14.5	0.2	14.7	PASS
6879.647676	14.5	0.2	14.7	PASS
6867.353823	14.5	0.2	14.7	PASS
6880.547226	14.5	0.2	14.7	PASS
6869.002999	14.5	0.3	14.7	PASS
6881.296852	14.4	0.3	14.7	PASS
6868.553223	14.4	0.3	14.7	PASS
6877.848576	14.4	0.3	14.7	PASS
6873.500750	14.4	0.3	14.7	PASS
6882.046477	14.4	0.3	14.7	PASS
6877.398801	14.4	0.3	14.7	PASS




Occupied Channel Bandwidth 99% (6875 MHz; 24.000 dBm; 20 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6875.000000	19.176030	9.588015	9.588015	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6875.000000	6865.411985	5925.000000	6884.588015	7125.000000	PASS



Bandwidth




Emission Bandwidth 26 dB (6525 MHz; 24.000 dBm; 40 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	43.500000	21.625000	21.875000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6525.000000	6503.375000	---	6546.875000	---	3.3	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
Sweptime	18.906 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm

Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamplifier	off	off


Power Spectral Density (SA-2) (6525 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6525.000000	6531.336634	-0.047	3.5	PASS

Ports

Port	State
1	used
2	used



In-Band Emissions (6525 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6542.875000	14.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6540.375000	13.9	0.1	14.0	PASS
6543.125000	13.8	0.2	14.0	PASS
6522.625000	13.8	0.2	14.0	PASS
6542.375000	13.8	0.2	14.0	PASS
6540.125000	13.7	0.2	14.0	PASS
6542.625000	13.7	0.3	14.0	PASS
6543.375000	13.7	0.3	14.0	PASS
6541.375000	13.7	0.3	14.0	PASS
6534.875000	13.6	0.3	14.0	PASS
6518.875000	13.6	0.3	14.0	PASS
6520.125000	13.6	0.4	14.0	PASS
6523.125000	13.6	0.4	14.0	PASS
6542.125000	13.5	0.4	14.0	PASS
6537.125000	13.5	0.4	14.0	PASS
6538.375000	13.5	0.4	14.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	200.000 MHz	200.000 MHz
RBW	500.000 kHz	>= 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (6525 MHz; 24.000 dBm; 40 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6525.000000	38.250000	19.125000	19.125000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6525.000000	6505.875000	5925.000000	6544.125000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement


Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 500.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	18.906 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Emission Bandwidth 26 dB (6685 MHz; 24.000 dBm; 40 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6685.000000	44.000000	---	320.000000	6662.875000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6685.000000	6706.875000	---	3.4	PASS



Bandwidth




Power Spectral Density (SA-2) (6685 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6685.000000	6702.821782	-0.235	3.5	PASS

Ports

Port	State
1	used
2	used



In-Band Emissions (6685 MHz; 24.000 dBm; 40 MHz)

Result


DUT Frequency (MHz)	Result
6685.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6703.375000	13.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6703.625000	13.4	0.1	13.6	PASS
6699.625000	13.4	0.2	13.6	PASS
6695.625000	13.3	0.2	13.6	PASS
6700.875000	13.3	0.2	13.6	PASS
6702.125000	13.3	0.2	13.6	PASS
6697.125000	13.3	0.3	13.6	PASS
6699.875000	13.3	0.3	13.6	PASS
6701.125000	13.2	0.3	13.6	PASS
6686.625000	13.2	0.3	13.6	PASS
6703.125000	13.2	0.3	13.6	PASS
6700.625000	13.2	0.3	13.6	PASS
6684.375000	13.2	0.4	13.6	PASS
6701.375000	13.2	0.4	13.6	PASS
6667.375000	13.2	0.4	13.6	PASS
6667.125000	13.2	0.4	13.6	PASS




Occupied Channel Bandwidth 99% (6685 MHz; 24.000 dBm; 40 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6685.000000	38.250000	---	320.000000	6665.875000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6685.000000	6704.125000	7125.000000	PASS



Bandwidth




Emission Bandwidth 26 dB (6885 MHz; 24.000 dBm; 40 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	44.250000	11.875000	32.375000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6885.000000	6863.125000	---	6907.375000	---	3.9	PASS

26 dB Bandwidth



Bandwidth




Power Spectral Density (SA-2) (6885 MHz; 24.000 dBm; 40 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6885.000000	6892.128713	-0.204	3.5	PASS

Ports

Port	State
1	used
2	used



In-Band Emissions (6885 MHz; 24.000 dBm; 40 MHz)

Result


DUT Frequency (MHz)	Result
6885.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6883.375000	14.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6875.375000	13.7	0.3	14.0	PASS
6903.125000	13.7	0.3	14.0	PASS
6869.375000	13.6	0.4	14.0	PASS
6874.625000	13.6	0.4	14.0	PASS
6880.875000	13.5	0.5	14.0	PASS
6874.375000	13.5	0.5	14.0	PASS
6869.875000	13.5	0.5	14.0	PASS
6866.875000	13.5	0.5	14.0	PASS
6877.875000	13.5	0.5	14.0	PASS
6875.125000	13.5	0.5	14.0	PASS
6878.125000	13.5	0.5	14.0	PASS
6878.875000	13.4	0.6	14.0	PASS
6879.125000	13.4	0.6	14.0	PASS
6875.625000	13.4	0.6	14.0	PASS
6877.625000	13.4	0.6	14.0	PASS




Occupied Channel Bandwidth 99% (6885 MHz; 24.000 dBm; 40 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6885.000000	38.250000	9.125000	29.125000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6885.000000	6865.875000	5925.000000	6904.125000	7125.000000	PASS



Bandwidth



Date: 13.MAY.2025 00:08:54


Emission Bandwidth 26 dB (6545 MHz; 24.000 dBm; 80 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	86.000000	21.250000	64.750000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6545.000000	6503.750000	---	6589.750000	---	4.7	PASS

26 dB Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	≥ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	320	~ 320
SweepTime	22.875 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Power Spectral Density (SA-2) (6545 MHz; 24.000 dBm; 80 MHz)

Result


DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6545.000000	6572.750000	-2.853	3.5	PASS

Ports

Port	State
1	used

2	used
---	------

Power Spectral Density (SA-2)



In-Band Emissions (6545 MHz; 24.000 dBm; 80 MHz)

Result


DUT Frequency (MHz)	Result
6545.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6578.250000	14.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6578.250000	14.2	0.0	14.2	PASS
6565.750000	14.0	0.2	14.2	PASS
6578.750000	14.0	0.2	14.2	PASS
6566.750000	14.0	0.2	14.2	PASS
6558.250000	13.9	0.3	14.2	PASS
6582.750000	13.9	0.3	14.2	PASS
6583.250000	13.9	0.3	14.2	PASS
6561.250000	13.8	0.4	14.2	PASS
6579.750000	13.7	0.5	14.2	PASS
6581.250000	13.7	0.5	14.2	PASS
6582.250000	13.7	0.5	14.2	PASS
6548.750000	13.7	0.5	14.2	PASS
6580.250000	13.7	0.5	14.2	PASS
6579.250000	13.7	0.5	14.2	PASS
6568.250000	13.6	0.6	14.2	PASS



Measurement 1


Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	≥ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

Occupied Channel Bandwidth 99% (6545 MHz; 24.000 dBm; 80 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6545.000000	77.500000	18.750000	58.750000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6545.000000	6506.250000	5925.000000	6583.750000	7125.000000	PASS



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	≥ 1.000 MHz
VBW	3.000 MHz	≥ 3.000 MHz
SweepPoints	320	~ 320
SweepTime	22.875 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO

Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off


Emission Bandwidth 26 dB (6705 MHz; 24.000 dBm; 80 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6705.000000	90.000000	---	320.000000	6660.750000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6705.000000	6750.750000	---	3.0	PASS

26 dB Bandwidth



Bandwidth



Power Spectral Density (SA-2) (6705 MHz; 24.000 dBm; 80 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6705.000000	6713.250000	-3.022	3.5	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density (SA-2)



In-Band Emissions (6705 MHz; 24.000 dBm; 80 MHz)

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6739.750000	13.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6738.750000	13.4	0.0	13.4	PASS
6738.250000	13.3	0.1	13.4	PASS
6718.750000	13.3	0.1	13.4	PASS
6743.250000	13.3	0.1	13.4	PASS
6726.250000	13.3	0.1	13.4	PASS
6741.250000	13.2	0.2	13.4	PASS
6702.750000	13.2	0.2	13.4	PASS
6712.750000	13.2	0.2	13.4	PASS
6709.750000	13.1	0.3	13.4	PASS
6742.250000	13.1	0.3	13.4	PASS
6740.750000	13.1	0.3	13.4	PASS
6729.250000	13.1	0.3	13.4	PASS
6713.250000	13.1	0.3	13.4	PASS
6724.250000	13.1	0.3	13.4	PASS
6713.750000	13.1	0.3	13.4	PASS

In Band




Occupied Channel Bandwidth 99% (6705 MHz; 24.000 dBm; 80 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6705.000000	78.000000	---	320.000000	6666.250000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6705.000000	6744.250000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Date: 13.MAY.2025 00:14:09


Emission Bandwidth 26 dB (6865 MHz; 24.000 dBm; 80 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	87.500000	55.250000	32.250000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6865.000000	6819.750000	---	6907.250000	---	4.1	PASS

26 dB Bandwidth



Bandwidth




Power Spectral Density (SA-2) (6865 MHz; 24.000 dBm; 80 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6865.000000	6828.750000	-3.044	3.5	PASS

Ports

Port	State
1	used
2	used



In-Band Emissions (6865 MHz; 24.000 dBm; 80 MHz)

Result


DUT Frequency (MHz)	Result
6865.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6828.250000	14.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6828.250000	14.0	0.0	14.0	PASS
6830.250000	13.9	0.0	14.0	PASS
6828.750000	13.9	0.0	14.0	PASS
6827.750000	13.8	0.1	14.0	PASS
6830.750000	13.8	0.1	14.0	PASS
6826.750000	13.7	0.2	14.0	PASS
6832.250000	13.7	0.3	14.0	PASS
6834.250000	13.6	0.3	14.0	PASS
6829.750000	13.6	0.3	14.0	PASS
6827.250000	13.6	0.3	14.0	PASS
6831.250000	13.6	0.4	14.0	PASS
6831.750000	13.6	0.4	14.0	PASS
6833.250000	13.5	0.4	14.0	PASS
6832.750000	13.5	0.5	14.0	PASS
6837.250000	13.5	0.5	14.0	PASS




Occupied Channel Bandwidth 99% (6865 MHz; 24.000 dBm; 80 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	78.000000	49.250000	28.750000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6865.000000	6825.750000	5925.000000	6903.750000	7125.000000	PASS



Bandwidth




Emission Bandwidth 26 dB (6505 MHz; 24.000 dBm; 160 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	168.000000	105.500000	62.500000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6505.000000	6419.500000	---	6587.500000	---	4.3	PASS

26 dB Bandwidth



Bandwidth



Date: 13.MAY.2025 00:19:26

Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	32.813 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm

Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Power Spectral Density (SA-2) (6505 MHz; 24.000 dBm; 160 MHz)


Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6505.000000	6575.250000	-6.118	3.5	PASS

Ports

Port	State
1	used
2	used

Power Spectral Density (SA-2)



In-Band Emissions (6505 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6566.500000	13.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6581.500000	13.7	0.1	13.8	PASS
6578.500000	13.7	0.1	13.8	PASS
6575.500000	13.6	0.2	13.8	PASS
6563.500000	13.5	0.2	13.8	PASS
6579.500000	13.5	0.3	13.8	PASS
6580.500000	13.5	0.3	13.8	PASS
6582.500000	13.5	0.3	13.8	PASS
6556.500000	13.4	0.4	13.8	PASS
6571.500000	13.4	0.4	13.8	PASS
6562.500000	13.4	0.4	13.8	PASS
6550.500000	13.4	0.4	13.8	PASS
6564.500000	13.3	0.4	13.8	PASS
6574.500000	13.3	0.4	13.8	PASS
6570.500000	13.3	0.4	13.8	PASS
6569.500000	13.3	0.5	13.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	>= 2.000 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	800	~ 800
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (6505 MHz; 24.000 dBm; 160 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	158.000000	98.500000	59.500000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6505.000000	6426.500000	5925.000000	6584.500000	7125.000000	PASS

99 % Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	≥ 2.000 MHz
VBW	10.000 MHz	≥ 6.000 MHz
SweepPoints	320	~ 320
SweepTime	32.813 μ s	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	FFT	AUTO
Preamp	off	off

Tx Spurious Emission (6505 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6505.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
1000.000000	-44.5	-56.4	-45.9	10.5	PASS
15734.250000	-26.9	-37.7	-27.0	10.7	PASS


35640.750000	-25.6	-36.6	-27.0	9.6	PASS
37185.250000	-24.1	-35.6	-27.0	8.6	PASS
39928.250000	-20.7	-31.8	-27.0	4.8	PASS

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39928.250000	-20.7	-6.3	-27.0
39967.750000	-20.8	-6.2	-27.0
39391.750000	-20.9	-6.1	-27.0
39993.750000	-20.9	-6.1	-27.0
39995.750000	-21.0	-6.0	-27.0
39944.250000	-21.0	-6.0	-27.0
39987.250000	-21.0	-6.0	-27.0
39959.750000	-21.0	-6.0	-27.0
39942.750000	-21.2	-5.8	-27.0
39954.750000	-21.3	-5.7	-27.0
39968.750000	-21.3	-5.7	-27.0
39975.750000	-21.4	-5.6	-27.0
39954.250000	-21.4	-5.6	-27.0
39970.250000	-21.4	-5.6	-27.0
39959.250000	-21.4	-5.6	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Emissions in restricted frequency bands (Average) (6505 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6505.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36499.015656	-46.4	5.2	-41.2
36498.328177	-46.4	5.2	-41.2
36497.640699	-46.6	5.4	-41.2
36494.203306	-46.6	5.4	-41.2
36473.578951	-46.6	5.4	-41.2
36496.953220	-46.6	5.4	-41.2
36476.328865	-46.6	5.4	-41.2
36494.890785	-46.6	5.4	-41.2
36496.265742	-46.6	5.4	-41.2
36488.703478	-46.6	5.4	-41.2
36490.765914	-46.7	5.5	-41.2
36488.016000	-46.7	5.5	-41.2
36484.578607	-46.7	5.5	-41.2
36483.891128	-46.7	5.5	-41.2
36485.953564	-46.7	5.5	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1



Emissions in restricted frequency bands (Peak) (6505 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6505.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
15717.250000	-28.7	7.5	-21.2
15734.250000	-28.8	7.6	-21.2
36470.141558	-29.4	8.2	-21.2
36485.266085	-29.5	8.3	-21.2
36470.829037	-29.7	8.5	-21.2
15739.250000	-29.8	8.6	-21.2
36459.141902	-29.8	8.6	-21.2
15751.250000	-29.9	8.7	-21.2
36471.516515	-30.0	8.8	-21.2
36479.766257	-30.0	8.8	-21.2
36436.455111	-30.1	8.9	-21.2
15745.750000	-30.2	9.0	-21.2
15775.750000	-30.2	9.0	-21.2
36478.391300	-30.3	9.1	-21.2
36484.578607	-30.3	9.1	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
-----------------------	----------------------	-----------------	-------------------

1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2

Restricted Band




Emission Bandwidth 26 dB (6665 MHz; 24.000 dBm; 160 MHz)

26 dB Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L
6665.000000	168.000000	---	320.000000	6580.500000	---

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6665.000000	6748.500000	---	2.4	PASS

26 dB Bandwidth



Bandwidth




Power Spectral Density (SA-2) (6665 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6665.000000	6672.750000	-6.672	3.5	PASS

Ports

Port	State
1	used
2	used



In-Band Emissions (6665 MHz; 24.000 dBm; 160 MHz)

Result


DUT Frequency (MHz)	Result
6665.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6602.500000	12.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6602.500000	12.7	0.0	12.7	PASS
6590.500000	12.6	0.1	12.7	PASS
6742.500000	12.6	0.1	12.7	PASS
6597.500000	12.6	0.1	12.7	PASS
6740.500000	12.6	0.1	12.7	PASS
6741.500000	12.6	0.1	12.7	PASS
6603.500000	12.5	0.2	12.7	PASS
6600.500000	12.5	0.2	12.7	PASS
6739.500000	12.5	0.2	12.7	PASS
6588.500000	12.5	0.2	12.7	PASS
6591.500000	12.5	0.2	12.7	PASS
6593.500000	12.5	0.2	12.7	PASS
6592.500000	12.5	0.2	12.7	PASS
6596.500000	12.5	0.2	12.7	PASS
6587.500000	12.5	0.2	12.7	PASS




Occupied Channel Bandwidth 99% (6665 MHz; 24.000 dBm; 160 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6665.000000	157.000000	---	320.000000	6586.500000	5925.000000

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6665.000000	6743.500000	7125.000000	PASS



Bandwidth



Tx Spurious Emission (6665 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6665.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
1000.000000	-43.9	-56.4	-45.9	10.5	PASS
15785.250000	-27.0	-39.3	-27.0	12.3	PASS
35642.750000	-25.4	-36.6	-27.0	9.6	PASS
37184.250000	-24.6	-35.6	-27.0	8.6	PASS
39954.250000	-20.2	-31.4	-27.0	4.4	PASS


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39954.250000	-20.2	-6.8	-27.0
39935.250000	-20.4	-6.6	-27.0
39978.750000	-20.7	-6.3	-27.0
39954.750000	-21.1	-5.9	-27.0
39981.750000	-21.2	-5.8	-27.0
39974.750000	-21.2	-5.8	-27.0
39961.250000	-21.3	-5.7	-27.0
39782.250000	-21.3	-5.7	-27.0
39948.250000	-21.3	-5.7	-27.0
39975.250000	-21.3	-5.7	-27.0
39960.250000	-21.3	-5.7	-27.0
39950.750000	-21.4	-5.6	-27.0

39948.750000	-21.4	-5.6	-27.0
39952.750000	-21.4	-5.6	-27.0
39970.750000	-21.5	-5.5	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Emissions in restricted frequency bands (Average) (6665 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6665.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
3260.250000	-44.2	3.0	-41.2
3263.250000	-44.6	3.4	-41.2
3265.750000	-44.6	3.4	-41.2
3260.750000	-44.6	3.4	-41.2
3261.250000	-44.7	3.5	-41.2
3262.250000	-44.7	3.5	-41.2

3261.750000	-44.8	3.6	-41.2
3262.750000	-44.8	3.6	-41.2
3263.750000	-44.9	3.7	-41.2
3266.250000	-45.0	3.8	-41.2
3264.250000	-45.1	3.9	-41.2
3265.250000	-45.1	3.9	-41.2
3264.750000	-45.2	4.0	-41.2
3266.750000	-45.2	4.0	-41.2
36497.640699	-46.4	5.2	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1

Restricted Band



Emissions in restricted frequency bands (Peak) (6665 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6665.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
3260.750000	-37.7	16.5	-21.2

36452.954595	-37.9	16.7	-21.2
36453.642074	-38.0	16.8	-21.2
36475.641386	-39.0	17.8	-21.2
36451.579638	-39.1	17.9	-21.2
36496.953220	-39.2	18.0	-21.2
36454.329552	-39.4	18.2	-21.2
15720.250000	-39.4	18.2	-21.2
36486.641042	-39.4	18.2	-21.2
36452.267117	-39.4	18.2	-21.2
3263.250000	-39.4	18.2	-21.2
36440.579982	-39.5	18.3	-21.2
36465.329208	-39.6	18.4	-21.2
3262.250000	-39.8	18.6	-21.2
3265.750000	-39.9	18.7	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2

Restricted Band




— Limit - - - Threshold × Critical × Final Critical — Sum Level

Emission Bandwidth 26 dB (6825 MHz; 24.000 dBm; 160 MHz)


26 dB Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	165.000000	132.500000	32.500000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Max Level (dBm)	Result
6825.000000	6742.500000	---	6907.500000	---	4.2	PASS



Bandwidth




Power Spectral Density (SA-2) (6825 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6825.000000	6759.250000	-5.533	3.5	PASS

Ports

Port	State
1	used
2	used



In-Band Emissions (6825 MHz; 24.000 dBm; 160 MHz)

Result


DUT Frequency (MHz)	Result
6825.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6761.500000	14.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6761.500000	14.4	0.0	14.4	PASS
6758.500000	14.4	0.0	14.4	PASS
6757.500000	14.4	0.0	14.4	PASS
6760.500000	14.4	0.0	14.4	PASS
6759.500000	14.4	0.0	14.4	PASS
6748.500000	14.4	0.0	14.4	PASS
6763.500000	14.4	0.1	14.4	PASS
6749.500000	14.3	0.1	14.4	PASS
6752.500000	14.3	0.1	14.4	PASS
6764.500000	14.3	0.1	14.4	PASS
6751.500000	14.3	0.1	14.4	PASS
6753.500000	14.3	0.1	14.4	PASS
6762.500000	14.3	0.1	14.4	PASS
6766.500000	14.3	0.2	14.4	PASS
6755.500000	14.3	0.2	14.4	PASS




Occupied Channel Bandwidth 99% (6825 MHz; 24.000 dBm; 160 MHz)


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	157.000000	128.500000	28.500000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6825.000000	6746.500000	5925.000000	6903.500000	7125.000000	PASS



Bandwidth



Tx Spurious Emission (6825 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6825.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
1000.000000	-44.3	-56.4	-45.9	10.5	PASS
34086.750000	-26.7	-38.7	-27.0	11.7	PASS
35607.750000	-25.4	-37.1	-27.0	10.1	PASS
37300.250000	-24.1	-35.6	-27.0	8.6	PASS
39989.250000	-20.5	-31.4	-27.0	4.4	PASS


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39989.250000	-20.5	-6.5	-27.0
39982.750000	-20.7	-6.3	-27.0
39886.750000	-20.7	-6.3	-27.0
39997.750000	-20.7	-6.3	-27.0
39994.250000	-20.9	-6.1	-27.0
39998.250000	-20.9	-6.1	-27.0
39946.250000	-21.0	-6.0	-27.0
39956.250000	-21.0	-6.0	-27.0
39944.250000	-21.0	-6.0	-27.0
39954.750000	-21.0	-6.0	-27.0
39950.750000	-21.1	-5.9	-27.0
39949.250000	-21.1	-5.9	-27.0

39781.750000	-21.1	-5.9	-27.0
39977.750000	-21.3	-5.7	-27.0
39956.750000	-21.3	-5.7	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Emissions in restricted frequency bands (Average) (6825 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6825.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
3603.250000	-43.3	2.1	-41.2
3604.750000	-43.5	2.3	-41.2
3601.250000	-43.6	2.4	-41.2
3604.250000	-43.6	2.4	-41.2
3609.250000	-43.6	2.4	-41.2
3609.750000	-43.6	2.4	-41.2

3602.250000	-43.6	2.4	-41.2
3606.250000	-43.7	2.5	-41.2
3616.750000	-43.7	2.5	-41.2
3603.750000	-43.8	2.6	-41.2
3608.750000	-43.8	2.6	-41.2
3615.750000	-43.8	2.6	-41.2
3620.750000	-43.9	2.7	-41.2
3617.250000	-43.9	2.7	-41.2
3621.250000	-44.0	2.8	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1

Restricted Band



Emissions in restricted frequency bands (Peak) (6825 MHz; 24.000 dBm; 160 MHz)

Result

DUT Frequency (MHz)	Result
6825.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
3626.750000	-36.6	15.4	-21.2

3634.750000	-37.1	15.9	-21.2
3622.750000	-37.3	16.1	-21.2
3613.250000	-37.3	16.1	-21.2
3657.250000	-37.5	16.3	-21.2
3626.250000	-37.5	16.3	-21.2
3603.250000	-37.8	16.6	-21.2
3605.250000	-37.8	16.6	-21.2
3622.250000	-37.9	16.7	-21.2
3613.750000	-38.0	16.8	-21.2
3604.750000	-38.0	16.8	-21.2
3624.250000	-38.1	16.9	-21.2
3641.250000	-38.1	16.9	-21.2
36455.017031	-38.2	17.0	-21.2
3675.750000	-38.2	17.0	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2

Restricted Band




Power Spectral Density (SA-2) (6585 MHz; 24.000 dBm; 320 MHz)

Result

DUT Frequency (MHz)	Frequency (MHz)	PSD (dBm)	Limit Max (dBm)	Result
6585.000000	6574.250000	-8.940	3.5	PASS

Ports

Port	State
1	used
2	used



In-Band Emissions (6585 MHz; 24.000 dBm; 320 MHz)

Result


DUT Frequency (MHz)	Result
6585.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6578.750000	14.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6578.750000	14.4	0.0	14.4	PASS
6576.250000	14.4	0.1	14.4	PASS
6598.750000	14.3	0.1	14.4	PASS
6566.250000	14.3	0.1	14.4	PASS
6563.750000	14.3	0.1	14.4	PASS
6601.250000	14.3	0.1	14.4	PASS
6603.750000	14.3	0.1	14.4	PASS
6573.750000	14.3	0.1	14.4	PASS
6568.750000	14.3	0.1	14.4	PASS
6591.250000	14.3	0.1	14.4	PASS
6593.750000	14.3	0.1	14.4	PASS
6561.250000	14.2	0.2	14.4	PASS
6596.250000	14.2	0.2	14.4	PASS
6558.750000	14.2	0.2	14.4	PASS
6571.250000	14.2	0.2	14.4	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	5.000 MHz	>= 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	640	~ 640
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	20.000 dB	20.000 dB
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off


Occupied Channel Bandwidth 99% (6585 MHz; 24.000 dBm; 320 MHz)

99 % Bandwidth


DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6585.000000	317.500000	98.750000	218.750000	---	320.000000

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6585.000000	6426.250000	5925.000000	6743.750000	7125.000000	PASS

99 %Bandwidth



Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 5.000 MHz
VBW	20.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm

Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off

Tx Spurious Emission (6585 MHz; 24.000 dBm; 320 MHz)

Result

DUT Frequency (MHz)	Result
6585.000000	PASS

Final measurements


Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
1000.000000	-43.5	-56.4	-45.9	10.5	PASS
35701.250000	-25.6	-36.9	-27.0	9.9	PASS
37205.750000	-24.2	-35.6	-27.0	8.6	PASS
39996.750000	-20.1	-31.3	-27.0	4.3	PASS

Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
39996.750000	-20.1	-6.9	-27.0
39951.250000	-20.1	-6.9	-27.0
39962.250000	-20.5	-6.5	-27.0
39954.250000	-20.7	-6.3	-27.0
39927.750000	-20.7	-6.3	-27.0
39950.750000	-20.8	-6.2	-27.0
39925.750000	-21.0	-6.0	-27.0
39959.750000	-21.1	-5.9	-27.0
39976.250000	-21.1	-5.9	-27.0
39971.750000	-21.1	-5.9	-27.0
39950.250000	-21.1	-5.9	-27.0
39994.250000	-21.1	-5.9	-27.0
39936.250000	-21.1	-5.9	-27.0
39971.250000	-21.1	-5.9	-27.0
39996.250000	-21.1	-5.9	-27.0

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	2	2
5925.000000	7125.000000	2	2
7125.000000	18000.000000	2	2
18000.000000	26000.000000	2	2
26000.000000	40000.000000	2	2



Emissions in restricted frequency bands (Average) (6585 MHz; 24.000 dBm; 320 MHz)

Result

DUT Frequency (MHz)	Result
6585.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---

Pre Measurements


Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36496.953220	-46.4	5.2	-41.2
36489.390957	-46.5	5.3	-41.2
36495.578263	-46.5	5.3	-41.2
36481.828693	-46.5	5.3	-41.2
36486.641042	-46.6	5.4	-41.2
36481.141214	-46.6	5.4	-41.2
36499.015656	-46.6	5.4	-41.2
36496.265742	-46.6	5.4	-41.2
36499.703134	-46.6	5.4	-41.2
36498.328177	-46.7	5.5	-41.2
36467.391644	-46.7	5.5	-41.2
36482.516171	-46.7	5.5	-41.2
36487.328521	-46.7	5.5	-41.2
36483.891128	-46.7	5.5	-41.2
36463.954251	-46.7	5.5	-41.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
-----------------------	----------------------	-----------------	-------------------

1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	1

Restricted Band



Emissions in restricted frequency bands (Peak) (6585 MHz; 24.000 dBm; 320 MHz)

Result

DUT Frequency (MHz)	Result
6585.000000	PASS

Final measurements

Frequency (MHz)	Level Pre Measurement (dBm)	level (dBm)	Limit (dBm)	Margin (dB)	Result
---	---	---	---	---	---


Pre Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)
36493.515828	-38.2	17.0	-21.2
36433.705197	-38.5	17.3	-21.2
36456.391988	-39.2	18.0	-21.2
36491.453392	-39.2	18.0	-21.2
36433.017718	-39.7	18.5	-21.2
36448.142246	-39.8	18.6	-21.2
15765.750000	-39.8	18.6	-21.2
15737.250000	-39.8	18.6	-21.2
36485.953564	-39.9	18.7	-21.2
36446.767289	-40.0	18.8	-21.2
15726.750000	-40.0	18.8	-21.2
15737.750000	-40.2	19.0	-21.2
36462.579294	-40.2	19.0	-21.2
36452.267117	-40.3	19.1	-21.2
36489.390957	-40.3	19.1	-21.2

Measurement Settings

Start Frequency (MHz)	Stop Frequency (MHz)	Pre Measurement	Final Measurement
1000.000000	5925.000000	1	1
5925.000000	7125.000000	1	1
7125.000000	18000.000000	1	1
18000.000000	40000.000000	1	2

Restricted Band



-- End of Report--