

承 认 书

SPECIFICATION FOR APPROVAL

客 户 名 称 : 深圳市博泰盛华科技有限公司

CUSTOMER`S NAME

客 户 料 号 :

CUSTOMER`S P/N

产 品 规 格 : Y. A11. 404

PRODUCT SPEC

制 作 日 期 : 2025年6月4日

ISSUE DATE

拟制 PREPARED BY	审核 CHECKED BY	批准 APPROVED BY	客户承认 CUSTOMER APPROVE
李蓓	程杰	李博文	



东莞市博红科技有限公司

DONGGUAN BOHONG TECHNOLOGY CO., LTD

Address: No. 533, Fumin Middle Road, Dalang Town, Dongguan City

TEL: 0769-82866410


FAX: 0769-82866409

本承认书请在首批下单生产此机种前回签，否则视为贵方默认此承认书内所有内容

SPECIFICATION FOR APPROVAL

[illegible]

SPECIFICATION FOR APPROVAL

[illegible]


东莞市博红科技有限公司

DONGGUAN BOHONG TECHNOLOGY CO., LTD

SPECIFICATION FOR APPROVAL

CUSTOMER		CUSTOMER'S P/N	0
ISSUE DATE	2025年6月4日	PRODUCT SPEC	Y. A11. 404

2.DIMENSION:



注:

1. 线圈居中贴平磁片，不可翘起；
2. 线圈表面整洁，无脏污；
3. 背贴双面胶，带拉手；
4. 包3mm高温胶带
5. 引线需扭线，剪锡头2MM
6. 线圈温度155°，额定电流1.8A

Note

1. The coil should be centered and the magnetic sheet flat; it must not be lifted.
2. The surface of the coil is clean and free of dirt.
3. Double-sided tape on the back, with a handle;
4. Wrap with 3mm high-temperature tape
5. The leads need to be twisted and the tin ends cut by 2MM
6. Coil temperature 155° C, rated current 1.8A


ISSUE	李蓓	CHECK	程杰	APPROVAL	李博文
BY		BY		BY	

东莞市博红科技有限公司

DONGGUAN BOHONG TECHNOLOGY CO.,LTD

SPECIFICATION FOR APPROVAL

CUSTOMER		CUSTOMER'S P/N	0
ISSUE DATE	2025年6月4日	PRODUCT SPEC	Y. A11. 404

4.CIRCUIT DIAGRAM

“ • ”: POLARITY/极性

5.WINDING					
NO	WINDING	WIRE	TURNS	TAPE	WINDING CONDITION
N1	S-F	Ø0.08*24*2P	10	/	CCW

6.CHARACTERISTIC			
ITEM	MEASURED POINT	TECHNICAL DATA	TESTING CONDITION & INSTRUMENT
LS	S-F	6.5uH±5%	LCR1062 100KHz/1V AT 25°C±2°C

--	--	--	--

东莞市博红科技有限公司

DONGGUAN BOHONG TECHNOLOGY CO.,LTD

SPECIFICATION FOR APPROVAL

CUSTOMER		CUSTOMER'S P/N	0
ISSUE DATE	2025年6月4日	PRODUCT SPEC	Y.A11.404

备 忘 录

序号	内 容	处理方法	签 名	日 期
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				