


Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.


Note 2: The spurious from 18GHz-25GHz is noise only, do not show on the report.

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.400	44.14	-18.90	74.0	29.86	Peak	0.00	100	Horizontal	Pass
1**	1562.400	38.97	-18.90	54.0	15.03	AV	0.00	100	Horizontal	Pass
2	2401.800	90.25	-13.91	74.0	-16.25	Peak	121.00	200	Horizontal	N/A
2**	2401.800	88.72	-13.91	54.0	-34.72	AV	121.00	200	Horizontal	N/A
3	2994.500	49.24	-11.47	74.0	24.76	Peak	131.00	200	Horizontal	Pass
3**	2994.500	39.66	-11.47	54.0	14.34	AV	131.00	200	Horizontal	Pass
4	4804.200	47.08	-6.81	74.0	26.92	Peak	176.00	400	Horizontal	Pass
4**	4804.200	43.71	-6.81	54.0	10.29	AV	176.00	400	Horizontal	Pass
5	6938.600	52.15	-1.52	74.0	21.85	Peak	87.00	400	Horizontal	Pass
5**	6938.600	43.38	-1.52	54.0	10.62	AV	87.00	400	Horizontal	Pass
6	17486.813	51.93	8.07	74.0	22.07	Peak	323.00	100	Horizontal	Pass
6**	17486.813	42.34	8.07	54.0	11.66	AV	323.00	100	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.500	44.81	-18.88	74.0	29.19	Peak	119.00	100	Vertical	Pass
1**	1562.500	41.65	-18.88	54.0	12.35	AV	119.00	100	Vertical	Pass
2	2401.800	90.39	-13.91	74.0	-16.39	Peak	218.00	100	Vertical	N/A
2**	2401.800	89.33	-13.91	54.0	-35.33	AV	218.00	100	Vertical	N/A
3	2785.700	49.02	-12.06	74.0	24.98	Peak	253.00	200	Vertical	Pass
3**	2785.700	41.25	-12.06	54.0	12.75	AV	253.00	200	Vertical	Pass
4	4804.000	50.05	-6.79	74.0	23.95	Peak	59.00	400	Vertical	Pass
4**	4804.000	47.43	-6.79	54.0	6.57	AV	59.00	400	Vertical	Pass
5	9608.200	46.91	0.30	74.0	27.09	Peak	339.00	100	Vertical	Pass
5**	9608.200	41.38	0.30	54.0	12.62	AV	339.00	100	Vertical	Pass
6	17633.812	51.91	6.58	74.0	22.09	Peak	189.00	100	Vertical	Pass
6**	17633.812	42.82	6.58	54.0	11.18	AV	189.00	100	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBUV/m)	Factor (dB)	Limit (dBUV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.300	46.50	-18.91	74.0	27.50	Peak	360.00	200	Horizontal	Pass
1**	1562.300	42.25	-18.91	54.0	11.75	AV	360.00	200	Horizontal	Pass
2	2441.200	91.15	-13.31	74.0	-17.15	Peak	136.00	100	Horizontal	N/A
2**	2441.200	90.53	-13.31	54.0	-36.53	AV	136.00	100	Horizontal	N/A
3	2940.800	48.64	-11.50	74.0	25.36	Peak	242.00	200	Horizontal	Pass
3**	2940.800	39.72	-11.50	54.0	14.28	AV	242.00	200	Horizontal	Pass
4	4881.800	48.64	-7.11	74.0	25.36	Peak	210.00	400	Horizontal	Pass
4**	4881.800	45.97	-7.11	54.0	8.03	AV	210.00	400	Horizontal	Pass
5	9764.025	46.90	-0.67	74.0	27.10	Peak	238.00	200	Horizontal	Pass
5**	9764.025	41.27	-0.67	54.0	12.73	AV	238.00	200	Horizontal	Pass
6	17471.062	51.51	8.56	74.0	22.49	Peak	253.00	100	Horizontal	Pass
6**	17471.062	42.45	8.56	54.0	11.55	AV	253.00	100	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.500	46.68	-18.88	74.0	27.32	Peak	203.00	100	Vertical	Pass
1**	1562.500	44.26	-18.88	54.0	9.74	AV	203.00	100	Vertical	Pass
2	2441.000	91.70	-13.48	74.0	-17.70	Peak	203.00	100	Vertical	N/A
2**	2441.000	91.32	-13.48	54.0	-37.32	AV	203.00	100	Vertical	N/A
3	2989.600	49.32	-11.36	74.0	24.68	Peak	151.00	200	Vertical	Pass
3**	2989.600	39.36	-11.36	54.0	14.64	AV	151.00	200	Vertical	Pass
4	4881.800	51.89	-7.11	74.0	22.11	Peak	317.00	200	Vertical	Pass
4**	4881.800	49.16	-7.11	54.0	4.84	AV	317.00	200	Vertical	Pass
5	9764.025	46.73	-0.67	74.0	27.27	Peak	21.00	400	Vertical	Pass
5**	9764.025	41.81	-0.67	54.0	12.19	AV	21.00	400	Vertical	Pass
6	16856.025	52.07	6.61	74.0	21.93	Peak	38.00	100	Vertical	Pass
6**	16856.025	42.10	6.61	54.0	11.90	AV	38.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.500	45.29	-18.88	74.0	28.71	Peak	360.00	200	Horizontal	Pass
1**	1562.500	41.37	-18.88	54.0	12.63	AV	360.00	200	Horizontal	Pass
2	2480.000	90.96	-13.55	74.0	-16.96	Peak	143.00	200	Horizontal	N/A
2**	2480.000	90.71	-13.55	54.0	-36.71	AV	143.00	200	Horizontal	N/A
3	2998.700	49.33	-11.38	74.0	24.67	Peak	360.00	200	Horizontal	Pass
3**	2998.700	39.29	-11.38	54.0	14.71	AV	360.00	200	Horizontal	Pass
4	4960.000	47.29	-6.62	74.0	26.71	Peak	151.00	300	Horizontal	Pass
4**	4960.000	45.43	-6.62	54.0	8.57	AV	151.00	300	Horizontal	Pass
5	9920.137	45.20	-0.20	74.0	28.80	Peak	218.00	400	Horizontal	Pass
5**	9920.137	41.37	-0.20	54.0	12.63	AV	218.00	400	Horizontal	Pass
6	17446.650	52.07	8.32	74.0	21.93	Peak	29.00	100	Horizontal	Pass
6**	17446.650	42.61	8.32	54.0	11.39	AV	29.00	100	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.300	45.65	-18.91	74.0	28.35	Peak	339.00	100	Vertical	Pass
1**	1562.300	40.98	-18.91	54.0	13.02	AV	339.00	100	Vertical	Pass
2	2480.100	90.67	-13.55	74.0	-16.67	Peak	204.00	200	Vertical	N/A
2**	2480.100	90.31	-13.55	54.0	-36.31	AV	204.00	200	Vertical	N/A
3	2905.600	48.88	-11.30	74.0	25.12	Peak	56.00	100	Vertical	Pass
3**	2905.600	39.26	-11.30	54.0	14.74	AV	56.00	100	Vertical	Pass
4	4960.200	49.98	-6.71	74.0	24.02	Peak	189.00	300	Vertical	Pass
4**	4960.200	48.33	-6.71	54.0	5.67	AV	189.00	300	Vertical	Pass
5	9920.137	47.05	-0.20	74.0	26.95	Peak	360.00	100	Vertical	Pass
5**	9920.137	45.17	-0.20	54.0	8.83	AV	360.00	100	Vertical	Pass
6	14029.950	51.86	5.67	74.0	22.14	Peak	159.00	100	Vertical	Pass
6**	14029.950	42.37	5.67	54.0	11.63	AV	159.00	100	Vertical	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1562.500	44.53	-18.88	74.0	29.47	Peak	85.00	200	Horizontal	Pass
1**	1562.500	41.38	-18.88	54.0	12.62	AV	85.00	200	Horizontal	Pass
2	2401.900	90.74	-13.97	74.0	-16.74	Peak	129.00	100	Horizontal	N/A
2**	2401.900	87.42	-13.97	54.0	-33.42	AV	129.00	100	Horizontal	N/A
3	2985.200	48.93	-11.09	74.0	25.07	Peak	118.00	100	Horizontal	Pass
3**	2985.200	39.42	-11.09	54.0	14.58	AV	118.00	100	Horizontal	Pass
4	4803.800	47.46	-6.78	74.0	26.54	Peak	360.00	100	Horizontal	Pass
4**	4803.800	42.20	-6.78	54.0	11.80	AV	360.00	100	Horizontal	Pass
5	9608.200	44.79	0.30	74.0	29.21	Peak	291.00	200	Horizontal	Pass
5**	9608.200	41.55	0.30	54.0	12.45	AV	291.00	200	Horizontal	Pass
6	17479.989	52.21	7.95	74.0	21.79	Peak	311.00	100	Horizontal	Pass
6**	17479.989	42.55	7.95	54.0	11.45	AV	311.00	100	Horizontal	Pass

8-DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.900	44.66	-17.78	74.0	29.34	Peak	305.00	400	Vertical	Pass
1**	1331.900	36.12	-17.78	54.0	17.88	AV	305.00	400	Vertical	Pass
2	2401.900	91.04	-13.97	74.0	-17.04	Peak	218.00	100	Vertical	N/A
2**	2401.900	87.93	-13.97	54.0	-33.93	AV	218.00	100	Vertical	N/A
3	2984.300	49.49	-11.01	74.0	24.51	Peak	315.00	200	Vertical	Pass
3**	2984.300	39.86	-11.01	54.0	14.14	AV	315.00	200	Vertical	Pass
4	4804.200	51.64	-6.81	74.0	22.36	Peak	41.00	400	Vertical	Pass
4**	4804.200	50.27	-6.81	54.0	3.73	AV	41.00	400	Vertical	Pass
5	9607.912	45.58	0.32	74.0	28.42	Peak	357.00	200	Vertical	Pass
5**	9607.912	41.14	0.32	54.0	12.86	AV	357.00	200	Vertical	Pass
6	17964.825	52.48	5.70	74.0	21.52	Peak	0.00	100	Vertical	Pass
6**	17964.825	42.73	5.70	54.0	11.27	AV	0.00	100	Vertical	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1351.900	41.97	-17.16	74.0	32.03	Peak	293.00	200	Horizontal	Pass
1**	1351.900	32.54	-17.16	54.0	21.46	AV	293.00	200	Horizontal	Pass
2	2441.000	89.87	-13.48	74.0	-15.87	Peak	140.00	200	Horizontal	N/A
2**	2441.000	86.71	-13.48	54.0	-32.71	AV	140.00	200	Horizontal	N/A
3	2979.400	49.05	-10.71	74.0	24.95	Peak	15.00	100	Horizontal	Pass
3**	2979.400	40.16	-10.71	54.0	13.84	AV	15.00	100	Horizontal	Pass
4	4882.600	48.38	-7.12	74.0	25.62	Peak	227.00	100	Horizontal	Pass
4**	4882.600	41.44	-7.12	54.0	12.56	AV	227.00	100	Horizontal	Pass
5	6993.800	52.35	-1.52	74.0	21.65	Peak	43.00	200	Horizontal	Pass
5**	6993.800	41.94	-1.52	54.0	12.06	AV	43.00	200	Horizontal	Pass
6	17984.512	51.81	5.83	74.0	22.19	Peak	269.00	100	Horizontal	Pass
6**	17984.512	42.94	5.83	54.0	11.06	AV	269.00	100	Horizontal	Pass

8-DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.700	42.94	-17.43	74.0	31.06	Peak	256.00	400	Vertical	Pass
1**	1328.700	38.18	-17.43	54.0	15.82	AV	256.00	400	Vertical	Pass
2	2441.200	90.26	-13.31	74.0	-16.26	Peak	204.00	200	Vertical	N/A
2**	2441.200	89.48	-13.31	54.0	-35.48	AV	204.00	200	Vertical	N/A
3	2988.500	49.27	-11.12	74.0	24.73	Peak	130.00	100	Vertical	Pass
3**	2988.500	39.64	-11.12	54.0	14.36	AV	130.00	100	Vertical	Pass
4	4882.000	50.63	-7.10	74.0	23.37	Peak	311.00	400	Vertical	Pass
4**	4882.000	49.36	-7.10	54.0	4.64	AV	311.00	400	Vertical	Pass
5	9764.312	46.41	-0.68	74.0	27.59	Peak	17.00	400	Vertical	Pass
5**	9764.312	42.50	-0.68	54.0	11.50	AV	17.00	400	Vertical	Pass
6	17638.801	52.16	7.03	74.0	21.84	Peak	358.00	100	Vertical	Pass
6**	17638.801	42.63	7.03	54.0	11.37	AV	358.00	100	Vertical	Pass