



8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.300	42.07	-17.54	74.0	31.93	Peak	131.00	100	Horizontal	Pass
1**	1328.300	32.35	-17.54	54.0	21.65	AV	131.00	100	Horizontal	Pass
2	2479.900	91.37	-13.54	74.0	-17.37	Peak	142.00	200	Horizontal	N/A
2**	2479.900	88.56	-13.54	54.0	-34.56	AV	142.00	200	Horizontal	N/A
3	2980.100	49.42	-10.88	74.0	24.58	Peak	275.00	200	Horizontal	Pass
3**	2980.100	41.85	-10.88	54.0	12.15	AV	275.00	200	Horizontal	Pass
4	4960.000	49.76	-6.62	74.0	24.24	Peak	153.00	400	Horizontal	Pass
4**	4960.000	49.10	-6.62	54.0	4.90	AV	153.00	400	Horizontal	Pass
5	9920.137	45.21	-0.20	74.0	28.79	Peak	129.00	100	Horizontal	Pass
5**	9920.137	41.90	-0.20	54.0	12.10	AV	129.00	100	Horizontal	Pass
6	16718.213	51.74	6.88	74.0	22.26	Peak	1.00	100	Horizontal	Pass
6**	16718.213	41.65	6.88	54.0	12.35	AV	1.00	100	Horizontal	Pass

8-DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.900	43.29	-17.47	74.0	30.71	Peak	76.00	100	Vertical	Pass
1**	1328.900	33.76	-17.47	54.0	20.24	AV	76.00	100	Vertical	Pass
2	2479.800	92.02	-13.54	74.0	-18.02	Peak	213.00	200	Vertical	N/A
2**	2479.800	90.10	-13.54	54.0	-36.10	AV	213.00	200	Vertical	N/A
3	2907.700	48.62	-11.30	74.0	25.38	Peak	139.00	100	Vertical	Pass
3**	2907.700	39.63	-11.30	54.0	14.37	AV	139.00	100	Vertical	Pass
4	4960.000	50.49	-6.62	74.0	23.51	Peak	314.00	100	Vertical	Pass
4**	4960.000	49.16	-6.62	54.0	4.84	AV	314.00	100	Vertical	Pass
5	7432.400	44.95	-1.40	74.0	29.05	Peak	169.00	300	Vertical	Pass
5**	7432.400	41.10	-1.40	54.0	12.90	AV	169.00	300	Vertical	Pass
6	9920.137	47.92	-0.20	74.0	26.08	Peak	139.00	100	Vertical	Pass
6**	9920.137	44.80	-0.20	54.0	9.20	AV	139.00	100	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note³: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note⁴: The Level (dBuV/m) has been corrected by factor.

Note⁵: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.


Test Data and Plots

GFSK LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2338.667	53.39	-1.87	74.0	20.61	Peak	178.00	100	Vertical	Pass
1**	2338.667	41.55	-1.87	54.0	12.45	AV	178.00	100	Vertical	Pass
2	2390.000	51.21	-2.16	74.0	22.79	Peak	111.00	100	Vertical	Pass
2**	2390.000	41.14	-2.16	54.0	12.86	AV	111.00	100	Vertical	Pass
3	2384.167	51.71	-1.72	74.0	22.29	Peak	31.00	200	Vertical	Pass
3**	2384.167	42.81	-1.72	54.0	11.19	AV	31.00	200	Vertical	Pass

GFSK HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	53.47	-1.03	74.0	20.53	Peak	213.00	200	Vertical	Pass
1**	2483.550	43.19	-1.03	54.0	10.81	AV	213.00	200	Vertical	Pass
2	2483.600	54.32	-1.02	74.0	19.68	Peak	208.00	200	Vertical	Pass
2**	2483.600	43.48	-1.02	54.0	10.52	AV	208.00	200	Vertical	Pass

8-DPSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2319.833	53.94	-1.78	74.0	20.06	Peak	44.00	400	Vertical	Pass
1**	2319.833	41.62	-1.78	54.0	12.38	AV	44.00	400	Vertical	Pass
2	2390.000	51.49	-2.16	74.0	22.51	Peak	164.00	400	Vertical	Pass
2**	2390.000	41.13	-2.16	54.0	12.87	AV	164.00	400	Vertical	Pass
3	2384.000	51.90	-1.78	74.0	22.10	Peak	349.00	200	Vertical	Pass
3**	2384.000	42.25	-1.78	54.0	11.75	AV	349.00	200	Vertical	Pass

8-DPSK HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.80	-1.04	74.0	20.20	Peak	261.00	400	Vertical	Pass
1**	2483.500	43.59	-1.04	54.0	10.41	AV	261.00	400	Vertical	Pass
2	2483.600	55.21	-1.02	74.0	18.79	Peak	205.00	400	Vertical	Pass
2**	2483.600	43.41	-1.02	54.0	10.59	AV	205.00	400	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26050053-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26050053-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26050053-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--