





EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS



**EUT Housing and
Board View 1**





**Solder
Board-Component
View 1**



Solder Board-Component View 2	 A photograph of a small green printed circuit board (PCB) component, likely a solder bridge or jumper, positioned vertically. The component is placed on a blue textured surface. To the left of the component is a black L-shaped ruler with white markings in millimeters. The vertical ruler scale ranges from 0 to 100 mm, and the horizontal scale ranges from 0 to 100 mm. The component is approximately 10 mm high and 5 mm wide.
Solder Board-Component View 3	 A photograph of the same green PCB component from a different angle, showing its top surface. The component is placed on the same blue textured surface. A black L-shaped ruler with white markings is visible to the left. The vertical ruler scale ranges from 0 to 100 mm, and the horizontal scale ranges from 0 to 100 mm. The component is approximately 10 mm high and 5 mm wide. The top surface of the component shows various electronic components, including a small black integrated circuit (IC) and several resistors.

Solder Board-Component View 4	 A photograph of a small green printed circuit board (PCB) component, identified as a solder board-component, placed on a blue textured surface. The component is rectangular and features several gold-colored solder pads and components. It is positioned next to a black L-shaped ruler with white markings in millimeters. The ruler's vertical scale ranges from 0 to 70 mm, and the horizontal scale ranges from 0 to 100 mm. The component is located approximately at the 30 mm mark on the vertical scale and the 30 mm mark on the horizontal scale.
Solder Board-Component View 5	 A photograph of the same small green printed circuit board (PCB) component, identified as a solder board-component, placed on a blue textured surface. The component is rectangular and features several gold-colored solder pads and components. It is positioned next to a black L-shaped ruler with white markings in millimeters. The ruler's vertical scale ranges from 0 to 90 mm, and the horizontal scale ranges from 0 to 200 mm. The component is located approximately at the 10 mm mark on the vertical scale and the 10 mm mark on the horizontal scale. A thin, curved wire is visible extending from the component towards the right side of the frame.

Solder Board-Component View 6	 A photograph showing a small green printed circuit board (PCB) component mounted on a blue textured surface. A long, thin, curved wire is soldered to the component. A black L-shaped ruler with white markings in millimeters is placed next to the component for scale.
Antenna View	 A photograph showing the same green PCB component and curved wire as in the previous view. A red rectangular box highlights the curved wire, and a red line points from a label to this box. A black L-shaped ruler with white markings in millimeters is placed next to the component for scale. 2.4GHz Antenna