



Mode	3																																																																																	
	Band Edge																																																																																	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-07-17 Site : 03CH12-HY Condition: PEAK_BE_74 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2484.24</td><td>67.06</td><td>74.00</td><td>-6.94</td><td>57.09</td><td>27.94</td><td>6.90</td><td>34.90</td><td>10.03 300 157 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	2484.24	67.06	74.00	-6.94	57.09	27.94	6.90	34.90	10.03 300 157 PEAK	Level (dBuV/m) Date: 2025-07-17 Site : 03CH12-HY Condition: PEAK_74 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.30</td><td>-----</td><td>-----</td><td>87.37</td><td>27.90</td><td>6.90</td><td>34.90</td><td>10.03 300 157 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	2480.00	97.30	-----	-----	87.37	27.90	6.90	34.90	10.03 300 157 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																									
1	2484.24	67.06	74.00	-6.94	57.09	27.94	6.90	34.90	10.03 300 157 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																									
1	2480.00	97.30	-----	-----	87.37	27.90	6.90	34.90	10.03 300 157 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-07-17 Site : 03CH12-HY Condition: AVG_BE_54 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2484.12</td><td>45.00</td><td>54.00</td><td>-9.00</td><td>35.03</td><td>27.94</td><td>6.90</td><td>34.90</td><td>10.03 300 157 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	2484.12	45.00	54.00	-9.00	35.03	27.94	6.90	34.90	10.03 300 157 AVERAGE	Level (dBuV/m) Date: 2025-07-17 Site : 03CH12-HY Condition: AVG_54 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.73</td><td>-----</td><td>-----</td><td>86.80</td><td>27.90</td><td>6.90</td><td>34.90</td><td>10.03 300 157 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	2480.00	96.73	-----	-----	86.80	27.90	6.90	34.90	10.03 300 157 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																									
1	2484.12	45.00	54.00	-9.00	35.03	27.94	6.90	34.90	10.03 300 157 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																									
1	2480.00	96.73	-----	-----	86.80	27.90	6.90	34.90	10.03 300 157 AVERAGE																																																																									







Mode	3																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-07-15 PEAK_BE_74 Site : 03CH12-HY Condition: PEAK_BE_74 3m 91200-02038-240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.12</td><td>69.48</td><td>74.00</td><td>-4.52</td><td>59.71</td><td>27.74</td><td>6.90</td><td>34.90</td><td>10.03</td><td>300</td><td>75 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.12	69.48	74.00	-4.52	59.71	27.74	6.90	34.90	10.03	300	75 PEAK	Level (dBuV/m) Date: 2025-07-15 PEAK_74 Site : 03CH12-HY Condition: PEAK_74 3m 91200-02038-240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.66</td><td>-----</td><td>-----</td><td>90.91</td><td>27.72</td><td>6.90</td><td>34.90</td><td>10.03</td><td>300</td><td>75 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.66	-----	-----	90.91	27.72	6.90	34.90	10.03	300	75 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2484.12	69.48	74.00	-4.52	59.71	27.74	6.90	34.90	10.03	300	75 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	100.66	-----	-----	90.91	27.72	6.90	34.90	10.03	300	75 PEAK																																																																																							
Avg	Level (dBuV/m) Date: 2025-07-15 AVG_BE_54 Site : 03CH12-HY Condition: AVG_BE_54 3m 91200-02038-240729 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.38</td><td>46.72</td><td>54.00</td><td>-7.28</td><td>36.95</td><td>27.74</td><td>6.90</td><td>34.90</td><td>10.03</td><td>300</td><td>75 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.38	46.72	54.00	-7.28	36.95	27.74	6.90	34.90	10.03	300	75 AVERAGE	Level (dBuV/m) Date: 2025-07-15 AVG_54 Site : 03CH12-HY Condition: AVG_54 3m 91200-02038-240729 VERTICAL : RBW:1000.000kHz VBW:0.510kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.07</td><td>-----</td><td>-----</td><td>90.32</td><td>27.72</td><td>6.90</td><td>34.90</td><td>10.03</td><td>300</td><td>75 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.07	-----	-----	90.32	27.72	6.90	34.90	10.03	300	75 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2484.38	46.72	54.00	-7.28	36.95	27.74	6.90	34.90	10.03	300	75 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	100.07	-----	-----	90.32	27.72	6.90	34.90	10.03	300	75 AVERAGE																																																																																							



Mode	3																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal	Vertical																																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2025-07-17 Site : 03CH12-HY Condition: PEAK_74 3m 91280-02114-250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4960.00</td><td>50.18</td><td>74.00</td><td>-23.82</td><td>72.90</td><td>33.44</td><td>10.63</td><td>67.38</td><td>0.59</td><td>100 309 PEAK</td></tr><tr><td>2 4960.00</td><td>45.35</td><td>54.00</td><td>-8.65</td><td>68.07</td><td>33.44</td><td>10.63</td><td>67.38</td><td>0.59</td><td>100 309 AVERAGE</td></tr><tr><td>3 7440.00</td><td>47.78</td><td>74.00</td><td>-26.22</td><td>64.24</td><td>36.74</td><td>13.25</td><td>66.66</td><td>0.21</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4960.00	50.18	74.00	-23.82	72.90	33.44	10.63	67.38	0.59	100 309 PEAK	2 4960.00	45.35	54.00	-8.65	68.07	33.44	10.63	67.38	0.59	100 309 AVERAGE	3 7440.00	47.78	74.00	-26.22	64.24	36.74	13.25	66.66	0.21	-- -- PEAK	Level (dBuV/m) Date: 2025-07-17 Site : 03CH12-HY Condition: PEAK_74 3m 91280-02114-250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4960.00</td><td>50.04</td><td>74.00</td><td>-23.96</td><td>72.76</td><td>33.44</td><td>10.63</td><td>67.38</td><td>0.59</td><td>100 334 PEAK</td></tr><tr><td>2 4960.00</td><td>45.67</td><td>54.00</td><td>-8.33</td><td>68.39</td><td>33.44</td><td>10.63</td><td>67.38</td><td>0.59</td><td>100 334 AVERAGE</td></tr><tr><td>3 7440.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>63.07</td><td>36.74</td><td>13.25</td><td>66.66</td><td>0.21</td><td>-- -- PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4960.00	50.04	74.00	-23.96	72.76	33.44	10.63	67.38	0.59	100 334 PEAK	2 4960.00	45.67	54.00	-8.33	68.39	33.44	10.63	67.38	0.59	100 334 AVERAGE	3 7440.00	46.61	74.00	-27.39	63.07	36.74	13.25	66.66	0.21	-- -- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 4960.00	50.18	74.00	-23.82	72.90	33.44	10.63	67.38	0.59	100 309 PEAK																																																																																																																	
2 4960.00	45.35	54.00	-8.65	68.07	33.44	10.63	67.38	0.59	100 309 AVERAGE																																																																																																																	
3 7440.00	47.78	74.00	-26.22	64.24	36.74	13.25	66.66	0.21	-- -- PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																	
1 4960.00	50.04	74.00	-23.96	72.76	33.44	10.63	67.38	0.59	100 334 PEAK																																																																																																																	
2 4960.00	45.67	54.00	-8.33	68.39	33.44	10.63	67.38	0.59	100 334 AVERAGE																																																																																																																	
3 7440.00	46.61	74.00	-27.39	63.07	36.74	13.25	66.66	0.21	-- -- PEAK																																																																																																																	



Mode	3	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-07-17  Site : 03CH12-HY Condition: AVG_54 3m 91280-02114-250702 HORIZONTAL	Level (dBuV/m) Date: 2025-07-17  Site : 03CH12-HY Condition: AVG_54 3m 91280-02114-250702 VERTICAL
	Level (dBuV/m) Date: 2025-07-17  Site : 03CH12-HY Condition: AVG_54 3m 91280-02114-250702 HORIZONTAL	Level (dBuV/m) Date: 2025-07-17  Site : 03CH12-HY Condition: AVG_54 3m 91280-02114-250702 VERTICAL



Mode	7																																																																																																																																																																																																															
	LF																																																																																																																																																																																																															
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																																																																																																																																															
ANT	1																																																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																																																														
QP/ Peak	Level (dBuV/m) Date: 2025-07-16 Site : 03CH12-HY Condition: QP 3m Bilog_37059_20241127 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>57.16</td><td>29.77</td><td>40.00</td><td>-10.23</td><td>46.18</td><td>12.30</td><td>1.04</td><td>29.80</td><td>0.05</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>85.29</td><td>26.98</td><td>40.00</td><td>-13.02</td><td>40.97</td><td>14.41</td><td>1.30</td><td>29.78</td><td>0.08</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>159.01</td><td>33.43</td><td>43.50</td><td>-10.07</td><td>44.44</td><td>16.81</td><td>1.76</td><td>29.66</td><td>0.08</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>738.10</td><td>31.99</td><td>46.00</td><td>-14.01</td><td>28.44</td><td>28.22</td><td>3.75</td><td>28.74</td><td>0.32</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>816.67</td><td>39.25</td><td>46.00</td><td>-6.75</td><td>35.36</td><td>28.21</td><td>3.95</td><td>28.62</td><td>0.35</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>903.00</td><td>38.45</td><td>46.00</td><td>-7.55</td><td>32.96</td><td>29.31</td><td>4.18</td><td>28.42</td><td>0.42</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	57.16	29.77	40.00	-10.23	46.18	12.30	1.04	29.80	0.05	--	PEAK	2	85.29	26.98	40.00	-13.02	40.97	14.41	1.30	29.78	0.08	--	PEAK	3	159.01	33.43	43.50	-10.07	44.44	16.81	1.76	29.66	0.08	--	PEAK	4	738.10	31.99	46.00	-14.01	28.44	28.22	3.75	28.74	0.32	--	PEAK	5	816.67	39.25	46.00	-6.75	35.36	28.21	3.95	28.62	0.35	--	PEAK	6	903.00	38.45	46.00	-7.55	32.96	29.31	4.18	28.42	0.42	--	PEAK	Level (dBuV/m) Date: 2025-07-16 Site : 03CH12-HY Condition: QP 3m Bilog_37059_20241127 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>42.61</td><td>32.37</td><td>40.00</td><td>-7.63</td><td>42.79</td><td>18.39</td><td>0.96</td><td>29.81</td><td>0.04</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>71.71</td><td>32.40</td><td>40.00</td><td>-7.60</td><td>40.21</td><td>12.71</td><td>1.18</td><td>29.76</td><td>0.06</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>127.97</td><td>33.68</td><td>43.50</td><td>-9.82</td><td>44.14</td><td>17.62</td><td>1.56</td><td>29.74</td><td>0.10</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>338.46</td><td>30.33</td><td>46.00</td><td>-15.67</td><td>36.72</td><td>20.23</td><td>2.59</td><td>29.40</td><td>0.19</td><td>--</td><td>PEAK</td></tr><tr><td>5</td><td>837.04</td><td>38.48</td><td>46.00</td><td>-7.52</td><td>33.00</td><td>28.89</td><td>3.99</td><td>28.57</td><td>0.37</td><td>--</td><td>PEAK</td></tr><tr><td>6</td><td>923.37</td><td>38.97</td><td>46.00</td><td>-7.03</td><td>32.93</td><td>29.78</td><td>4.21</td><td>28.38</td><td>0.43</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	42.61	32.37	40.00	-7.63	42.79	18.39	0.96	29.81	0.04	--	PEAK	2	71.71	32.40	40.00	-7.60	40.21	12.71	1.18	29.76	0.06	--	PEAK	3	127.97	33.68	43.50	-9.82	44.14	17.62	1.56	29.74	0.10	--	PEAK	4	338.46	30.33	46.00	-15.67	36.72	20.23	2.59	29.40	0.19	--	PEAK	5	837.04	38.48	46.00	-7.52	33.00	28.89	3.99	28.57	0.37	--	PEAK	6	923.37	38.97	46.00	-7.03	32.93	29.78	4.21	28.38	0.43	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																						
1	57.16	29.77	40.00	-10.23	46.18	12.30	1.04	29.80	0.05	--	PEAK																																																																																																																																																																																																					
2	85.29	26.98	40.00	-13.02	40.97	14.41	1.30	29.78	0.08	--	PEAK																																																																																																																																																																																																					
3	159.01	33.43	43.50	-10.07	44.44	16.81	1.76	29.66	0.08	--	PEAK																																																																																																																																																																																																					
4	738.10	31.99	46.00	-14.01	28.44	28.22	3.75	28.74	0.32	--	PEAK																																																																																																																																																																																																					
5	816.67	39.25	46.00	-6.75	35.36	28.21	3.95	28.62	0.35	--	PEAK																																																																																																																																																																																																					
6	903.00	38.45	46.00	-7.55	32.96	29.31	4.18	28.42	0.42	--	PEAK																																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																						
1	42.61	32.37	40.00	-7.63	42.79	18.39	0.96	29.81	0.04	--	PEAK																																																																																																																																																																																																					
2	71.71	32.40	40.00	-7.60	40.21	12.71	1.18	29.76	0.06	--	PEAK																																																																																																																																																																																																					
3	127.97	33.68	43.50	-9.82	44.14	17.62	1.56	29.74	0.10	--	PEAK																																																																																																																																																																																																					
4	338.46	30.33	46.00	-15.67	36.72	20.23	2.59	29.40	0.19	--	PEAK																																																																																																																																																																																																					
5	837.04	38.48	46.00	-7.52	33.00	28.89	3.99	28.57	0.37	--	PEAK																																																																																																																																																																																																					
6	923.37	38.97	46.00	-7.03	32.93	29.78	4.21	28.38	0.43	--	PEAK																																																																																																																																																																																																					



Mode	8																																																																																																
	SHF																																																																																																
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak	Level (dBuV/m) Date: 2025-07-16 Site : 03CH12-HY Condition: PEAK_74 1m 88HA9170_1223_250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>23432.00</td><td>40.38</td><td>74.00</td><td>-33.62</td><td>41.70</td><td>39.10</td><td>22.21</td><td>53.09</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	23432.00	40.38	74.00	-33.62	41.70	39.10	22.21	53.09	-9.54	--	Peak	Level (dBuV/m) Date: 2025-07-16 Site : 03CH12-HY Condition: PEAK_74 1m 88HA9170_1223_250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>24176.00</td><td>40.24</td><td>74.00</td><td>-33.76</td><td>41.04</td><td>39.10</td><td>22.60</td><td>52.96</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24176.00	40.24	74.00	-33.76	41.04	39.10	22.60	52.96	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	23432.00	40.38	74.00	-33.62	41.70	39.10	22.21	53.09	-9.54	--	Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	24176.00	40.24	74.00	-33.76	41.04	39.10	22.60	52.96	-9.54	--	Peak																																																																																						







C2-1. Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 4	2400-2483.5	1	Bluetooth-LE GFSK	0	2402	2Mbps	-	-
Mode 5	2400-2483.5	1	Bluetooth-LE GFSK	19	2440	2Mbps	-	-
Mode 6	2400-2483.5	1	Bluetooth-LE GFSK	39	2480	2Mbps	-	-

C2-2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
4	Bluetooth-LE GFSK	0	2389.30	44.34	54.00	-9.66	V	Avg.	Pass	-	Band Edge
	Bluetooth-LE GFSK	0	4804.00	42.96	54.00	-11.04	H	Avg.	Pass	-	Harmonic
5	Bluetooth-LE GFSK	19	2347.31	42.81	54.00	-11.19	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE GFSK	19	7320.00	46.30	74.00	-27.70	V	Peak	Pass	-	Harmonic
6	Bluetooth-LE GFSK	39	2484.34	48.81	54.00	-5.19	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE GFSK	39	7440.00	46.72	74.00	-27.28	V	Peak	Pass	-	Harmonic



Mode	4																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE GFSK_CH0_2402MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal					Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-08-21  Site : 03CH12-HY Condition: PEAK_BE_74 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2389.40</td><td>59.97</td><td>74.00</td><td>-14.03</td><td>49.94</td><td>27.39</td><td>6.76</td><td>34.15</td><td>10.03</td><td>345 24 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2389.40	59.97	74.00	-14.03	49.94	27.39	6.76	34.15	10.03	345 24 PEAK	Level (dBuV/m) Date: 2025-08-21  Site : 03CH12-HY Condition: PEAK_74 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2402.00</td><td>100.51</td><td>-----</td><td>-----</td><td>90.45</td><td>27.40</td><td>6.78</td><td>34.15</td><td>10.03</td><td>345 24 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2402.00	100.51	-----	-----	90.45	27.40	6.78	34.15	10.03	345 24 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 2389.40	59.97	74.00	-14.03	49.94	27.39	6.76	34.15	10.03	345 24 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 2402.00	100.51	-----	-----	90.45	27.40	6.78	34.15	10.03	345 24 PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-08-21  Site : 03CH12-HY Condition: AVG_BE_54 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2389.40</td><td>43.99</td><td>54.00</td><td>-10.01</td><td>33.96</td><td>27.39</td><td>6.76</td><td>34.15</td><td>10.03</td><td>345 24 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2389.40	43.99	54.00	-10.01	33.96	27.39	6.76	34.15	10.03	345 24 AVERAGE	Level (dBuV/m) Date: 2025-08-21  Site : 03CH12-HY Condition: AVG_54 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2402.00</td><td>98.76</td><td>-----</td><td>-----</td><td>88.70</td><td>27.40</td><td>6.78</td><td>34.15</td><td>10.03</td><td>345 24 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2402.00	98.76	-----	-----	88.70	27.40	6.78	34.15	10.03	345 24 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 2389.40	43.99	54.00	-10.01	33.96	27.39	6.76	34.15	10.03	345 24 AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																	
1 2402.00	98.76	-----	-----	88.70	27.40	6.78	34.15	10.03	345 24 AVERAGE																																																																																	



Mode	4																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE GFSK_CH0_2402MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: PEAK_BE_74 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.49</td><td>58.81</td><td>74.00</td><td>-15.19</td><td>48.78</td><td>27.39</td><td>6.76</td><td>34.15</td><td>10.03</td><td>348</td><td>24 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.49	58.81	74.00	-15.19	48.78	27.39	6.76	34.15	10.03	348	24 PEAK	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: PEAK_74 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.22</td><td>-----</td><td>-----</td><td>90.16</td><td>27.40</td><td>6.78</td><td>34.15</td><td>10.03</td><td>348</td><td>24 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.22	-----	-----	90.16	27.40	6.78	34.15	10.03	348	24 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.49	58.81	74.00	-15.19	48.78	27.39	6.76	34.15	10.03	348	24 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	100.22	-----	-----	90.16	27.40	6.78	34.15	10.03	348	24 PEAK																																																																																						
Avg	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: AVG_BE_54 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>44.34</td><td>54.00</td><td>-9.66</td><td>34.31</td><td>27.39</td><td>6.76</td><td>34.15</td><td>10.03</td><td>348</td><td>24 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	44.34	54.00	-9.66	34.31	27.39	6.76	34.15	10.03	348	24 AVERAGE	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: AVG_54 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>98.75</td><td>-----</td><td>-----</td><td>88.69</td><td>27.40</td><td>6.78</td><td>34.15</td><td>10.03</td><td>348</td><td>24 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	98.75	-----	-----	88.69	27.40	6.78	34.15	10.03	348	24 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.30	44.34	54.00	-9.66	34.31	27.39	6.76	34.15	10.03	348	24 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2402.00	98.75	-----	-----	88.69	27.40	6.78	34.15	10.03	348	24 AVERAGE																																																																																						



Mode	4																																																																																																					
	Harmonic																																																																																																					
	2400-2483.5_Bluetooth-LE GFSK_CH0_2402MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: PEAK_74 3m 91280-02114-250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4804.00</td><td>48.50</td><td>74.00</td><td>-25.50</td><td>72.91</td><td>32.32</td><td>10.28</td><td>67.45</td><td>0.44</td><td>400 85 PEAK</td></tr><tr><td>2 4804.00</td><td>42.96</td><td>54.00</td><td>-11.04</td><td>67.37</td><td>32.32</td><td>10.28</td><td>67.45</td><td>0.44</td><td>400 85 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4804.00	48.50	74.00	-25.50	72.91	32.32	10.28	67.45	0.44	400 85 PEAK	2 4804.00	42.96	54.00	-11.04	67.37	32.32	10.28	67.45	0.44	400 85 Average	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: PEAK_74 3m 91280-02114-250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4804.00</td><td>48.16</td><td>74.00</td><td>-25.84</td><td>72.57</td><td>32.32</td><td>10.28</td><td>67.45</td><td>0.44</td><td>-- -- PEAK</td></tr><tr><td>2 4804.00</td><td>41.98</td><td>54.00</td><td>-12.02</td><td>66.39</td><td>32.32</td><td>10.28</td><td>67.45</td><td>0.44</td><td>-- -- Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4804.00	48.16	74.00	-25.84	72.57	32.32	10.28	67.45	0.44	-- -- PEAK	2 4804.00	41.98	54.00	-12.02	66.39	32.32	10.28	67.45	0.44	-- -- Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 4804.00	48.50	74.00	-25.50	72.91	32.32	10.28	67.45	0.44	400 85 PEAK																																																																																													
2 4804.00	42.96	54.00	-11.04	67.37	32.32	10.28	67.45	0.44	400 85 Average																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1 4804.00	48.16	74.00	-25.84	72.57	32.32	10.28	67.45	0.44	-- -- PEAK																																																																																													
2 4804.00	41.98	54.00	-12.02	66.39	32.32	10.28	67.45	0.44	-- -- Average																																																																																													





Mode	4	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH0_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: AVG_54 3m 91280-02114-250702 HORIZONTAL	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: AVG_54 3m 91280-02114-250702 VERTICAL
	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: AVG_54 3m 91280-02114-250702 HORIZONTAL	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: AVG_54 3m 91280-02114-250702 VERTICAL







Mode	5																																																																																																		
	Band Edge - L																																																																																																		
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak	Level (dBuV/m) Date: 2025-07-15 Site : 03CH12-HY Condition: PEAK_BE_74 3m 91200-02038-240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2343.54</td><td>59.34</td><td>74.00</td><td>-14.66</td><td>50.20</td><td>27.27</td><td>6.70</td><td>34.86</td><td>10.03</td><td>347 71 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2343.54	59.34	74.00	-14.66	50.20	27.27	6.70	34.86	10.03	347 71 PEAK	Level (dBuV/m) Date: 2025-07-15 Site : 03CH12-HY Condition: PEAK_74 3m 91200-02038-240729 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>102.74</td><td>-----</td><td>-----</td><td>93.20</td><td>27.56</td><td>6.84</td><td>34.89</td><td>10.03</td><td>347 71 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	102.74	-----	-----	93.20	27.56	6.84	34.89	10.03	347 71 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2343.54	59.34	74.00	-14.66	50.20	27.27	6.70	34.86	10.03	347 71 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	102.74	-----	-----	93.20	27.56	6.84	34.89	10.03	347 71 PEAK																																																																																									
Avg	Level (dBuV/m) Date: 2025-07-15 Site : 03CH12-HY Condition: AVG_BE_54 3m 91200-02038-240729 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2347.31</td><td>42.81</td><td>54.00</td><td>-11.19</td><td>33.65</td><td>27.29</td><td>6.70</td><td>34.86</td><td>10.03</td><td>347 71 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2347.31	42.81	54.00	-11.19	33.65	27.29	6.70	34.86	10.03	347 71 AVERAGE	Level (dBuV/m) Date: 2025-07-15 Site : 03CH12-HY Condition: AVG_54 3m 91200-02038-240729 HORIZONTAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>101.31</td><td>-----</td><td>-----</td><td>91.77</td><td>27.56</td><td>6.84</td><td>34.89</td><td>10.03</td><td>347 71 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	101.31	-----	-----	91.77	27.56	6.84	34.89	10.03	347 71 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2347.31	42.81	54.00	-11.19	33.65	27.29	6.70	34.86	10.03	347 71 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2440.00	101.31	-----	-----	91.77	27.56	6.84	34.89	10.03	347 71 AVERAGE																																																																																									



Mode	5																																																
	Band Edge - R																																																
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																																
ANT	1																																																
Pol.	Horizontal					Fundamental																																											
Peak	Level (dBuV/m) Date: 2025-07-15  Site : 03CH12-HY Condition: PEAK_BE_74 3m 91200-02038-240729 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.58</td><td>54.02</td><td>74.00</td><td>-19.98</td><td>44.26</td><td>27.74</td><td>6.90</td><td>34.91</td><td>10.03</td><td>347</td><td>71</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2484.58	54.02	74.00	-19.98	44.26	27.74	6.90	34.91	10.03	347	71	PEAK	Blank				
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	2484.58	54.02	74.00	-19.98	44.26	27.74	6.90	34.91	10.03	347	71	PEAK																																					
Avg	Level (dBuV/m) Date: 2025-07-15  Site : 03CH12-HY Condition: AVG_BE_54 3m 91200-02038-240729 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2489.02</td><td>41.76</td><td>54.00</td><td>-12.24</td><td>31.97</td><td>27.76</td><td>6.91</td><td>34.91</td><td>10.03</td><td>347</td><td>71</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2489.02	41.76	54.00	-12.24	31.97	27.76	6.91	34.91	10.03	347	71	AVERAGE	Blank				
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																						
1	2489.02	41.76	54.00	-12.24	31.97	27.76	6.91	34.91	10.03	347	71	AVERAGE																																					



Mode	5																																																																																	
	Band Edge - L																																																																																	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-07-15  Site : 03CH12-HY Condition: PEAK_BE_74 3m 91200-02038-240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2344.58</td><td>52.42</td><td>74.00</td><td>-21.58</td><td>43.27</td><td>27.28</td><td>6.70</td><td>34.86</td><td>10.03</td><td>400 220 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2344.58	52.42	74.00	-21.58	43.27	27.28	6.70	34.86	10.03	400 220 PEAK	Level (dBuV/m) Date: 2025-07-15  Site : 03CH12-HY Condition: PEAK_74 3m 91200-02038-240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2440.00</td><td>94.92</td><td>-----</td><td>-----</td><td>85.38</td><td>27.56</td><td>6.84</td><td>34.89</td><td>10.03</td><td>400 220 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2440.00	94.92	-----	-----	85.38	27.56	6.84	34.89	10.03	400 220 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 2344.58	52.42	74.00	-21.58	43.27	27.28	6.70	34.86	10.03	400 220 PEAK																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 2440.00	94.92	-----	-----	85.38	27.56	6.84	34.89	10.03	400 220 PEAK																																																																									
Avg	Level (dBuV/m) Date: 2025-07-15  Site : 03CH12-HY Condition: AVG_BE_54 3m 91200-02038-240729 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2377.21</td><td>41.23</td><td>54.00</td><td>-12.77</td><td>31.97</td><td>27.35</td><td>6.75</td><td>34.87</td><td>10.03</td><td>400 220 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2377.21	41.23	54.00	-12.77	31.97	27.35	6.75	34.87	10.03	400 220 AVERAGE	Level (dBuV/m) Date: 2025-07-15  Site : 03CH12-HY Condition: AVG_54 3m 91200-02038-240729 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 2440.00</td><td>93.40</td><td>-----</td><td>-----</td><td>83.86</td><td>27.56</td><td>6.84</td><td>34.89</td><td>10.03</td><td>400 220 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 2440.00	93.40	-----	-----	83.86	27.56	6.84	34.89	10.03	400 220 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 2377.21	41.23	54.00	-12.77	31.97	27.35	6.75	34.87	10.03	400 220 AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 2440.00	93.40	-----	-----	83.86	27.56	6.84	34.89	10.03	400 220 AVERAGE																																																																									



Mode	5																																																						
	Band Edge - R																																																						
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	Date: 2025-07-15 Site : 03CH12-HY Condition: PEAK_BE_74 3m 91200-02038-240729 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2493.76</td><td>53.02</td><td>74.00</td><td>-20.98</td><td>43.20</td><td>27.78</td><td>6.92</td><td>34.91</td><td>10.03</td><td>400</td><td>220</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.76	53.02	74.00	-20.98	43.20	27.78	6.92	34.91	10.03	400	220	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2493.76	53.02	74.00	-20.98	43.20	27.78	6.92	34.91	10.03	400	220	PEAK																																											
Avg	Date: 2025-07-15 Site : 03CH12-HY Condition: AVG_BE_54 3m 91200-02038-240729 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.26</td><td>41.83</td><td>54.00</td><td>-12.17</td><td>32.03</td><td>27.77</td><td>6.91</td><td>34.91</td><td>10.03</td><td>400</td><td>220</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.26	41.83	54.00	-12.17	32.03	27.77	6.91	34.91	10.03	400	220	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2492.26	41.83	54.00	-12.17	32.03	27.77	6.91	34.91	10.03	400	220	AVERAGE																																											



Mode	5																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-07-15 Site : 03CH12-HY Condition: PEAK_74 3m 91280-02038-240729 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>41.39</td><td>74.00</td><td>-32.61</td><td>65.27</td><td>32.56</td><td>10.45</td><td>67.41</td><td>0.52</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>61.48</td><td>36.72</td><td>13.15</td><td>66.61</td><td>0.20</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	41.39	74.00	-32.61	65.27	32.56	10.45	67.41	0.52	--	PEAK	2	7320.00	44.94	74.00	-29.06	61.48	36.72	13.15	66.61	0.20	--	PEAK	Level (dBuV/m) Date: 2025-07-15 Site : 03CH12-HY Condition: PEAK_74 3m 91280-02038-240729 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>42.90</td><td>74.00</td><td>-31.10</td><td>66.78</td><td>32.56</td><td>10.45</td><td>67.41</td><td>0.52</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7320.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>62.84</td><td>36.72</td><td>13.15</td><td>66.61</td><td>0.20</td><td>--</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	42.90	74.00	-31.10	66.78	32.56	10.45	67.41	0.52	--	PEAK	2	7320.00	46.30	74.00	-27.70	62.84	36.72	13.15	66.61	0.20	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4880.00	41.39	74.00	-32.61	65.27	32.56	10.45	67.41	0.52	--	PEAK																																																																																																					
2	7320.00	44.94	74.00	-29.06	61.48	36.72	13.15	66.61	0.20	--	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4880.00	42.90	74.00	-31.10	66.78	32.56	10.45	67.41	0.52	--	PEAK																																																																																																					
2	7320.00	46.30	74.00	-27.70	62.84	36.72	13.15	66.61	0.20	--	PEAK																																																																																																					







Mode	5	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-07-15 Site : 03CH12-HY Condition: AVG_54 3m 91200-02038-240729 HORIZONTAL	Level (dBuV/m) Date: 2025-07-15 Site : 03CH12-HY Condition: AVG_54 3m 91200-02038-240729 VERTICAL
	Level (dBuV/m) Date: 2025-07-15 Site : 03CH12-HY Condition: AVG_54 3m 91200-02038-240729 HORIZONTAL	Level (dBuV/m) Date: 2025-07-15 Site : 03CH12-HY Condition: AVG_54 3m 91200-02038-240729 VERTICAL



Mode	6																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: PEAK_BE_74 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.44</td><td>68.80</td><td>74.00</td><td>-5.20</td><td>58.13</td><td>27.94</td><td>6.90</td><td>34.20</td><td>10.03</td><td>300</td><td>75 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.44	68.80	74.00	-5.20	58.13	27.94	6.90	34.20	10.03	300	75 PEAK	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: PEAK_74 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBN:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.76</td><td>-----</td><td>-----</td><td>90.13</td><td>27.90</td><td>6.90</td><td>34.20</td><td>10.03</td><td>300</td><td>75 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.76	-----	-----	90.13	27.90	6.90	34.20	10.03	300	75 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2484.44	68.80	74.00	-5.20	58.13	27.94	6.90	34.20	10.03	300	75 PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	100.76	-----	-----	90.13	27.90	6.90	34.20	10.03	300	75 PEAK																																																																																										
Avg	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: AVG_BE_54 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.34</td><td>48.81</td><td>54.00</td><td>-5.19</td><td>38.14</td><td>27.94</td><td>6.90</td><td>34.20</td><td>10.03</td><td>300</td><td>75 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.34	48.81	54.00	-5.19	38.14	27.94	6.90	34.20	10.03	300	75 AVERAGE	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: AVG_54 3m 91200-02114-250702 HORIZONTAL : RBW:1000.000kHz VBN:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.30</td><td>-----</td><td>-----</td><td>88.67</td><td>27.90</td><td>6.90</td><td>34.20</td><td>10.03</td><td>300</td><td>75 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.30	-----	-----	88.67	27.90	6.90	34.20	10.03	300	75 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2484.34	48.81	54.00	-5.19	38.14	27.94	6.90	34.20	10.03	300	75 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	2480.00	99.30	-----	-----	88.67	27.90	6.90	34.20	10.03	300	75 AVERAGE																																																																																										



Mode	6																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-08-21  Site : 03CH12-HY Condition: PEAK_BE_74 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.40</td><td>64.56</td><td>74.00</td><td>-9.44</td><td>53.89</td><td>27.94</td><td>6.90</td><td>34.20</td><td>10.03</td><td>400</td><td>57 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.40	64.56	74.00	-9.44	53.89	27.94	6.90	34.20	10.03	400	57 PEAK	Level (dBuV/m) Date: 2025-08-21  Site : 03CH12-HY Condition: PEAK_74 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.18</td><td>-----</td><td>-----</td><td>84.55</td><td>27.90</td><td>6.90</td><td>34.20</td><td>10.03</td><td>400</td><td>57 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.18	-----	-----	84.55	27.90	6.90	34.20	10.03	400	57 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2484.40	64.56	74.00	-9.44	53.89	27.94	6.90	34.20	10.03	400	57 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	95.18	-----	-----	84.55	27.90	6.90	34.20	10.03	400	57 PEAK																																																																																						
Avg	Level (dBuV/m) Date: 2025-08-21  Site : 03CH12-HY Condition: AVG_BE_54 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.42</td><td>46.22</td><td>54.00</td><td>-7.78</td><td>35.55</td><td>27.94</td><td>6.90</td><td>34.20</td><td>10.03</td><td>400</td><td>57 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.42	46.22	54.00	-7.78	35.55	27.94	6.90	34.20	10.03	400	57 AVERAGE	Level (dBuV/m) Date: 2025-08-21  Site : 03CH12-HY Condition: AVG_54 3m 91200-02114-250702 VERTICAL : RBW:1000.000kHz VBW:1.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>93.75</td><td>-----</td><td>-----</td><td>83.12</td><td>27.90</td><td>6.90</td><td>34.20</td><td>10.03</td><td>400</td><td>57 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.75	-----	-----	83.12	27.90	6.90	34.20	10.03	400	57 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2484.42	46.22	54.00	-7.78	35.55	27.94	6.90	34.20	10.03	400	57 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2480.00	93.75	-----	-----	83.12	27.90	6.90	34.20	10.03	400	57 AVERAGE																																																																																						



Mode	6																																																																																																																									
	Harmonic																																																																																																																									
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz																																																																																																																									
ANT	1																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: PEAK_74 3m 91280-02114-250702 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>43.21</td><td>74.00</td><td>-30.79</td><td>65.93</td><td>33.44</td><td>10.63</td><td>67.38</td><td>0.59</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.27</td><td>74.00</td><td>-27.73</td><td>62.73</td><td>36.74</td><td>13.25</td><td>66.66</td><td>0.21</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	43.21	74.00	-30.79	65.93	33.44	10.63	67.38	0.59	--	PEAK	2	7440.00	46.27	74.00	-27.73	62.73	36.74	13.25	66.66	0.21	--	PEAK	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: PEAK_74 3m 91280-02114-250702 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>67.13</td><td>33.44</td><td>10.63</td><td>67.38</td><td>0.59</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>46.72</td><td>74.00</td><td>-27.28</td><td>63.18</td><td>36.74</td><td>13.25</td><td>66.66</td><td>0.21</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	44.41	74.00	-29.59	67.13	33.44	10.63	67.38	0.59	--	PEAK	2	7440.00	46.72	74.00	-27.28	63.18	36.74	13.25	66.66	0.21	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	43.21	74.00	-30.79	65.93	33.44	10.63	67.38	0.59	--	PEAK																																																																																																															
2	7440.00	46.27	74.00	-27.73	62.73	36.74	13.25	66.66	0.21	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	4960.00	44.41	74.00	-29.59	67.13	33.44	10.63	67.38	0.59	--	PEAK																																																																																																															
2	7440.00	46.72	74.00	-27.28	63.18	36.74	13.25	66.66	0.21	--	PEAK																																																																																																															



Mode	6	
	Harmonic	
	2400-2483.5_Bluetooth-LE GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: AVG_54 3m 91280-02114-250702 HORIZONTAL	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: AVG_54 3m 91280-02114-250702 VERTICAL
	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: AVG_54 3m 91280-02114-250702 HORIZONTAL	Level (dBuV/m) Date: 2025-08-21 Site : 03CH12-HY Condition: AVG_54 3m 91280-02114-250702 VERTICAL



Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
1	Bluetooth - LE for 1Mbps	83.64	2091	0.48	510Hz
1	Bluetooth - LE for 2Mbps	56.41	1056	0.95	1kHz

