











Mode	10																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																														
ANT	1																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.41</td><td>54.86</td><td>74.00</td><td>-19.14</td><td>38.67</td><td>32.36</td><td>8.76</td><td>30.93</td><td>6.00</td><td>233</td><td>128</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.41	54.86	74.00	-19.14	38.67	32.36	8.76	30.93	6.00	233	128	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>101.80</td><td>-----</td><td>-----</td><td>85.53</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>233</td><td>128</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.80	-----	-----	85.53	32.40	8.80	30.93	6.00	233	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2382.41	54.86	74.00	-19.14	38.67	32.36	8.76	30.93	6.00	233	128	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	101.80	-----	-----	85.53	32.40	8.80	30.93	6.00	233	128	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2366.55</td><td>45.27</td><td>54.00</td><td>-8.73</td><td>29.16</td><td>32.33</td><td>8.72</td><td>30.94</td><td>6.00</td><td>233</td><td>128</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2366.55	45.27	54.00	-8.73	29.16	32.33	8.72	30.94	6.00	233	128	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>99.86</td><td>-----</td><td>-----</td><td>83.59</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>233</td><td>128</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	99.86	-----	-----	83.59	32.40	8.80	30.93	6.00	233	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2366.55	45.27	54.00	-8.73	29.16	32.33	8.72	30.94	6.00	233	128	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	99.86	-----	-----	83.59	32.40	8.80	30.93	6.00	233	128	AVERAGE																																																																																																			



Mode	10																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2310.91</td><td>55.85</td><td>74.00</td><td>-18.15</td><td>40.33</td><td>31.99</td><td>8.48</td><td>30.95</td><td>6.00</td><td>100</td><td>151</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2310.91	55.85	74.00	-18.15	40.33	31.99	8.48	30.95	6.00	100	151	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>95.89</td><td>-----</td><td>-----</td><td>79.62</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>100</td><td>151</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	95.89	-----	-----	79.62	32.40	8.80	30.93	6.00	100	151
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2310.91	55.85	74.00	-18.15	40.33	31.99	8.48	30.95	6.00	100	151	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	95.89	-----	-----	79.62	32.40	8.80	30.93	6.00	100	151	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.35</td><td>44.88</td><td>54.00</td><td>-9.12</td><td>28.67</td><td>32.37</td><td>8.77</td><td>30.93</td><td>6.00</td><td>100</td><td>151</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.35	44.88	54.00	-9.12	28.67	32.37	8.77	30.93	6.00	100	151	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>93.92</td><td>-----</td><td>-----</td><td>77.65</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>100</td><td>151</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	93.92	-----	-----	77.65	32.40	8.80	30.93	6.00	100	151
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2387.35	44.88	54.00	-9.12	28.67	32.37	8.77	30.93	6.00	100	151	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	93.92	-----	-----	77.65	32.40	8.80	30.93	6.00	100	151	AVERAGE																																																																																							







Mode	10																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																																																																						
ANT	1																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg	Horizontal Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average limit line at 65.0 dBuV/m (FCC PART 15C (AVG)). Two peaks are marked with vertical lines and numbers 1 and 2.						Vertical Polarization Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot includes a blue signal line, a red limit line at 81.3 dBuV/m (FCC PART 15C), and a red average limit line at 65.0 dBuV/m (FCC PART 15C (AVG)). Two peaks are marked with vertical lines and numbers 1 and 2.																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.26</td><td>74.00</td><td>-33.74</td><td>59.12</td><td>34.29</td><td>12.54</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4993.00</td><td>51.72</td><td>74.00</td><td>-22.28</td><td>70.73</td><td>34.04</td><td>12.29</td><td>65.34</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr><tr><td>3</td><td>4993.00</td><td>41.75</td><td>54.00</td><td>-12.25</td><td>60.76</td><td>34.04</td><td>12.29</td><td>65.34</td><td>0.00</td><td>100</td><td>305</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.26	74.00	-33.74	59.12	34.29	12.54	65.69	0.00	--	--	PEAK	2	4993.00	51.72	74.00	-22.28	70.73	34.04	12.29	65.34	0.00	100	305	PEAK	3	4993.00	41.75	54.00	-12.25	60.76	34.04	12.29	65.34	0.00	100	305	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.80</td><td>74.00</td><td>-34.20</td><td>58.66</td><td>34.29</td><td>12.54</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4999.00</td><td>53.57</td><td>74.00</td><td>-20.43</td><td>72.57</td><td>34.01</td><td>12.32</td><td>65.33</td><td>0.00</td><td>100</td><td>304</td><td>PEAK</td></tr><tr><td>3</td><td>4999.00</td><td>43.49</td><td>54.00</td><td>-10.51</td><td>62.49</td><td>34.01</td><td>12.32</td><td>65.33</td><td>0.00</td><td>100</td><td>304</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.80	74.00	-34.20	58.66	34.29	12.54	65.69	0.00	--	--	PEAK	2	4999.00	53.57	74.00	-20.43	72.57	34.01	12.32	65.33	0.00	100	304	PEAK	3	4999.00	43.49	54.00	-10.51	62.49	34.01	12.32	65.33	0.00	100	304
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4804.00	40.26	74.00	-33.74	59.12	34.29	12.54	65.69	0.00	--	--	PEAK																																																																																																																																											
2	4993.00	51.72	74.00	-22.28	70.73	34.04	12.29	65.34	0.00	100	305	PEAK																																																																																																																																											
3	4993.00	41.75	54.00	-12.25	60.76	34.04	12.29	65.34	0.00	100	305	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4804.00	39.80	74.00	-34.20	58.66	34.29	12.54	65.69	0.00	--	--	PEAK																																																																																																																																											
2	4999.00	53.57	74.00	-20.43	72.57	34.01	12.32	65.33	0.00	100	304	PEAK																																																																																																																																											
3	4999.00	43.49	54.00	-10.51	62.49	34.01	12.32	65.33	0.00	100	304	AVERAGE																																																																																																																																											







Mode	11																																																																																																																		
	Harmonic																																																																																																																		
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal																																																																																																																		
Peak Avg																																																																																																																			
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>4880.00</td><td>39.63</td><td>74.00</td><td>-34.37</td><td>58.91</td><td>34.20</td><td>12.07</td><td>65.55</td><td>0.00</td><td>--</td><td>--</td><td>301</td><td>PEAK</td><td></td></tr><tr><td>2</td><td>4989.00</td><td>52.37</td><td>74.00</td><td>-21.63</td><td>71.38</td><td>34.07</td><td>12.26</td><td>65.34</td><td>0.00</td><td>100</td><td>301</td><td>312</td><td>PEAK</td><td></td></tr><tr><td>3</td><td>4989.00</td><td>41.11</td><td>54.00</td><td>-12.89</td><td>60.12</td><td>34.07</td><td>12.26</td><td>65.34</td><td>0.00</td><td>100</td><td>301</td><td>312</td><td>AVERAGE</td><td></td></tr><tr><td>4</td><td>7320.00</td><td>43.18</td><td>74.00</td><td>-30.82</td><td>57.25</td><td>35.80</td><td>14.98</td><td>64.85</td><td>0.00</td><td>--</td><td>--</td><td>301</td><td>PEAK</td><td></td></tr></table>											Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg					1	4880.00	39.63	74.00	-34.37	58.91	34.20	12.07	65.55	0.00	--	--	301	PEAK		2	4989.00	52.37	74.00	-21.63	71.38	34.07	12.26	65.34	0.00	100	301	312	PEAK		3	4989.00	41.11	54.00	-12.89	60.12	34.07	12.26	65.34	0.00	100	301	312	AVERAGE		4	7320.00	43.18	74.00	-30.82	57.25	35.80	14.98	64.85	0.00	--	--	301	PEAK
Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4880.00	39.63	74.00	-34.37	58.91	34.20	12.07	65.55	0.00	--	--	301	PEAK																																																																																																						
2	4989.00	52.37	74.00	-21.63	71.38	34.07	12.26	65.34	0.00	100	301	312	PEAK																																																																																																						
3	4989.00	41.11	54.00	-12.89	60.12	34.07	12.26	65.34	0.00	100	301	312	AVERAGE																																																																																																						
4	7320.00	43.18	74.00	-30.82	57.25	35.80	14.98	64.85	0.00	--	--	301	PEAK																																																																																																						
Peak Avg																																																																																																																			
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>4880.00</td><td>39.36</td><td>74.00</td><td>-34.64</td><td>58.64</td><td>34.20</td><td>12.07</td><td>65.55</td><td>0.00</td><td>--</td><td>--</td><td>301</td><td>PEAK</td><td></td></tr><tr><td>2</td><td>4989.00</td><td>53.67</td><td>74.00</td><td>-20.33</td><td>72.68</td><td>34.07</td><td>12.26</td><td>65.34</td><td>0.00</td><td>100</td><td>312</td><td>312</td><td>PEAK</td><td></td></tr><tr><td>3</td><td>4989.00</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>62.17</td><td>34.07</td><td>12.26</td><td>65.34</td><td>0.00</td><td>100</td><td>312</td><td>312</td><td>AVERAGE</td><td></td></tr><tr><td>4</td><td>7320.00</td><td>42.69</td><td>74.00</td><td>-31.31</td><td>56.76</td><td>35.80</td><td>14.98</td><td>64.85</td><td>0.00</td><td>--</td><td>--</td><td>301</td><td>PEAK</td><td></td></tr></table>											Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg					1	4880.00	39.36	74.00	-34.64	58.64	34.20	12.07	65.55	0.00	--	--	301	PEAK		2	4989.00	53.67	74.00	-20.33	72.68	34.07	12.26	65.34	0.00	100	312	312	PEAK		3	4989.00	43.16	54.00	-10.84	62.17	34.07	12.26	65.34	0.00	100	312	312	AVERAGE		4	7320.00	42.69	74.00	-31.31	56.76	35.80	14.98	64.85	0.00	--	--	301	PEAK
Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																									
1	4880.00	39.36	74.00	-34.64	58.64	34.20	12.07	65.55	0.00	--	--	301	PEAK																																																																																																						
2	4989.00	53.67	74.00	-20.33	72.68	34.07	12.26	65.34	0.00	100	312	312	PEAK																																																																																																						
3	4989.00	43.16	54.00	-10.84	62.17	34.07	12.26	65.34	0.00	100	312	312	AVERAGE																																																																																																						
4	7320.00	42.69	74.00	-31.31	56.76	35.80	14.98	64.85	0.00	--	--	301	PEAK																																																																																																						







Mode	12																																																						
	Band Edge																																																						
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>60.79</td><td>74.00</td><td>-13.21</td><td>44.48</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>104</td><td>123</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	60.79	74.00	-13.21	44.48	32.40	8.88	30.97	6.00	104	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.74	60.79	74.00	-13.21	44.48	32.40	8.88	30.97	6.00	104	123	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>99.85</td><td>-----</td><td>-----</td><td>83.54</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>104</td><td>123</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.85	-----	-----	83.54	32.40	8.88	30.97	6.00	104	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	99.85	-----	-----	83.54	32.40	8.88	30.97	6.00	104	123	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>46.19</td><td>54.00</td><td>-7.81</td><td>29.88</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>104</td><td>123</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	46.19	54.00	-7.81	29.88	32.40	8.88	30.97	6.00	104	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	46.19	54.00	-7.81	29.88	32.40	8.88	30.97	6.00	104	123	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.41</td><td>-----</td><td>-----</td><td>81.10</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>104</td><td>123</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.41	-----	-----	81.10	32.40	8.88	30.97	6.00	104	123
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2480.00	97.41	-----	-----	81.10	32.40	8.88	30.97	6.00	104	123	AVERAGE																																											







Mode	12																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>56.14</td><td>74.00</td><td>-17.86</td><td>39.83</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>142</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	56.14	74.00	-17.86	39.83	32.40	8.88	30.97	6.00	100	142	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>95.32</td><td>-----</td><td>-----</td><td>79.01</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>142</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.32	-----	-----	79.01	32.40	8.88	30.97	6.00	100	142
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	56.14	74.00	-17.86	39.83	32.40	8.88	30.97	6.00	100	142	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	95.32	-----	-----	79.01	32.40	8.88	30.97	6.00	100	142	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.06</td><td>45.26</td><td>54.00</td><td>-8.74</td><td>28.95</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>142</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.06	45.26	54.00	-8.74	28.95	32.40	8.88	30.97	6.00	100	142	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>93.45</td><td>-----</td><td>-----</td><td>77.14</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>142</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.45	-----	-----	77.14	32.40	8.88	30.97	6.00	100	142
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2488.06	45.26	54.00	-8.74	28.95	32.40	8.88	30.97	6.00	100	142	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	93.45	-----	-----	77.14	32.40	8.88	30.97	6.00	100	142	AVERAGE																																																																																							







Mode	12																																																																																														
	Harmonic																																																																																														
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.83</td><td>74.00</td><td>-33.17</td><td>59.92</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>4989.00</td><td>52.18</td><td>74.00</td><td>-21.82</td><td>71.19</td><td>34.07</td><td>12.26</td><td>65.34</td><td>0.00</td><td>100</td><td>301 PEAK</td></tr><tr><td>3</td><td>4989.00</td><td>41.56</td><td>54.00</td><td>-12.44</td><td>60.57</td><td>34.07</td><td>12.26</td><td>65.34</td><td>0.00</td><td>100</td><td>301 AVERAGE</td></tr><tr><td>4</td><td>7440.00</td><td>43.08</td><td>74.00</td><td>-30.92</td><td>57.26</td><td>35.80</td><td>15.21</td><td>65.19</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>														Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.83	74.00	-33.17	59.92	34.24	12.07	65.40	0.00	--	-- PEAK	2	4989.00	52.18	74.00	-21.82	71.19	34.07	12.26	65.34	0.00	100	301 PEAK	3	4989.00	41.56	54.00	-12.44	60.57	34.07	12.26	65.34	0.00	100	301 AVERAGE	4	7440.00	43.08	74.00	-30.92	57.26	35.80	15.21	65.19	0.00	--
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	4960.00	40.83	74.00	-33.17	59.92	34.24	12.07	65.40	0.00	--	-- PEAK																																																																																				
2	4989.00	52.18	74.00	-21.82	71.19	34.07	12.26	65.34	0.00	100	301 PEAK																																																																																				
3	4989.00	41.56	54.00	-12.44	60.57	34.07	12.26	65.34	0.00	100	301 AVERAGE																																																																																				
4	7440.00	43.08	74.00	-30.92	57.26	35.80	15.21	65.19	0.00	--	-- PEAK																																																																																				
Peak Avg																																																																																															





Mode	13																																																						
	Band Edge																																																						
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																						
ANT	2																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2353.16</td><td>55.41</td><td>74.00</td><td>-18.59</td><td>39.35</td><td>32.31</td><td>8.69</td><td>30.94</td><td>6.00</td><td>110</td><td>134</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2353.16	55.41	74.00	-18.59	39.35	32.31	8.69	30.94	6.00	110	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2353.16	55.41	74.00	-18.59	39.35	32.31	8.69	30.94	6.00	110	134	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.60</td><td>-----</td><td>-----</td><td>84.33</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>110</td><td>134</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.60	-----	-----	84.33	32.40	8.80	30.93	6.00	110	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2402.00	100.60	-----	-----	84.33	32.40	8.80	30.93	6.00	110	134	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.97</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>28.37</td><td>32.37</td><td>8.76</td><td>30.93</td><td>6.00</td><td>110</td><td>134</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.97	44.57	54.00	-9.43	28.37	32.37	8.76	30.93	6.00	110	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2383.97	44.57	54.00	-9.43	28.37	32.37	8.76	30.93	6.00	110	134	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>99.78</td><td>-----</td><td>-----</td><td>83.51</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>110</td><td>134</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	99.78	-----	-----	83.51	32.40	8.80	30.93	6.00	110	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2402.00	99.78	-----	-----	83.51	32.40	8.80	30.93	6.00	110	134	AVERAGE																																											





Mode	13																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																														
ANT	2																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.37</td><td>55.57</td><td>74.00</td><td>-18.43</td><td>39.38</td><td>32.36</td><td>8.76</td><td>30.93</td><td>6.00</td><td>100</td><td>53</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.37	55.57	74.00	-18.43	39.38	32.36	8.76	30.93	6.00	100	53	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>96.45</td><td>-----</td><td>-----</td><td>80.18</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>100</td><td>53</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	96.45	-----	-----	80.18	32.40	8.80	30.93	6.00	100	53
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2381.37	55.57	74.00	-18.43	39.38	32.36	8.76	30.93	6.00	100	53	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	96.45	-----	-----	80.18	32.40	8.80	30.93	6.00	100	53	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>44.66</td><td>54.00</td><td>-9.34</td><td>28.44</td><td>32.38</td><td>8.77</td><td>30.93</td><td>6.00</td><td>100</td><td>53</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	44.66	54.00	-9.34	28.44	32.38	8.77	30.93	6.00	100	53	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>95.50</td><td>-----</td><td>-----</td><td>79.23</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>100</td><td>53</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	95.50	-----	-----	79.23	32.40	8.80	30.93	6.00	100	53
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2389.56	44.66	54.00	-9.34	28.44	32.38	8.77	30.93	6.00	100	53	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	95.50	-----	-----	79.23	32.40	8.80	30.93	6.00	100	53	AVERAGE																																																																																																			







Mode	13																																																																																																																																																																					
	Harmonic																																																																																																																																																																					
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																																																																																					
ANT	2																																																																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																																																																															
Peak Avg																																																																																																																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>40.22</td><td>74.00</td><td>-33.78</td><td>59.08</td><td>34.29</td><td>12.54</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>52.19</td><td>74.00</td><td>-21.81</td><td>71.20</td><td>34.06</td><td>12.27</td><td>65.34</td><td>0.00</td><td>100</td><td>301</td><td>PEAK</td></tr><tr><td>3</td><td>4990.00</td><td>41.47</td><td>54.00</td><td>-12.53</td><td>60.48</td><td>34.06</td><td>12.27</td><td>65.34</td><td>0.00</td><td>100</td><td>301</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4804.00	40.22	74.00	-33.78	59.08	34.29	12.54	65.69	0.00	--	--	PEAK	2	4990.00	52.19	74.00	-21.81	71.20	34.06	12.27	65.34	0.00	100	301	PEAK	3	4990.00	41.47	54.00	-12.53	60.48	34.06	12.27	65.34	0.00	100	301	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>39.93</td><td>74.00</td><td>-34.07</td><td>58.79</td><td>34.29</td><td>12.54</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4999.00</td><td>53.61</td><td>74.00</td><td>-20.39</td><td>72.61</td><td>34.01</td><td>12.32</td><td>65.33</td><td>0.00</td><td>100</td><td>305</td><td>PEAK</td></tr><tr><td>3</td><td>4999.00</td><td>43.43</td><td>54.00</td><td>-10.57</td><td>62.43</td><td>34.01</td><td>12.32</td><td>65.33</td><td>0.00</td><td>100</td><td>305</td><td>AVERAGE</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4804.00	39.93	74.00	-34.07	58.79	34.29	12.54	65.69	0.00	--	--	PEAK	2	4999.00	53.61	74.00	-20.39	72.61	34.01	12.32	65.33	0.00	100	305	PEAK	3	4999.00	43.43	54.00	-10.57	62.43	34.01	12.32	65.33	0.00	100	305	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	4804.00	40.22	74.00	-33.78	59.08	34.29	12.54	65.69	0.00	--	--	PEAK																																																																																																																																																										
2	4990.00	52.19	74.00	-21.81	71.20	34.06	12.27	65.34	0.00	100	301	PEAK																																																																																																																																																										
3	4990.00	41.47	54.00	-12.53	60.48	34.06	12.27	65.34	0.00	100	301	AVERAGE																																																																																																																																																										
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	4804.00	39.93	74.00	-34.07	58.79	34.29	12.54	65.69	0.00	--	--	PEAK																																																																																																																																																										
2	4999.00	53.61	74.00	-20.39	72.61	34.01	12.32	65.33	0.00	100	305	PEAK																																																																																																																																																										
3	4999.00	43.43	54.00	-10.57	62.43	34.01	12.32	65.33	0.00	100	305	AVERAGE																																																																																																																																																										







Mode	14																																																																																						
	Harmonic																																																																																						
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																						
ANT	2																																																																																						
Pol.	Horizontal																																																																																						
Peak Avg																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4880.00</td><td>39.10</td><td>74.00</td><td>-34.90</td><td>58.38</td><td>34.20</td><td>12.07</td><td>65.55</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 4984.00</td><td>52.19</td><td>74.00</td><td>-21.81</td><td>71.21</td><td>34.10</td><td>12.23</td><td>65.35</td><td>0.00</td><td>100</td><td>302 PEAK</td></tr><tr><td>3 4984.00</td><td>41.81</td><td>54.00</td><td>-12.19</td><td>60.83</td><td>34.10</td><td>12.23</td><td>65.35</td><td>0.00</td><td>100</td><td>302 AVERAGE</td></tr><tr><td>4 7320.00</td><td>43.56</td><td>74.00</td><td>-30.44</td><td>57.63</td><td>35.80</td><td>14.98</td><td>64.85</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4880.00	39.10	74.00	-34.90	58.38	34.20	12.07	65.55	0.00	--	-- PEAK	2 4984.00	52.19	74.00	-21.81	71.21	34.10	12.23	65.35	0.00	100	302 PEAK	3 4984.00	41.81	54.00	-12.19	60.83	34.10	12.23	65.35	0.00	100	302 AVERAGE	4 7320.00	43.56	74.00	-30.44	57.63	35.80	14.98	64.85	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 4880.00	39.10	74.00	-34.90	58.38	34.20	12.07	65.55	0.00	--	-- PEAK																																																																													
2 4984.00	52.19	74.00	-21.81	71.21	34.10	12.23	65.35	0.00	100	302 PEAK																																																																													
3 4984.00	41.81	54.00	-12.19	60.83	34.10	12.23	65.35	0.00	100	302 AVERAGE																																																																													
4 7320.00	43.56	74.00	-30.44	57.63	35.80	14.98	64.85	0.00	--	-- PEAK																																																																													
Peak Avg																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 4880.00</td><td>39.77</td><td>74.00</td><td>-34.23</td><td>59.05</td><td>34.20</td><td>12.07</td><td>65.55</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 4999.00</td><td>53.59</td><td>74.00</td><td>-20.41</td><td>72.59</td><td>34.01</td><td>12.32</td><td>65.33</td><td>0.00</td><td>100</td><td>313 PEAK</td></tr><tr><td>3 4999.00</td><td>43.81</td><td>54.00</td><td>-10.19</td><td>62.81</td><td>34.01</td><td>12.32</td><td>65.33</td><td>0.00</td><td>100</td><td>313 AVERAGE</td></tr><tr><td>4 7320.00</td><td>42.79</td><td>74.00</td><td>-31.21</td><td>56.86</td><td>35.80</td><td>14.98</td><td>64.85</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 4880.00	39.77	74.00	-34.23	59.05	34.20	12.07	65.55	0.00	--	-- PEAK	2 4999.00	53.59	74.00	-20.41	72.59	34.01	12.32	65.33	0.00	100	313 PEAK	3 4999.00	43.81	54.00	-10.19	62.81	34.01	12.32	65.33	0.00	100	313 AVERAGE	4 7320.00	42.79	74.00	-31.21	56.86	35.80	14.98	64.85	0.00	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 4880.00	39.77	74.00	-34.23	59.05	34.20	12.07	65.55	0.00	--	-- PEAK																																																																													
2 4999.00	53.59	74.00	-20.41	72.59	34.01	12.32	65.33	0.00	100	313 PEAK																																																																													
3 4999.00	43.81	54.00	-10.19	62.81	34.01	12.32	65.33	0.00	100	313 AVERAGE																																																																													
4 7320.00	42.79	74.00	-31.21	56.86	35.80	14.98	64.85	0.00	--	-- PEAK																																																																													



Mode	15																																																																																																				
	Band Edge																																																																																																				
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																				
ANT	2																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2493.22</td><td>54.70</td><td>74.00</td><td>-19.30</td><td>30.40</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>103</td><td>143</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2493.22	54.70	74.00	-19.30	30.40	32.40	8.87	30.97	6.00	103	143	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>97.97</td><td>-----</td><td>-----</td><td>81.66</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>103</td><td>143</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	97.97	-----	-----	81.66	32.40	8.88	30.97	6.00	103	143
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2493.22	54.70	74.00	-19.30	30.40	32.40	8.87	30.97	6.00	103	143	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2480.00	97.97	-----	-----	81.66	32.40	8.88	30.97	6.00	103	143	PEAK																																																																																									
Avg																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2486.26</td><td>44.53</td><td>54.00</td><td>-9.47</td><td>28.22</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>103</td><td>143</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2486.26	44.53	54.00	-9.47	28.22	32.40	8.88	30.97	6.00	103	143	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>97.14</td><td>-----</td><td>-----</td><td>80.83</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>103</td><td>143</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	97.14	-----	-----	80.83	32.40	8.88	30.97	6.00	103	143
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2486.26	44.53	54.00	-9.47	28.22	32.40	8.88	30.97	6.00	103	143	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	2480.00	97.14	-----	-----	80.83	32.40	8.88	30.97	6.00	103	143	AVERAGE																																																																																									







Mode	15																																																																																															
	Band Edge																																																																																															
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																															
ANT	2																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.54</td><td>55.08</td><td>74.00</td><td>-18.92</td><td>38.77</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>300</td><td>323 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.54	55.08	74.00	-18.92	38.77	32.40	8.88	30.97	6.00	300	323 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>93.83</td><td>-----</td><td>-----</td><td>77.52</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>300</td><td>323 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.83	-----	-----	77.52	32.40	8.88	30.97	6.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2485.54	55.08	74.00	-18.92	38.77	32.40	8.88	30.97	6.00	300	323 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2480.00	93.83	-----	-----	77.52	32.40	8.88	30.97	6.00	300	323 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.14</td><td>44.50</td><td>54.00</td><td>-9.50</td><td>28.20</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>300</td><td>323 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.14	44.50	54.00	-9.50	28.20	32.40	8.87	30.97	6.00	300	323 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>93.01</td><td>-----</td><td>-----</td><td>76.70</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>300</td><td>323 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.01	-----	-----	76.70	32.40	8.88	30.97	6.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2492.14	44.50	54.00	-9.50	28.20	32.40	8.87	30.97	6.00	300	323 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	2480.00	93.01	-----	-----	76.70	32.40	8.88	30.97	6.00	300	323 AVERAGE																																																																																					







Mode	15																																																																																																																																																																																																																																																							
	Harmonic																																																																																																																																																																																																																																																							
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																																																																																																																																							
ANT	2																																																																																																																																																																																																																																																							
Pol.	Horizontal										Vertical																																																																																																																																																																																																																																													
Peak Avg																																																																																																																																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th></tr><tr><td>1</td><td>4960.00</td><td>40.06</td><td>74.00</td><td>-33.94</td><td>59.15</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td colspan="3"></td></tr><tr><td>2</td><td>4984.00</td><td>51.90</td><td>74.00</td><td>-22.10</td><td>70.92</td><td>34.10</td><td>12.23</td><td>65.35</td><td>0.00</td><td>100</td><td>301</td><td>PEAK</td><td colspan="3"></td></tr><tr><td>3</td><td>4984.00</td><td>41.08</td><td>54.00</td><td>-12.92</td><td>60.10</td><td>34.10</td><td>12.23</td><td>65.35</td><td>0.00</td><td>100</td><td>301</td><td>AVERAGE</td><td colspan="3"></td></tr><tr><td>4</td><td>7440.00</td><td>44.20</td><td>74.00</td><td>-29.80</td><td>58.38</td><td>35.80</td><td>15.21</td><td>65.19</td><td>0.00</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td colspan="3"></td></tr></table>												Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg					1	4960.00	40.06	74.00	-33.94	59.15	34.24	12.07	65.40	0.00	0.00	--	--	PEAK				2	4984.00	51.90	74.00	-22.10	70.92	34.10	12.23	65.35	0.00	100	301	PEAK				3	4984.00	41.08	54.00	-12.92	60.10	34.10	12.23	65.35	0.00	100	301	AVERAGE				4	7440.00	44.20	74.00	-29.80	58.38	35.80	15.21	65.19	0.00	0.00	--	--	PEAK				<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th></tr><tr><td>1</td><td>4960.00</td><td>39.82</td><td>74.00</td><td>-34.18</td><td>58.91</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td colspan="3"></td></tr><tr><td>2</td><td>4993.00</td><td>53.40</td><td>74.00</td><td>-20.60</td><td>72.41</td><td>34.04</td><td>12.29</td><td>65.34</td><td>0.00</td><td>100</td><td>307</td><td>PEAK</td><td colspan="3"></td></tr><tr><td>3</td><td>4993.00</td><td>43.37</td><td>54.00</td><td>-10.63</td><td>62.38</td><td>34.04</td><td>12.29</td><td>65.34</td><td>0.00</td><td>100</td><td>307</td><td>AVERAGE</td><td colspan="3"></td></tr><tr><td>4</td><td>7440.00</td><td>42.48</td><td>74.00</td><td>-31.52</td><td>56.66</td><td>35.80</td><td>15.21</td><td>65.19</td><td>0.00</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td colspan="3"></td></tr></table>							Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg					1	4960.00	39.82	74.00	-34.18	58.91	34.24	12.07	65.40	0.00	0.00	--	--	PEAK				2	4993.00	53.40	74.00	-20.60	72.41	34.04	12.29	65.34	0.00	100	307	PEAK				3	4993.00	43.37	54.00	-10.63	62.38	34.04	12.29	65.34	0.00	100	307	AVERAGE				4	7440.00	42.48	74.00	-31.52	56.66	35.80	15.21	65.19	0.00	0.00	--	--	PEAK		
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																												
1	4960.00	40.06	74.00	-33.94	59.15	34.24	12.07	65.40	0.00	0.00	--	--	PEAK																																																																																																																																																																																																																																											
2	4984.00	51.90	74.00	-22.10	70.92	34.10	12.23	65.35	0.00	100	301	PEAK																																																																																																																																																																																																																																												
3	4984.00	41.08	54.00	-12.92	60.10	34.10	12.23	65.35	0.00	100	301	AVERAGE																																																																																																																																																																																																																																												
4	7440.00	44.20	74.00	-29.80	58.38	35.80	15.21	65.19	0.00	0.00	--	--	PEAK																																																																																																																																																																																																																																											
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																												
1	4960.00	39.82	74.00	-34.18	58.91	34.24	12.07	65.40	0.00	0.00	--	--	PEAK																																																																																																																																																																																																																																											
2	4993.00	53.40	74.00	-20.60	72.41	34.04	12.29	65.34	0.00	100	307	PEAK																																																																																																																																																																																																																																												
3	4993.00	43.37	54.00	-10.63	62.38	34.04	12.29	65.34	0.00	100	307	AVERAGE																																																																																																																																																																																																																																												
4	7440.00	42.48	74.00	-31.52	56.66	35.80	15.21	65.19	0.00	0.00	--	--	PEAK																																																																																																																																																																																																																																											





Mode	16																																																																																																														
	Band Edge																																																																																																														
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																														
ANT	2																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2363.82</td><td>55.42</td><td>74.00</td><td>-18.58</td><td>39.32</td><td>32.33</td><td>8.71</td><td>30.94</td><td>6.00</td><td>110</td><td>134</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2363.82	55.42	74.00	-18.58	39.32	32.33	8.71	30.94	6.00	110	134	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>100.24</td><td>-----</td><td>-----</td><td>83.97</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>110</td><td>134</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.24	-----	-----	83.97	32.40	8.80	30.93	6.00	110	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2363.82	55.42	74.00	-18.58	39.32	32.33	8.71	30.94	6.00	110	134	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	100.24	-----	-----	83.97	32.40	8.80	30.93	6.00	110	134	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2352.12</td><td>45.30</td><td>54.00</td><td>-8.70</td><td>29.25</td><td>32.30</td><td>8.69</td><td>30.94</td><td>6.00</td><td>110</td><td>134</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2352.12	45.30	54.00	-8.70	29.25	32.30	8.69	30.94	6.00	110	134	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>98.12</td><td>-----</td><td>-----</td><td>81.85</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>110</td><td>134</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	98.12	-----	-----	81.85	32.40	8.80	30.93	6.00	110	134
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2352.12	45.30	54.00	-8.70	29.25	32.30	8.69	30.94	6.00	110	134	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	98.12	-----	-----	81.85	32.40	8.80	30.93	6.00	110	134	AVERAGE																																																																																																			



Mode	16																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.44</td><td>55.90</td><td>74.00</td><td>-18.10</td><td>39.69</td><td>32.37</td><td>8.77</td><td>30.93</td><td>6.00</td><td>102</td><td>53</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.44	55.90	74.00	-18.10	39.69	32.37	8.77	30.93	6.00	102	53	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>96.29</td><td>-----</td><td>-----</td><td>80.02</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>102</td><td>53</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	96.29	-----	-----	80.02	32.40	8.80	30.93	6.00	102	53
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.44	55.90	74.00	-18.10	39.69	32.37	8.77	30.93	6.00	102	53	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	96.29	-----	-----	80.02	32.40	8.80	30.93	6.00	102	53	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2348.74</td><td>45.45</td><td>54.00</td><td>-8.55</td><td>29.43</td><td>32.29</td><td>8.67</td><td>30.94</td><td>6.00</td><td>102</td><td>53</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2348.74	45.45	54.00	-8.55	29.43	32.29	8.67	30.94	6.00	102	53	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>94.49</td><td>-----</td><td>-----</td><td>78.22</td><td>32.40</td><td>8.80</td><td>30.93</td><td>6.00</td><td>102</td><td>53</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	94.49	-----	-----	78.22	32.40	8.80	30.93	6.00	102	53
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2348.74	45.45	54.00	-8.55	29.43	32.29	8.67	30.94	6.00	102	53	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2402.00	94.49	-----	-----	78.22	32.40	8.80	30.93	6.00	102	53	AVERAGE																																																																																							



Mode	16																																																																																																																																																						
	Harmonic																																																																																																																																																						
	2400-2483.5_Bluetooth-LE_CH00_2402MHz																																																																																																																																																						
ANT	2																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.56</td><td>74.00</td><td>-34.44</td><td>58.42</td><td>34.29</td><td>12.54</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4986.00</td><td>52.39</td><td>74.00</td><td>-21.61</td><td>71.42</td><td>34.08</td><td>12.24</td><td>65.35</td><td>0.00</td><td>100</td><td>301</td><td>PEAK</td></tr><tr><td>3</td><td>4986.00</td><td>41.24</td><td>54.00</td><td>-12.76</td><td>68.27</td><td>34.08</td><td>12.24</td><td>65.35</td><td>0.00</td><td>100</td><td>301</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.56	74.00	-34.44	58.42	34.29	12.54	65.69	0.00	--	--	PEAK	2	4986.00	52.39	74.00	-21.61	71.42	34.08	12.24	65.35	0.00	100	301	PEAK	3	4986.00	41.24	54.00	-12.76	68.27	34.08	12.24	65.35	0.00	100	301	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.67</td><td>74.00</td><td>-33.33</td><td>59.53</td><td>34.29</td><td>12.54</td><td>65.69</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4993.00</td><td>53.58</td><td>74.00</td><td>-20.42</td><td>72.59</td><td>34.04</td><td>12.29</td><td>65.34</td><td>0.00</td><td>100</td><td>309</td><td>PEAK</td></tr><tr><td>3</td><td>4993.00</td><td>43.53</td><td>54.00</td><td>-10.47</td><td>62.54</td><td>34.04</td><td>12.29</td><td>65.34</td><td>0.00</td><td>100</td><td>309</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.67	74.00	-33.33	59.53	34.29	12.54	65.69	0.00	--	--	PEAK	2	4993.00	53.58	74.00	-20.42	72.59	34.04	12.29	65.34	0.00	100	309	PEAK	3	4993.00	43.53	54.00	-10.47	62.54	34.04	12.29	65.34	0.00	100	309
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4804.00	39.56	74.00	-34.44	58.42	34.29	12.54	65.69	0.00	--	--	PEAK																																																																																																																																											
2	4986.00	52.39	74.00	-21.61	71.42	34.08	12.24	65.35	0.00	100	301	PEAK																																																																																																																																											
3	4986.00	41.24	54.00	-12.76	68.27	34.08	12.24	65.35	0.00	100	301	AVERAGE																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	4804.00	40.67	74.00	-33.33	59.53	34.29	12.54	65.69	0.00	--	--	PEAK																																																																																																																																											
2	4993.00	53.58	74.00	-20.42	72.59	34.04	12.29	65.34	0.00	100	309	PEAK																																																																																																																																											
3	4993.00	43.53	54.00	-10.47	62.54	34.04	12.29	65.34	0.00	100	309	AVERAGE																																																																																																																																											



Mode	17																																																																																																																																										
	Harmonic																																																																																																																																										
	2400-2483.5_Bluetooth-LE_CH19_2440MHz																																																																																																																																										
ANT	2																																																																																																																																										
Pol.	Horizontal																																																																																																																																										
Peak Avg																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th><th></th></tr><tr><td>1</td><td>4880.00</td><td>39.88</td><td>74.00</td><td>-34.12</td><td>59.16</td><td>34.20</td><td>12.07</td><td>65.55</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td colspan="4"></td><td>PEAK</td></tr><tr><td>2</td><td>4986.00</td><td>52.14</td><td>74.00</td><td>-21.86</td><td>71.17</td><td>34.08</td><td>12.24</td><td>65.35</td><td>0.00</td><td>100</td><td>303</td><td>303</td><td colspan="4"></td><td>PEAK</td></tr><tr><td>3</td><td>4986.00</td><td>41.26</td><td>54.00</td><td>-12.74</td><td>60.29</td><td>34.08</td><td>12.24</td><td>65.35</td><td>0.00</td><td>100</td><td>303</td><td>303</td><td colspan="4"></td><td>AVERAGE</td></tr><tr><td>4</td><td>7320.00</td><td>42.79</td><td>74.00</td><td>-31.21</td><td>56.86</td><td>35.80</td><td>14.98</td><td>64.85</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td colspan="4"></td><td>PEAK</td></tr></table>																		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg						1	4880.00	39.88	74.00	-34.12	59.16	34.20	12.07	65.55	0.00	--	--	--					PEAK	2	4986.00	52.14	74.00	-21.86	71.17	34.08	12.24	65.35	0.00	100	303	303					PEAK	3	4986.00	41.26	54.00	-12.74	60.29	34.08	12.24	65.35	0.00	100	303	303					AVERAGE	4	7320.00	42.79	74.00	-31.21	56.86	35.80	14.98	64.85	0.00	--	--	--				
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																															
1	4880.00	39.88	74.00	-34.12	59.16	34.20	12.07	65.55	0.00	--	--	--					PEAK																																																																																																																										
2	4986.00	52.14	74.00	-21.86	71.17	34.08	12.24	65.35	0.00	100	303	303					PEAK																																																																																																																										
3	4986.00	41.26	54.00	-12.74	60.29	34.08	12.24	65.35	0.00	100	303	303					AVERAGE																																																																																																																										
4	7320.00	42.79	74.00	-31.21	56.86	35.80	14.98	64.85	0.00	--	--	--					PEAK																																																																																																																										
Peak Avg																																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th><th></th></tr><tr><td>1</td><td>4880.00</td><td>40.52</td><td>74.00</td><td>-33.48</td><td>59.00</td><td>34.20</td><td>12.07</td><td>65.55</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td colspan="4"></td><td>PEAK</td></tr><tr><td>2</td><td>4990.00</td><td>54.13</td><td>74.00</td><td>-19.87</td><td>73.14</td><td>34.06</td><td>12.27</td><td>65.34</td><td>0.00</td><td>100</td><td>316</td><td>316</td><td colspan="4"></td><td>PEAK</td></tr><tr><td>3</td><td>4990.00</td><td>44.07</td><td>54.00</td><td>-9.93</td><td>63.08</td><td>34.06</td><td>12.27</td><td>65.34</td><td>0.00</td><td>100</td><td>316</td><td>316</td><td colspan="4"></td><td>AVERAGE</td></tr><tr><td>4</td><td>7320.00</td><td>42.44</td><td>74.00</td><td>-31.56</td><td>56.51</td><td>35.80</td><td>14.98</td><td>64.85</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td colspan="4"></td><td>PEAK</td></tr></table>																		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg						1	4880.00	40.52	74.00	-33.48	59.00	34.20	12.07	65.55	0.00	--	--	--					PEAK	2	4990.00	54.13	74.00	-19.87	73.14	34.06	12.27	65.34	0.00	100	316	316					PEAK	3	4990.00	44.07	54.00	-9.93	63.08	34.06	12.27	65.34	0.00	100	316	316					AVERAGE	4	7320.00	42.44	74.00	-31.56	56.51	35.80	14.98	64.85	0.00	--	--	--				
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																															
1	4880.00	40.52	74.00	-33.48	59.00	34.20	12.07	65.55	0.00	--	--	--					PEAK																																																																																																																										
2	4990.00	54.13	74.00	-19.87	73.14	34.06	12.27	65.34	0.00	100	316	316					PEAK																																																																																																																										
3	4990.00	44.07	54.00	-9.93	63.08	34.06	12.27	65.34	0.00	100	316	316					AVERAGE																																																																																																																										
4	7320.00	42.44	74.00	-31.56	56.51	35.80	14.98	64.85	0.00	--	--	--					PEAK																																																																																																																										

Mode

18

Band Edge

2400-2483.5_Bluetooth-LE_CH39_2480MHz

ANT


2

Pol.


Horizontal

Fundamental

Peak




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg
1 2483.50	56.66	74.00	-17.34	40.35	32.40	8.88	30.97	6.00	102 143 PEAK




	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg
1 2480.00	97.77	-----	-----	81.46	32.40	8.88	30.97	6.00	102 143 PEAK

Avg







	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg
1 2483.92	45.05	54.00	-8.95	28.74	32.40	8.88	30.97	6.00	102 143 AVERAGE



	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg
1 2480.00	95.48	-----	-----	79.17	32.40	8.88	30.97	6.00	102 143 AVERAGE



Mode	18																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																		
ANT	2																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2499.64</td><td>55.19</td><td>74.00</td><td>-18.81</td><td>38.90</td><td>32.40</td><td>8.87</td><td>30.98</td><td>6.00</td><td>302</td><td>323</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.64	55.19	74.00	-18.81	38.90	32.40	8.87	30.98	6.00	302	323	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>93.89</td><td>-----</td><td>-----</td><td>77.58</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>302</td><td>323</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.89	-----	-----	77.58	32.40	8.88	30.97	6.00	302	323
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2499.64	55.19	74.00	-18.81	38.90	32.40	8.87	30.98	6.00	302	323	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	93.89	-----	-----	77.58	32.40	8.88	30.97	6.00	302	323	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2494.12</td><td>45.32</td><td>54.00</td><td>-8.68</td><td>29.02</td><td>32.40</td><td>8.87</td><td>30.97</td><td>6.00</td><td>302</td><td>323</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2494.12	45.32	54.00	-8.68	29.02	32.40	8.87	30.97	6.00	302	323	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>91.56</td><td>-----</td><td>-----</td><td>75.25</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>302</td><td>323</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	91.56	-----	-----	75.25	32.40	8.88	30.97	6.00	302	323
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2494.12	45.32	54.00	-8.68	29.02	32.40	8.87	30.97	6.00	302	323	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	91.56	-----	-----	75.25	32.40	8.88	30.97	6.00	302	323	AVERAGE																																																																																							







Mode	18																																																																																																																																																																																																																
	Harmonic																																																																																																																																																																																																																
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																																																																																																
ANT	2																																																																																																																																																																																																																
Pol.	Horizontal							Vertical																																																																																																																																																																																																									
Peak Avg																																																																																																																																																																																																																	
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>41.22</td><td>74.00</td><td>-32.78</td><td>60.31</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>--</td><td>--</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>4989.00</td><td>52.06</td><td>74.00</td><td>-21.94</td><td>71.07</td><td>34.07</td><td>12.26</td><td>65.34</td><td>0.00</td><td>100</td><td>305</td><td>312</td><td>PEAK</td></tr><tr><td>3</td><td>4989.00</td><td>41.09</td><td>54.00</td><td>-12.91</td><td>60.10</td><td>34.07</td><td>12.26</td><td>65.34</td><td>0.00</td><td>100</td><td>305</td><td>312</td><td>AVERAGE</td></tr><tr><td>4</td><td>7440.00</td><td>43.69</td><td>74.00</td><td>-30.31</td><td>57.87</td><td>35.80</td><td>15.21</td><td>65.19</td><td>0.00</td><td>--</td><td>--</td><td>305</td><td>PEAK</td></tr></table> <table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="4"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>41.47</td><td>74.00</td><td>-32.53</td><td>60.56</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>--</td><td>--</td><td>305</td><td>PEAK</td></tr><tr><td>2</td><td>4996.00</td><td>53.76</td><td>74.00</td><td>-20.24</td><td>72.77</td><td>34.02</td><td>12.30</td><td>65.33</td><td>0.00</td><td>100</td><td>312</td><td>312</td><td>PEAK</td></tr><tr><td>3</td><td>4996.00</td><td>43.39</td><td>54.00</td><td>-10.61</td><td>62.40</td><td>34.02</td><td>12.30</td><td>65.33</td><td>0.00</td><td>100</td><td>312</td><td>312</td><td>AVERAGE</td></tr><tr><td>4</td><td>7440.00</td><td>43.01</td><td>74.00</td><td>-30.99</td><td>57.19</td><td>35.80</td><td>15.21</td><td>65.19</td><td>0.00</td><td>--</td><td>--</td><td>305</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	4960.00	41.22	74.00	-32.78	60.31	34.24	12.07	65.40	0.00	--	--	305	PEAK	2	4989.00	52.06	74.00	-21.94	71.07	34.07	12.26	65.34	0.00	100	305	312	PEAK	3	4989.00	41.09	54.00	-12.91	60.10	34.07	12.26	65.34	0.00	100	305	312	AVERAGE	4	7440.00	43.69	74.00	-30.31	57.87	35.80	15.21	65.19	0.00	--	--	305	PEAK	Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos					Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	4960.00	41.47	74.00	-32.53	60.56	34.24	12.07	65.40	0.00	--	--	305	PEAK	2	4996.00	53.76	74.00	-20.24	72.77	34.02	12.30	65.33	0.00	100	312	312	PEAK	3	4996.00	43.39	54.00	-10.61	62.40	34.02	12.30	65.33	0.00	100	312	312	AVERAGE	4	7440.00	43.01	74.00	-30.99	57.19	35.80	15.21	65.19	0.00	--	--	305
Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					Remark																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																							
1	4960.00	41.22	74.00	-32.78	60.31	34.24	12.07	65.40	0.00	--	--	305	PEAK																																																																																																																																																																																																				
2	4989.00	52.06	74.00	-21.94	71.07	34.07	12.26	65.34	0.00	100	305	312	PEAK																																																																																																																																																																																																				
3	4989.00	41.09	54.00	-12.91	60.10	34.07	12.26	65.34	0.00	100	305	312	AVERAGE																																																																																																																																																																																																				
4	7440.00	43.69	74.00	-30.31	57.87	35.80	15.21	65.19	0.00	--	--	305	PEAK																																																																																																																																																																																																				
Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					Remark																																																																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																							
1	4960.00	41.47	74.00	-32.53	60.56	34.24	12.07	65.40	0.00	--	--	305	PEAK																																																																																																																																																																																																				
2	4996.00	53.76	74.00	-20.24	72.77	34.02	12.30	65.33	0.00	100	312	312	PEAK																																																																																																																																																																																																				
3	4996.00	43.39	54.00	-10.61	62.40	34.02	12.30	65.33	0.00	100	312	312	AVERAGE																																																																																																																																																																																																				
4	7440.00	43.01	74.00	-30.99	57.19	35.80	15.21	65.19	0.00	--	--	305	PEAK																																																																																																																																																																																																				







Mode	12											
	LF											
	2400-2483.5_Bluetooth-LE_CH39_2480MHz											
ANT	1											
Pol.	Horizontal											
Peak QP												
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
	1	35.82	36.50	40.00	-3.50	47.18	21.28	0.76	32.72	100	25 Peak	
	2	61.04	35.92	40.00	-4.08	55.65	12.20	1.17	33.10	---	---	Peak
	3	91.11	29.83	43.50	-13.67	45.98	15.02	1.45	32.62	---	---	Peak
	4	113.42	33.83	43.50	-9.67	48.67	16.42	1.61	32.87	---	---	Peak
	5	165.80	24.98	43.50	-18.52	39.30	16.61	1.96	32.89	---	---	Peak
6	191.99	22.13	43.50	-21.37	37.63	15.44	2.11	33.05	---	---	Peak	
Vertical												
	Freq	Level	Limit	Over	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		
	1	61.04	27.75	40.00	-12.25	47.48	12.20	1.17	33.10	---	---	Peak
	2	113.42	32.62	43.50	-10.88	47.46	16.42	1.61	32.87	---	---	Peak
	3	179.38	26.91	43.50	-16.59	41.86	16.00	2.03	32.98	---	---	Peak
	4	240.49	24.63	46.00	-21.37	37.46	17.90	2.37	33.10	---	---	Peak
	5	460.68	23.32	46.00	-22.68	29.45	23.31	3.28	32.72	---	---	Peak
6	633.34	27.54	46.00	-18.46	29.93	26.40	3.84	32.63	---	---	Peak	





Mode	48																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.80</td><td>57.57</td><td>74.00</td><td>-16.43</td><td>41.26</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>27</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.80	57.57	74.00	-16.43	41.26	32.40	8.88	30.97	6.00	100	27	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>99.51</td><td>-----</td><td>-----</td><td>83.20</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>27</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.51	-----	-----	83.20	32.40	8.88	30.97	6.00	100	27
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.80	57.57	74.00	-16.43	41.26	32.40	8.88	30.97	6.00	100	27	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	99.51	-----	-----	83.20	32.40	8.88	30.97	6.00	100	27	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2498.00</td><td>45.79</td><td>54.00</td><td>-8.21</td><td>29.50</td><td>32.40</td><td>8.87</td><td>30.98</td><td>6.00</td><td>100</td><td>27</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.00	45.79	54.00	-8.21	29.50	32.40	8.87	30.98	6.00	100	27	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>95.71</td><td>-----</td><td>-----</td><td>79.40</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>100</td><td>27</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.71	-----	-----	79.40	32.40	8.88	30.97	6.00	100	27
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2498.00	45.79	54.00	-8.21	29.50	32.40	8.87	30.98	6.00	100	27	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	95.71	-----	-----	79.40	32.40	8.88	30.97	6.00	100	27	AVERAGE																																																																																							







Mode	48																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>61.00</td><td>74.00</td><td>-13.00</td><td>44.69</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>287</td><td>147</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	61.00	74.00	-13.00	44.69	32.40	8.88	30.97	6.00	287	147	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.87</td><td>-----</td><td>-----</td><td>87.56</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>287</td><td>147</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.87	-----	-----	87.56	32.40	8.88	30.97	6.00	287	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.74	61.00	74.00	-13.00	44.69	32.40	8.88	30.97	6.00	287	147	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	103.87	-----	-----	87.56	32.40	8.88	30.97	6.00	287	147	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>46.34</td><td>54.00</td><td>-7.66</td><td>30.03</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>287</td><td>147</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	46.34	54.00	-7.66	30.03	32.40	8.88	30.97	6.00	287	147	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.23</td><td>-----</td><td>-----</td><td>83.92</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>287</td><td>147</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.23	-----	-----	83.92	32.40	8.88	30.97	6.00	287	147
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.56	46.34	54.00	-7.66	30.03	32.40	8.88	30.97	6.00	287	147	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	100.23	-----	-----	83.92	32.40	8.88	30.97	6.00	287	147	AVERAGE																																																																																							







Mode	48																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																																																				
ANT	1																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>41.41</td><td>74.00</td><td>-32.59</td><td>60.50</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4992.00</td><td>54.69</td><td>74.00</td><td>-19.31</td><td>73.70</td><td>34.05</td><td>12.28</td><td>65.34</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr><tr><td>3</td><td>4992.00</td><td>44.45</td><td>54.00</td><td>-9.55</td><td>63.46</td><td>34.05</td><td>12.28</td><td>65.34</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr><tr><td>4</td><td>7440.00</td><td>43.93</td><td>74.00</td><td>-30.07</td><td>58.11</td><td>35.80</td><td>15.21</td><td>65.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.41	74.00	-32.59	60.50	34.24	12.07	65.40	0.00	--	--	PEAK	2	4992.00	54.69	74.00	-19.31	73.70	34.05	12.28	65.34	0.00	100	295	PEAK	3	4992.00	44.45	54.00	-9.55	63.46	34.05	12.28	65.34	0.00	100	295	AVERAGE	4	7440.00	43.93	74.00	-30.07	58.11	35.80	15.21	65.19	0.00	--	--	PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>41.20</td><td>74.00</td><td>-32.80</td><td>60.29</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4989.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>66.73</td><td>34.07</td><td>12.26</td><td>65.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>43.46</td><td>74.00</td><td>-30.54</td><td>57.64</td><td>35.80</td><td>15.21</td><td>65.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.20	74.00	-32.80	60.29	34.24	12.07	65.40	0.00	--	--	PEAK	2	4989.00	47.72	74.00	-26.28	66.73	34.07	12.26	65.34	0.00	--	--	PEAK	3	7440.00	43.46	74.00	-30.54	57.64	35.80	15.21	65.19	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	4960.00	41.41	74.00	-32.59	60.50	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																																									
2	4992.00	54.69	74.00	-19.31	73.70	34.05	12.28	65.34	0.00	100	295	PEAK																																																																																																																																																									
3	4992.00	44.45	54.00	-9.55	63.46	34.05	12.28	65.34	0.00	100	295	AVERAGE																																																																																																																																																									
4	7440.00	43.93	74.00	-30.07	58.11	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	4960.00	41.20	74.00	-32.80	60.29	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																																									
2	4989.00	47.72	74.00	-26.28	66.73	34.07	12.26	65.34	0.00	--	--	PEAK																																																																																																																																																									
3	7440.00	43.46	74.00	-30.54	57.64	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																																									



Mode	48																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																		
ANT	3																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.92</td><td>57.81</td><td>74.00</td><td>-16.19</td><td>41.50</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>284</td><td>310</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.92	57.81	74.00	-16.19	41.50	32.40	8.88	30.97	6.00	284	310	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>99.09</td><td>-----</td><td>-----</td><td>82.78</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>284</td><td>310</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.09	-----	-----	82.78	32.40	8.88	30.97	6.00	284	310
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.92	57.81	74.00	-16.19	41.50	32.40	8.88	30.97	6.00	284	310	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	99.09	-----	-----	82.78	32.40	8.88	30.97	6.00	284	310	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>45.20</td><td>54.00</td><td>-8.80</td><td>28.89</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>284</td><td>310</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	45.20	54.00	-8.80	28.89	32.40	8.88	30.97	6.00	284	310	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>95.11</td><td>-----</td><td>-----</td><td>78.80</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>284</td><td>310</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.11	-----	-----	78.80	32.40	8.88	30.97	6.00	284	310
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	45.20	54.00	-8.80	28.89	32.40	8.88	30.97	6.00	284	310	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	95.11	-----	-----	78.80	32.40	8.88	30.97	6.00	284	310	AVERAGE																																																																																							



Mode	48																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																		
ANT	3																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>60.44</td><td>74.00</td><td>-13.56</td><td>44.13</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>287</td><td>148</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	60.44	74.00	-13.56	44.13	32.40	8.88	30.97	6.00	287	148	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>103.20</td><td>-----</td><td>-----</td><td>86.89</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>287</td><td>148</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	103.20	-----	-----	86.89	32.40	8.88	30.97	6.00	287	148
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	60.44	74.00	-13.56	44.13	32.40	8.88	30.97	6.00	287	148	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	103.20	-----	-----	86.89	32.40	8.88	30.97	6.00	287	148	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>45.27</td><td>54.00</td><td>-8.73</td><td>28.96</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>287</td><td>148</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	45.27	54.00	-8.73	28.96	32.40	8.88	30.97	6.00	287	148	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>99.67</td><td>-----</td><td>-----</td><td>83.36</td><td>32.40</td><td>8.88</td><td>30.97</td><td>6.00</td><td>287</td><td>148</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	99.67	-----	-----	83.36	32.40	8.88	30.97	6.00	287	148
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2483.50	45.27	54.00	-8.73	28.96	32.40	8.88	30.97	6.00	287	148	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	99.67	-----	-----	83.36	32.40	8.88	30.97	6.00	287	148	AVERAGE																																																																																							




Mode	48																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	2400-2483.5_Bluetooth-LE_CH39_2480MHz																																																																																																																																																																			
ANT	3																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.97</td><td>74.00</td><td>-33.03</td><td>60.06</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4981.00</td><td>54.38</td><td>74.00</td><td>-19.62</td><td>73.42</td><td>34.11</td><td>12.21</td><td>65.36</td><td>0.00</td><td>100</td><td>292</td><td>PEAK</td></tr><tr><td>3</td><td>4981.00</td><td>44.11</td><td>54.00</td><td>-9.89</td><td>63.15</td><td>34.11</td><td>12.21</td><td>65.36</td><td>0.00</td><td>100</td><td>292</td><td>AVERAGE</td></tr><tr><td>4</td><td>7440.00</td><td>44.10</td><td>74.00</td><td>-29.90</td><td>58.28</td><td>35.80</td><td>15.21</td><td>65.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.97	74.00	-33.03	60.06	34.24	12.07	65.40	0.00	--	--	PEAK	2	4981.00	54.38	74.00	-19.62	73.42	34.11	12.21	65.36	0.00	100	292	PEAK	3	4981.00	44.11	54.00	-9.89	63.15	34.11	12.21	65.36	0.00	100	292	AVERAGE	4	7440.00	44.10	74.00	-29.90	58.28	35.80	15.21	65.19	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>41.60</td><td>74.00</td><td>-32.40</td><td>60.69</td><td>34.24</td><td>12.07</td><td>65.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>4981.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>66.30</td><td>34.11</td><td>12.21</td><td>65.36</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>7440.00</td><td>43.46</td><td>74.00</td><td>-30.54</td><td>57.64</td><td>35.80</td><td>15.21</td><td>65.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	41.60	74.00	-32.40	60.69	34.24	12.07	65.40	0.00	--	--	PEAK	2	4981.00	47.26	74.00	-26.74	66.30	34.11	12.21	65.36	0.00	--	--	PEAK	3	7440.00	43.46	74.00	-30.54	57.64	35.80	15.21	65.19	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	4960.00	40.97	74.00	-33.03	60.06	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																																								
2	4981.00	54.38	74.00	-19.62	73.42	34.11	12.21	65.36	0.00	100	292	PEAK																																																																																																																																																								
3	4981.00	44.11	54.00	-9.89	63.15	34.11	12.21	65.36	0.00	100	292	AVERAGE																																																																																																																																																								
4	7440.00	44.10	74.00	-29.90	58.28	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	4960.00	41.60	74.00	-32.40	60.69	34.24	12.07	65.40	0.00	--	--	PEAK																																																																																																																																																								
2	4981.00	47.26	74.00	-26.74	66.30	34.11	12.21	65.36	0.00	--	--	PEAK																																																																																																																																																								
3	7440.00	43.46	74.00	-30.54	57.64	35.80	15.21	65.19	0.00	--	--	PEAK																																																																																																																																																								

Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1	Bluetooth LE 1Mbps	62.27	0.3899	2.565	2.7kHz
1	Bluetooth LE 2Mbps	33.56	0.2101	4.759	5.1kHz
2	Bluetooth LE 1Mbps	62.50	0.3913	2.556	2.7kHz
2	Bluetooth LE 2Mbps	33.33	0.2087	4.792	5.1kHz


<Ant. 1>

Bluetooth LE 1Mbps






Bluetooth LE 2Mbps



<Ant. 2>

Bluetooth LE 1Mbps



Bluetooth LE 2Mbps

