






802.11ax40, Low Channel, Bandedge, Horizontal**802.11ax40, Low Channel, Bandedge, Vertical****802.11ax40, High Channel, Bandedge, Horizontal****802.11ax40, High Channel, Bandedge, Vertical**

**802.11ac80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80 U-NII-1 middle channel 5210MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5144.20	57.39	6.50	63.89	74.00	10.11	Peak
2	5144.20	42.52	6.50	49.02	54.00	4.98	Average
3	5150.00	53.02	6.53	59.55	74.00	14.45	Peak
4	5150.00	42.66	6.53	49.19	54.00	4.81	Average
5	5350.00	51.58	7.10	58.68	74.00	15.32	Peak
6	5350.00	39.53	7.10	46.63	54.00	7.37	Average

**802.11ac80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80 U-NII-1 middle channel 5210MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5143.99	59.71	6.50	66.21	74.00	7.79	Peak
2	5143.99	43.35	6.50	49.85	54.00	4.15	Average
3	5150.00	54.69	6.53	61.22	74.00	12.78	Peak
4	5150.00	42.56	6.53	49.09	54.00	4.91	Average
5	5350.00	51.45	7.10	58.55	74.00	15.45	Peak
6	5350.00	39.62	7.10	46.72	54.00	7.28	Average

**802.11ax80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80 U-NII-1 middle channel 5210MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.09	6.53	55.62	74.00	18.38	Peak
2	5150.00	38.91	6.53	45.44	54.00	8.56	Average
3	5350.00	49.69	7.10	56.79	74.00	17.21	Peak
4	5350.00	38.05	7.10	45.15	54.00	8.85	Average





**802.11ax80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80 U-NII-1 middle channel 5210MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	50.79	6.53	57.32	74.00	16.68	Peak
2	5150.00	39.15	6.53	45.68	54.00	8.32	Average
3	5350.00	49.04	7.10	56.14	74.00	17.86	Peak
4	5350.00	37.42	7.10	44.52	54.00	9.48	Average

5250-5350MHz:**Chain 0****802.11a, Low Channel, Bandedge, Horizontal****802.11a, Low Channel, Bandedge, Vertical****802.11a, High Channel, Bandedge, Horizontal****802.11a, High Channel, Bandedge, Vertical**

Chain 1

802.11a, Low Channel, Bandedge, Horizontal


Project No.: 2502P26130E-RF Serial No.: 2X80-2
Polarization: Horizontal Tester: Bill Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2A low channel 5260MHz chain1
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.50	6.53	56.03	74.00	17.97	Peak
2	5150.00	38.33	6.53	44.86	54.00	9.14	Average

802.11a, Low Channel, Bandedge, Vertical


Project No.: 2502P26130E-RF Serial No.: 2X80-2
Polarization: Vertical Tester: Bill Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2A low channel 5260MHz chain1
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.65	6.53	56.18	74.00	17.82	Peak
2	5150.00	39.76	6.53	46.29	54.00	7.71	Average

802.11a, High Channel, Bandedge, Horizontal


Project No.: 2502P26130E-RF Serial No.: 2X80-2
Polarization: Horizontal Tester: Bill Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2A high channel 5330MHz chain1
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz







No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	49.80	7.10	56.90	74.00	17.10	Peak
2	5350.00	39.40	7.10	46.50	54.00	7.50	Average

802.11a, High Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF Serial No.: 2X80-2
Polarization: Vertical Tester: Bill Yang
Test Mode: Transmitting
Note: 802.11a U-NII-2A high channel 5330MHz chain1
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	53.82	7.10	60.92	74.00	13.08	Peak
2	5350.00	43.03	7.10	50.13	54.00	3.87	Average
3	5352.38	57.31	7.11	64.42	74.00	9.58	Peak
4	5352.38	41.43	7.11	48.54	54.00	5.46	Average

MIMO mode:**802.11n20, Low Channel, Bandedge, Horizontal****802.11n20, Low Channel, Bandedge, Vertical****802.11n20, High Channel, Bandedge, Horizontal****802.11n20, High Channel, Bandedge, Vertical**

802.11n40, Low Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-2A low channel 5270MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2XB0-2
Tester: Bill Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.34	6.53	55.87	74.00	18.13	Peak
2	5150.00	38.63	6.53	45.16	54.00	8.84	Average

802.11n40, Low Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-2A low channel 5270MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2XB0-2
Tester: Bill Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.90	6.53	56.43	74.00	17.57	Peak
2	5150.00	38.50	6.53	45.03	54.00	8.97	Average

802.11n40, High Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-2A high channel 5310MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2XB0-2
Tester: Bill Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	50.10	7.10	57.20	74.00	16.80	Peak
2	5350.00	39.09	7.10	46.19	54.00	7.81	Average

802.11n40, High Channel, Bandedge, Vertical


Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-2A high channel 5310MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz

Serial No.: 2XB0-2
Tester: Bill Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	54.38	7.10	61.48	74.00	12.52	Peak
2	5350.00	42.59	7.10	49.69	54.00	4.31	Average


802.11ax20, Low Channel, Bandedge, Horizontal




802.11ax20, Low Channel, Bandedge, Vertical







802.11ax20, High Channel, Bandedge, Horizontal



802.11ax20, High Channel, Bandedge, Vertical




802.11ax40, Low Channel, Bandedge, Horizontal**802.11ax40, Low Channel, Bandedge, Vertical****802.11ax40, High Channel, Bandedge, Horizontal****802.11ax40, High Channel, Bandedge, Vertical**

**802.11ac80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80 U-NII-2A middle channel 5200MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.45	6.53	55.98	74.00	18.02	Peak
2	5150.00	38.87	6.53	45.40	54.00	8.60	Average
3	5350.00	52.15	7.10	59.25	74.00	14.75	Peak
4	5350.00	40.28	7.10	47.38	54.00	6.62	Average
5	5362.98	55.13	7.16	62.29	74.00	11.71	Peak
6	5362.98	39.68	7.16	46.84	54.00	7.16	Average

**802.11ac80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80 U-NII-2A middle channel 5200MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	50.41	6.53	56.94	74.00	17.06	Peak
2	5150.00	39.30	6.53	45.83	54.00	8.17	Average
3	5350.00	60.39	7.10	67.49	74.00	6.51	Peak
4	5350.00	43.25	7.10	50.35	54.00	3.65	Average
5	5353.20	61.36	7.11	68.47	74.00	5.53	Peak
6	5353.20	45.01	7.11	52.12	54.00	1.88	Average

**802.11ax80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80 U-NII-2A middle channel 5200MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	47.71	6.53	54.24	74.00	19.76	Peak
2	5150.00	37.68	6.53	44.21	54.00	9.79	Average
3	5350.00	49.02	7.10	56.12	74.00	17.88	Peak
4	5350.00	38.66	7.10	45.76	54.00	8.24	Average

**802.11ax80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80 U-NII-2A middle channel 5200MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5150.00	49.50	6.53	56.03	74.00	17.97	Peak
2	5150.00	37.94	6.53	44.47	54.00	9.53	Average
3	5350.00	50.77	7.10	57.87	74.00	16.13	Peak
4	5350.00	39.53	7.10	46.63	54.00	7.37	Average


5470-5725MHz:

Chain 0


802.11a, Low Channel, Bandedge, Horizontal




802.11a, Low Channel, Bandedge, Vertical



802.11a, High Channel, Bandedge, Horizontal



802.11a, High Channel, Bandedge, Vertical




Chain 1

802.11a, Low Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a, U-NII-2C low channel 5500MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5KHz

Serial No.: 2XB0-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	51.82	7.33	59.15	74.00	14.85	Peak
2	5460.00	39.24	7.33	46.57	54.00	7.43	Average
3	5470.00	51.67	7.34	59.01	68.20	9.19	Peak

802.11a, Low Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a, U-NII-2C low channel 5500MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz Ave: RBW:1MHz, VBW:5KHz

Serial No.: 2XB0-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	52.60	7.33	59.93	74.00	14.07	Peak
2	5460.00	40.16	7.33	47.49	54.00	6.51	Average
3	5470.00	55.42	7.34	62.76	68.20	5.44	Peak

802.11a, High Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a, U-NII-2C high channel 5700MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2XB0-2
Tester: Colin Yang




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	50.52	8.03	58.55	68.20	9.65	Peak
2	5766.88	52.32	8.11	60.43	68.20	7.77	Peak





802.11a, High Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a, U-NII-2C high channel 5700MHz Chain 1
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2XB0-2
Tester: Colin Yang



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	55.96	8.03	63.99	68.20	4.21	Peak


MIMO mode:**802.11n20, Low Channel, Bandedge, Horizontal****802.11n20, Low Channel, Bandedge, Vertical****802.11n20, High Channel, Bandedge, Horizontal****802.11n20, High Channel, Bandedge, Vertical**

802.11n40, Low Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-2C low channel 5510MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: ZXBO-2
Tester: Leo Xiao

Date: 2025-02-23




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	49.85	7.33	57.18	74.00	16.82	Peak
2	5460.00	39.45	7.33	46.78	54.00	7.22	Average
3	5470.00	51.11	7.34	58.45	68.20	9.75	Peak

802.11n40, Low Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-2C low channel 5510MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz

Serial No.: ZXBO-2
Tester: Leo Xiao

Date: 2025-02-23




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	52.74	7.33	60.07	74.00	13.93	Peak
2	5460.00	43.82	7.33	51.15	54.00	2.85	Average
3	5470.00	58.50	7.34	65.84	68.20	2.36	Peak

802.11n40, High Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40_U-NII-2C high channel 5670MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: ZXBO-2
Tester: Leo Xiao

Date: 2025-02-23




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	50.34	8.03	58.37	68.20	9.83	Peak

802.11n40, High Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40_U-NII-2C high channel 5670MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: ZXBO-2
Tester: Leo Xiao

Date: 2025-02-23




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	51.07	8.03	59.10	68.20	9.10	Peak
2	5725.12	55.36	8.03	63.39	68.20	4.81	Peak

802.11ax20, Low Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2C low channel 5500MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz


Serial No.: 2X80-2
Tester: Leo Xiao



802.11ax20, Low Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2C low channel 5500MHz
Peak: RBW:1MHz, VBW:30Hz Ave:RBW:1MHz, VBW:5kHz


Serial No.: 2X80-2
Tester: Leo Xiao



802.11ax20, High Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2C high channel 5700MHz
Peak: RBW:1MHz, VBW:30Hz


Serial No.: 2X80-2
Tester: Leo Xiao







802.11ax20, High Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-2C high channel 5700MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2X80-2
Tester: Leo Xiao




802.11ax40, Low Channel, Bandedge, Horizontal**802.11ax40, Low Channel, Bandedge, Vertical****802.11ax40, High Channel, Bandedge, Horizontal****802.11ax40, High Channel, Bandedge, Vertical**

802.11ac80, Low Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C low channel 5530MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2X80-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	49.10	7.33	56.43	74.00	17.57	Peak
2	5460.00	39.54	7.33	46.87	54.00	7.13	Average
3	5470.00	49.77	7.34	57.11	68.20	11.09	Peak

802.11ac80, Low Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C low channel 5530MHz
Peak: RBW:1MHz, VBW:30Hz Ave: RBW:1MHz, VBW:5kHz

Serial No.: 2X80-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5460.00	53.16	7.33	60.49	74.00	13.51	Peak
2	5460.00	43.18	7.33	50.51	54.00	3.49	Average
3	5468.15	57.90	7.34	65.24	68.20	2.96	Peak
4	5470.00	54.45	7.34	61.79	68.20	6.41	Peak

802.11ac80, High Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C high channel 5610MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2X80-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	49.35	8.03	57.38	68.20	10.82	Peak





802.11ac80, High Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2C high channel 5610MHz
Peak: RBW:1MHz, VBW:30Hz

Serial No.: 2X80-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	50.60	8.03	58.63	68.20	9.57	Peak
2	5749.55	56.06	8.08	64.14	68.20	4.06	Peak

802.11ax80, Low Channel, Bandedge, Horizontal**802.11ax80, Low Channel, Bandedge, Vertical****802.11ax80, High Channel, Bandedge, Horizontal****802.11ax80, High Channel, Bandedge, Vertical**


5725-5850MHz:

Chain 0


802.11a, Low Channel, Bandedge, Horizontal




802.11a, Low Channel, Bandedge, Vertical



802.11a, High Channel, Bandedge, Horizontal



802.11a, High Channel, Bandedge, Vertical




Chain 1

802.11a, Low Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a, U-NII-3 low channel 5745MHz Chain1
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.91	7.89	56.80	68.20	11.40	Peak
2	5700.00	49.23	7.98	57.21	105.20	47.99	Peak
3	5720.00	50.25	8.02	58.27	110.80	52.53	Peak
4	5725.00	49.44	8.03	57.47	122.20	64.73	Peak

802.11a, Low Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a, U-NII-3 low channel 5745MHz Chain1
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.51	7.89	56.40	68.20	11.80	Peak
2	5700.00	49.58	7.98	57.56	105.20	47.64	Peak
3	5720.00	51.06	8.02	59.08	110.80	51.72	Peak
4	5725.00	52.04	8.03	60.07	122.20	62.13	Peak

802.11a, High Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11a, U-NII-3 high channel 5825MHz Chain1
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	49.22	8.20	57.42	122.20	64.78	Peak
2	5855.00	49.18	8.21	57.39	110.80	53.41	Peak
3	5875.00	49.08	8.28	57.36	105.20	47.84	Peak
4	5925.00	49.21	8.40	57.61	68.20	10.59	Peak

802.11a, High Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11a, U-NII-3 high channel 5825MHz Chain1
Peak: RBW:1MHz, VBW:3MHz


Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	50.90	8.20	59.10	122.20	63.10	Peak
2	5855.00	50.46	8.21	58.67	110.80	52.13	Peak
3	5875.00	50.08	8.28	58.36	105.20	46.84	Peak
4	5925.00	49.51	8.40	57.91	68.20	10.29	Peak

MIMO mode:


802.11n20, Low Channel, Bandedge, Horizontal




802.11n20, Low Channel, Bandedge, Vertical



802.11n20, High Channel, Bandedge, Horizontal



802.11n20, High Channel, Bandedge, Vertical




802.11n40, Low Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40 U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2X80-2
Tester: Leo Xiao

Date: 2025-02-23




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	49.93	7.89	57.82	68.20	10.38	Peak
2	5700.00	50.41	7.98	58.39	105.20	46.81	Peak
3	5720.00	58.18	8.02	66.20	110.80	44.60	Peak
4	5725.00	59.41	8.03	67.44	122.20	54.76	Peak

802.11n40, Low Channel, Bandedge, Vertical

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40 U-NII-3 low channel 5755MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2X80-2
Tester: Leo Xiao

Date: 2025-02-23




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	49.27	7.89	57.16	68.20	11.04	Peak
2	5700.00	55.76	7.98	63.74	105.20	41.46	Peak
3	5720.00	68.84	8.02	76.86	110.80	33.94	Peak
4	5725.00	70.16	8.03	78.19	122.20	44.01	Peak

802.11n40, High Channel, Bandedge, Horizontal

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11n40 U-NII-3 high channel 5795MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2X80-2
Tester: Leo Xiao

Date: 2025-02-23




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	49.68	8.20	57.88	122.20	64.32	Peak
2	5855.00	49.04	8.21	57.25	110.80	53.55	Peak
3	5875.00	49.77	8.28	58.05	105.20	47.15	Peak
4	5925.00	49.08	8.40	57.48	68.20	10.72	Peak

802.11n40, High Channel, Bandedge, Vertical





Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11n40 U-NII-3 high channel 5795MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2X80-2
Tester: Leo Xiao


Date: 2025-02-23




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	56.67	8.20	64.87	122.20	57.33	Peak
2	5855.00	54.24	8.21	62.45	110.80	48.35	Peak
3	5875.00	50.67	8.28	58.95	105.20	46.25	Peak
4	5925.00	49.42	8.40	57.82	68.20	10.38	Peak

802.11ax20, Low Channel, Bandedge, Horizontal**802.11ax20, Low Channel, Bandedge, Vertical****802.11ax20, High Channel, Bandedge, Horizontal****802.11ax20, High Channel, Bandedge, Vertical**


802.11ax40, Low Channel, Bandedge, Horizontal




802.11ax40, Low Channel, Bandedge, Vertical



802.11ax40, High Channel, Bandedge, Horizontal




802.11ax40, High Channel, Bandedge, Vertical



**802.11ac80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	49.48	7.89	57.37	68.20	10.83	Peak
2	5700.00	54.47	7.98	62.45	105.20	42.75	Peak
3	5720.00	54.48	8.02	62.50	110.80	48.30	Peak
4	5725.00	53.96	8.03	61.99	122.20	60.21	Peak
5	5850.00	53.22	8.20	61.42	122.20	60.78	Peak
6	5855.00	54.06	8.21	62.27	110.80	48.53	Peak
7	5875.00	49.29	8.28	57.57	105.20	47.63	Peak
8	5925.00	50.14	8.40	58.54	68.20	9.66	Peak

**802.11ac80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5645.97	55.81	7.89	63.70	68.20	4.50	Peak
2	5650.00	50.74	7.89	58.63	68.20	9.57	Peak
3	5700.00	63.83	7.98	71.81	105.20	33.39	Peak
4	5720.00	65.18	8.02	73.20	110.80	37.60	Peak
5	5725.00	62.10	8.03	70.13	122.20	52.07	Peak
6	5850.00	61.85	8.20	70.05	122.20	52.15	Peak
7	5855.00	60.85	8.21	69.06	110.80	41.74	Peak
8	5875.00	56.39	8.28	64.67	105.20	40.53	Peak
9	5925.00	52.19	8.40	60.59	68.20	7.61	Peak
10	5927.28	53.87	8.40	62.27	68.20	5.93	Peak

**802.11ax80, Middle Channel, Bandedge,
Horizontal**

Project No.: 2502P26130E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XB0-2
Tester: Leo Xiao




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	50.18	7.89	58.07	68.20	10.13	Peak
2	5700.00	54.62	7.98	62.60	105.20	42.60	Peak
3	5720.00	56.12	8.02	64.14	110.80	46.66	Peak
4	5725.00	56.03	8.03	64.06	122.20	58.14	Peak
5	5850.00	56.43	8.20	64.63	122.20	57.57	Peak
6	5855.00	55.47	8.21	63.68	110.80	47.12	Peak
7	5875.00	49.87	8.28	58.15	105.20	47.05	Peak
8	5925.00	49.59	8.40	57.99	68.20	10.21	Peak

**802.11ax80, Middle Channel, Bandedge,
Vertical**

Project No.: 2502P26130E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:30Hz

Serial No.: 2XB0-2
Tester: Leo Xiao



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5609.38	57.03	7.76	64.79	68.20	3.41	Peak
2	5650.00	53.79	7.89	61.68	68.20	6.52	Peak
3	5700.00	64.65	7.98	72.63	105.20	32.57	Peak
4	5720.00	66.75	8.02	74.77	110.80	36.03	Peak
5	5725.00	67.72	8.03	75.75	122.20	46.45	Peak
6	5850.00	66.55	8.20	74.75	122.20	47.45	Peak
7	5855.00	66.11	8.21	74.32	110.80	36.48	Peak
8	5875.00	58.91	8.28	67.19	105.20	38.01	Peak
9	5925.00	50.48	8.40	58.88	68.20	9.32	Peak

5.3 26dB attenuated below the channel power

Serial No.:	2XBO-1	Test Date:	2025/04/15~2025/05/07
Test Site:	RF	Test Mode:	Transmitting
Tester:	Tower Qing	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	23.8~26	Relative Humidity: (%)	42~69	ATM Pressure: (kPa)	100.7~100.8
-----------------------------	---------	----------------------------------	-------	-------------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2024/06/13	2025/06/12
R&S	Spectrum Analyzer	FSV40	101589	2024/09/05	2025/09/04


** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:

The channel power please refer to the power test result. Please refer to the following plots.


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 20.APR.2025 21:06:08

802.11a_5200MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 7.MAY.2025 15:55:18

802.11a_5240MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 7.MAY.2025 15:56:42

802.11a_5180MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 15.APR.2025 18:19:45

802.11a_5200MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 15.APR.2025 18:21:16

802.11a_5240MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 15.APR.2025 18:21:53

802.11n20_5180MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:07:03

802.11n20_5200MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:08:05

802.11n20_5240MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:09:11

802.11n20_5180MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:10:25

802.11n20_5200MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:19:13

802.11n20_5240MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:19:51

802.11n40_5190MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:09:49

802.11n40_5230MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:10:39

802.11n40_5190MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:20:30

802.11n40_5230MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:21:10

802.11ac80_5210MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:13:03

802.11ac80_5210MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:21:44

802.11ax20_5180MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:14:07

802.11ax20_5200MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:14:51

802.11ax20_5240MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:15:22

802.11ax20_5180MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:22:22

802.11ax20_5200MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:23:04

802.11ax20_5240MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:23:41

802.11ax40_5190MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:15:56

802.11ax40_5230MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:16:41

802.11ax40_5190MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:24:17

802.11ax40_5230MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:25:05

802.11ax80_5210MHz_RU_Full_Chain 0



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:17:23

802.11ax80_5210MHz_RU_Full_Chain 1



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 20.APR.2025 21:25:43

5.4 Emission Bandwidth

Serial No.:	2XBO-1	Test Date:	2025/02/06~2025/02/13
Test Site:	RF	Test Mode:	Transmitting
Tester:	Tower Qing	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	20.9~21.6	Relative Humidity: (%)	42~52	ATM Pressure: (kPa)	101.2~101.4
-------------------------------	-----------	---------------------------------------	-------	--------------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2024/06/13	2025/06/12
R&S	Spectrum Analyzer	FSV40	101589	2024/09/05	2025/09/04

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Test Data:

**26dB Emission Bandwidth
5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5180	21.204
		5200	21.099
		5240	21.303
	Chain 1	5180	21.502
		5200	21.364
		5240	20.849
802.11n20	Chain 0	5180	26.498
		5200	26.020
		5240	21.499
	Chain 1	5180	21.232
		5200	21.198
		5240	21.449
802.11n40	Chain 0	5190	70.734
		5230	71.922
	Chain 1	5190	81.862
		5230	92.342
802.11ac80	Chain 0	5210	137.044
	Chain 1	5210	178.151
802.11ax20_RU_Full	Chain 0	5180	42.990
		5200	28.775
		5240	26.734
	Chain 1	5180	47.094
		5200	47.287
		5240	49.121
802.11ax40_RU_Full	Chain 0	5190	68.500
		5230	52.163
	Chain 1	5190	75.652
		5230	77.559
802.11ax80_RU_Full	Chain 0	5210	169.506
	Chain 1	5210	150.819

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5260	23.944
		5280	21.361
		5320	21.514
	Chain 1	5260	21.053
		5280	21.000
		5320	21.402
802.11n20	Chain 0	5260	33.715
		5280	27.085
		5320	21.510
	Chain 1	5260	21.307
		5280	21.186
		5320	22.674
802.11n40	Chain 0	5270	76.563
		5310	57.995
	Chain 1	5270	94.980
		5310	92.045
802.11ac80	Chain 0	5290	108.717
	Chain 1	5290	180.132
802.11ax20_RU_Full	Chain 0	5260	24.241
		5280	23.402
		5320	22.984
	Chain 1	5260	46.508
		5280	47.976
		5320	22.986
802.11ax40_RU_Full	Chain 0	5270	55.423
		5310	55.384
	Chain 1	5270	68.992
		5310	57.413
802.11ax80_RU_Full	Chain 0	5290	130.260
	Chain 1	5290	130.243

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5500	31.020
		5580	48.386
		5700	21.208
		5720	36.166
	Chain 1	5500	21.654
		5580	21.153
		5700	24.265
		5720	21.568
802.11n20	Chain 0	5500	27.486
		5580	22.141
		5700	21.517
		5720	21.674
	Chain 1	5500	32.642
		5580	31.389
		5700	21.399
		5720	21.292
802.11n40	Chain 0	5510	95.803
		5550	90.907
		5670	85.867
		5710	81.465
	Chain 1	5510	95.220
		5550	92.005
		5670	92.286
		5710	86.804
802.11ac80	Chain 0	5530	167.487
		5610	188.792
		5690	122.966
	Chain 1	5530	137.326
		5610	182.749
		5690	141.104
802.11ax20_RU_Full	Chain 0	5500	44.953
		5580	43.384
		5700	41.319


Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11ax20_RU_Full	Chain 0	5720	41.237
	Chain 1	5500	52.053
		5580	38.484
		5700	50.195
		5720	46.715
802.11ax40_RU_Full	Chain 0	5510	82.154
		5550	82.014
		5670	88.352
		5710	83.556
	Chain 1	5510	78.918
		5550	91.025
		5670	88.012
		5710	82.862
802.11ax80_RU_Full	Chain 0	5530	193.867
		5610	181.397
		5690	149.331
	Chain 1	5530	193.907
		5610	180.078
		5690	173.998

**6dB Emission Bandwidth
5725-5850MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	Chain 0	5745	15.265	0.5	Pass
		5785	15.215	0.5	Pass
		5825	15.265	0.5	Pass
	Chain 1	5745	15.215	0.5	Pass
		5785	15.265	0.5	Pass
		5825	15.265	0.5	Pass
802.11n20	Chain 0	5745	15.265	0.5	Pass
		5785	15.265	0.5	Pass
		5825	15.265	0.5	Pass
	Chain 1	5745	15.265	0.5	Pass
		5785	15.265	0.5	Pass
		5825	15.265	0.5	Pass
802.11n40	Chain 0	5755	36.537	0.5	Pass
		5795	35.936	0.5	Pass
	Chain 1	5755	36.537	0.5	Pass
		5795	36.036	0.5	Pass
802.11ac80	Chain 0	5775	76.677	0.5	Pass
	Chain 1	5775	75.876	0.5	Pass
802.11ax20_RU_Full	Chain 0	5745	19.169	0.5	Pass
		5785	17.067	0.5	Pass
		5825	16.917	0.5	Pass
	Chain 1	5745	19.119	0.5	Pass
		5785	19.119	0.5	Pass
		5825	19.119	0.5	Pass
802.11ax40_RU_Full	Chain 0	5755	37.538	0.5	Pass
		5795	37.437	0.5	Pass
	Chain 1	5755	37.437	0.5	Pass
		5795	36.036	0.5	Pass
802.11ax80_RU_Full	Chain 0	5775	77.077	0.5	Pass
	Chain 1	5775	76.877	0.5	Pass


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 6.FEB.2025 00:29:17

802.11a_5200MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 6.FEB.2025 00:31:19

802.11a_5240MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 6.FEB.2025 00:33:38

802.11a_5180MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 12.FEB.2025 21:37:39

802.11a_5200MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 12.FEB.2025 21:40:41

802.11a_5240MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester: Tower Qing
Date: 12.FEB.2025 21:57:22

802.11n20_5180MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 00:38:26

802.11n20_5200MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 00:40:48

802.11n20_5240MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 00:44:07

802.11n20_5180MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:07:54

802.11n20_5200MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:10:22

802.11n20_5240MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:13:43

802.11n40_5190MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 00:46:10

802.11n40_5230MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 00:47:58

802.11n40_5190MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:15:57

802.11n40_5230MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:17:39

802.11ac80_5210MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 00:50:04

802.11ac80_5210MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:26:41

802.11ax20_5180MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 00:52:15

802.11ax20_5200MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:19:33

802.11ax20_5240MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:21:51

802.11ax20_5180MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:40:16

802.11ax20_5200MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:37:55

802.11ax20_5240MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:51:57

802.11ax40_5190MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:24:30

802.11ax40_5230MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:26:15

802.11ax40_5190MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:55:05

802.11ax40_5230MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 22:57:23

802.11ax80_5210MHz_RU_Full_Chain 0



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:28:02


802.11ax80_5210MHz_RU_Full_Chain 1



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:00:18


5250-5350MHz

802.11a_5260MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:38:36

802.11a_5280MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:34:08

802.11a_5320MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:02:37

802.11a_5260MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:05:37

802.11a_5280MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:08:11

802.11a_5320MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:10:07

802.11n20_5260MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:48:05

802.11n20_5280MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:50:14

802.11n20_5320MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:53:20

802.11n20_5260MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:13:11

802.11n20_5280MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:16:45

802.11n20_5320MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:19:44

802.11n40_5270MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:57:11

802.11n40_5310MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 01:59:08

802.11n40_5270MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:22:51

802.11n40_5310MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 23:25:53

802.11ac80_5290MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:31:35

802.11ac80_5290MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:19:04

802.11ax20_5260MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:21:07

802.11ax20_5280MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:35:50

802.11ax20_5320MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:26:49

802.11ax20_5260MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:23:01

802.11ax20_5280MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:28:38

802.11ax20_5320MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:39:37

802.11ax40_5270MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:36:09

802.11ax40_5310MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:38:50

802.11ax40_5270MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:44:40

802.11ax40_5310MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:46:26

802.11ax80_5290MHz_RU_Full_Chain 0



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:41:21


802.11ax80_5290MHz_RU_Full_Chain 1



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:47:54


5470-5725MHz

802.11a_5500MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:45:20

802.11a_5580MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 02:50:58

802.11a_5700MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:09:47

802.11a_5720MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:12:27

802.11a_5500MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:52:50

802.11a_5580MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:55:54

802.11a_5700MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 17:59:09

802.11a_5720MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 18:02:22

802.11n20_5500MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:14:43

802.11n20_5580MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:17:33

802.11n20_5700MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:21:58

802.11n20_5720MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:24:55

802.11n20_5500MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 18:04:42

802.11n20_5580MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 18:06:55

802.11n20_5700MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 18:08:52

802.11n20_5720MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 18:14:45

802.11n40_5510MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:29:40

802.11n40_5550MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:32:39


802.11n40_5670MHz_Chain 0




802.11n40_5710MHz_Chain 0




802.11n40_5510MHz_Chain 1




802.11n40_5550MHz_Chain 1




802.11n40_5670MHz_Chain 1



802.11n40_5710MHz_Chain 1




802.11ac80_5530MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:40:06

802.11ac80_5610MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:43:21

802.11ac80_5690MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:48:11

802.11ac80_5530MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:05:21

802.11ac80_5610MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:08:15

802.11ac80_5690MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:10:27

802.11ax20_5500MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 03:52:34

802.11ax20_5580MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:06:29

802.11ax20_5700MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:08:21

802.11ax20_5720MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:13:19

802.11ax20_5500MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:13:17

802.11ax20_5580MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:15:56

802.11ax20_5700MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:17:46

802.11ax20_5720MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:19:50

802.11ax40_5510MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:19:09

802.11ax40_5550MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:20:49

802.11ax40_5670MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:22:10

802.11ax40_5710MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:23:27

802.11ax40_5510MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:22:31

802.11ax40_5550MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:24:33

802.11ax40_5670MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:26:36

802.11ax40_5710MHz_RU_Full_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:28:35

802.11ax80_5530MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:25:19

802.11ax80_5610MHz_RU_Full_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:27:27


802.11ax80_5690MHz_RU_Full_Chain 0




802.11ax80_5530MHz_RU_Full_Chain 1



802.11ax80_5610MHz_RU_Full_Chain 1




802.11ax80_5690MHz_RU_Full_Chain 1




5725-5850MHz


802.11a_5745MHz_Chain 0



802.11a_5785MHz_Chain 0




802.11a_5825MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:57:43

802.11a_5745MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:39:24

802.11a_5785MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:42:19

802.11a_5825MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:44:11

802.11n20_5745MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 04:59:49

802.11n20_5785MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 05:02:46

802.11n20_5825MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 05:04:17

802.11n20_5745MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:46:32

802.11n20_5785MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:48:26

802.11n20_5825MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:50:38

802.11n40_5755MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 05:07:33

802.11n40_5795MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 05:08:50

802.11n40_5755MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:53:28

802.11n40_5795MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:54:58

802.11ac80_5775MHz_Chain 0




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 05:10:52

802.11ac80_5775MHz_Chain 1




ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 13.FEB.2025 19:57:41

802.11ax20_5745MHz_RU_Full_Chain 0



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 6.FEB.2025 05:12:52

802.11ax20_5785MHz_RU_Full_Chain 0



ProjectNo.:2502P26130E-RF Tester:Tower Qing
Date: 12.FEB.2025 16:12:50