


802.11ax40_5795MHz_RU_Full



ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:29:08

Maximum Conducted Output Power**Test Information:**

Sample No.:	3GL2-3	Test Date:	2026/03/26~2026/08/21
Test Site:	RF	Test Mode:	Transmitting
Tester:	Barry Feng	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.5-26	Relative Humidity: (%)	45-51	ATM Pressure: (kPa)	101.0-101.1
----------------------	---------	------------------------------	-------	------------------------	-------------

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Average Output Power(dBm)		EIRP(dBm)		Verdict
		Result	FCC Limit	Result	IC Limit	
802.11a	5180	14.95	23.98	17.18	22.28	Pass
	5200	15.29	23.98	17.52	22.29	Pass
	5240	15.05	23.98	17.28	22.28	Pass
802.11ac20	5180	14.75	23.98	16.98	22.55	Pass
	5200	15.00	23.98	17.23	22.55	Pass
	5240	14.85	23.98	17.08	22.55	Pass
802.11ac40	5190	14.93	23.98	17.16	23.01	Pass
	5230	14.63	23.98	16.86	23.01	Pass
802.11ax20_RU_Full	5180	14.86	23.98	17.09	22.84	Pass
	5200	15.23	23.98	17.46	22.84	Pass
	5240	15.09	23.98	17.32	22.84	Pass
802.11ax40_RU_Full	5190	15.09	23.98	17.32	23.01	Pass
	5230	14.81	23.98	17.04	23.01	Pass

5250-5350MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)			EIRP (dBm)		Verdict
		Result	FCC Limit	IC Limit	Result	IC Limit	
802.11a	5260	14.12	23.98	23.28	15.95	29.28	Pass
	5280	14.04	23.98	23.28	15.87	29.28	Pass
	5320	13.94	23.98	23.28	15.77	29.28	Pass
802.11ac20	5260	14.12	23.98	23.55	15.95	29.55	Pass
	5280	14.03	23.98	23.55	15.86	29.55	Pass
	5320	13.98	23.98	23.55	15.81	29.55	Pass
802.11ac40	5270	14.16	23.98	23.98	15.99	29.98	Pass
	5310	14.29	23.98	23.98	16.12	29.98	Pass
802.11ax20_RU_Full	5260	14.18	23.98	23.83	16.01	29.83	Pass
	5280	14.05	23.98	23.82	15.88	29.82	Pass
	5320	14.02	23.98	23.84	15.85	29.84	Pass
802.11ax40_RU_Full	5270	14.15	23.98	23.98	15.98	29.98	Pass
	5310	14.26	23.98	23.98	16.09	29.98	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)			EIRP (dBm)		Verdict
		Result	FCC Limit	IC Limit	Result	IC Limit	
802.11a	5500	13.24	23.98	23.27	14.18	29.27	Pass
	5580	12.59	23.98	23.27	13.53	29.27	Pass
	5700	13.23	23.98	23.27	14.17	29.27	Pass
	5720	12.02	23.98	23.25	12.96	29.25	Pass
802.11ac20	5500	13.06	23.98	23.54	14.00	29.54	Pass
	5580	12.7	23.98	23.54	13.64	29.54	Pass
	5700	13.19	23.98	23.55	14.13	29.55	Pass
	5720	11.84	23.98	23.54	12.78	29.54	Pass
802.11ac40	5510	12.94	23.98	23.98	13.88	29.98	Pass
	5550	12.81	23.98	23.98	13.75	29.98	Pass
	5670	12.45	23.98	23.98	13.39	29.98	Pass
	5710	11.46	23.98	23.98	12.40	29.98	Pass
802.11ax20_RU_Ful 1	5500	13.31	23.98	23.83	14.25	29.83	Pass
	5580	12.65	23.98	23.82	13.59	29.82	Pass
	5700	13.27	23.98	23.82	14.21	29.82	Pass
	5720	11.8	23.98	23.82	12.74	29.82	Pass
802.11ax40_RU_Ful 1	5510	13.09	23.98	23.98	14.03	29.98	Pass
	5550	12.65	23.98	23.98	13.59	29.98	Pass
	5670	12.46	23.98	23.98	13.40	29.98	Pass
	5710	11.42	23.98	23.98	12.36	29.98	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power(dBm)	Limit (dBm)	Verdict
802.11a	5745	12.91	30	Pass
	5785	12.69	30	Pass
	5825	12.76	30	Pass
802.11ac20	5745	12.7	30	Pass
	5785	12.46	30	Pass
	5825	12.67	30	Pass
802.11ac40	5755	13.22	30	Pass
	5795	12.84	30	Pass
802.11ax20_RU_Full	5745	12.93	30	Pass
	5785	12.51	30	Pass
	5825	12.68	30	Pass
802.11ax40_RU_Full	5755	13.16	30	Pass
	5795	12.82	30	Pass

Note: EIRP = Average Output Power + Antenna gain

Power Spectral Density**Test Information:**

Sample No.:	3GL2-3	Test Date:	2026/03/26~2026/08/21
Test Site:	RF	Test Mode:	Transmitting
Tester:	Barry Feng	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.5-26	Relative Humidity: (%)	45-51	ATM Pressure: (kPa)	101.0-101.1
----------------------	---------	------------------------------	-------	------------------------	-------------

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	PSD (dBm/MHz)		EIRP PSD (dBm/MHz)		Verdict
				Result	FCC Limit	Result	IC Limit	
802.11a	5180	4.21	/	4.21	11.00	6.44	10.00	Pass
	5200	4.32	/	4.32	11.00	6.55	10.00	Pass
	5240	4.35	/	4.35	11.00	6.58	10.00	Pass
802.11ac20	5180	3.52	/	3.52	11.00	5.75	10.00	Pass
	5200	3.79	/	3.79	11.00	6.02	10.00	Pass
	5240	3.87	/	3.87	11.00	6.10	10.00	Pass
802.11ac40	5190	1.27	/	1.27	11.00	3.50	10.00	Pass
	5230	0.88	/	0.88	11.00	3.11	10.00	Pass
802.11ax20_ RU_Full	5180	3.41	/	3.41	11.00	5.64	10.00	Pass
	5200	3.65	/	3.65	11.00	5.88	10.00	Pass
	5240	3.48	/	3.48	11.00	5.71	10.00	Pass
802.11ax40_ RU_Full	5190	1.07	/	1.07	11.00	3.30	10.00	Pass
	5230	0.39	/	0.39	11.00	2.62	10.00	Pass

5250-5350MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5260	3.06	/	3.06	11	Pass
	5280	3.05	/	3.05	11	Pass
	5320	2.94	/	2.94	11	Pass
802.11ac20	5260	3.00	/	3.00	11	Pass
	5280	2.99	/	2.99	11	Pass
	5320	2.89	/	2.89	11	Pass
802.11ac40	5270	0.59	/	0.59	11	Pass
	5310	0.47	/	0.47	11	Pass
802.11ax20_RU_Full	5260	2.72	/	2.72	11	Pass
	5280	2.81	/	2.81	11	Pass
	5320	2.53	/	2.53	11	Pass
802.11ax40_RU_Full	5270	0.19	/	0.19	11	Pass
	5310	0.27	/	0.27	11	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5500	2.33	/	2.33	11	Pass
	5580	1.63	/	1.63	11	Pass
	5700	2.11	/	2.11	11	Pass
	5720	2.05	/	2.05	11	Pass
802.11ac20	5500	1.89	/	1.89	11	Pass
	5580	1.67	/	1.67	11	Pass
	5700	2.13	/	2.13	11	Pass
	5720	1.74	/	1.74	11	Pass
802.11ac40	5510	-1.03	/	-1.03	11	Pass
	5550	-1.32	/	-1.32	11	Pass
	5670	-1.48	/	-1.48	11	Pass
	5710	-2.01	/	-2.01	11	Pass
802.11ax20_RU_Full	5500	1.91	/	1.91	11	Pass
	5580	1.52	/	1.52	11	Pass
	5700	1.60	/	1.60	11	Pass
	5720	1.56	/	1.56	11	Pass
802.11ax40_RU_Full	5510	-1.29	/	-1.29	11	Pass
	5550	-1.49	/	-1.49	11	Pass
	5670	-1.75	/	-1.75	11	Pass
	5710	-2.25	/	-2.25	11	Pass


5725-5850MHz

Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	5745	-0.96	/	-0.96	30	Pass
	5785	-1.16	/	-1.16	30	Pass
	5825	-1.14	/	-1.14	30	Pass
802.11ac20	5745	-1.17	/	-1.17	30	Pass
	5785	-1.53	/	-1.53	30	Pass
	5825	-1.41	/	-1.41	30	Pass
802.11ac40	5755	-3.62	/	-3.62	30	Pass
	5795	-4.11	/	-4.11	30	Pass
802.11ax20_RU_Full	5745	-1.33	/	-1.33	30	Pass
	5785	-1.58	/	-1.58	30	Pass
	5825	-1.32	/	-1.32	30	Pass
802.11ax40_RU_Full	5755	-4.12	/	-4.12	30	Pass
	5795	-4.29	/	-4.29	30	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 17:48:21

802.11a_5200MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 17:49:51

802.11a_5240MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 17:51:24

802.11ac20_5180MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:00:12

802.11ac20_5200MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:25:37

802.11ac20_5240MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:27:12

802.11ac40_5190MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:28:35

802.11ac40_5230MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:29:51

802.11ax20_5180MHz_RU_Full




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 17:54:13

802.11ax20_5200MHz_RU_Full




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 17:55:14

802.11ax20_5240MHz_RU_Full




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 17:56:33

802.11ax40_5190MHz_RU_Full



ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 17:57:58


802.11ax40_5230MHz_RU_Full



ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 17:58:45


5250-5350MHz

802.11a_5260MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:31:13

802.11a_5280MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:32:34

802.11a_5320MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:33:53

802.11ac20_5260MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:46:11

802.11ac20_5280MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:47:22

802.11ac20_5320MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:48:29

802.11ac40_5270MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:49:33

802.11ac40_5310MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:50:50

802.11ax20_5260MHz_RU_Full




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:38:17

802.11ax20_5280MHz_RU_Full




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:39:21

802.11ax20_5320MHz_RU_Full




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:40:47

802.11ax40_5270MHz_RU_Full



ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:42:48


802.11ax40_5310MHz_RU_Full



ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:43:56


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:52:29

802.11a_5580MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 14:05:02

802.11a_5700MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:54:55

802.11a_5720MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:56:27

802.11ac20_5500MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:11:21

802.11ac20_5580MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 20.AUG.2026 14:05:39

802.11ac20_5700MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:13:59

802.11ac20_5720MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:15:37

802.11ac40_5510MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:16:40

802.11ac40_5550MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 21.AUG.2026 10:35:57

802.11ac40_5670MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:17:49

802.11ac40_5710MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:18:52

802.11ax20_5500MHz_RU_Full




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 18:58:33

802.11ax20_5580MHz_RU_Full




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 29.AUG.2026 14:05:25

802.11ax20_5700MHz_RU_Full




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:02:22

802.11ax20_5720MHz_RU_Full




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:03:50

802.11ax40_5510MHz_RU_Full




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:05:57

802.11ax40_5550MHz_RU_Full



ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 21.AUG.2026 10:35:16


802.11ax40_5670MHz_RU_Full




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:07:54

5725-5850MHz


802.11ax40_5710MHz_RU_Full




802.11a_5745MHz




802.11a_5785MHz




802.11a_5825MHz




802.11ac20_5745MHz



802.11ac20_5785MHz




802.11ac20_5825MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:33:56

802.11ac40_5755MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:36:37

802.11ac40_5795MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:37:16

802.11ax20_5745MHz_RU_Full




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:24:43

802.11ax20_5785MHz_RU_Full




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:26:10

802.11ax20_5825MHz_RU_Full




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:27:23

802.11ax40_5755MHz_RU_Full



ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:28:40

802.11ax40_5795MHz_RU_Full



ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 19:29:21

Unwanted emissions inside the band 5150-5250 MHz**Test Information:**


Sample No.:	3GL2-3	Test Date:	2026/08/29
Test Site:	RF	Test Mode:	Transmitting
Tester:	Vern Shen	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	26	Relative Humidity: (%)	51	ATM Pressure: (kPa)	101.1
----------------------	----	------------------------------	----	------------------------	-------


5250-5350MHz

802.11a_5260MHz




ProjectNo.: 2601P38592E-RF Tester: Vem. Shen
Date: 29_FUG, 2026 14:07:27

802.11a_5280MHz




ProjectNo.: 2601P38592E-RF Tester: Vem. Shen
Date: 29_FUG, 2026 14:05:24

802.11a_5320MHz




ProjectNo.: 2601P38592E-RF Tester: Vem. Shen
Date: 29_FUG, 2026 14:10:26

802.11ac20_5260MHz




ProjectNo.: 2601P38592E-RF Tester: Vem. Shen
Date: 29_FUG, 2026 14:12:20

802.11ac20_5280MHz




ProjectNo.: 2601P38592E-RF Tester: Vem. Shen
Date: 29_FUG, 2026 14:14:28

802.11ac20_5320MHz




ProjectNo.: 2601P38592E-RF Tester: Vem. Shen
Date: 29_FUG, 2026 14:16:12

802.11ac40_5270MHz




ProjectNo.:2601P38592E-RF Tester:Vern Shen
Date: 29_AUG.2026 14:18:28

802.11ac40_5310MHz




ProjectNo.:2601P38592E-RF Tester:Vern Shen
Date: 29_AUG.2026 14:20:36

802.11ax20_5260MHz




ProjectNo.:2601P38592E-RF Tester:Vern Shen
Date: 29_AUG.2026 14:22:18

802.11ax20_5280MHz




ProjectNo.:2601P38592E-RF Tester:Vern Shen
Date: 29_AUG.2026 14:23:46

802.11ax20_5320MHz




ProjectNo.:2601P38592E-RF Tester:Vern Shen
Date: 29_AUG.2026 14:25:22

802.11ax40_5270MHz



ProjectNo.:2601P38592E-RF Tester:Vern Shen
Date: 29_AUG.2026 14:27:07

802.11ax40_5310MHz



ProjectNo.:2601P38592E-RFD Testert/Vaim Chen
Date: 29.AUG.2026 14:28:46

Duty Cycle**Test Information:**

Sample No.:	3GL2-3	Test Date:	2026/03/26
Test Site:	RF	Test Mode:	Transmitting
Tester:	Barry Feng	Test Result:	N/A

Environmental Conditions:


Temperature: (°C)	25	Relative Humidity: (%)	45	ATM Pressure: (kPa)	101.1
----------------------	----	------------------------------	----	------------------------	-------

Test Data:

Mode	Test Frequency (MHz)	Ton (ms)	Ton+Toff (ms)	Duty Cycle (%)	Duty Cycle Factor(dB)	1/Ton (Hz)	VBW Setting (kHz)
802.11a	5200	5.465	5.543	98.59	/	/	0.010
802.11ac20	5200	5.372	5.457	98.44	/	/	0.010
802.11ac40	5190	5.144	5.231	98.34	/	/	0.010
802.11ax20_RU_Full	5200	4.631	4.706	98.41	/	/	0.010
802.11ax40_RU_Full	5190	4.626	4.713	98.15	/	/	0.010


$$\text{Duty Cycle} = \text{Ton}/(\text{Ton}+\text{Toff})*100\%$$

802.11a_5200MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 00:24:40

802.11ac20_5200MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 00:28:59

802.11ac40_5190MHz




ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 00:30:01

802.11ax20_5200MHz_RU_Full



ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 00:25:53

802.11ax40_5190MHz_RU_Full



ProjectNo.:2601P38592E-RF Tester:Barry Feng
Date: 26.MAR.2026 00:27:17

EUT PHOTOGRAPHS

Please refer to the attachment 2601P38592E-RF-EXP External photo and 2601P38592E-RF-INP Internal photo.

TEST SETUP PHOTOGRAPHS

Please refer to the attachment 2601P38592E-RF-TSPB Test Setup photo.

******* END OF REPORT *******