



1-7GHz_Horizontal_5GWiFi_Band1_AC80_5210MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6445.750	-1.16	53.60	52.44	68.20	-15.76 Peak


1-7GHz_Vertical_5GWiFi_Band1_AC80_5210MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6511.000	-1.20	53.94	52.74	68.20	-15.46	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band1_AC80_5210MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq		Factor	Read Level	Level	Limit	Over	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10420.000	2.40	50.25	52.65	68.20	-15.55	Peak
2	17895.500	9.01	52.31	61.32	74.00	-12.68	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band1_AC80_5210MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17989.000	9.51	37.91	47.42	54.00	-6.58	Average


7-18GHz_Vertical_Peak_5GWiFi_Band1_AC80_5210MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10420.000	2.40	49.71	52.11	68.20	-16.09	Peak
2	17916.130	9.16	52.67	61.83	74.00	-12.17	Peak


7-18GHz_Vertical_Average_5GWiFi_Band1_AC80_5210MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC80-5210

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.94	47.49	54.00	-6.51	Average


1-7GHz_Horizontal_5GWiFi_Band1_AX20_5200MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5200

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
		MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6891.250	-1.32	54.03	52.71	68.20	-15.49	Peak


1-7GHz_Vertical_5GWiFi_Band1_AX20_5200MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5200

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6793.000	-1.64	55.02	53.38	68.20	-14.82	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band1_AX20_5200MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5200

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10400.000	2.47	51.22	53.69	68.20	-14.51	Peak
2	17971.130	9.43	52.16	61.59	74.00	-12.41	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band1_AX20_5200MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5200

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17994.500	9.53	37.92	47.45	54.00	-6.55	Average


7-18GHz_Vertical_Peak_5GWiFi_Band1_AX20_5200MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5200

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10400.000	2.47	50.66	53.13	68.20	-15.07	Peak
2	17907.880	9.13	52.23	61.36	74.00	-12.64	Peak


7-18GHz_Vertical_Average_5GWiFi_Band1_AX20_5200MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX20-5200

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.87	47.42	54.00	-6.58	Average


1-7GHz_Horizontal_5GWiFi_Band1_AX40_5230MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5230

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
		MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6781.000	-1.58	56.01	54.43	68.20	-13.77	Peak


1-7GHz_Vertical_5GWiFi_Band1_AX40_5230MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5230

	Freq	Factor	Read	Limit	Over	Remark	
			Level	Line	Limit		
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6708.250	-1.51	54.19	52.68	68.20	-15.52	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band1_AX40_5230MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10460.000	2.26	50.34	52.60	68.20	-15.60	Peak
2	17962.880	9.39	52.68	62.07	74.00	-11.93	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band1_AX40_5230MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5230

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	9.54	37.90	47.44	54.00	-6.56	Average


7-18GHz_Vertical_Peak_5GWiFi_Band1_AX40_5230MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10460.000	2.26	49.78	52.04	68.20	-16.16	Peak
2	17935.380	9.27	52.90	62.17	74.00	-11.83	Peak


7-18GHz_Vertical_Average_5GWiFi_Band1_AX40_5230MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX40-5230

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	9.54	37.93	47.47	54.00	-6.53	Average


1-7GHz_Horizontal_5GWiFi_Band1_AX80_5210MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6515.500	-1.22	53.97	52.75	68.20	-15.45 Peak


1-7GHz_Vertical_5GWiFi_Band1_AX80_5210MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6469.000	-1.18	54.19	53.01	68.20	-15.19	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band1_AX80_5210MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq		Factor	Read Level	Level	Limit	Over	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10420.000	2.40	50.20	52.60	68.20	-15.60	Peak
2	17938.130	9.28	52.15	61.43	74.00	-12.57	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band1_AX80_5210MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	9.54	37.94	47.48	54.00	-6.52	Average


7-18GHz_Vertical_Peak_5GWiFi_Band1_AX80_5210MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10420.000	2.40	49.64	52.04	68.20	-16.16	Peak
2	17939.500	9.29	52.82	62.11	74.00	-11.89	Peak


7-18GHz_Vertical_Average_5GWiFi_Band1_AX80_5210MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AX80-5210

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.88	47.43	54.00	-6.57	Average


1-7GHz_Horizontal_5GWiFi_Band2_A_ANT0_5260MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6472.000	-1.18	53.74	52.56	68.20	-15.64	Peak


1-7GHz_Vertical_5GWiFi_Band2_A_ANT0_5260MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6646.750	-1.19	54.34	53.15	68.20	-15.05	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_A_ANT0_5260MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10520.000	2.13	49.75	51.88	68.20	-16.32	Peak
2	17925.750	9.22	53.51	62.73	74.00	-11.27	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_A_ANT0_5260MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17994.500	9.53	37.83	47.36	54.00	-6.64	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_A_ANT0_5260MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10520.000	2.13	49.38	51.51	68.20	-16.69	Peak
2	17892.750	8.95	53.17	62.12	74.00	-11.88	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_A_ANT0_5260MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT0-5260

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	9.54	37.90	47.44	54.00	-6.56	Average


1-7GHz_Horizontal_5GWiFi_Band2_A_ANT1_5260MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5260

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6463.750	-1.17	53.97	52.80	68.20	-15.40	Peak


1-7GHz_Vertical_5GWiFi_Band2_A_ANT1_5260MHz



Condition : Vertical
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-A_ANT1-5260

	Freq	Factor	Read	Limit	Over	Remark
			Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	
1	6484.000	-1.20	54.41	53.21	68.20	-14.99 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_A_ANT1_5260MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5260

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10520.000	2.13	49.31	51.44	68.20	-16.76	Peak
2	17921.630	9.20	52.05	61.25	74.00	-12.75	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_A_ANT1_5260MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5260

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17995.880	9.54	37.93	47.47	54.00	-6.53	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_A_ANT1_5260MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10520.000	2.13	50.32	52.45	68.20	-15.75	Peak
2	17925.750	9.22	52.40	61.62	74.00	-12.38	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_A_ANT1_5260MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A_ANT1-5260

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17995.880	9.54	37.87	47.41	54.00	-6.59	Average


1-7GHz_Horizontal_5GWiFi_Band2_AC20_5260MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6389.500	-1.32	53.61	52.29	68.20	-15.91	Peak


1-7GHz_Vertical_5GWiFi_Band2_AC20_5260MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6526.000	-1.22	54.45	53.23	68.20	-14.97 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AC20_5260MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq		Factor	Read Level	Level	Limit	Over	Remark
			dBuV	dBuV/m	dBuV/m	Limit	
MHz		dB/m				dB	
1	10520.000	2.13	49.26	51.39	68.20	-16.81	Peak
2	17917.500	9.18	52.41	61.59	74.00	-12.41	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AC20_5260MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17978.000	9.46	37.96	47.42	54.00	-6.58	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AC20_5260MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10520.000	2.13	50.45	52.58	68.20	-15.62	Peak
2	17997.250	9.55	52.19	61.74	74.00	-12.26	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AC20_5260MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17982.130	9.47	37.99	47.46	54.00	-6.54	Average


1-7GHz_Horizontal_5GWiFi_Band2_AC40_5270MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6485.500	-1.19	53.64	52.45	68.20	-15.75	Peak


1-7GHz_Vertical_5GWiFi_Band2_AC40_5270MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6790.750	-1.63	54.04	52.41	68.20	-15.79	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AC40_5270MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10540.000	2.15	49.97	52.12	68.20	-16.08	Peak
2	17939.500	9.29	52.60	61.89	74.00	-12.11	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AC40_5270MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	9.54	37.90	47.44	54.00	-6.56	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AC40_5270MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10540.000	2.15	51.16	53.31	68.20	-14.89	Peak
2	17978.000	9.46	52.57	62.03	74.00	-11.97	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AC40_5270MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.94	47.49	54.00	-6.51	Average


1-7GHz_Horizontal_5GWiFi_Band2_AC80_5290MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6472.750	-1.18	53.97	52.79	68.20	-15.41	Peak


1-7GHz_Vertical_5GWiFi_Band2_AC80_5290MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6872.500	-1.32	54.33	53.01	68.20	-15.19 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AC80_5290MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10580.000	2.18	49.01	51.19	68.20	-17.01	Peak
2	17906.500	9.12	53.29	62.41	74.00	-11.59	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AC80_5290MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17979.380	9.47	37.87	47.34	54.00	-6.66	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AC80_5290MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10580.000	2.18	50.20	52.38	68.20	-15.82	Peak
2	17998.630	9.55	52.58	62.13	74.00	-11.87	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AC80_5290MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17994.500	9.53	37.93	47.46	54.00	-6.54	Average


1-7GHz_Horizontal_5GWiFi_Band2_AC160_5250MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6919.750	-1.15	53.64	52.49	68.20	-15.71	Peak


1-7GHz_Vertical_5GWiFi_Band2_AC160_5250MHz



Condition : Vertical
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AC160-5250

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6797.500	-1.66	54.73	53.07	68.20	-15.13	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AC160_5250MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10500.000	2.12	49.77	51.89	68.20	-16.31	Peak
2	17976.630	9.46	53.09	62.55	74.00	-11.45	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AC160_5250MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17991.750	9.52	37.94	47.46	54.00	-6.54	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AC160_5250MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10500.000	2.12	48.98	51.10	68.20	-17.10	Peak
2	17954.630	9.35	52.54	61.89	74.00	-12.11	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AC160_5250MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC160-5250

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17993.130	9.53	37.89	47.42	54.00	-6.58	Average


1-7GHz_Horizontal_5GWiFi_Band2_AX20_5260MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6536.500	-1.23	54.56	53.33	68.20	-14.87	Peak


1-7GHz_Vertical_5GWiFi_Band2_AX20_5260MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

		Read		Limit	Over	Remark
Freq	Factor	Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6466.000	-1.18	53.59	52.41	68.20	-15.79 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AX20_5260MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10520.000	2.13	50.63	52.76	68.20	-15.44	Peak
2	17973.880	9.44	52.00	61.44	74.00	-12.56	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AX20_5260MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.92	47.47	54.00	-6.53	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AX20_5260MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10520.000	2.13	50.41	52.54	68.20	-15.66	Peak
2	17934.000	9.26	52.14	61.40	74.00	-12.60	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AX20_5260MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX20-5260

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.630	9.55	37.96	47.51	54.00	-6.49	Average


1-7GHz_Horizontal_5GWiFi_Band2_AX40_5270MHz



Condition : Horizontal
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AX40-5270

	Freq	Factor	Read	Limit	Over	Remark
			Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6919.000	-1.16	54.08	52.92	68.20	-15.28 Peak


1-7GHz_Vertical_5GWiFi_Band2_AX40_5270MHz



Condition : Vertical
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AX40-5270

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6676.000	-1.35	54.73	53.38	68.20	-14.82	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AX40_5270MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10540.000	2.15	51.34	53.49	68.20	-14.71	Peak
2	17887.250	8.86	53.20	62.06	74.00	-11.94	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AX40_5270MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.88	47.43	54.00	-6.57	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AX40_5270MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10540.000	2.15	51.12	53.27	68.20	-14.93	Peak
2	17994.500	9.53	51.93	61.46	74.00	-12.54	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AX40_5270MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX40-5270

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	9.54	37.91	47.45	54.00	-6.55	Average


1-7GHz_Horizontal_5GWiFi_Band2_AX80_5290MHz



Condition : Horizontal
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AX80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6736.000	-1.45	54.55	53.10	68.20	-15.10	Peak


1-7GHz_Vertical_5GWiFi_Band2_AX80_5290MHz



Condition : Vertical
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AX80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6478.750	-1.19	53.65	52.46	68.20	-15.74	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AX80_5290MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq		Factor	Read Level	Level	Limit	Over	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10580.000	2.18	50.38	52.56	68.20	-15.64	Peak
2	17984.880	9.49	52.27	61.76	74.00	-12.24	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AX80_5290MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17972.500	9.44	38.03	47.47	54.00	-6.53	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AX80_5290MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10580.000	2.18	50.16	52.34	68.20	-15.86	Peak
2	17976.630	9.46	51.98	61.44	74.00	-12.56	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AX80_5290MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX80-5290

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.87	47.42	54.00	-6.58	Average


1-7GHz_Horizontal_5GWiFi_Band2_AX160_5250MHz



Condition : Horizontal
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AX160-5250

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6379.750	-1.39	54.33	52.94	68.20	-15.26	Peak


1-7GHz_Vertical_5GWiFi_Band2_AX160_5250MHz



Condition : Vertical
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band2-AX160-5250

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6625.000	-1.27	54.22	52.95	68.20	-15.25 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band2_AX160_5250MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10500.000	2.12	50.40	52.52	68.20	-15.68	Peak
2	17923.000	9.20	52.87	62.07	74.00	-11.93	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band2_AX160_5250MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17991.750	9.52	37.96	47.48	54.00	-6.52	Average


7-18GHz_Vertical_Peak_5GWiFi_Band2_AX160_5250MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

Freq		Factor	Read Level	Level	Limit	Over	Remark
			dBuV	dBuV/m	dBuV/m	dB	
1	10500.000	2.12	49.65	51.77	68.20	-16.43	Peak
2	17979.380	9.47	52.38	61.85	74.00	-12.15	Peak


7-18GHz_Vertical_Average_5GWiFi_Band2_AX160_5250MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AX160-5250

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17979.380	9.47	38.03	47.50	54.00	-6.50	Average


1-7GHz_Horizontal_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6517.750	-1.22	55.03	53.81	68.20	-14.39	Peak


1-7GHz_Vertical_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6436.000	-1.18	54.02	52.84	68.20	-15.36	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11400.000	3.31	49.81	53.12	74.00	-20.88	Peak
2	17912.000	9.14	52.20	61.34	74.00	-12.66	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17986.250	9.49	37.94	47.43	54.00	-6.57	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11400.000	3.31	50.22	53.53	74.00	-20.47	Peak
2	17949.130	9.32	53.01	62.33	74.00	-11.67	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_A_ANT0_5700MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT0-5700

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17993.130	9.53	37.88	47.41	54.00	-6.59	Average


1-7GHz_Horizontal_5GWiFi_Band3_A_ANT1_5580MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5580

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6439.000	-1.18	54.04	52.86	68.20	-15.34	Peak


1-7GHz_Vertical_5GWiFi_Band3_A_ANT1_5580MHz



Condition : Vertical
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-A_ANT1-5580

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6890.500	-1.32	53.55	52.23	68.20	-15.97	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_A_ANT1_5580MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5580

Freq		Factor	Read Level	Level	Limit	Over	Remark
			dBuV	dBuV/m	dBuV/m	Limit	
MHz		dB/m				dB	
1	11160.000	3.51	50.47	53.98	74.00	-20.02	Peak
2	17953.250	9.34	51.69	61.03	74.00	-12.97	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_A_ANT1_5580MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5580

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17993.130	9.53	37.92	47.45	54.00	-6.55	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_A_ANT1_5580MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5580

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11160.000	3.51	49.47	52.98	74.00	-21.02	Peak
2	17969.750	9.42	53.13	62.55	74.00	-11.45	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_A_ANT1_5580MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A_ANT1-5580

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.630	9.55	37.89	47.44	54.00	-6.56	Average


1-7GHz_Horizontal_5GWiFi_Band3_AC20_5700MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6756.250	-1.45	54.42	52.97	68.20	-15.23	Peak


1-7GHz_Vertical_5GWiFi_Band3_AC20_5700MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6431.500	-1.18	54.31	53.13	68.20	-15.07	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AC20_5700MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11400.000	3.31	50.06	53.37	74.00	-20.63	Peak
2	17991.750	9.52	51.97	61.49	74.00	-12.51	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AC20_5700MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.630	9.55	37.91	47.46	54.00	-6.54	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AC20_5700MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11400.000	3.31	50.39	53.70	74.00	-20.30	Peak
2	17982.130	9.47	52.09	61.56	74.00	-12.44	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AC20_5700MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.87	47.42	54.00	-6.58	Average


1-7GHz_Horizontal_5GWiFi_Band3_AC40_5510MHz



Condition : Horizontal
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6823.000	-1.53	54.80	53.27	68.20	-14.93	Peak


1-7GHz_Vertical_5GWiFi_Band3_AC40_5510MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6451.000	-1.17	54.11	52.94	68.20	-15.26 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AC40_5510MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11020.000	4.08	48.71	52.79	74.00	-21.21	Peak
2	17957.380	9.36	52.16	61.52	74.00	-12.48	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AC40_5510MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.94	47.49	54.00	-6.51	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AC40_5510MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11020.000	4.08	49.04	53.12	74.00	-20.88	Peak
2	17910.630	9.13	52.72	61.85	74.00	-12.15	Peak


7-18GHz_Vetical_Average_5GWiFi_Band3_AC40_5510MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17995.880	9.54	37.89	47.43	54.00	-6.57	Average


1-7GHz_Horizontal_5GWiFi_Band3_AC80_5610MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6487.750	-1.20	54.18	52.98	68.20	-15.22	Peak


1-7GHz_Vertical_5GWiFi_Band3_AC80_5610MHz



Condition : Vertical
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AC80-5610

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6919.750	-1.15	54.57	53.42	68.20	-14.78	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AC80_5610MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11220.000	3.60	49.62	53.22	74.00	-20.78	Peak
2	17962.880	9.39	52.07	61.46	74.00	-12.54	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AC80_5610MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17993.130	9.53	37.88	47.41	54.00	-6.59	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AC80_5610MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11220.000	3.60	49.95	53.55	74.00	-20.45	Peak
2	17925.750	9.22	52.42	61.64	74.00	-12.36	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AC80_5610MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5610

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	9.54	37.92	47.46	54.00	-6.54	Average


1-7GHz_Horizontal_5GWiFi_Band3_AC160_5570MHz



Condition : Horizontal
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6678.250	-1.37	54.75	53.38	68.20	-14.82	Peak


1-7GHz_Vertical_5GWiFi_Band3_AC160_5570MHz



Condition : Vertical
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6771.250	-1.53	54.65	53.12	68.20	-15.08 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AC160_5570MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	49.08	52.53	74.00	-21.47	Peak
2	17917.500	9.18	52.43	61.61	74.00	-12.39	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AC160_5570MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17989.000	9.51	37.95	47.46	54.00	-6.54	Average


7-18GHz_Vetical_Peak_5GWiFi_Band3_AC160_5570MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

	Freq	Factor	Read Level	Level	Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	49.41	52.86	74.00	-21.14	Peak
2	17975.250	9.45	52.55	62.00	74.00	-12.00	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AC160_5570MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC160-5570

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17989.000	9.51	37.93	47.44	54.00	-6.56	Average


1-7GHz_Horizontal_5GWiFi_Band3_AX20_5720MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5720

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6449.500	-1.17	53.63	52.46	68.20	-15.74	Peak


1-7GHz_Vertical_5GWiFi_Band3_AX20_5720MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5720

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6460.000	-1.18	53.66	52.48	68.20	-15.72	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AX20_5720MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5720

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11440.000	3.46	49.39	52.85	74.00	-21.15	Peak
2	17989.000	9.51	52.78	62.29	74.00	-11.71	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AX20_5720MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5720

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17995.880	9.54	37.92	47.46	54.00	-6.54	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AX20_5720MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5720

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level			
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11440.000	3.46	50.03	53.49	74.00	-20.51	Peak
2	17877.630	8.68	52.79	61.47	74.00	-12.53	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AX20_5720MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX20-5720

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	9.54	37.90	47.44	54.00	-6.56	Average


1-7GHz_Horizontal_5GWiFi_Band3_AX40_5510MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6775.000	-1.55	54.73	53.18	68.20	-15.02	Peak


1-7GHz_Vertical_5GWiFi_Band3_AX40_5510MHz



Condition : Vertical
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AX40-5510

			Read	Limit	Over	
Freq	Factor	Level	Level	Line	Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6142.750	-2.45	55.61	53.16	68.20	-15.04	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AX40_5510MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11020.000	4.08	48.68	52.76	74.00	-21.24	Peak
2	17957.380	9.36	52.24	61.60	74.00	-12.40	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AX40_5510MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.92	47.47	54.00	-6.53	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AX40_5510MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11020.000	4.08	48.67	52.75	74.00	-21.25	Peak
2	17927.130	9.22	52.16	61.38	74.00	-12.62	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AX40_5510MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX40-5510

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.89	47.44	54.00	-6.56	Average


1-7GHz_Horizontal_5GWiFi_Band3_AX80_5690MHz



Condition : Horizontal
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AX80-5690

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6438.250	-1.18	53.96	52.78	68.20	-15.42	Peak


1-7GHz_Vertical_5GWiFi_Band3_AX80_5690MHz



Condition : Vertical
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band3-AX80-5690

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6807.250	-1.63	54.27	52.64	68.20	-15.56	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AX80_5690MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11380.000	3.36	50.05	53.41	74.00	-20.59	Peak
2	17914.750	9.15	52.31	61.46	74.00	-12.54	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AX80_5690MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17995.880	9.54	37.88	47.42	54.00	-6.58	Average


7-18GHz_Vertical_Peak_5GWiFi_Band3_AX80_5690MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11380.000	3.36	50.01	53.37	74.00	-20.63	Peak
2	17927.130	9.22	51.94	61.16	74.00	-12.84	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AX80_5690MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX80-5690

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17991.750	9.52	37.92	47.44	54.00	-6.56	Average


1-7GHz_Horizontal_5GWiFi_Band3_AX160_5570MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6769.750	-1.52	54.46	52.94	68.20	-15.26	Peak


1-7GHz_Vertical_5GWiFi_Band3_AX160_5570MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6767.500	-1.51	54.73	53.22	68.20	-14.98	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band3_AX160_5570MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	49.05	52.50	74.00	-21.50	Peak
2	17957.380	9.36	51.65	61.01	74.00	-12.99	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band3_AX160_5570MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.250	9.55	37.88	47.43	54.00	-6.57	Average


7-18GHz_Vetical_Peak_5GWiFi_Band3_AX160_5570MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11140.000	3.45	49.04	52.49	74.00	-21.51	Peak
2	17975.250	9.45	52.55	62.00	74.00	-12.00	Peak


7-18GHz_Vertical_Average_5GWiFi_Band3_AX160_5570MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AX160-5570

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17989.000	9.51	37.96	47.47	54.00	-6.53	Average


1-7GHz_Horizontal_5GWiFi_Band4_A_ANT0_5825MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

Freq		Factor	Read	Limit	Over	Remark
			Level	Level	Line	
			dBuV	dBuV/m	dBuV/m	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6910.000	-1.23	53.94	52.71	68.20	-15.49 Peak


1-7GHz_Vertical_5GWiFi_Band4_A_ANT0_5825MHz



Condition : Vertical
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read	Limit	Over	Remark
			Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6473.500	-1.18	54.38	53.20	68.20	-15.00 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band4_A_ANT0_5825MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.28	52.74	74.00	-21.26	Peak
2	17983.500	9.48	51.89	61.37	74.00	-12.63	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band4_A_ANT0_5825MHz



Condition : Horizontal
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi-Band4-A_ANT0-5825

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.91	47.46	54.00	-6.54	Average


7-18GHz_Vertical_Peak_5GWiFi_Band4_A_ANT0_5825MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.78	53.24	74.00	-20.76	Peak
2	17899.630	9.08	53.61	62.69	74.00	-11.31	Peak


7-18GHz_Vertical_Average_5GWiFi_Band4_A_ANT0_5825MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT0-5825

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17993.130	9.53	37.94	47.47	54.00	-6.53	Average


1-7GHz_Horizontal_5GWiFi_Band4_A_ANT1_5825MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6446.500	-1.16	54.98	53.82	68.20	-14.38	Peak


1-7GHz_Vertical_5GWiFi_Band4_A_ANT1_5825MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6423.250	-1.20	54.39	53.19	68.20	-15.01	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band4_A_ANT1_5825MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.58	53.04	74.00	-20.96	Peak
2	17918.880	9.18	52.58	61.76	74.00	-12.24	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band4_A_ANT1_5825MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17975.250	9.45	37.98	47.43	54.00	-6.57	Average


7-18GHz_Vertical_Peak_5GWiFi_Band4_A_ANT1_5825MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.43	52.89	74.00	-21.11	Peak
2	17928.500	9.23	52.41	61.64	74.00	-12.36	Peak


7-18GHz_Vertical_Average_5GWiFi_Band4_A_ANT1_5825MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A_ANT1-5825

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.94	47.49	54.00	-6.51	Average


1-7GHz_Horizontal_5GWiFi_Band4_AC20_5825MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6973.000	-1.05	53.54	52.49	68.20	-15.71 Peak


1-7GHz_Vertical_5GWiFi_Band4_AC20_5825MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6442.000	-1.17	54.65	53.48	68.20	-14.72 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band4_AC20_5825MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.77	53.23	74.00	-20.77	Peak
2	17979.380	9.47	51.91	61.38	74.00	-12.62	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band4_AC20_5825MHz



Condition : Horizontal
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi-Band4-AC20-5825

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17986.250	9.49	37.92	47.41	54.00	-6.59	Average


7-18GHz_Vertical_Peak_5GWiFi_Band4_AC20_5825MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	50.38	53.84	74.00	-20.16	Peak
2	17978.000	9.46	52.85	62.31	74.00	-11.69	Peak


7-18GHz_Vertical_Average_5GWiFi_Band4_AC20_5825MHz



Condition : Vertical
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi-Band4-AC20-5825

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17990.380	9.51	37.96	47.47	54.00	-6.53	Average


1-7GHz_Horizontal_5GWiFi_Band4_AC40_5795MHz



Condition : Horizontal
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-AC40-5795

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6385.000	-1.36	53.93	52.57	68.20	-15.63	Peak


1-7GHz_Vertical_5GWiFi_Band4_AC40_5795MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6466.750	-1.19	53.72	52.53	68.20	-15.67 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band4_AC40_5795MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	49.31	52.55	74.00	-21.45	Peak
2	17902.380	9.10	51.76	60.86	74.00	-13.14	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band4_AC40_5795MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17972.500	9.44	38.04	47.48	54.00	-6.52	Average


7-18GHz_Vetical_Peak_5GWiFi_Band4_AC40_5795MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	49.92	53.16	74.00	-20.84	Peak
2	17991.750	9.52	51.98	61.50	74.00	-12.50	Peak


7-18GHz_Vertical_Average_5GWiFi_Band4_AC40_5795MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17989.000	9.51	37.93	47.44	54.00	-6.56	Average


1-7GHz_Horizontal_5GWiFi_Band4_AC80_5775MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6434.500	-1.18	54.16	52.98	68.20	-15.22	Peak


1-7GHz_Vertical_5GWiFi_Band4_AC80_5775MHz



Condition : Vertical
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6825.250	-1.50	53.77	52.27	68.20	-15.93	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band4_AC80_5775MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	48.10	51.54	74.00	-22.46	Peak
2	17957.380	9.36	51.62	60.98	74.00	-13.02	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band4_AC80_5775MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17991.750	9.52	37.91	47.43	54.00	-6.57	Average


7-18GHz_Vertical_Peak_5GWiFi_Band4_AC80_5775MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	48.71	52.15	74.00	-21.85	Peak
2	17949.130	9.32	52.69	62.01	74.00	-11.99	Peak


7-18GHz_Vertical_Average_5GWiFi_Band4_AC80_5775MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17993.130	9.53	37.94	47.47	54.00	-6.53	Average


1-7GHz_Horizontal_5GWiFi_Band4_AX20_5825MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6695.500	-1.49	53.76	52.27	68.20	-15.93	Peak


1-7GHz_Vertical_5GWiFi_Band4_AX20_5825MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6457.000	-1.18	53.47	52.29	68.20	-15.91	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band4_AX20_5825MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	49.30	52.76	74.00	-21.24	Peak
2	17986.250	9.49	51.84	61.33	74.00	-12.67	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band4_AX20_5825MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq	Factor	Read Level	Limit Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	9.54	37.89	47.43	54.00	-6.57	Average


7-18GHz_Vertical_Peak_5GWiFi_Band4_AX20_5825MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	50.06	53.52	74.00	-20.48	Peak
2	17945.000	9.30	52.48	61.78	74.00	-12.22	Peak


7-18GHz_Vertical_Average_5GWiFi_Band4_AX20_5825MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX20-5825

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17997.250	9.55	37.93	47.48	54.00	-6.52	Average


1-7GHz_Horizontal_5GWiFi_Band4_AX40_5795MHzMHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
		MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6504.250	-1.20	53.91	52.71	68.20	-15.49	Peak


1-7GHz_Vertical_5GWiFi_Band4_AX40_5795MHzMHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6756.250	-1.45	53.92	52.47	68.20	-15.73	Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band4_AX40_5795MHzMHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	48.84	52.08	74.00	-21.92	Peak
2	17972.500	9.44	51.96	61.40	74.00	-12.60	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band4_AX40_5795MHzMHz



Condition : Horizontal
 Project No. : 2501W33048E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi-Band4-AX40-5795

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17986.250	9.49	37.92	47.41	54.00	-6.59	Average


7-18GHz_Vertical_Peak_5GWiFi_Band4_AX40_5795MHzMHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11590.000	3.24	49.60	52.84	74.00	-21.16	Peak
2	17993.130	9.53	52.19	61.72	74.00	-12.28	Peak


7-18GHz_Vertical_Average_5GWiFi_Band4_AX40_5795MHzMHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX40-5795

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17998.630	9.55	37.94	47.49	54.00	-6.51	Average


1-7GHz_Horizontal_5GWiFi_Band4_AX80_5775MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6769.750	-1.52	55.08	53.56	68.20	-14.64 Peak


1-7GHz_Vertical_5GWiFi_Band4_AX80_5775MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read	Limit	Over	Remark
			Level	Level	Line	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6455.500	-1.17	54.33	53.16	68.20	-15.04 Peak


7-18GHz_Horizontal_Peak_5GWiFi_Band4_AX80_5775MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	47.63	51.07	74.00	-22.93	Peak
2	17979.380	9.47	51.89	61.36	74.00	-12.64	Peak


7-18GHz_Horizontal_Average_5GWiFi_Band4_AX80_5775MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.90	47.45	54.00	-6.55	Average


7-18GHz_Vertical_Peak_5GWiFi_Band4_AX80_5775MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11550.000	3.44	48.39	51.83	74.00	-22.17	Peak
2	17954.630	9.35	52.55	61.90	74.00	-12.10	Peak

7-18GHz_Vertical_Average_5GWiFi_Band4_AX80_5775MHz




Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-AX80-5775

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17989.000	9.51	37.94	47.45	54.00	-6.55	Average

18-40GHz (Listed with the worst case test plot)


18-40GHz_Horizontal_5GWiFi_Band1_A_ANT0_5200MHz



Condition : Horizontal
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5200

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 39650.750	23.81	37.53	61.34	83.50	-22.16 Peak

18-40GHz_Vertical_5GWiFi_Band1_A_ANT0_5200MHz



Condition : Vertical
Project No. : 2501W33048E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-A_ANT0-5200

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39452.750	23.84	37.55	61.39	83.50	-22.11	Peak

RF Conducted data**26dB attenuated below the channel power****Test Information:**

Sample No.:	38YY-1	Test Date:	2025/09/21
Test Site:	RF	Test Mode:	Transmitting
Tester:	Lee Li	Test Result:	Pass

Environmental Conditions:


Temperature: (°C)	25.8	Relative Humidity: (%)	56	ATM Pressure: (kPa)	101.1
-----------------------------	------	----------------------------------	----	-------------------------------	-------

Test Data:**5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Result (dBm)	Limit (dBm)	Verdict
802.11a	Chain 0	5240	-28.54	-16.89	Pass
	Chain 1	5240	-28.23	-17.01	Pass
802.11ac20	Chain 0	5240	-27.92	-16.98	Pass
	Chain 1	5240	-27.70	-17.28	Pass
802.11ac40	Chain 0	5230	-30.27	-16.47	Pass
	Chain 1	5230	-29.92	-16.71	Pass
802.11ac80	Chain 0	5210	-29.74	-16.58	Pass
	Chain 1	5210	-24.80	-16.75	Pass
802.11ax20	Chain 0	5240	-27.32	-16.84	Pass
	Chain 1	5240	-27.82	-17.16	Pass
802.11ax40	Chain 0	5230	-29.67	-16.68	Pass
	Chain 1	5230	-29.72	-17.00	Pass
802.11ax80	Chain 0	5210	-24.56	-16.87	Pass
	Chain 1	5210	-24.77	-17.03	Pass


5150-5250MHz

802.11a_5240MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 21.SEP.2025 03:04:07

802.11a_5240MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 21.SEP.2025 03:24:51

802.11ac20_5240MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 21.SEP.2025 03:15:19

802.11ac20_5240MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 21.SEP.2025 03:35:47

802.11ac40_5230MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 21.SEP.2025 03:17:43

802.11ac40_5230MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 21.SEP.2025 03:38:17

802.11ac80_5210MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 21.SEP.2025 03:20:14

802.11ac80_5210MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 21.SEP.2025 03:41:11

802.11ax20_5240MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 21.SEP.2025 03:07:20

802.11ax20_5240MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 21.SEP.2025 03:27:41

802.11ax40_5230MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 21.SEP.2025 03:10:04


802.11ax40_5230MHz_Chain 1



ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 21.SEP.2025 03:30:10



ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 21.SEP.2025 03:12:47



ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 21.SEP.2025 03:32:35

Emission Bandwidth

Test Information:

Sample No.:	38YY-1	Test Date:	2025/09/19~2025/09/20
Test Site:	RF	Test Mode:	Transmitting
Tester:	Lee Li	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.6-25.8	Relative Humidity: (%)	48-56	ATM Pressure: (kPa)	100.3-101.1
----------------------	-----------	------------------------------	-------	------------------------	-------------

Test Data:**26dB Emission Bandwidth****5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5180	24.604
		5200	24.772
		5240	24.693
	Chain 1	5180	24.725
		5200	24.651
		5240	24.110
802.11ac20	Chain 0	5180	24.929
		5200	24.980
		5240	24.756
	Chain 1	5180	25.009
		5200	24.986
		5240	24.867
802.11ac40	Chain 0	5190	43.400
		5230	43.800
	Chain 1	5190	43.700
		5230	43.800
802.11ac80	Chain 0	5210	86.800
	Chain 1	5210	88
802.11ax20	Chain 0	5180	25.245
		5200	24.845
		5240	23.954
	Chain 1	5180	24.745
		5200	25.118
		5240	24.806
802.11ax40	Chain 0	5190	42.900
		5230	43.200
	Chain 1	5190	43.200
		5230	43.600
802.11ax80	Chain 0	5210	84.200
	Chain 1	5210	85

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5260	24.633
		5280	24.321
		5320	24.472
	Chain 1	5260	24.351
		5280	24.250
		5320	24.735
802.11ac20	Chain 0	5260	24.805
		5280	25.010
		5320	24.837
	Chain 1	5260	24.300
		5280	24.371
		5320	24.676
802.11ac40	Chain 0	5270	44.400
		5310	43.700
	Chain 1	5270	42.800
		5310	43.400
802.11ac80	Chain 0	5290	88.400
	Chain 1	5290	85.600
802.11ac160	Chain 0	5250	165.600
	Chain 1	5250	164.800
802.11ax20	Chain 0	5260	25.211
		5280	24.465
		5320	24.182
	Chain 1	5260	24.133
		5280	24.350
		5320	24.438
802.11ax40	Chain 0	5270	43.100
		5310	43.300
	Chain 1	5270	43.400
		5310	43.500
802.11ax80	Chain 0	5290	86
	Chain 1	5290	83.800
802.11ax160	Chain 0	5250	166
	Chain 1	5250	165.200

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5500	24.638
		5580	24.654
		5700	24.624
		5720	24.665
	Chain 1	5500	24.426
		5580	24.271
		5700	24.745
		5720	24.512
802.11ac20	Chain 0	5500	24.959
		5580	24.900
		5700	25.482
		5720	24.684
	Chain 1	5500	24.222
		5580	24.539
		5700	24.255
		5720	24.311
802.11ac40	Chain 0	5510	44.400
		5550	44.400
		5670	43.900
		5710	43.500
	Chain 1	5510	42.500
		5550	43.900
		5670	43
		5710	44.100
802.11ac80	Chain 0	5530	88
		5610	89.200
		5690	87.200
	Chain 1	5530	86.200
		5610	87.600
		5690	86
802.11ac160	Chain 0	5570	165.600
	Chain 1	5570	165.200


Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11ax20	Chain 0	5500	24.772
		5580	24.369
		5700	24.489
		5720	24.492
	Chain 1	5500	23.716
		5580	24.411
		5700	23.863
		5720	24.144
802.11ax40	Chain 0	5510	43.600
		5550	43.600
		5670	43.600
		5710	42.700
	Chain 1	5510	43.100
		5550	43.500
		5670	43.400
		5710	43.500
802.11ax80	Chain 0	5530	84.600
		5610	84.600
		5690	85.600
	Chain 1	5530	84.200
		5610	84.800
		5690	84.800
802.11ax160	Chain 0	5570	166.400
	Chain 1	5570	166.800

6dB Emission Bandwidth
5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	Chain 0	5745	15.550	0.5	Pass
		5785	15.250	0.5	Pass
		5825	15.250	0.5	Pass
	Chain 1	5745	15.250	0.5	Pass
		5785	15.250	0.5	Pass
		5825	15.250	0.5	Pass
802.11ac20	Chain 0	5745	15.250	0.5	Pass
		5785	15.200	0.5	Pass
		5825	15.500	0.5	Pass
	Chain 1	5745	16.400	0.5	Pass
		5785	16.400	0.5	Pass
		5825	16.400	0.5	Pass
802.11ac40	Chain 0	5755	35.400	0.5	Pass
		5795	35.400	0.5	Pass
	Chain 1	5755	35.300	0.5	Pass
		5795	35.300	0.5	Pass
802.11ac80	Chain 0	5775	75.600	0.5	Pass
	Chain 1	5775	75.600	0.5	Pass
802.11ax20	Chain 0	5745	17.150	0.5	Pass
		5785	17.650	0.5	Pass
		5825	17.450	0.5	Pass
	Chain 1	5745	16.550	0.5	Pass
		5785	17.300	0.5	Pass
		5825	17.050	0.5	Pass
802.11ax40	Chain 0	5755	36.300	0.5	Pass
		5795	35.600	0.5	Pass
	Chain 1	5755	36.100	0.5	Pass
		5795	36.200	0.5	Pass
802.11ax80	Chain 0	5775	75.600	0.5	Pass
	Chain 1	5775	70.400	0.5	Pass


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 01:10:37

802.11a_5200MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 01:14:07

802.11a_5240MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 01:17:50

802.11a_5180MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 08:12:04

802.11a_5200MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 08:15:54

802.11a_5240MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 08:19:50

802.11ac20_5180MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 01:57:07

802.11ac20_5200MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 02:00:55

802.11ac20_5240MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 02:04:32

802.11ac20_5180MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 01:17:16

802.11ac20_5200MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 01:20:59


802.11ac20_5240MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 01:24:13




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 02:09:02




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 02:15:20




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 01:29:06



ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 01:33:02




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 02:21:26




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 01:37:14

802.11ax20_5180MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 01:27:29

802.11ax20_5200MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 01:32:18

802.11ax20_5240MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 01:36:11

802.11ax20_5180MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 08:24:37

802.11ax20_5200MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 08:27:46

802.11ax20_5240MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 08:31:43

802.11ax40_5190MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 01:40:44

802.11ax40_5230MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 01:45:59

802.11ax40_5190MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 01:03:14

802.11ax40_5230MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 01:07:29

802.11ax80_5210MHz_Chain 0



ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 01:51:37


802.11ax80_5210MHz_Chain 1



ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 01:11:53


5250-5350MHz

802.11a_5260MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 02:27:29

802.11a_5280MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 02:32:01

802.11a_5320MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 02:36:07

802.11a_5260MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 01:53:04

802.11a_5280MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 01:56:00


802.11a_5320MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 01:58:58




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 03:20:02




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 03:23:32




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 03:28:27



ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 02:47:53




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 02:51:45




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 02:54:50

802.11ac40_5270MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 03:31:51

802.11ac40_5310MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 03:37:16

802.11ac40_5270MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 03:00:05

802.11ac40_5310MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 03:04:20

802.11ac80_5290MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 03:42:26

802.11ac80_5290MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 03:07:56

802.11ac160_5250MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 03:47:08

802.11ac160_5250MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 03:12:11

802.11ax20_5260MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 02:42:29

802.11ax20_5280MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 02:46:58

802.11ax20_5320MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 02:53:05

802.11ax20_5260MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 02:20:11

802.11ax20_5280MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 02:23:23

802.11ax20_5320MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 02:26:24

802.11ax40_5270MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 03:00:02

802.11ax40_5310MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 03:04:19

802.11ax40_5270MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 02:30:26

802.11ax40_5310MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 02:34:06

802.11ax80_5290MHz_Chain 0




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 03:10:13

802.11ax80_5290MHz_Chain 1




ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 02:38:27

802.11ax160_5250MHz_Chain 0



ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 03:14:38


802.11ax160_5250MHz_Chain 1



ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 20.SEP.2025 02:43:12


5470-5725MHz

802.11a_5500MHz_Chain 0



ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 05:03:32

802.11a_5580MHz_Chain 0



ProjectNo.:2501W33048E-RF Tester:Lee Li
Date: 19.SEP.2025 05:07:05