



Left Band edge_Vertical_Peak_802.11a_5260MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A-5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4900.160	-7.60	65.17	57.57	74.00	-16.43 Peak
2	5150.000	-7.45	63.12	55.67	74.00	-18.33 Peak


Left Band edge_Vertical_Average_802.11a_5260MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5049.502	-7.28	51.73	44.45	54.00	-9.55 Average
2	5150.000	-7.45	51.65	44.20	54.00	-9.80 Average


Right Band edge_Horizontal_Peak_802.11a_5320MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	62.68	55.92	74.00	-18.08 Peak
2	5449.268	-6.31	66.77	60.46	74.00	-13.54 Peak


Right Band edge_Horizontal_Average_802.11a_5320MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	51.65	44.89	54.00	-9.11	Average
2 5458.493	-6.28	52.24	45.96	54.00	-8.04	Average


Right Band edge_Vertical_Peak_802.11a_5320MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	63.67	56.91	74.00	-17.09 Peak
2	5451.697	-6.30	65.71	59.41	74.00	-14.59 Peak


Right Band edge_Vertical_Average_802.11a_5320MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-A-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	51.74	44.98	54.00	-9.02 Average
2	5450.730	-6.31	52.27	45.96	54.00	-8.04 Average


Left Band edge_Horizontal_Peak_802.11ac-VHT20_5260MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5044.788	-7.28	65.04	57.76	74.00	-16.24 Peak
2	5150.000	-7.45	62.63	55.18	74.00	-18.82 Peak


Left Band edge_Horizontal_Average_802.11ac-VHT20_5260MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5044.993	-7.28	51.78	44.50	54.00	-9.50 Average
2	5150.000	-7.45	51.54	44.09	54.00	-9.91 Average


Left Band edge_Vertical_Peak_802.11ac-VHT20_5260MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5144.110	-7.46	65.32	57.86	74.00	-16.14	Peak
2 5150.000	-7.45	62.99	55.54	74.00	-18.46	Peak


Left Band edge_Vertical_Average_802.11ac-VHT20_5260MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5260

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5053.500	-7.29	51.79	44.50	54.00	-9.50	Average
2 5150.000	-7.45	51.76	44.31	54.00	-9.69	Average


Right Band edge_Horizontal_Peak_802.11ac-VHT20_5320MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	63.62	56.86	74.00	-17.14 Peak
2	5439.390	-6.37	66.24	59.87	74.00	-14.13 Peak


Right Band edge_Horizontal_Average_802.11ac-VHT20_5320MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	51.65	44.89	54.00	-9.11 Average
2	5459.393	-6.26	52.30	46.04	54.00	-7.96 Average


Right Band edge_Vertical_Peak_802.11ac-VHT20_5320MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	63.75	56.99	74.00	-17.01 Peak
2	5450.933	-6.31	65.84	59.53	74.00	-14.47 Peak


Right Band edge_Vertical_Average_802.11ac-VHT20_5320MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band2-AC20-5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	51.80	45.04	54.00	-8.96 Average
2	5459.730	-6.26	52.26	46.00	54.00	-8.00 Average


Left Band edge_Horizontal_Peak_802.11ac-VHT40_5270MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5059.755	-7.32	64.81	57.49	74.00	-16.51	Peak
2 5150.000	-7.45	62.37	54.92	74.00	-19.08	Peak


Left Band edge_Horizontal_Average_802.11ac-VHT40_5270MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5068.680	-7.35	52.17	44.82	54.00	-9.18 Average
2	5150.000	-7.45	51.77	44.32	54.00	-9.68 Average


Left Band edge_Vertical_Peak_802.11ac-VHT40_5270MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	4981.215	-7.42	65.00	57.58	74.00	-16.42 Peak
2	5150.000	-7.45	64.66	57.21	74.00	-16.79 Peak


Left Band edge_Vertical_Average_802.11ac-VHT40_5270MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5043.060	-7.28	52.06	44.78	54.00	-9.22 Average
2	5150.000	-7.45	51.93	44.48	54.00	-9.52 Average


Right Band edge_Horizontal_Peak_802.11ac-VHT40_5310MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	63.51	56.75	74.00	-17.25 Peak
2	5452.200	-6.29	65.54	59.25	74.00	-14.75 Peak


Right Band edge_Horizontal_Average_802.11ac-VHT40_5310MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	51.81	45.05	54.00	-8.95 Average
2	5453.075	-6.29	52.59	46.30	54.00	-7.70 Average


Right Band edge_Vertical_Peak_802.11ac-VHT40_5310MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	63.09	56.33	74.00	-17.67 Peak
2	5457.450	-6.28	65.21	58.93	74.00	-15.07 Peak


Right Band edge_Vertical_Average_802.11ac-VHT40_5310MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	52.61	45.85	54.00	-8.15 Average
2	5443.275	-6.35	52.73	46.38	54.00	-7.62 Average


Left Band edge_Horizontal_Peak_802.11ac-VHT80_5290MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4896.110	-7.61	65.16	57.55	74.00	-16.45	Peak
2 5150.000	-7.45	62.24	54.79	74.00	-19.21	Peak


Left Band edge_Horizontal_Average_802.11ac-VHT80_5290MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5055.720	-7.31	53.04	45.73	54.00	-8.27 Average
2	5150.000	-7.45	52.72	45.27	54.00	-8.73 Average


Left Band edge_Vertical_Peak_802.11ac-VHT80_5290MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4894.020	-7.61	65.66	58.05	74.00	-15.95	Peak
2 5150.000	-7.45	63.01	55.56	74.00	-18.44	Peak


Left Band edge_Vertical_Peak_802.11ac-VHT80_5290MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5039.770	-7.29	53.20	45.91	54.00	-8.09 Average
2	5150.000	-7.45	52.52	45.07	54.00	-8.93 Average


Right Band edge_Horizontal_Peak_802.11ac-VHT80_5290MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	63.02	56.26	74.00	-17.74	Peak
2 5457.180	-6.28	65.21	58.93	74.00	-15.07	Peak


Right Band edge_Horizontal_Average_802.11ac-VHT80_5290MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	52.61	45.85	54.00	-8.15 Average
2	5449.680	-6.31	53.68	47.37	54.00	-6.63 Average


Right Band edge_Vertical_Peak_802.11ac-VHT80_5290MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	64.13	57.37	74.00	-16.63 Peak
2	5458.530	-6.28	65.71	59.43	74.00	-14.57 Peak

Right Band edge_Vertical_Average_802.11ac-VHT80_5290MHz




Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band2-AC80-5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	53.05	46.29	54.00	-7.71	Average
2 5458.890	-6.28	53.70	47.42	54.00	-6.58	Average

5470-5725MHz:


Left Band edge_Horizontal_Peak_802.11a_5500MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5500

		Read		Limit	Over	Remark
Freq Factor		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	63.86	57.60	74.00	-16.40	Peak
2 5466.081	-6.24	65.56	59.32	68.20	-8.88	Peak
3 5470.000	-6.22	63.34	57.12	68.20	-11.08	Peak


Left Band edge_Horizontal_Average_802.11a_5500MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	52.18	45.92	54.00	-8.08 Average


Left Band edge_Vertical_Peak_802.11a_5500MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.98	58.72	74.00	-15.28 Peak
2 5466.813	-6.23	66.32	60.09	68.20	-8.11 Peak
3 5470.000	-6.22	64.81	58.59	68.20	-9.61 Peak


Left Band edge_Vertical_Average_802.11a_5500MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-A-5500

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	52.45	46.19	54.00	-7.81	Average


Right Band edge_Horizontal_Peak_802.11a_5700MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

	Freq Factor		Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	65.09	59.55	68.20	-8.65	Peak
2	5726.484	-5.52	65.90	60.38	68.20	-7.82	Peak


Right Band edge_Vertical_Peak_802.11a_5700MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-A-5700

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5725.000	-5.54	63.96	58.42	68.20	-9.78	Peak
2 5742.459	-5.36	65.84	60.48	68.20	-7.72	Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT20_5500MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	63.17	56.91	74.00	-17.09	Peak
2 5464.141	-6.25	65.94	59.69	68.20	-8.51	Peak
3 5470.000	-6.22	63.60	57.38	68.20	-10.82	Peak


Left Band edge_Horizontal_Average_802.11ac-VHT20_5500MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	52.05	45.79	54.00	-8.21	Average


Left Band edge_Vertical_Peak_802.11ac-VHT20_5500MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.10	57.84	74.00	-16.16 Peak
2 5465.200	-6.25	66.55	60.30	68.20	-7.90 Peak
3 5470.000	-6.22	65.98	59.76	68.20	-8.44 Peak


Left Band edge_Vertical_Average_802.11ac-VHT20_5500MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	52.35	46.09	54.00	-7.91 Average


Right Band edge_Horizontal_Peak_802.11ac-VHT20_5700MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	64.93	59.39	68.20	-8.81	Peak
2	5738.156	-5.40	65.88	60.48	68.20	-7.72	Peak


Right Band edge_Vertical_Peak_802.11ac-VHT20_5500MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC20-5700

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5725.000	-5.54	64.00	58.46	68.20	-9.74	Peak
2 5725.763	-5.53	66.39	60.86	68.20	-7.34	Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT40_5510MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.75	58.49	74.00	-15.51 Peak
2 5466.875	-6.23	66.07	59.84	68.20	-8.36 Peak
3 5470.000	-6.22	64.19	57.97	68.20	-10.23 Peak


Left Band edge_Horizontal_Average_802.11ac-VHT40_5510MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	52.61	46.35	54.00	-7.65	Average


Left Band edge_Vertical_Peak_802.11ac-VHT40_5510MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.16	57.90	74.00	-16.10 Peak
2 5461.733	-6.26	71.16	64.90	68.20	-3.30 Peak
3 5470.000	-6.22	68.85	62.63	68.20	-5.57 Peak


Left Band edge_Vertical_Average_802.11ac-VHT40_5510MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	53.83	47.57	54.00	-6.43 Average


Right Band edge_Horizontal_Peak_802.11ac-VHT40_5670MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.04	57.50	68.20	-10.70	Peak
2	5734.233	-5.43	65.61	60.18	68.20	-8.02	Peak


Right Band edge_Vertical_Peak_802.11ac-VHT40_5670MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5670

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5725.000	-5.54	63.78	58.24	68.20	-9.96 Peak
2 5733.931	-5.45	65.70	60.25	68.20	-7.95 Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT80_5530MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	63.34	57.08	74.00	-16.92	Peak
2	5468.196	-6.23	66.08	59.85	68.20	-8.35	Peak
3	5470.000	-6.22	64.75	58.53	68.20	-9.67	Peak


Left Band edge_Horizontal_Average_802.11ac-VHT80_5530MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	53.68	47.42	54.00	-6.58 Average


Left Band edge_Vertical_Peak_802.11ac-VHT80_5530MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	67.46	61.20	74.00	-12.80 Peak
2 5466.138	-6.24	71.13	64.89	68.20	-3.31 Peak
3 5470.000	-6.22	69.71	63.49	68.20	-4.71 Peak


Left Band edge_Vertical_Average_802.11ac-VHT80_5530MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:5kHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	57.22	50.96	54.00	-3.04 Average


Right Band edge_Horizontal_Peak_802.11ac-VHT80_5530MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.68	58.14	68.20	-10.06 Peak
2	5740.359	-5.38	65.92	60.54	68.20	-7.66 Peak

Right Band edge_Vertical_Peak_802.11ac-VHT80_5530MHz




Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC80-5530

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.14	57.60	68.20	-10.60	Peak
2	5743.075	-5.35	65.26	59.91	68.20	-8.29	Peak

5725-5850MHz:


Left Band edge_Horizontal_Peak_802.11a_5745MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5745

Freq Factor		Read Level		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5609.761	-6.14	65.68	59.54	68.20	-8.66	Peak
2 5687.376	-5.80	65.94	60.14	95.89	-35.75	Peak
3 5719.985	-5.58	70.04	64.46	110.80	-46.34	Peak
4 5720.959	-5.57	71.34	65.77	112.99	-47.22	Peak


Left Band edge_Vertical_Peak_802.11a_5745MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5640.066	-5.95	65.42	59.47	68.20	-8.73	Peak
2	5697.351	-5.78	65.48	59.70	103.25	-43.55	Peak
3	5719.914	-5.58	77.71	72.13	110.78	-38.65	Peak
4	5720.056	-5.58	77.60	72.02	110.93	-38.91	Peak


Right Band edge_Horizontal_Peak_802.11a_5825MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.356	-4.69	65.81	61.12	116.83	-55.71	Peak
2	5871.842	-4.61	66.18	61.57	106.08	-44.51	Peak
3	5888.736	-4.55	66.47	61.92	95.00	-33.08	Peak
4	5932.894	-4.49	66.56	62.07	68.20	-6.13	Peak


Right Band edge_Vertical_Peak_802.11a_5825MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.505	-4.69	69.16	64.47	116.49	-52.02	Peak
2	5855.650	-4.68	68.54	63.86	110.62	-46.76	Peak
3	5879.322	-4.58	66.46	61.88	101.99	-40.11	Peak
4	5945.856	-4.48	66.25	61.77	68.20	-6.43	Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT20_5745MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5644.484	-5.92	65.32	59.40	68.20	-8.80	Peak
2	5674.551	-5.83	65.57	59.74	86.41	-26.67	Peak
3	5717.111	-5.62	66.89	61.27	109.99	-48.72	Peak
4	5724.877	-5.54	73.97	68.43	121.92	-53.49	Peak


Left Band edge_Vertical_Peak_802.11ac-VHT20_5745MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5642.322	-5.94	65.37	59.43	68.20	-8.77	Peak
2	5698.491	-5.79	65.74	59.95	104.09	-44.14	Peak
3	5719.938	-5.58	72.60	67.02	110.78	-43.76	Peak
4	5722.978	-5.55	78.75	73.20	117.59	-44.39	Peak


Right Band edge_Horizontal_Peak_802.11ac-VHT20_5825MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.678	-4.70	67.05	62.35	120.65	-58.30	Peak
2	5873.649	-4.61	65.89	61.28	105.58	-44.30	Peak
3	5914.725	-4.50	66.05	61.55	75.78	-14.23	Peak
4	5933.510	-4.49	66.19	61.70	68.20	-6.50	Peak


Right Band edge_Vertical_Peak_802.11ac-VHT20_5825MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC20-5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.295	-4.70	68.07	63.37	121.53	-58.16	Peak
2	5868.464	-4.64	66.58	61.94	107.03	-45.09	Peak
3	5889.522	-4.55	66.75	62.20	94.42	-32.22	Peak
4	5941.266	-4.48	65.95	61.47	68.20	-6.73	Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT40_5755MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5610.868	-6.13	65.68	59.55	68.20	-8.65	Peak
2	5672.607	-5.84	66.05	60.21	84.97	-24.76	Peak
3	5717.232	-5.62	70.04	64.42	110.03	-45.61	Peak
4	5720.986	-5.57	72.52	66.95	113.05	-46.10	Peak


Left Band edge_Vertical_Peak_802.11ac-VHT40_5755MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5640.714	-5.94	66.36	60.42	68.20	-7.78	Peak
2	5698.385	-5.79	66.05	60.26	104.01	-43.75	Peak
3	5719.779	-5.58	71.75	66.17	110.74	-44.57	Peak
4	5720.934	-5.57	71.83	66.26	112.93	-46.67	Peak


Right Band edge_Horizontal_Peak_802.11ac-VHT40_5795MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.171	-4.70	65.71	61.01	121.81	-60.80	Peak
2	5856.524	-4.67	65.74	61.07	110.37	-49.30	Peak
3	5896.896	-4.52	66.30	61.78	88.96	-27.18	Peak
4	5941.285	-4.48	65.58	61.10	68.20	-7.10	Peak


Right Band edge_Vertical_Peak_802.11ac-VHT40_5795MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC40-5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.192	-4.69	66.10	61.41	117.20	-55.79	Peak
2	5856.629	-4.67	66.02	61.35	110.34	-48.99	Peak
3	5894.140	-4.52	66.81	62.29	91.00	-28.71	Peak
4	5931.835	-4.49	66.07	61.58	68.20	-6.62	Peak


Left Band edge_Horizontal_Peak_802.11ac-VHT80_5775MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5620.625	-6.08	65.55	59.47	68.20	-8.73	Peak
2	5697.875	-5.78	69.16	63.38	103.63	-40.25	Peak
3	5706.313	-5.72	70.39	64.67	106.97	-42.30	Peak
4	5721.313	-5.57	70.77	65.20	113.79	-48.59	Peak


Left Band edge_Vertical_Peak_802.11ac-VHT80_5775MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5640.938	-5.94	66.90	60.96	68.20	-7.24	Peak
2	5696.219	-5.79	76.94	71.15	102.41	-31.26	Peak
3	5717.063	-5.62	76.78	71.16	109.98	-38.82	Peak
4	5723.531	-5.54	77.72	72.18	118.85	-46.67	Peak


Right Band edge_Horizontal_Peak_802.11ac-VHT80_5775MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5853.897	-4.68	66.83	62.15	113.31	-51.16 Peak
2 5860.394	-4.66	67.02	62.36	109.29	-46.93 Peak
3 5881.094	-4.58	66.20	61.62	100.67	-39.05 Peak
4 5943.447	-4.49	66.19	61.70	68.20	-6.50 Peak

Right Band edge_Vertical_Peak_802.11ac-VHT80_5775MHz




Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-AC80-5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5852.688	-4.69	70.98	66.29	116.07	-49.78 Peak
2 5869.337	-4.62	69.36	64.74	106.78	-42.04 Peak
3 5876.734	-4.60	66.83	62.23	103.91	-41.68 Peak
4 5940.381	-4.49	66.48	61.99	68.20	-6.21 Peak

1-40GHz

5150-5250MHz: (Maximum output power mode, 802.11ac20 5240MHz)


1-7GHz Horizontal 802.11ac20 5240MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6559.750	-1.27	48.44	47.17	68.20	-21.03 Peak


1-7GHz_Vertical_802.11ac20_5240MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6493.750	-1.20	48.75	47.55	68.20	-20.65 Peak


7-18GHz_Horizontal_Peak_802.11ac20_5240MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10480.000	2.19	46.87	49.06	68.20	-19.14	Peak
2 17912.000	9.14	49.26	58.40	74.00	-15.60	Peak


7-18GHz_Horizontal_Average_802.11ac20_5240MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17987.630	9.50	37.22	46.72	54.00	-7.28	Average


7-18GHz_Vertical_Peak_802.11ac20_5240MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10480.000	2.19	46.78	48.97	68.20	-19.23 Peak
2 17957.380	9.36	48.43	57.79	74.00	-16.21 Peak


7-18GHz_Vertical_Average_802.11ac20_5240MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	9.54	37.13	46.67	54.00	-7.33	Average


18-40GHz_Horizontal_Peak_802.11ac20_5240MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39931.250	23.81	37.12	60.93	83.50	-22.57	Peak

18-40GHz_Vetical_Peak_802.11ac20_5240MHz




Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band1-AC20-5240

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39848.750	23.81	36.85	60.66	83.50	-22.84	Peak

5250-5350MHz: (Maximum output power mode, 802.11ac40 5270MHz)


1-7GHz_Horizontal_802.11ac40_5270MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6501.250	-1.20	48.29	47.09	68.20	-21.11 Peak


1-7GHz_Vertical_802.11ac40_5270MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6652.000	-1.18	48.52	47.34	68.20	-20.86	Peak


7-18GHz_Horizontal_Peak_802.11ac40_5270MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10540.000	2.15	47.25	49.40	68.20	-18.80	Peak
2 17956.000	9.36	48.49	57.85	74.00	-16.15	Peak


7-18GHz_Horizontal_Average_802.11ac40_5270MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17989.000	9.51	37.56	47.07	54.00	-6.93 Average


7-18GHz_Vertical_Peak_802.11ac40_5270MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10540.000	2.15	48.42	50.57	68.20	-17.63	Peak
2 17932.630	9.25	48.06	57.31	74.00	-16.69	Peak


7-18GHz_Vertical_Average_802.11ac40_5270MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17984.880	9.49	37.61	47.10	54.00	-6.90	Average


18-40GHz_Horizontal_Peak_802.11ac40_5270MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39337.250	23.89	36.68	60.57	83.50	-22.93	Peak

18-40GHz_Vertical_Peak_802.11ac40_5270MHz




Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band2-AC40-5270

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39848.750	23.81	37.23	61.04	83.50	-22.46	Peak

5470-5725MHz: (Maximum output power mode, 802.11ac40 5510MHz)


1-7GHz_Horizontal_802.11ac40_5510MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6458.500	-1.18	49.51	48.33	68.20	-19.87 Peak


1-7GHz_Vertical_802.11ac40_5510MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6478.000	-1.18	49.15	47.97	68.20	-20.23 Peak


7-18GHz_Horizontal_Peak_802.11ac40_5510MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11020.000	4.08	44.56	48.64	74.00	-25.36	Peak
2 17954.630	9.35	48.33	57.68	74.00	-16.32	Peak


7-18GHz_Horizontal_Average_802.11ac40_5510MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17954.630	9.35	37.74	47.09	54.00	-6.91	Average


7-18GHz_Vertical_Peak_802.11ac40_5510MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11020.000	4.08	46.40	50.48	74.00	-23.52	Peak
2 17969.750	9.42	47.99	57.41	74.00	-16.59	Peak


7-18GHz_Vertical_Average_802.11ac40_5510MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:2kHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17997.250	9.55	37.59	47.14	54.00	-6.86	Average


18-40GHz_Horizontal_Peak_802.11ac40_5510MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39604.000	23.82	37.35	61.17	83.50	-22.33	peak

18-40GHz_Vetical_Peak_802.11ac40_5510MHz




Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band3-AC40-5510

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39142.000	23.97	37.06	61.03	83.50	-22.47	Peak

5725-5850MHz: (Maximum output power mode, 802.11a 5745MHz)


1-7GHz_Horizontal_802.11a_5745MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5745

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6412.750	-1.20	48.34	47.14	68.20	-21.06	Peak


1-7GHz_Vertical_802.11a_5745MHz



Condition : Vertical
 Project No. : 2601P05987E-RF
 Tester : Zenos Qiao
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi-Band4-A-5745

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6478.000	-1.18	49.28	48.10	68.20	-20.10	Peak


7-18GHz_Horizontal_Peak_802.11a_5745MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5745

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.64	47.89	51.53	74.00	-22.47	Peak
2 17918.880	9.18	48.58	57.76	74.00	-16.24	Peak


7-18GHz_Horizontal_Average_802.11a_5745MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A-5745

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	9.54	37.19	46.73	54.00	-7.27	Average


7-18GHz_Vertical_Peak_802.11a_5745MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5745

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.64	48.92	52.56	74.00	-21.44	Peak
2 17975.250	9.45	49.24	58.69	74.00	-15.31	Peak


7-18GHz_Vertical_Average_802.11a_5745MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Average reading:RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi-Band4-A-5745

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17991.750	9.52	37.22	46.74	54.00	-7.26	Average


18-40GHz_Horizontal_802.11a_5745MHz



Condition : Horizontal
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5745

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 39692.000	23.81	37.79	61.60	83.50	-21.90	Peak

18-40GHz_Vertical_802.11a_5745MHz



Condition : Vertical
Project No. : 2601P05987E-RF
Tester : Zenos Qiao
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi-Band4-A-5745

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39700.250	23.82	37.67	61.49	83.50	-22.01	Peak

RF Conducted data**26dB attenuated below the channel power****Test Information:**

Sample No.:	3FTS-12	Test Date:	2026/02/25~2026/02/26
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:


Temperature: (°C)	24.1~24.5	Relative Humidity: (%)	50~51	ATM Pressure: (kPa)	101.1~101.3
----------------------	-----------	------------------------------	-------	------------------------	-------------

Test Data:**For module YL43752****5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Result (dBm)	Limit (dBm)	Verdict
802.11a	Chain 0	5180	-28.73	-13.36	Pass
		5200	-29.57	-13.27	Pass
		5240	-29.58	-14.00	Pass
	Chain 1	5180	-32.35	-16.26	Pass
		5200	-34.23	-16.38	Pass
		5240	-32.49	-16.78	Pass
802.11ac20	Chain 0	5180	-31.60	-15.83	Pass
		5200	-32.94	-15.81	Pass
		5240	-33.66	-15.98	Pass
	Chain 1	5180	-34.57	-16.54	Pass
		5200	-33.84	-16.65	Pass
		5240	-32.41	-16.63	Pass
802.11ac40	Chain 0	5190	-37.39	-15.73	Pass
		5230	-38.97	-16.09	Pass
	Chain 1	5190	-39.19	-16.58	Pass
		5230	-37.73	-16.92	Pass
802.11ac80	Chain 0	5210	-34.46	-15.89	Pass
	Chain 1	5210	-33.94	-16.49	Pass
802.11ax20_RU_Full	Chain 0	5180	-35.86	-15.52	Pass
		5200	-33.66	-15.61	Pass
		5240	-35.92	-16.00	Pass
	Chain 1	5180	-33.59	-16.07	Pass
		5200	-35.63	-16.20	Pass
		5240	-35.03	-16.27	Pass
802.11ax40_RU_Full	Chain 0	5190	-32.55	-15.84	Pass
		5230	-32.52	-16.04	Pass
	Chain 1	5190	-33.94	-16.22	Pass
		5230	-29.18	-16.47	Pass
802.11ax80_RU_Full	Chain 0	5210	-27.75	-15.69	Pass
	Chain 1	5210	-25.79	-16.17	Pass


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:14:06

802.11a_5200MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:23:19

802.11a_5240MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:26:21

802.11a_5180MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 21:46:49

802.11a_5200MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 21:49:37

802.11a_5240MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 21:52:54

802.11ac20_5180MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaister Liang
Date: 26.FEB.2026 20:29:23

802.11ac20_5200MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaister Liang
Date: 26.FEB.2026 20:31:58

802.11ac20_5240MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaister Liang
Date: 26.FEB.2026 20:39:08

802.11ac20_5180MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaister Liang
Date: 26.FEB.2026 21:56:07

802.11ac20_5200MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaister Liang
Date: 26.FEB.2026 21:59:14

802.11ac20_5240MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaister Liang
Date: 26.FEB.2026 22:04:28

802.11ac40_5190MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaester Liang
Date: 26.FEB.2026 20:41:38

802.11ac40_5230MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaester Liang
Date: 26.FEB.2026 20:44:10

802.11ac40_5190MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaester Liang
Date: 26.FEB.2026 22:06:33

802.11ac40_5230MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaester Liang
Date: 26.FEB.2026 22:08:35

802.11ac80_5210MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaester Liang
Date: 26.FEB.2026 20:48:32

802.11ac80_5210MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaester Liang
Date: 26.FEB.2026 22:11:27


802.11ax20_5180MHz_RU_Full_Chain 0




802.11ax20_5200MHz_RU_Full_Chain 0




802.11ax20_5240MHz_RU_Full_Chain 0




802.11ax20_5180MHz_RU_Full_Chain 1




802.11ax20_5200MHz_RU_Full_Chain 1



802.11ax20_5240MHz_RU_Full_Chain 1




802.11ax40_5190MHz_RU_Full_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaister Liang
Date: 26.FEB.2026 21:00:54

802.11ax40_5230MHz_RU_Full_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaister Liang
Date: 26.FEB.2026 21:02:59

802.11ax40_5190MHz_RU_Full_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaister Liang
Date: 26.FEB.2026 22:23:12

802.11ax40_5230MHz_RU_Full_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaister Liang
Date: 26.FEB.2026 22:25:09

802.11ax80_5210MHz_RU_Full_Chain 0



ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaister Liang
Date: 26.FEB.2026 21:10:05

802.11ax80_5210MHz_RU_Full_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaister Liang
Date: 26.FEB.2026 22:27:17

For module YL43456**5150-5250MHz**

Mode	Test Frequency (MHz)	Result (dBm)	Limit (dBm)	Verdict
802.11a	5180	-38.88	-20.60	Pass
	5200	-37.28	-20.54	Pass
	5240	-36.71	-21.03	Pass
802.11ac20	5180	-33.67	-15.06	Pass
	5200	-32.87	-14.97	Pass
	5240	-33.17	-14.89	Pass
802.11ac40	5190	-39.82	-19.31	Pass
	5230	-39.83	-19.38	Pass
802.11ac80	5210	-37.97	-19.63	Pass


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2601P05987E-RF Tester:Kungfumaster Liang
Date: 25.FEB.2026 20:52:35

802.11a_5200MHz




ProjectNo.:2601P05987E-RF Tester:Kungfumaster Liang
Date: 25.FEB.2026 20:56:46

802.11a_5240MHz




ProjectNo.:2601P05987E-RF Tester:Kungfumaster Liang
Date: 25.FEB.2026 20:59:31

802.11ac20_5180MHz




ProjectNo.:2601P05987E-RF Tester:Kungfumaster Liang
Date: 25.FEB.2026 21:04:34

802.11ac20_5200MHz




ProjectNo.:2601P05987E-RF Tester:Kungfumaster Liang
Date: 25.FEB.2026 21:07:15

802.11ac20_5240MHz




ProjectNo.:2601P05987E-RF Tester:Kungfumaster Liang
Date: 25.FEB.2026 21:10:20

802.11ac40_5190MHz




ProjectNo.:2601P05987E-RF Tester:Kungfumaster Liang
Date: 25.FEB.2026 21:13:43

802.11ac40_5230MHz



ProjectNo.:2601P05987E-RF Tester:Kungfumaster Liang
Date: 25.FEB.2026 21:15:55

802.11ac80_5210MHz



ProjectNo.:2601P05987E-RF Tester:Kungfumaster Liang
Date: 25.FEB.2026 21:21:49

Emission Bandwidth**Test Information:**

Sample No.:	3FTS-12	Test Date:	2026/02/25~2026/05/26
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.1~25.0	Relative Humidity: (%)	48~51	ATM Pressure: (kPa)	101.0~101.3
----------------------	-----------	------------------------------	-------	------------------------	-------------

Test Data:**For module YL43752****26dB Emission Bandwidth
5150-5250MHz**


Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5180	21.205
		5200	21.153
		5240	21.097
	Chain 1	5180	20.998
		5200	21.104
		5240	21.104
802.11ac20	Chain 0	5180	21.303
		5200	21.296
		5240	21.618
	Chain 1	5180	21.517
		5200	21.463
		5240	21.354
802.11ac40	Chain 0	5190	40.741
		5230	40.641
	Chain 1	5190	40.641
		5230	40.340
802.11ac80	Chain 0	5210	82.683
	Chain 1	5210	82.082
802.11ax20_RU_Full	Chain 0	5180	21.722
		5200	21.121
		5240	21.512
	Chain 1	5180	21.409
		5200	21.512
		5240	21.512
802.11ax40_RU_Full	Chain 0	5190	40.641
		5230	40.340
	Chain 1	5190	40.440
		5230	40.340
802.11ax80_RU_Full	Chain 0	5210	82.082
	Chain 1	5210	81.882

6dB Emission Bandwidth
5725-5850MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	Chain 0	5745	15.265	0.5	Pass
		5785	15.315	0.5	Pass
		5825	15.265	0.5	Pass
	Chain 1	5745	15.265	0.5	Pass
		5785	15.315	0.5	Pass
		5825	15.265	0.5	Pass
802.11ac20	Chain 0	5745	15.265	0.5	Pass
		5785	15.265	0.5	Pass
		5825	15.265	0.5	Pass
	Chain 1	5745	15.265	0.5	Pass
		5785	15.315	0.5	Pass
		5825	15.265	0.5	Pass
802.11ac40	Chain 0	5755	36.537	0.5	Pass
		5795	36.236	0.5	Pass
	Chain 1	5755	36.537	0.5	Pass
		5795	36.537	0.5	Pass
802.11ac80	Chain 0	5775	76.276	0.5	Pass
	Chain 1	5775	76.477	0.5	Pass
802.11ax20_RU_Full	Chain 0	5745	18.418	0.5	Pass
		5785	18.769	0.5	Pass
		5825	18.519	0.5	Pass
	Chain 1	5745	18.318	0.5	Pass
		5785	18.719	0.5	Pass
		5825	18.669	0.5	Pass
802.11ax40_RU_Full	Chain 0	5755	37.938	0.5	Pass
		5795	37.638	0.5	Pass
	Chain 1	5755	38.038	0.5	Pass
		5795	37.738	0.5	Pass
802.11ax80_RU_Full	Chain 0	5775	78.078	0.5	Pass
	Chain 1	5775	77.878	0.5	Pass


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:12:23

802.11a_5200MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:21:47

802.11a_5240MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:24:34

802.11a_5180MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 21:45:17

802.11a_5200MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 21:48:04

802.11a_5240MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 21:51:16

802.11ac20_5180MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:27:49

802.11ac20_5200MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:30:26

802.11ac20_5240MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:37:38

802.11ac20_5180MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 21:54:23

802.11ac20_5200MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 21:57:34

802.11ac20_5240MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 22:03:02

802.11ac40_5190MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:40:28

802.11ac40_5230MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:42:54

802.11ac40_5190MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 22:05:22

802.11ac40_5230MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 22:07:23

802.11ac80_5210MHz_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:47:18

802.11ac80_5210MHz_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 22:10:11

802.11ax20_5180MHz_RU_Full_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:51:18

802.11ax20_5200MHz_RU_Full_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:54:23

802.11ax20_5240MHz_RU_Full_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:57:29

802.11ax20_5180MHz_RU_Full_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 22:13:36

802.11ax20_5200MHz_RU_Full_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 22:16:32

802.11ax20_5240MHz_RU_Full_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 22:19:36

802.11ax40_5190MHz_RU_Full_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 20:59:50

802.11ax40_5230MHz_RU_Full_Chain 0




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 21:01:49

802.11ax40_5190MHz_RU_Full_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 22:22:04

802.11ax40_5230MHz_RU_Full_Chain 1




ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 22:23:54

802.11ax80_5210MHz_RU_Full_Chain 0



ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 21:08:59

802.11ax80_5210MHz_RU_Full_Chain 1



ProjectNo.:2601P05987E-RF-01 Tester:Kungfumaster Liang
Date: 26.FEB.2026 22:26:10