

Antenna Specification

Specifications
Summary

ITEM	SPEC.	
Center Frequency	1880 MHz	0.48 dBi
	1900 MHz	0.96 dBi
	1920 MHz	1.60dBi
	1930 MHz	1.71dBi
MAX. GAIN	1.71 dBi	

天线类型/
ANT Type:

PIFA

天线型号/
ANT Model:

1.9G-ANT1

制造商/
Manufactory:

YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD.
No.666 Hu'an Rd,Huli District Ximen City, Fujian, P.R. China





天线图/ANT Photo



1880MHz

3D Antenna pattern





2D Antenna pattern (X->Y;X->Z;Y->Z)



1900MHz


3D Antenna pattern

2D Antenna pattern (X->Y;X->Z;Y->Z)






1920MHz

3D Antenna pattern




2D Antenna pattern (X->Y;X->Z;Y->Z)






1930MHz

3D Antenna pattern



2D Antenna pattern (X->Y;X->Z;Y->Z)



Point Values	Minimum Gain (dBi)	Maximum Gain (dBi)	Average Gain (dBi)
Frequency (MHz)			
1880	-13.6386	0.48397	-4.05471
1900	-12.5120	0.96396	-3.88674
1920	-12.8394	1.59947	-3.51178
1930	-13.2041	1.71044	-3.46151