

FCC RF EXPOSURE REPORT

FCC ID: T58SEC111H

Project No. : 1503C202A
Equipment : 720P HD Wireless IP Camera
Model : SEC111; SEK204
Applicant : NETIS SYSTEMS CO., LTD
**Address : 4F&5F R&D Building, Oriental Cyberport, High-Tech
Industrial Park, Nanshan, Shenzhen, China.**
**According: : FCC Guidelines for Human Exposure IEEE
C95.1**

B T L I N C .

No.3, Jinshagang 1st Road, Shixia, Dalang Town, Dongguan, China.
TEL: +86-769-8318-3000 FAX: +86-769-8319-6000

MPE CALCULATION METHOD:

Calculation Method of RF Safety Distance:

$$S = \frac{PG}{4\pi r^2} = \frac{EIRP}{4\pi r^2}$$

where:

S = power density

P = power input to the antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

Table for Filed Antenna

Ant.	Brand	Model Name	Antenna Type	Connector	Gain(dBi)
1		RF21S00002A	Dipole	R-SMA	5.19

TEST RESULTS

EUT :	720P HD Wireless IP Camera	Model Name :	SEC111; SEK204
Temperature :	25 °C	Relative Humidity:	55 %
Test Voltage :	AC 120V/60Hz		
Test Mode :	TX B MODE /CH01, CH06, CH11		

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
5.19	3.3037	16.12	40.9261	0.02691227	1	Complies
5.19	3.3037	16.67	46.4515	0.03054572	1	Complies
5.19	3.3037	16.41	43.7522	0.02877070	1	Complies

EUT :	720P HD Wireless IP Camera	Model Name :	SEC111; SEK204
Temperature :	25 °C	Relative Humidity:	55 %
Test Voltage :	AC 120V/60Hz		
Test Mode :	TX G MODE /CH01, CH06, CH11		

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
5.19	3.3037	23.25	211.3489	0.13897938	1	Complies
5.19	3.3037	23.71	234.9633	0.15450779	1	Complies
5.19	3.3037	23.82	240.9905	0.15847121	1	Complies

EUT :	720P HD Wireless IP Camera	Model Name :	SEC111; SEK204
Temperature:	25 °C	Relative Humidity:	55 %
Test Voltage :	AC 120V/60Hz		
Test Mode :	TX N-20M MODE_ Total /CH01, CH06, CH11		

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
5.19	3.3037	23.09	203.7042	0.13395236	1	Complies
5.19	3.3037	23.36	216.7704	0.14254447	1	Complies
5.19	3.3037	18.41	69.3426	0.04559848	1	Complies

EUT :	720P HD Wireless IP Camera	Model Name :	SEC111; SEK204
Temperature:	25 °C	Relative Humidity:	55 %
Test Voltage :	AC 120V/60Hz		
Test Mode :	TX N-40M MODE_ Total /CH03, CH06, CH09		

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
5.19	3.3037	18.46	70.1455	0.04612649	1	Complies
5.19	3.3037	23.18	207.9697	0.13675725	1	Complies
5.19	3.3037	17.96	62.5173	0.04111027	1	Complies

Note: the calculated distance is 20 cm.