

FCC RF EXPOSURE REPORT

FCC ID: T58SEC112H

Project No. : 1503C202B
**Equipment : 960P HD Wireless Dome IP Camera/4CH Wireless IP
Camera & NVR Security Kit**
Model : SEC112, SEK204D, SEK204W
Applicant : NETIS SYSTEMS CO., LTD
**Address : 4F&5F R&D Building, Oriental Cyberport, High-Tech
Industrial Park, Nanshan, Shenzhen, China.**
**According: : FCC Guidelines for Human Exposure IEEE
C95.1**

B T L I N C .

No.3, Jinshagang 1st Road, Shixia, Dalang Town, Dongguan, China.
TEL: +86-769-8318-3000 FAX: +86-769-8319-6000

MPE CALCULATION METHOD:

Calculation Method of RF Safety Distance:

$$S = \frac{PG}{4\pi r^2} = \frac{EIRP}{4\pi r^2}$$

where:

S = power density

P = power input to the antenna

G = power gain of the antenna in the direction of interest relative to an isotropic radiator

R = distance to the center of radiation of the antenna

Table for Filed Antenna

Ant.	Brand	Model Name	Antenna Type	Connector	Gain(dBi)	Note
1		RF21S00002A	Dipole	SMA	5.19	2.4G

TEST RESULTS

EUT :	960P HD Wireless Dome IP Camera/4CH Wireless IP Camera & NVR Security Kit	Model Name :	SEC112, SEK204D, SEK204W
Temperature :	25 °C	Relative Humidity:	55 %
Test Voltage :	AC 120V/60Hz		
Test Mode :	TX B MODE /CH01, CH06, CH11		

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
5.19	3.3037	16.84	48.3059	0.03176511	1	Complies
5.19	3.3037	17.17	52.1195	0.03427286	1	Complies
5.19	3.3037	17.12	51.5229	0.03388054	1	Complies

EUT :	960P HD Wireless Dome IP Camera/4CH Wireless IP Camera & NVR Security Kit	Model Name :	SEC112, SEK204D, SEK204W
Temperature :	25 °C	Relative Humidity:	55 %
Test Voltage :	AC 120V/60Hz		
Test Mode :	TX G MODE /CH01, CH06, CH11		

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
5.19	3.3037	20.93	123.8797	0.08146112	1	Complies
5.19	3.3037	21.2	131.8257	0.08668628	1	Complies
5.19	3.3037	21.17	130.9182	0.08608954	1	Complies

EUT :	960P HD Wireless Dome IP Camera/4CH Wireless IP Camera & NVR Security Kit	Model Name :	SEC112, SEK204D, SEK204W
Temperature:	25 °C	Relative Humidity:	55 %
Test Voltage :	AC 120V/60Hz		
Test Mode :	TX N-20M MODE_ Total /CH01, CH06, CH11		

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
5.19	3.3037	21.26	133.6596	0.08789221	1	Complies
5.19	3.3037	21.25	133.3521	0.08769006	1	Complies
5.19	3.3037	21.44	139.3157	0.09161158	1	Complies

EUT :	960P HD Wireless Dome IP Camera/4CH Wireless IP Camera & NVR Security Kit	Model Name :	SEC112, SEK204D, SEK204W
Temperature:	25 °C	Relative Humidity:	55 %
Test Voltage :	AC 120V/60Hz		
Test Mode :	TX N-40M MODE_ Total /CH03, CH06, CH09		

Antenna Gain (dBi)	Antenna Gain (numeric)	Peak Output Power (dBm)	Peak Output Power (mW)	Power Density (S) (mW/cm ²)	Limit of Power Density (S) (mW/cm ²)	Test Result
5.19	3.3037	21.17	130.9182	0.08608954	1	Complies
5.19	3.3037	21.3	134.8963	0.08870546	1	Complies
5.19	3.3037	21.34	136.1445	0.08952625	1	Complies

Note: the calculated distance is 20 cm.