















Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	14.24	0.17	14.41	24	Pass
NVNT	a	5200	Ant1	15.01	0.17	15.18	24	Pass
NVNT	a	5240	Ant1	14.15	0.17	14.32	24	Pass
NVNT	a	5260	Ant1	13.73	0.17	13.9	24	Pass
NVNT	a	5300	Ant1	13.01	0.17	13.18	24	Pass
NVNT	a	5320	Ant1	14.17	0.17	14.34	24	Pass
NVNT	a	5500	Ant1	13.63	0.17	13.8	24	Pass
NVNT	a	5580	Ant1	13.03	0.17	13.2	24	Pass
NVNT	a	5700	Ant1	12.2	0.17	12.37	24	Pass
NVNT	a	5745	Ant1	12.97	0.17	13.14	30	Pass
NVNT	a	5785	Ant1	14.31	0.17	14.48	30	Pass
NVNT	a	5825	Ant1	13.49	0.17	13.66	30	Pass
NVNT	a	5180	Ant2	13.52	0.17	13.69	24	Pass
NVNT	a	5200	Ant2	14.31	0.17	14.48	24	Pass
NVNT	a	5240	Ant2	15.37	0.17	15.54	24	Pass
NVNT	a	5260	Ant2	15.45	0.17	15.62	24	Pass
NVNT	a	5300	Ant2	15.65	0.17	15.82	24	Pass
NVNT	a	5320	Ant2	15.5	0	15.5	24	Pass
NVNT	a	5500	Ant2	12.56	0.17	12.73	24	Pass
NVNT	a	5580	Ant2	12.42	0.17	12.59	24	Pass
NVNT	a	5700	Ant2	13.69	0.17	13.86	24	Pass
NVNT	a	5745	Ant2	13.81	0.17	13.98	30	Pass
NVNT	a	5785	Ant2	15	0.17	15.17	30	Pass
NVNT	a	5825	Ant2	13.79	0.17	13.96	30	Pass
NVNT	n20	5180	Ant1	13.45	0.19	13.64	24	Pass
NVNT	n20	5200	Ant1	13.78	0.18	13.96	24	Pass
NVNT	n20	5240	Ant1	13.87	0.19	14.06	24	Pass
NVNT	n20	5260	Ant1	14.27	0.19	14.46	24	Pass
NVNT	n20	5300	Ant1	13.45	0.18	13.63	24	Pass
NVNT	n20	5320	Ant1	13.79	0.19	13.98	24	Pass
NVNT	n20	5500	Ant1	13.28	0.18	13.46	24	Pass
NVNT	n20	5580	Ant1	12.7	0.18	12.88	24	Pass
NVNT	n20	5700	Ant1	12.09	0.19	12.28	24	Pass
NVNT	n20	5745	Ant1	13.21	0.19	13.4	30	Pass
NVNT	n20	5785	Ant1	13.59	0.19	13.78	30	Pass
NVNT	n20	5825	Ant1	13	0.19	13.19	30	Pass
NVNT	n20	5180	Ant2	13.54	0.18	13.72	24	Pass
NVNT	n20	5200	Ant2	13.58	0.19	13.77	24	Pass
NVNT	n20	5240	Ant2	14.6	0.19	14.79	24	Pass
NVNT	n20	5260	Ant2	14.92	0.19	15.11	24	Pass
NVNT	n20	5300	Ant2	14.18	0.19	14.37	24	Pass
NVNT	n20	5320	Ant2	14.14	0	14.14	24	Pass
NVNT	n20	5500	Ant2	12.52	0.19	12.71	24	Pass
NVNT	n20	5580	Ant2	12.62	0.19	12.81	24	Pass
NVNT	n20	5700	Ant2	12.95	0.19	13.14	24	Pass
NVNT	n20	5745	Ant2	14	0.19	14.19	30	Pass
NVNT	n20	5785	Ant2	14.19	0.18	14.37	30	Pass
NVNT	n20	5825	Ant2	13.2	0.19	13.39	30	Pass
NVNT	n20	5180	Ant1	11.31	0.19	11.5	23.08	Pass
NVNT	n20	5180	Ant2	8.92	0.19	9.11	23.08	Pass
NVNT	n20	5180	MIMO	13.29	0.19	13.48	23.08	Pass



NVNT	n20	5200	Ant1	11.69	0.19	11.88	23.08	Pass
NVNT	n20	5200	Ant2	8.85	0.19	9.04	23.08	Pass
NVNT	n20	5200	MIMO	13.51	0.19	13.7	23.08	Pass
NVNT	n20	5240	Ant1	12.22	0.18	12.4	23.08	Pass
NVNT	n20	5240	Ant2	9.56	0.18	9.74	23.08	Pass
NVNT	n20	5240	MIMO	14.1	0.18	14.28	23.08	Pass
NVNT	n20	5260	Ant1	11.91	0.19	12.1	23.08	Pass
NVNT	n20	5260	Ant2	9.68	0.19	9.87	23.08	Pass
NVNT	n20	5260	MIMO	13.95	0.19	14.14	23.08	Pass
NVNT	n20	5300	Ant1	11.38	0.19	11.57	23.08	Pass
NVNT	n20	5300	Ant2	9.45	0.19	9.64	23.08	Pass
NVNT	n20	5300	MIMO	13.53	0.19	13.72	23.08	Pass
NVNT	n20	5320	Ant1	11.45	0.19	11.64	23.08	Pass
NVNT	n20	5320	Ant2	9.67	0.19	9.86	23.08	Pass
NVNT	n20	5320	MIMO	13.66	0.19	13.85	23.08	Pass
NVNT	n20	5500	Ant1	11.05	0.19	11.24	23.08	Pass
NVNT	n20	5500	Ant2	9.87	0.19	10.06	23.08	Pass
NVNT	n20	5500	MIMO	13.51	0.19	13.7	23.08	Pass
NVNT	n20	5580	Ant1	10.3	0.18	10.48	23.08	Pass
NVNT	n20	5580	Ant2	10.04	0.18	10.22	23.08	Pass
NVNT	n20	5580	MIMO	13.18	0.18	13.36	23.08	Pass
NVNT	n20	5700	Ant1	9.6	0.18	9.78	23.08	Pass
NVNT	n20	5700	Ant2	9.82	0.18	10	23.08	Pass
NVNT	n20	5700	MIMO	12.72	0.18	12.9	23.08	Pass
NVNT	n20	5745	Ant1	11.16	0.19	11.35	29.08	Pass
NVNT	n20	5745	Ant2	11.01	0.19	11.2	29.08	Pass
NVNT	n20	5745	MIMO	14.1	0.19	14.29	29.08	Pass
NVNT	n20	5785	Ant1	11.43	0.19	11.62	29.08	Pass
NVNT	n20	5785	Ant2	10.64	0.19	10.83	29.08	Pass
NVNT	n20	5785	MIMO	14.06	0.19	14.25	29.08	Pass
NVNT	n20	5825	Ant1	11.04	0.19	11.23	29.08	Pass
NVNT	n20	5825	Ant2	10.24	0.19	10.43	29.08	Pass
NVNT	n20	5825	MIMO	13.67	0.19	13.86	29.08	Pass
NVNT	n40	5190	Ant1	12.63	0.37	13	24	Pass
NVNT	n40	5230	Ant1	12.58	0.37	12.95	24	Pass
NVNT	n40	5270	Ant1	13.21	0.37	13.58	24	Pass
NVNT	n40	5310	Ant1	12.99	0.37	13.36	24	Pass
NVNT	n40	5510	Ant1	12.54	0.37	12.91	24	Pass
NVNT	n40	5550	Ant1	12.4	0.37	12.77	24	Pass
NVNT	n40	5670	Ant1	12.35	0.37	12.72	24	Pass
NVNT	n40	5755	Ant1	12.26	0.36	12.62	30	Pass
NVNT	n40	5795	Ant1	12.42	0.37	12.79	30	Pass
NVNT	n40	5190	Ant2	13.03	0.37	13.4	24	Pass
NVNT	n40	5230	Ant2	14.08	0.37	14.45	24	Pass
NVNT	n40	5270	Ant2	14.04	0.37	14.41	24	Pass
NVNT	n40	5310	Ant2	13.85	0.37	14.22	24	Pass
NVNT	n40	5510	Ant2	11.81	0.37	12.18	24	Pass
NVNT	n40	5550	Ant2	11.81	0.37	12.18	24	Pass
NVNT	n40	5670	Ant2	11.71	0.36	12.07	24	Pass
NVNT	n40	5755	Ant2	13.03	0.37	13.4	30	Pass
NVNT	n40	5795	Ant2	12.88	0.37	13.25	30	Pass
NVNT	n40	5190	Ant1	10.39	0.36	10.75	23.08	Pass
NVNT	n40	5190	Ant2	8.18	0.36	8.54	23.08	Pass
NVNT	n40	5190	MIMO	12.43	0.36	12.79	23.08	Pass
NVNT	n40	5230	Ant1	10.88	0.36	11.24	23.08	Pass
NVNT	n40	5230	Ant2	8.27	0.36	8.63	23.08	Pass



NVNT	n40	5230	MIMO	12.78	0.36	13.14	23.08	Pass
NVNT	n40	5270	Ant1	10.71	0.37	11.08	23.08	Pass
NVNT	n40	5270	Ant2	8.88	0.37	9.25	23.08	Pass
NVNT	n40	5270	MIMO	12.9	0.37	13.27	23.08	Pass
NVNT	n40	5310	Ant1	10.88	0.37	11.25	23.08	Pass
NVNT	n40	5310	Ant2	9.08	0.37	9.45	23.08	Pass
NVNT	n40	5310	MIMO	13.08	0.37	13.45	23.08	Pass
NVNT	n40	5510	Ant1	9.94	0.37	10.31	23.08	Pass
NVNT	n40	5510	Ant2	8.96	0.37	9.33	23.08	Pass
NVNT	n40	5510	MIMO	12.49	0.37	12.86	23.08	Pass
NVNT	n40	5550	Ant1	9.75	0.37	10.12	23.08	Pass
NVNT	n40	5550	Ant2	8.95	0.37	9.32	23.08	Pass
NVNT	n40	5550	MIMO	12.38	0.37	12.75	23.08	Pass
NVNT	n40	5670	Ant1	10.05	0.37	10.42	23.08	Pass
NVNT	n40	5670	Ant2	8.75	0.37	9.12	23.08	Pass
NVNT	n40	5670	MIMO	12.46	0.37	12.83	23.08	Pass
NVNT	n40	5755	Ant1	9.68	0.36	10.04	29.08	Pass
NVNT	n40	5755	Ant2	9.33	0.36	9.69	29.08	Pass
NVNT	n40	5755	MIMO	12.52	0.36	12.88	29.08	Pass
NVNT	n40	5795	Ant1	10.38	0.37	10.75	29.08	Pass
NVNT	n40	5795	Ant2	10.04	0.37	10.41	29.08	Pass
NVNT	n40	5795	MIMO	13.22	0.37	13.59	29.08	Pass
NVNT	ac20	5180	Ant1	11.45	0.49	11.94	24	Pass
NVNT	ac20	5200	Ant1	10.3	0.48	10.78	24	Pass
NVNT	ac20	5240	Ant1	10.72	0.49	11.21	24	Pass
NVNT	ac20	5260	Ant1	11.14	0.49	11.63	24	Pass
NVNT	ac20	5300	Ant1	10.47	0.49	10.96	24	Pass
NVNT	ac20	5320	Ant1	10.27	0.48	10.75	24	Pass
NVNT	ac20	5500	Ant1	10.1	0.49	10.59	24	Pass
NVNT	ac20	5580	Ant1	9.75	0.49	10.24	24	Pass
NVNT	ac20	5700	Ant1	8.98	0.49	9.47	24	Pass
NVNT	ac20	5745	Ant1	9.79	0.49	10.28	30	Pass
NVNT	ac20	5785	Ant1	10.86	0.49	11.35	30	Pass
NVNT	ac20	5825	Ant1	10.05	0.49	10.54	30	Pass
NVNT	ac20	5180	Ant2	10.52	0.48	11	24	Pass
NVNT	ac20	5200	Ant2	10.61	0.48	11.09	24	Pass
NVNT	ac20	5240	Ant2	10.74	0.49	11.23	24	Pass
NVNT	ac20	5260	Ant2	11.57	0.49	12.06	24	Pass
NVNT	ac20	5300	Ant2	10.59	0.48	11.07	24	Pass
NVNT	ac20	5320	Ant2	8.71	0.49	9.2	24	Pass
NVNT	ac20	5500	Ant2	8.23	0.48	8.71	24	Pass
NVNT	ac20	5580	Ant2	8.58	0.49	9.07	24	Pass
NVNT	ac20	5700	Ant2	8.08	0.48	8.56	24	Pass
NVNT	ac20	5745	Ant2	8.78	0.49	9.27	30	Pass
NVNT	ac20	5785	Ant2	8.88	0.49	9.37	30	Pass
NVNT	ac20	5825	Ant2	8.25	0.49	8.74	30	Pass
NVNT	ac20	5180	Ant1	8.54	0.49	9.03	23.08	Pass
NVNT	ac20	5180	Ant2	6.2	0.49	6.69	23.08	Pass
NVNT	ac20	5180	MIMO	10.54	0.49	11.03	23.08	Pass
NVNT	ac20	5200	Ant1	8.75	0.49	9.24	23.08	Pass
NVNT	ac20	5200	Ant2	6.2	0.49	6.69	23.08	Pass
NVNT	ac20	5200	MIMO	10.67	0.49	11.16	23.08	Pass
NVNT	ac20	5240	Ant1	9.22	0.49	9.71	23.08	Pass
NVNT	ac20	5240	Ant2	6.72	0.49	7.21	23.08	Pass
NVNT	ac20	5240	MIMO	11.16	0.49	11.65	23.08	Pass
NVNT	ac20	5260	Ant1	9.05	0.49	9.54	23.08	Pass



NVNT	ac20	5260	Ant2	6.76	0.49	7.25	23.08	Pass
NVNT	ac20	5260	MIMO	11.06	0.49	11.55	23.08	Pass
NVNT	ac20	5300	Ant1	8.82	0.49	9.31	23.08	Pass
NVNT	ac20	5300	Ant2	6.8	0.49	7.29	23.08	Pass
NVNT	ac20	5300	MIMO	10.94	0.49	11.43	23.08	Pass
NVNT	ac20	5320	Ant1	8.39	0.48	8.87	23.08	Pass
NVNT	ac20	5320	Ant2	6.76	0.48	7.24	23.08	Pass
NVNT	ac20	5320	MIMO	10.66	0.48	11.14	23.08	Pass
NVNT	ac20	5500	Ant1	8.27	0.49	8.76	23.08	Pass
NVNT	ac20	5500	Ant2	7.19	0.49	7.68	23.08	Pass
NVNT	ac20	5500	MIMO	10.77	0.49	11.26	23.08	Pass
NVNT	ac20	5580	Ant1	7.25	0.48	7.73	23.08	Pass
NVNT	ac20	5580	Ant2	7.01	0.48	7.49	23.08	Pass
NVNT	ac20	5580	MIMO	10.14	0.48	10.62	23.08	Pass
NVNT	ac20	5700	Ant1	7.49	0.48	7.97	23.08	Pass
NVNT	ac20	5700	Ant2	7.08	0.48	7.56	23.08	Pass
NVNT	ac20	5700	MIMO	10.3	0.48	10.78	23.08	Pass
NVNT	ac20	5745	Ant1	8.16	0.49	8.65	29.08	Pass
NVNT	ac20	5745	Ant2	7.89	0.49	8.38	29.08	Pass
NVNT	ac20	5745	MIMO	11.04	0.49	11.53	29.08	Pass
NVNT	ac20	5785	Ant1	8.73	0.49	9.22	29.08	Pass
NVNT	ac20	5785	Ant2	7.92	0.49	8.41	29.08	Pass
NVNT	ac20	5785	MIMO	11.35	0.49	11.84	29.08	Pass
NVNT	ac20	5825	Ant1	8.15	0.48	8.63	29.08	Pass
NVNT	ac20	5825	Ant2	7.2	0.48	7.68	29.08	Pass
NVNT	ac20	5825	MIMO	10.71	0.48	11.19	29.08	Pass
NVNT	ac40	5190	Ant1	8.17	0.86	9.03	24	Pass
NVNT	ac40	5230	Ant1	9.75	0.86	10.61	24	Pass
NVNT	ac40	5270	Ant1	10.48	0.84	11.32	24	Pass
NVNT	ac40	5310	Ant1	9.91	0.86	10.77	24	Pass
NVNT	ac40	5510	Ant1	9.61	0.86	10.47	24	Pass
NVNT	ac40	5550	Ant1	9.07	0.85	9.92	24	Pass
NVNT	ac40	5670	Ant1	9.32	0.86	10.18	24	Pass
NVNT	ac40	5755	Ant1	9.22	0.86	10.08	30	Pass
NVNT	ac40	5795	Ant1	8.16	0.86	9.02	30	Pass
NVNT	ac40	5190	Ant2	7.97	0.86	8.83	24	Pass
NVNT	ac40	5230	Ant2	6.41	0.86	7.27	24	Pass
NVNT	ac40	5270	Ant2	6.9	0.86	7.76	24	Pass
NVNT	ac40	5310	Ant2	6.4	0.86	7.26	24	Pass
NVNT	ac40	5510	Ant2	7.17	0.86	8.03	24	Pass
NVNT	ac40	5550	Ant2	7.4	0.86	8.26	24	Pass
NVNT	ac40	5670	Ant2	6.25	0.86	7.11	24	Pass
NVNT	ac40	5755	Ant2	6.66	0.86	7.52	30	Pass
NVNT	ac40	5795	Ant2	6.47	0.86	7.33	30	Pass
NVNT	ac40	5190	Ant1	6.33	0.86	7.19	23.08	Pass
NVNT	ac40	5190	Ant2	4.08	0.86	4.94	23.08	Pass
NVNT	ac40	5190	MIMO	8.36	0.86	9.22	23.08	Pass
NVNT	ac40	5230	Ant1	6.37	0.86	7.23	23.08	Pass
NVNT	ac40	5230	Ant2	4.5	0.86	5.36	23.08	Pass
NVNT	ac40	5230	MIMO	8.55	0.86	9.41	23.08	Pass
NVNT	ac40	5270	Ant1	6.49	0.86	7.35	23.08	Pass
NVNT	ac40	5270	Ant2	4.73	0.86	5.59	23.08	Pass
NVNT	ac40	5270	MIMO	8.71	0.86	9.57	23.08	Pass
NVNT	ac40	5310	Ant1	6.76	0.85	7.61	23.08	Pass
NVNT	ac40	5310	Ant2	4.73	0.85	5.58	23.08	Pass
NVNT	ac40	5310	MIMO	8.87	0.85	9.72	23.08	Pass



NVNT	ac40	5510	Ant1	5.66	0.86	6.52	23.08	Pass
NVNT	ac40	5510	Ant2	4.83	0.86	5.69	23.08	Pass
NVNT	ac40	5510	MIMO	8.28	0.86	9.14	23.08	Pass
NVNT	ac40	5550	Ant1	5.34	0.86	6.2	23.08	Pass
NVNT	ac40	5550	Ant2	4.79	0.86	5.65	23.08	Pass
NVNT	ac40	5550	MIMO	8.08	0.86	8.94	23.08	Pass
NVNT	ac40	5670	Ant1	5.4	0.86	6.26	23.08	Pass
NVNT	ac40	5670	Ant2	4.53	0.86	5.39	23.08	Pass
NVNT	ac40	5670	MIMO	8	0.86	8.86	23.08	Pass
NVNT	ac40	5755	Ant1	5.52	0.86	6.38	29.08	Pass
NVNT	ac40	5755	Ant2	5.42	0.86	6.28	29.08	Pass
NVNT	ac40	5755	MIMO	8.48	0.86	9.34	29.08	Pass
NVNT	ac40	5795	Ant1	5.92	0.86	6.78	29.08	Pass
NVNT	ac40	5795	Ant2	5.44	0.86	6.3	29.08	Pass
NVNT	ac40	5795	MIMO	8.7	0.86	9.56	29.08	Pass
NVNT	ac80	5210	Ant1	4.61	1.41	6.02	24	Pass
NVNT	ac80	5290	Ant1	5.36	1.41	6.77	24	Pass
NVNT	ac80	5530	Ant1	4.37	1.39	5.76	24	Pass
NVNT	ac80	5610	Ant1	3.87	1.41	5.28	24	Pass
NVNT	ac80	5775	Ant1	5.25	1.41	6.66	30	Pass
NVNT	ac80	5210	Ant2	4.84	1.39	6.23	24	Pass
NVNT	ac80	5290	Ant2	5.05	1.41	6.46	24	Pass
NVNT	ac80	5530	Ant2	4.24	1.41	5.65	24	Pass
NVNT	ac80	5610	Ant2	4.54	1.41	5.95	24	Pass
NVNT	ac80	5775	Ant2	5.22	1.41	6.63	30	Pass
NVNT	ac80	5210	Ant1	8.77	1.41	10.18	23.08	Pass
NVNT	ac80	5210	Ant2	6.58	1.41	7.99	23.08	Pass
NVNT	ac80	5210	MIMO	10.82	1.41	12.23	23.08	Pass
NVNT	ac80	5290	Ant1	8.63	1.41	10.04	23.08	Pass
NVNT	ac80	5290	Ant2	6.38	1.41	7.79	23.08	Pass
NVNT	ac80	5290	MIMO	10.66	1.41	12.07	23.08	Pass
NVNT	ac80	5530	Ant1	8.09	1.41	9.5	23.08	Pass
NVNT	ac80	5530	Ant2	7	1.41	8.41	23.08	Pass
NVNT	ac80	5530	MIMO	10.59	1.41	12	23.08	Pass
NVNT	ac80	5610	Ant1	7.67	1.39	9.06	23.08	Pass
NVNT	ac80	5610	Ant2	7.51	1.39	8.9	23.08	Pass
NVNT	ac80	5610	MIMO	10.6	1.39	11.99	23.08	Pass
NVNT	ac80	5775	Ant1	8.67	1.41	10.08	29.08	Pass
NVNT	ac80	5775	Ant2	8.12	1.41	9.53	29.08	Pass
NVNT	ac80	5775	MIMO	11.41	1.41	12.82	29.08	Pass
NVNT	ac160	5250	Ant1	3.46	1.79	5.25	24	Pass
NVNT	ac160	5570	Ant1	2.89	1.76	4.65	24	Pass
NVNT	ac160	5250	Ant2	3.19	1.76	4.95	24	Pass
NVNT	ac160	5570	Ant2	2.74	1.75	4.49	24	Pass
NVNT	ac160	5250	Ant1	9.81	1.79	11.6	23.08	Pass
NVNT	ac160	5250	Ant2	8.23	1.79	10.02	23.08	Pass
NVNT	ac160	5250	MIMO	12.1	1.79	13.89	23.08	Pass
NVNT	ac160	5570	Ant1	9.05	1.76	10.81	23.08	Pass
NVNT	ac160	5570	Ant2	8.19	1.76	9.95	23.08	Pass
NVNT	ac160	5570	MIMO	11.65	1.76	13.41	23.08	Pass
NVNT	ax20	5180	Ant1	10.56	0.54	11.1	24	Pass
NVNT	ax20	5200	Ant1	10.74	0.54	11.28	24	Pass
NVNT	ax20	5240	Ant1	10.79	0.53	11.32	24	Pass
NVNT	ax20	5260	Ant1	11.97	0.53	12.5	24	Pass
NVNT	ax20	5300	Ant1	11.17	0.54	11.71	24	Pass
NVNT	ax20	5320	Ant1	11.68	0.54	12.22	24	Pass



NVNT	ax20	5500	Ant1	11.31	0.53	11.84	24	Pass
NVNT	ax20	5580	Ant1	9.84	0.54	10.38	24	Pass
NVNT	ax20	5700	Ant1	9.78	0.53	10.31	24	Pass
NVNT	ax20	5745	Ant1	10.41	0.54	10.95	30	Pass
NVNT	ax20	5785	Ant1	10.69	0.54	11.23	30	Pass
NVNT	ax20	5825	Ant1	10.38	0.54	10.92	30	Pass
NVNT	ax20	5180	Ant2	9.15	0.54	9.69	24	Pass
NVNT	ax20	5200	Ant2	9.15	0.53	9.68	24	Pass
NVNT	ax20	5240	Ant2	9.57	0.53	10.1	24	Pass
NVNT	ax20	5260	Ant2	10.09	0.54	10.63	24	Pass
NVNT	ax20	5300	Ant2	10.22	0.54	10.76	24	Pass
NVNT	ax20	5320	Ant2	9.43	0.54	9.97	24	Pass
NVNT	ax20	5500	Ant2	9.44	0.53	9.97	24	Pass
NVNT	ax20	5580	Ant2	9.69	0.53	10.22	24	Pass
NVNT	ax20	5700	Ant2	9.5	0.54	10.04	24	Pass
NVNT	ax20	5745	Ant2	9.66	0.54	10.2	30	Pass
NVNT	ax20	5785	Ant2	9.41	0.54	9.95	30	Pass
NVNT	ax20	5825	Ant2	9.16	0.54	9.7	30	Pass
NVNT	ax20	5180	Ant1	7.83	0.53	8.36	23.08	Pass
NVNT	ax20	5180	Ant2	5.54	0.53	6.07	23.08	Pass
NVNT	ax20	5180	MIMO	9.84	0.53	10.37	23.08	Pass
NVNT	ax20	5200	Ant1	8.41	0.54	8.95	23.08	Pass
NVNT	ax20	5200	Ant2	6.03	0.54	6.57	23.08	Pass
NVNT	ax20	5200	MIMO	10.39	0.54	10.93	23.08	Pass
NVNT	ax20	5240	Ant1	8.82	0.54	9.36	23.08	Pass
NVNT	ax20	5240	Ant2	6.11	0.54	6.65	23.08	Pass
NVNT	ax20	5240	MIMO	10.68	0.54	11.22	23.08	Pass
NVNT	ax20	5260	Ant1	8.81	0.54	9.35	23.08	Pass
NVNT	ax20	5260	Ant2	6.44	0.54	6.98	23.08	Pass
NVNT	ax20	5260	MIMO	10.8	0.54	11.34	23.08	Pass
NVNT	ax20	5300	Ant1	8.12	0.54	8.66	23.08	Pass
NVNT	ax20	5300	Ant2	6.42	0.54	6.96	23.08	Pass
NVNT	ax20	5300	MIMO	10.36	0.54	10.9	23.08	Pass
NVNT	ax20	5320	Ant1	8.31	0.53	8.84	23.08	Pass
NVNT	ax20	5320	Ant2	6.27	0.53	6.8	23.08	Pass
NVNT	ax20	5320	MIMO	10.42	0.53	10.95	23.08	Pass
NVNT	ax20	5500	Ant1	8.27	0.54	8.81	23.08	Pass
NVNT	ax20	5500	Ant2	7.11	0.54	7.65	23.08	Pass
NVNT	ax20	5500	MIMO	10.74	0.54	11.28	23.08	Pass
NVNT	ax20	5580	Ant1	6.84	0.54	7.38	23.08	Pass
NVNT	ax20	5580	Ant2	7.23	0.54	7.77	23.08	Pass
NVNT	ax20	5580	MIMO	10.05	0.54	10.59	23.08	Pass
NVNT	ax20	5700	Ant1	7.11	0.54	7.65	23.08	Pass
NVNT	ax20	5700	Ant2	6.83	0.54	7.37	23.08	Pass
NVNT	ax20	5700	MIMO	9.98	0.54	10.52	23.08	Pass
NVNT	ax20	5745	Ant1	7.38	0.53	7.91	29.08	Pass
NVNT	ax20	5745	Ant2	8.12	0.53	8.65	29.08	Pass
NVNT	ax20	5745	MIMO	10.78	0.53	11.31	29.08	Pass
NVNT	ax20	5785	Ant1	8.54	0.54	9.08	29.08	Pass
NVNT	ax20	5785	Ant2	8.4	0.54	8.94	29.08	Pass
NVNT	ax20	5785	MIMO	11.48	0.54	12.02	29.08	Pass
NVNT	ax20	5825	Ant1	7.66	0.53	8.19	29.08	Pass
NVNT	ax20	5825	Ant2	6.9	0.53	7.43	29.08	Pass
NVNT	ax20	5825	MIMO	10.31	0.53	10.84	29.08	Pass
NVNT	ax40	5190	Ant1	11.53	0.55	12.08	24	Pass
NVNT	ax40	5230	Ant1	12.34	0.55	12.89	24	Pass



NVNT	ax40	5270	Ant1	12.36	0.55	12.91	24	Pass
NVNT	ax40	5310	Ant1	12.26	0.55	12.81	24	Pass
NVNT	ax40	5510	Ant1	11.6	0.55	12.15	24	Pass
NVNT	ax40	5550	Ant1	11.51	0.55	12.06	24	Pass
NVNT	ax40	5670	Ant1	11.9	0.55	12.45	24	Pass
NVNT	ax40	5755	Ant1	11.82	0.55	12.37	30	Pass
NVNT	ax40	5795	Ant1	11.87	0.55	12.42	30	Pass
NVNT	ax40	5190	Ant2	10.74	0.55	11.29	24	Pass
NVNT	ax40	5230	Ant2	10.51	0.54	11.05	24	Pass
NVNT	ax40	5270	Ant2	11.26	0.55	11.81	24	Pass
NVNT	ax40	5310	Ant2	10.52	0.55	11.07	24	Pass
NVNT	ax40	5510	Ant2	9.98	0.55	10.53	24	Pass
NVNT	ax40	5550	Ant2	10.45	0.55	11	24	Pass
NVNT	ax40	5670	Ant2	9.32	0.55	9.87	24	Pass
NVNT	ax40	5755	Ant2	11.02	0.55	11.57	30	Pass
NVNT	ax40	5795	Ant2	10.7	0.55	11.25	30	Pass
NVNT	ax40	5190	Ant1	9.3	0.55	9.85	23.08	Pass
NVNT	ax40	5190	Ant2	6.62	0.55	7.17	23.08	Pass
NVNT	ax40	5190	MIMO	11.17	0.55	11.72	23.08	Pass
NVNT	ax40	5230	Ant1	9.48	0.55	10.03	23.08	Pass
NVNT	ax40	5230	Ant2	7.18	0.55	7.73	23.08	Pass
NVNT	ax40	5230	MIMO	11.49	0.55	12.04	23.08	Pass
NVNT	ax40	5270	Ant1	9.58	0.55	10.13	23.08	Pass
NVNT	ax40	5270	Ant2	7.66	0.55	8.21	23.08	Pass
NVNT	ax40	5270	MIMO	11.74	0.55	12.29	23.08	Pass
NVNT	ax40	5310	Ant1	9.2	0.54	9.74	23.08	Pass
NVNT	ax40	5310	Ant2	7.7	0.54	8.24	23.08	Pass
NVNT	ax40	5310	MIMO	11.52	0.54	12.06	23.08	Pass
NVNT	ax40	5510	Ant1	8.57	0.55	9.12	23.08	Pass
NVNT	ax40	5510	Ant2	7.69	0.55	8.24	23.08	Pass
NVNT	ax40	5510	MIMO	11.16	0.55	11.71	23.08	Pass
NVNT	ax40	5550	Ant1	8.42	0.55	8.97	23.08	Pass
NVNT	ax40	5550	Ant2	7.77	0.55	8.32	23.08	Pass
NVNT	ax40	5550	MIMO	11.12	0.55	11.67	23.08	Pass
NVNT	ax40	5670	Ant1	8.34	0.55	8.89	23.08	Pass
NVNT	ax40	5670	Ant2	7.19	0.55	7.74	23.08	Pass
NVNT	ax40	5670	MIMO	10.81	0.55	11.36	23.08	Pass
NVNT	ax40	5755	Ant1	8.8	0.55	9.35	29.08	Pass
NVNT	ax40	5755	Ant2	8.28	0.55	8.83	29.08	Pass
NVNT	ax40	5755	MIMO	11.56	0.55	12.11	29.08	Pass
NVNT	ax40	5795	Ant1	9.14	0.55	9.69	29.08	Pass
NVNT	ax40	5795	Ant2	8.42	0.55	8.97	29.08	Pass
NVNT	ax40	5795	MIMO	11.81	0.55	12.36	29.08	Pass
NVNT	ax80	5210	Ant1	11.59	0.56	12.15	24	Pass
NVNT	ax80	5290	Ant1	11.84	0.56	12.4	24	Pass
NVNT	ax80	5530	Ant1	10.69	0.56	11.25	24	Pass
NVNT	ax80	5610	Ant1	10.57	0.56	11.13	24	Pass
NVNT	ax80	5775	Ant1	11.57	0.56	12.13	30	Pass
NVNT	ax80	5210	Ant2	10.27	0.56	10.83	24	Pass
NVNT	ax80	5290	Ant2	10.39	0.55	10.94	24	Pass
NVNT	ax80	5530	Ant2	10.09	0.56	10.65	24	Pass
NVNT	ax80	5610	Ant2	10.34	0.56	10.9	24	Pass
NVNT	ax80	5775	Ant2	10.51	0.56	11.07	30	Pass
NVNT	ax80	5210	Ant1	9.21	0.56	9.77	23.08	Pass
NVNT	ax80	5210	Ant2	6.53	0.56	7.09	23.08	Pass
NVNT	ax80	5210	MIMO	11.08	0.56	11.64	23.08	Pass



NVNT	ax80	5290	Ant1	8.84	0.56	9.4	23.08	Pass
NVNT	ax80	5290	Ant2	7.18	0.56	7.74	23.08	Pass
NVNT	ax80	5290	MIMO	11.1	0.56	11.66	23.08	Pass
NVNT	ax80	5530	Ant1	7.97	0.56	8.53	23.08	Pass
NVNT	ax80	5530	Ant2	7.61	0.56	8.17	23.08	Pass
NVNT	ax80	5530	MIMO	10.8	0.56	11.36	23.08	Pass
NVNT	ax80	5610	Ant1	7.98	0.56	8.54	23.08	Pass
NVNT	ax80	5610	Ant2	7.73	0.56	8.29	23.08	Pass
NVNT	ax80	5610	MIMO	10.87	0.56	11.43	23.08	Pass
NVNT	ax80	5775	Ant1	9.37	0.56	9.93	29.08	Pass
NVNT	ax80	5775	Ant2	8.38	0.56	8.94	29.08	Pass
NVNT	ax80	5775	MIMO	11.91	0.56	12.47	29.08	Pass
NVNT	ax160	5250	Ant1	12.76	0.51	13.27	24	Pass
NVNT	ax160	5570	Ant1	11.86	1.29	13.15	24	Pass
NVNT	ax160	5250	Ant2	10.74	0.5	11.24	24	Pass
NVNT	ax160	5570	Ant2	10.91	0.51	11.42	24	Pass
NVNT	ax160	5250	Ant1	10.47	0.51	10.98	23.08	Pass
NVNT	ax160	5250	Ant2	7.9	0.51	8.41	23.08	Pass
NVNT	ax160	5250	MIMO	12.38	0.51	12.89	23.08	Pass
NVNT	ax160	5570	Ant1	8.82	0.51	9.33	23.08	Pass
NVNT	ax160	5570	Ant2	8.18	0.51	8.69	23.08	Pass
NVNT	ax160	5570	MIMO	11.52	0.51	12.03	23.08	Pass

