

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

Band Edges, 4.5GHz ~ 7GHz

U-NII-1


802.11a

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5132.50	55.16	13.99	41.17	74.00	-18.84	258	305	Peak	Horizontal		
2 *	5180.00	102.08	60.97	41.11	74.00	28.08	258	305	Peak	Horizontal		
3	5409.00	55.26	13.45	41.81	74.00	-18.74	258	305	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5134.00	54.89	13.72	41.17	74.00	-19.11	219	307	Peak	Vertical		
2 *	5180.00	105.57	64.46	41.11	74.00	31.57	219	307	Peak	Vertical		
3	5460.00	55.36	13.54	41.82	74.00	-18.64	219	307	Peak	Vertical		

802.11a

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.00	42.60	1.44	41.16	54.00	-11.40	258	305	Average	Horizontal	
2 *	5180.00	92.95	51.84	41.11	54.00	38.95	258	305	Average	Horizontal	
3	5373.00	42.27	0.54	41.73	54.00	-11.73	258	305	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	43.41	2.26	41.15	54.00	-10.59	219	307	Average	Vertical	
2 *	5180.00	96.19	55.08	41.11	54.00	42.19	219	307	Average	Vertical	
3	5355.00	42.42	0.74	41.68	54.00	-11.58	219	307	Average	Vertical	


802.11a

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5112.00	54.79	13.58	41.21	74.00	-19.21	314	309	Peak	Horizontal	
2 *	5200.00	104.77	63.69	41.08	74.00	30.77	314	309	Peak	Horizontal	
3	5395.50	55.30	13.51	41.79	74.00	-18.70	314	309	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	54.90	13.75	41.15	74.00	-19.10	255	313	Peak	Vertical	
2 *	5200.00	103.01	61.93	41.08	74.00	29.01	255	313	Peak	Vertical	
3	5436.00	54.58	12.76	41.82	74.00	-19.42	255	313	Peak	Vertical	

802.11a

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.00	42.98	1.82	41.16	54.00	-11.02	314	389	Average	Horizontal	
2 *	5200.00	95.51	54.43	41.08	54.00	41.51	314	389	Average	Horizontal	
3	5436.50	42.73	0.91	41.82	54.00	-11.27	314	389	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	42.87	1.72	41.15	54.00	-11.13	255	313	Average	Vertical	
2 *	5200.00	93.72	52.64	41.08	54.00	39.72	255	313	Average	Vertical	
3	5401.00	42.69	0.89	41.80	54.00	-11.31	255	313	Average	Vertical	

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5093.50	55.29	14.10	41.19	74.00	-18.71	279	309	Peak	Horizontal	
2 *	5240.00	104.43	63.17	41.26	74.00	30.43	279	309	Peak	Horizontal	
3	5386.00	55.47	13.71	41.76	74.00	-18.53	279	309	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5110.00	54.79	13.58	41.21	74.00	-19.21	259	301	Peak	Vertical	
2 *	5240.00	104.78	63.52	41.26	74.00	30.78	259	301	Peak	Vertical	
3	5375.50	55.92	14.18	41.74	74.00	-18.08	259	301	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5141.50	42.50	1.34	41.16	54.00	-11.50	279	309	Average	Horizontal	
2 *	5240.00	95.24	53.98	41.26	54.00	41.24	279	309	Average	Horizontal	
3	5399.00	42.52	0.72	41.80	54.00	-11.48	279	309	Average	Horizontal	

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5131.00	42.38	1.20	41.18	54.00	-11.62	259	301	Average	Vertical	
2 *	5240.00	95.41	54.15	41.26	54.00	41.41	259	301	Average	Vertical	
3	5403.50	42.61	0.81	41.80	54.00	-11.39	259	301	Average	Vertical	

802.11ac VHT20

CH 36 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



CH 36 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT20

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.00	43.04	1.05	41.19	54.00	-10.96	274	310	Average	Horizontal	
2 *	5180.00	92.68	51.57	41.11	54.00	38.68	274	310	Average	Horizontal	
3	5409.00	42.87	1.06	41.81	54.00	-11.13	274	310	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5141.50	43.01	1.05	41.16	54.00	-10.99	227	303	Average	Vertical	
2 *	5180.00	92.24	51.13	41.11	54.00	38.24	227	303	Average	Vertical	
3	5436.50	42.85	1.03	41.82	54.00	-11.15	227	303	Average	Vertical	

802.11ac VHT20

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5186.50	42.92	1.71	41.21	54.00	-11.08	273	310	Average	Horizontal	
2 *	5200.00	92.64	51.56	41.08	54.00	38.64	273	310	Average	Horizontal	
3	5444.00	42.96	1.13	41.83	54.00	-11.04	273	310	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5124.50	43.11	1.93	41.18	54.00	-10.89	100	302	Average	Vertical	
2 *	5200.00	91.75	50.67	41.08	54.00	37.75	100	302	Average	Vertical	
3	5434.50	43.13	1.31	41.82	54.00	-10.87	100	302	Average	Vertical	

802.11ac VHT20

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5088.50	56.04	14.88	41.16	74.00	-17.96	264	297	Peak	Horizontal	
2 *	5248.00	103.12	61.86	41.26	74.00	29.12	264	297	Peak	Horizontal	
3	5391.00	55.90	14.13	41.77	74.00	-18.10	264	297	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5072.00	55.42	14.33	41.09	74.00	-18.58	259	302	Peak	Vertical	
2 *	5248.00	103.47	62.21	41.26	74.00	29.47	259	302	Peak	Vertical	
3	5394.50	55.75	13.96	41.79	74.00	-18.25	259	302	Peak	Vertical	

802.11ac VHT20

CH 48 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	43.07	1.88	41.19	54.00	-10.93	264	297	Average	Horizontal	
2 *	5240.00	93.57	52.31	41.26	54.00	39.57	264	297	Average	Horizontal	
3	5361.00	43.28	1.58	41.70	54.00	-10.72	264	297	Average	Horizontal	

CH 48 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5100.50	42.92	1.71	41.21	54.00	-11.08	259	302	Average	Vertical	
2 *	5240.00	94.05	52.79	41.26	54.00	40.05	259	302	Average	Vertical	
3	5377.00	43.28	1.54	41.74	54.00	-10.72	259	302	Average	Vertical	

802.11ac VHT40


CH 38 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5198.00	53.58	12.43	41.15	54.00	-0.42	272	301	Average	Horizontal	
2	5198.00	91.35	50.26	41.09	54.00	37.35	272	301	Average	Horizontal	
3	5358.50	42.44	0.74	41.70	54.00	-11.56	272	301	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5198.00	50.50	9.35	41.15	54.00	-3.50	276	303	Average	Vertical	
2	5198.00	91.64	50.55	41.09	54.00	37.64	276	303	Average	Vertical	
3	5405.50	42.53	0.73	41.80	54.00	-11.47	276	303	Average	Vertical	

802.11ac VHT40

CH 46 (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5098.00	54.22	13.01	41.21	74.00	-19.78	271	300 Peak		Horizontal	
2 *	5238.00	101.59	60.37	41.22	74.00	27.59	271	300 Peak		Horizontal	
3	5375.50	54.35	12.61	41.74	74.00	-19.65	271	300 Peak		Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




		Freq	Level	Read	Limit	Over	Apos	Tpos	Remark	Pol/Phase	Note
		Hz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1		5107.00	55.07	13.86	41.21	74.00	-18.93	274	302 Peak	Vertical	
2	*	5230.00	100.64	59.42	41.22	74.00	26.64	274	302 Peak	Vertical	
3		5440.00	54.62	12.80	41.82	74.00	-19.38	274	302 Peak	Vertical	

802.11ac VHT40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5185.50	42.20	0.99	41.21	54.00	-11.80	271	300	Average	Horizontal	
2 *	5230.00	92.64	51.42	41.22	54.00	38.64	271	300	Average	Horizontal	
3	5406.50	42.36	0.56	41.80	54.00	-11.64	271	300	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5096.50	42.33	1.12	41.21	54.00	-11.67	274	302	Average	Vertical	
2 *	5230.00	91.78	50.56	41.22	54.00	37.78	274	302	Average	Vertical	
3	5362.50	42.41	0.70	41.71	54.00	-11.59	274	302	Average	Vertical	

802.11ac VHT80

CH 42 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	60.81	19.66	41.15	74.00	-13.19	272	389	Peak	Horizontal	
2 *	5210.00	95.42	54.29	41.13	74.00	21.42	272	389	Peak	Horizontal	
3	5429.00	54.18	12.36	41.82	74.00	-19.82	272	389	Peak	Horizontal	

CH 42 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.00	60.58	19.43	41.15	74.00	-13.42	252	294	Peak	Vertical	
2 *	5210.00	96.02	54.89	41.13	74.00	22.02	252	294	Peak	Vertical	
3	5402.00	55.57	13.77	41.80	74.00	-18.43	252	294	Peak	Vertical	

802.11ac VHT80

CH 42 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.50	49.85	8.70	41.15	54.00	-4.15	272	309	Average	Horizontal		
2 *	5210.00	86.65	45.52	41.13	54.00	32.65	272	309	Average	Horizontal		
3	5445.50	43.20	1.37	41.83	54.00	-10.80	272	309	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5149.50	49.41	8.26	41.15	54.00	-4.59	252	294	Average	Vertical		
2 *	5210.00	86.27	45.14	41.13	54.00	32.27	252	294	Average	Vertical		
3	5401.00	43.15	1.35	41.80	54.00	-10.85	252	294	Average	Vertical		

Band Edges, 4.5GHz ~ 7GHz

U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5184.50	55.00	13.79	41.21	74.00	-19.00	321	308	Peak	Horizontal	
2 *	5260.00	104.90	63.56	41.34	68.20	36.70	321	308	Peak	Horizontal	
3	5372.00	54.29	12.57	41.72	74.00	-19.71	321	308	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5133.50	55.68	14.51	41.17	74.00	-18.32	249	302	Peak	Vertical	
2 *	5260.00	104.68	63.34	41.34	68.20	36.48	249	302	Peak	Vertical	
3	5423.50	55.09	13.28	41.81	74.00	-18.91	249	302	Peak	Vertical	

802.11a

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5123.50	42.36	1.18	41.18	54.00	-11.64	321	308	Average	Horizontal	
2 *	5260.00	95.60	54.26	41.34	54.00	41.60	321	308	Average	Horizontal	
3	5384.00	42.62	0.86	41.76	54.00	-11.38	321	308	Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.50	42.45	1.26	41.19	54.00	-11.55	249	302	Average	Vertical	
2 *	5260.00	95.30	53.96	41.34	54.00	41.30	249	302	Average	Vertical	
3	5409.00	42.53	0.72	41.81	54.00	-11.47	249	302	Average	Vertical	

802.11a

CH 60 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5100.50	54.87	13.65	41.22	74.00	-19.13	301	307	Peak	Horizontal	
2 *	5300.00	106.14	64.79	41.44	68.20	37.94	301	307	Peak	Horizontal	
3	5356.00	56.07	14.39	41.68	74.00	-17.93	301	307	Peak	Horizontal	

CH 60 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5105.00	54.62	13.41	41.21	74.00	-19.38	300	303	Peak	Vertical	
2 *	5300.00	103.52	62.08	41.44	68.20	35.32	300	303	Peak	Vertical	
3	5374.50	55.72	13.99	41.73	74.00	-18.28	300	303	Peak	Vertical	

802.11a

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5132.50	42.31	1.14	41.17	54.00	-11.69	301	307	Average	Horizontal	
2 *	5300.00	96.94	55.50	41.44	54.00	42.94	301	307	Average	Horizontal	
3	5352.00	43.09	1.42	41.67	54.00	-10.91	301	307	Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5122.00	42.33	1.14	41.19	54.00	-11.67	300	303	Average	Vertical	
2 *	5300.00	94.19	52.75	41.44	54.00	40.19	300	303	Average	Vertical	
3	5361.00	42.62	0.92	41.70	54.00	-11.38	300	303	Average	Vertical	

802.11a

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5118.50	42.41	1.22	41.19	54.00	-11.59	300	306 Average	Horizontal	
2 *	5320.00	97.28	55.75	41.53	54.00	43.28	300	306 Average	Horizontal	
3	5350.50	43.74	2.07	41.67	54.00	-10.26	300	306 Average	Horizontal	

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5142.50	42.38	1.22	41.16	54.00	-11.62	325	303 Average	Vertical	
2 *	5320.00	92.79	51.26	41.53	54.00	38.79	325	303 Average	Vertical	
3	5350.00	42.78	1.11	41.67	54.00	-11.22	325	303 Average	Vertical	

802.11ac VHT20

CH 52 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5180.00	55.67	14.45	41.22	74.00	-18.33	241	300	Peak	Horizontal	
2 *	5260.00	102.58	61.24	41.34	68.20	34.38	241	300	Peak	Horizontal	
3	5431.00	55.18	13.36	41.82	74.00	-18.82	241	300	Peak	Horizontal	

CH 52 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4914.00	54.78	14.10	40.68	74.00	-19.22	248	303	Peak	Vertical	
2 *	5260.00	104.28	62.94	41.34	68.20	36.08	248	303	Peak	Vertical	
3	5367.00	55.17	13.46	41.71	74.00	-18.83	248	303	Peak	Vertical	

802.11ac VHT20

CH 52 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5124.50	43.19	2.01	41.18	54.00	-10.81	241	300	Average	Horizontal	
2 *	5260.00	93.54	52.20	41.34	54.00	39.54	241	300	Average	Horizontal	
3	5412.00	43.34	1.53	41.81	54.00	-10.66	241	300	Average	Horizontal	

CH 52 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5105.50	43.06	1.85	41.21	54.00	-10.94	248	303	Average	Vertical	
2 *	5260.00	94.74	53.40	41.34	54.00	40.74	248	303	Average	Vertical	
3	5391.50	43.33	1.56	41.77	54.00	-10.67	248	303	Average	Vertical	


802.11ac VHT20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5181.00	55.45	14.23	41.22	74.00	-18.55	244	307	Peak	Horizontal	
2 *	5300.00	104.66	63.22	41.44	68.20	36.46	244	307	Peak	Horizontal	
3	5428.50	55.45	13.63	41.82	74.00	-18.55	244	307	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5127.50	55.10	13.92	41.18	74.00	-18.90	254	302	Peak	Vertical	
2 *	5300.00	103.99	62.55	41.44	68.20	35.79	254	302	Peak	Vertical	
3	5376.00	55.94	14.20	41.74	74.00	-18.06	254	302	Peak	Vertical	

802.11ac VHT20

CH 60 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5121.00	43.08	1.89	41.19	54.00	-10.92	244	387	Average	Horizontal	
2 *	5300.00	94.98	53.54	41.44	54.00	40.98	244	387	Average	Horizontal	
3	5359.50	43.61	1.91	41.70	54.00	-10.39	244	387	Average	Horizontal	

CH 60 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5114.50	43.05	1.85	41.20	54.00	-10.95	254	302	Average	Vertical	
2 *	5300.00	94.34	52.90	41.44	54.00	40.34	254	302	Average	Vertical	
3	5442.50	43.59	1.76	41.83	54.00	-10.41	254	302	Average	Vertical	

802.11ac VHT20

CH 64 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5114.50	55.83	14.63	41.20	74.00	-18.17	263	309	Peak	Horizontal	
2 *	5320.00	103.62	62.09	41.53	68.20	35.42	263	309	Peak	Horizontal	
3	5352.50	56.50	14.82	41.68	74.00	-17.50	263	309	Peak	Horizontal	

CH 64 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4617.00	55.41	15.00	40.41	74.00	-18.59	241	301	Peak	Vertical	
2 *	5320.00	106.74	65.21	41.53	68.20	38.54	241	301	Peak	Vertical	
3	5441.50	55.79	13.97	41.82	74.00	-18.21	241	301	Peak	Vertical	

802.11ac VHT20

CH 64 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5122.50	43.02	1.83	41.19	54.00	-10.98	263	309	Average	Horizontal	
2 *	5320.00	93.94	52.41	41.53	54.00	39.94	263	309	Average	Horizontal	
3	5355.50	43.78	2.10	41.68	54.00	-10.22	263	309	Average	Horizontal	

CH 64 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5111.00	43.10	1.09	41.21	54.00	-10.90	241	301	Average	Vertical	
2 *	5320.00	95.12	53.59	41.53	54.00	41.12	241	301	Average	Vertical	
3	5351.00	44.09	2.42	41.67	54.00	-9.91	241	301	Average	Vertical	

802.11ac VHT40

CH 54 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5097.50	53.31	12.10	41.21	74.00	-20.69	267	299	Peak	Horizontal	
2 *	5270.00	101.96	60.60	41.36	68.20	33.76	267	299	Peak	Horizontal	
3	5412.50	54.73	12.92	41.81	74.00	-19.27	267	299	Peak	Horizontal	

CH 54 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5100.00	53.94	12.72	41.22	74.00	-20.06	246	302	Peak	Vertical	
2 *	5270.00	102.13	60.77	41.36	68.20	33.93	246	302	Peak	Vertical	
3	5413.00	55.17	13.36	41.81	74.00	-18.83	246	302	Peak	Vertical	

802.11ac VHT40

CH 54 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5122.50	42.14	0.95	41.19	54.00	-11.86	267	299	Average	Horizontal	
2 *	5278.00	93.41	52.05	41.36	54.00	39.41	267	299	Average	Horizontal	
3	5378.00	42.48	0.73	41.75	54.00	-11.52	267	299	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5136.00	42.29	1.12	41.17	54.00	-11.71	246	302	Average	Vertical	
2 *	5278.00	93.37	52.01	41.36	54.00	39.37	246	302	Average	Vertical	
3	5354.50	42.73	1.05	41.68	54.00	-11.27	246	302	Average	Vertical	


802.11ac VHT40

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4888.00	54.17	13.57	40.60	74.00	-19.83	284	298	Peak	Horizontal	
2 *	5318.00	102.34	60.85	41.49	68.20	34.14	284	298	Peak	Horizontal	
3	5351.50	61.34	19.67	41.67	74.00	-12.66	284	298	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.50	54.38	13.22	41.16	74.00	-19.62	283	303	Peak	Vertical	
2 *	5318.00	102.15	60.66	41.49	68.20	33.95	283	303	Peak	Vertical	
3	5353.00	58.97	17.29	41.68	74.00	-15.03	283	303	Peak	Vertical	

802.11ac VHT40

CH 62 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5125.00	42.13	0.95	41.18	54.00	-11.87	284	298	Average	Horizontal	
2 *	5318.00	93.44	51.95	41.49	54.00	39.44	284	298	Average	Horizontal	
3 !	5350.50	50.41	8.74	41.67	54.00	-3.59	284	298	Average	Horizontal	

CH 62 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.00	42.23	1.04	41.19	54.00	-11.77	283	303	Average	Vertical	
2 *	5318.00	93.26	51.77	41.49	54.00	39.26	283	303	Average	Vertical	
3 !	5350.00	48.45	6.78	41.67	54.00	-5.55	283	303	Average	Vertical	


802.11ac VHT80

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5133.50	53.89	12.72	41.17	74.00	-20.11	267	298	Peak	Horizontal	
2 *	5298.00	98.32	56.91	41.41	68.28	30.12	267	298	Peak	Horizontal	
3	5356.50	60.25	18.57	41.68	74.00	-13.75	267	298	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5100.50	54.47	13.26	41.21	74.00	-19.53	299	304	Peak	Vertical	
2 *	5298.00	97.57	56.16	41.41	68.28	29.37	299	304	Peak	Vertical	
3	5357.00	57.44	15.76	41.68	74.00	-16.56	299	304	Peak	Vertical	

802.11ac VHT80

CH 58 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5118.50	42.87	1.68	41.19	54.00	-11.13	267	298	Average	Horizontal	
2 *	5290.00	88.67	47.26	41.41	54.00	34.67	267	298	Average	Horizontal	
3 †	5350.50	48.89	7.22	41.67	54.00	-5.11	267	298	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5142.50	42.90	1.74	41.16	54.00	-11.10	299	304	Average	Vertical	
2 *	5290.00	88.35	46.94	41.41	54.00	34.35	299	304	Average	Vertical	
3	5350.00	46.80	5.13	41.67	54.00	-7.20	299	304	Average	Vertical	

Band Edges, 4.5GHz ~ 7GHz
U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5447.00	56.18	14.35	41.83	74.00	-17.82	300	305 Peak	Horizontal	
2	5469.50	56.10	14.30	41.80	68.20	-12.10	300	305 Peak	Horizontal	
3 *	5500.00	106.18	64.42	41.76	68.20	37.98	300	305 Peak	Horizontal	
4	5758.50	56.25	14.28	41.97	68.20	-11.95	300	305 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5367.00	56.09	14.38	41.71	74.00	-17.91	301	185 Peak	VERTICAL	
2	5462.50	55.71	13.90	41.81	68.20	-12.49	301	185 Peak	VERTICAL	
3 *	5500.00	99.64	57.88	41.76	68.20	31.44	301	185 Peak	VERTICAL	
4	5832.00	56.30	14.17	42.13	68.20	-11.90	301	185 Peak	VERTICAL	

802.11a

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5456.00	43.55	1.73	41.82	54.00	-10.45	300	305	Average	Horizontal	
2 *	5500.00	97.22	55.46	41.76	54.00	43.22	300	305	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5404.00	42.69	0.89	41.80	54.00	-11.31	301	185	Average	VERTICAL	
2 *	5500.00	90.26	48.50	41.76	54.00	36.26	301	185	Average	VERTICAL	


802.11a

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5451.00	55.23	13.40	41.83	74.00	-18.77	305	303	Peak	Horizontal	
2	5464.50	54.39	12.58	41.81	68.20	-13.81	305	303	Peak	Horizontal	
3 *	5580.00	107.51	65.86	41.65	68.20	39.31	305	303	Peak	Horizontal	
4	5834.00	55.81	13.69	42.12	68.20	-12.39	305	303	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5488.00	55.05	13.25	41.80	74.00	-18.95	300	0	Peak	Vertical	
2	5468.00	53.89	12.09	41.80	68.20	-14.31	300	0	Peak	Vertical	
3 *	5580.00	99.72	58.07	41.65	68.20	31.52	300	0	Peak	Vertical	
4	5729.50	56.41	14.67	41.74	68.20	-11.79	300	0	Peak	Vertical	

802.11a

CH 116 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5488.00	42.69	0.89	41.00	54.00	-11.31	305	303	Average	Horizontal
2 *	5580.00	98.26	56.61	41.65	54.00	44.26	305	303	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5488.50	42.82	1.02	41.80	54.00	-11.18	300	0	Average	Vertical
2 *	5580.00	90.59	46.94	41.65	54.00	36.59	300	0	Average	Vertical

802.11a

CH 140 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5422.00	56.06	14.25	41.81	74.00	-17.94	300	311	Peak	Horizontal	
2	5468.50	54.24	12.44	41.80	68.20	-13.96	300	311	Peak	Horizontal	
3 *	5700.00	105.88	64.40	41.48	68.20	37.68	300	311	Peak	Horizontal	
4	5725.50	56.53	14.83	41.70	68.20	-11.67	300	311	Peak	Horizontal	

CH 140 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5442.00	55.58	13.75	41.83	74.00	-18.42	301	307	Peak	Vertical	
2	5463.50	54.60	12.79	41.81	68.20	-13.60	301	307	Peak	Vertical	
3 *	5700.00	103.29	61.81	41.48	68.20	35.09	301	307	Peak	Vertical	
4	5783.00	57.03	14.90	42.13	68.20	-11.17	301	307	Peak	Vertical	