


802.11a

CH 140 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5387.00	42.64	0.88	41.76	54.00	-11.36	300	311	Average	Horizontal	
2 *	5700.00	96.56	55.08	41.48	54.00	42.56	300	311	Average	Horizontal	

CH 140 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5425.00	42.70	0.88	41.82	54.00	-11.30	301	307	Average	Vertical	
2 *	5700.00	93.76	52.28	41.48	54.00	39.76	301	307	Average	Vertical	


802.11ac VHT20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5442.00	56.97	14.24	41.83	74.00	-17.93	273	305	Peak	Horizontal	
2	5468.50	55.93	14.13	41.80	68.20	-12.27	273	305	Peak	Horizontal	
3 *	5500.00	106.29	64.53	41.76	68.20	38.09	273	305	Peak	Horizontal	
4	5831.50	56.83	14.70	42.13	68.20	-11.37	273	305	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5445.50	55.32	13.49	41.83	74.00	-18.68	266	0	Peak	Vertical	
2	5462.50	54.87	13.06	41.81	68.20	-13.33	266	0	Peak	Vertical	
3 *	5500.00	99.53	57.77	41.76	68.20	31.33	266	0	Peak	Vertical	
4	5793.50	56.70	14.50	42.20	68.20	-11.50	266	0	Peak	Vertical	

802.11ac VHT20

CH 100 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.58	44.38	2.48	41.82	54.00	-9.78	273	385	Average	Horizontal	
2 *	5500.00	96.76	55.00	41.76	54.00	42.76	273	385	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5433.58	43.44	1.62	41.82	54.00	-10.56	266	0	Average	Vertical	
2 *	5500.00	90.07	48.31	41.76	54.00	36.07	266	0	Average	Vertical	

802.11ac VHT20

CH 116 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5424.00	55.17	13.36	41.81	74.00	-18.83	240	300	Peak	Horizontal	
2	5469.50	54.90	13.10	41.80	68.20	-13.30	240	300	Peak	Horizontal	
3 *	5580.00	103.55	61.90	41.65	68.20	35.35	240	300	Peak	Horizontal	
4	5789.00	56.01	13.85	42.16	68.20	-12.19	240	300	Peak	Horizontal	

CH 116 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5382.50	56.22	14.46	41.76	74.00	-17.78	273	360	Peak	Vertical	
2	5464.50	54.91	13.10	41.81	68.20	-13.29	273	360	Peak	Vertical	
3 *	5580.00	100.90	59.25	41.65	68.20	32.70	273	360	Peak	Vertical	
4	5792.50	56.18	13.98	42.20	68.20	-12.02	273	360	Peak	Vertical	

802.11ac VHT20

CH 116 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5451.50	43.30	1.47	41.83	54.00	-10.70	240	300	Average	Horizontal	
2 *	5580.00	94.15	52.50	41.65	54.00	40.15	240	300	Average	Horizontal	

CH 116 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5495.00	43.33	1.53	41.80	54.00	-10.67	273	360	Average	Vertical	
2 *	5580.00	91.29	49.64	41.65	54.00	37.29	273	360	Average	Vertical	


802.11ac VHT20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5375.50	55.75	14.01	41.74	74.00	-18.25	287	294 Peak	Horizontal	
2	5463.50	55.40	13.59	41.81	68.20	-12.80	287	294 Peak	Horizontal	
3 *	5700.00	106.28	64.89	41.48	68.20	38.08	287	294 Peak	Horizontal	
4	5727.50	57.25	15.53	41.72	68.20	-10.95	287	294 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5357.00	56.25	14.57	41.68	74.00	-17.75	263	307 Peak	Vertical	
2	5461.00	54.32	12.50	41.82	68.20	-13.88	263	307 Peak	Vertical	
3 *	5700.00	103.97	62.49	41.48	68.20	35.77	263	307 Peak	Vertical	
4	5725.50	59.30	17.60	41.70	68.20	-8.90	263	307 Peak	Vertical	

802.11ac VHT20

CH 140 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5482.00	43.30	1.50	41.80	54.00	-10.70	287	294	Average	Horizontal	
2 *	5700.00	96.55	55.07	41.48	54.00	42.55	287	294	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5427.00	43.22	1.40	41.82	54.00	-10.78	263	307	Average	Vertical	
2 *	5700.00	93.55	52.07	41.48	54.00	39.55	263	307	Average	Vertical	


802.11ac VHT40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.50	56.87	15.05	41.82	74.00	-17.13	298	305 Peak	Horizontal	
2	5470.00	61.35	19.55	41.80	68.20	-6.85	298	305 Peak	Horizontal	
3 *	5518.00	102.82	61.07	41.75	68.20	34.62	298	305 Peak	Horizontal	
4	5764.00	54.98	12.98	42.00	68.20	-13.22	298	305 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5410.50	53.98	12.17	41.81	74.00	-20.02	292	360 Peak	Vertical	
2	5469.00	54.00	12.20	41.80	68.20	-14.20	292	360 Peak	Vertical	
3 *	5518.00	95.28	53.53	41.75	68.20	27.08	292	360 Peak	Vertical	
4	5810.00	55.26	13.05	42.21	68.20	-12.94	292	360 Peak	Vertical	

802.11ac VHT40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	44.84	3.02	41.82	54.00	-9.16	298	305	Average	Horizontal	
2 *	5510.00	94.00	52.25	41.75	54.00	40.00	298	305	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5397.50	42.40	0.61	41.79	54.00	-11.60	292	360	Average	Vertical	
2 *	5510.00	86.71	44.96	41.75	54.00	32.71	292	360	Average	Vertical	


802.11ac VHT40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5366.00	55.40	13.69	41.71	74.00	-18.60	296	304 Peak	Horizontal	
2	5469.50	54.06	12.26	41.80	68.20	-14.14	296	304 Peak	Horizontal	
3 *	5550.00	103.13	61.44	41.69	68.20	34.93	296	304 Peak	Horizontal	
4	5783.50	54.73	12.60	42.13	68.20	-13.47	296	304 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5369.00	54.53	12.81	41.72	74.00	-19.47	276	0 Peak	Vertical	
2	5460.50	52.79	10.97	41.82	68.20	-15.41	276	0 Peak	Vertical	
3 *	5550.00	96.50	54.81	41.69	68.20	28.30	276	0 Peak	Vertical	
4	5826.00	55.61	13.45	42.16	68.20	-12.59	276	0 Peak	Vertical	

802.11ac VHT40

CH 110 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	42.51	0.69	41.82	54.00	-11.49	296	304	Average	Horizontal	
2 *	5558.00	94.20	52.51	41.69	54.00	40.20	296	304	Average	Horizontal	

CH 110 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5384.00	42.40	0.64	41.76	54.00	-11.60	276	0	Average	Vertical	
2 *	5558.00	87.71	46.02	41.69	54.00	33.71	276	0	Average	Vertical	

802.11ac VHT40

CH 134 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5427.50	53.71	11.89	41.82	74.00	-20.29	285	303	Peak	Horizontal	
2	5463.00	52.64	10.83	41.81	68.20	-15.56	285	303	Peak	Horizontal	
3 *	5678.00	103.57	62.05	41.52	68.20	35.37	285	303	Peak	Horizontal	
4	5774.50	55.42	13.35	42.07	68.20	-12.78	285	303	Peak	Horizontal	

CH 134 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5369.50	54.03	12.31	41.72	74.00	-19.97	276	299	Peak	Vertical	
2	5465.50	53.03	11.22	41.81	68.20	-15.17	276	299	Peak	Vertical	
3 *	5678.00	100.13	58.61	41.52	68.20	31.93	276	299	Peak	Vertical	
4	5786.50	56.12	13.97	42.15	68.20	-12.08	276	299	Peak	Vertical	

802.11ac VHT40

CH 134 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5482.50	42.40	0.60	41.80	54.00	-11.60	285	303 Average	Horizontal	
2 *	5670.00	94.67	53.15	41.52	54.00	40.67	285	303 Average	Horizontal	

CH 134 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5442.50	42.21	0.38	41.83	54.00	-11.79	276	299 Average	Vertical	
2 *	5670.00	90.98	49.46	41.52	54.00	36.98	276	299 Average	Vertical	

802.11ac VHT80

CH 106 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5456.00	59.34	17.52	41.82	74.00	-14.66	296	305	Peak	Horizontal	
2	5470.00	62.19	20.39	41.80	68.20	-6.01	296	305	Peak	Horizontal	
3 *	5530.00	100.67	58.95	41.72	68.20	32.47	296	305	Peak	Horizontal	
4	5771.00	55.37	13.32	42.05	68.20	-12.83	296	305	Peak	Horizontal	

CH 106 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5430.50	54.54	12.72	41.82	74.00	-19.46	277	360	Peak	Vertical	
2	5467.00	55.90	14.09	41.81	68.20	-12.39	277	360	Peak	Vertical	
3 *	5530.00	94.14	52.42	41.72	68.20	25.94	277	360	Peak	Vertical	
4	5770.00	55.26	13.22	42.04	68.20	-12.94	277	360	Peak	Vertical	

802.11ac VHT80

CH 106 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	48.96	7.14	41.82	54.00	-5.04	296	305	Average	Horizontal	
2	5530.00	90.73	49.01	41.72	54.00	36.73	296	305	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.00	43.53	1.71	41.82	54.00	-10.47	277	360	Average	Vertical	
2	5530.00	94.23	42.51	41.72	54.00	30.23	277	360	Average	Vertical	

Mask, 4.5GHz ~ 7GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5535.50	56.10	14.39	41.71	68.20	-12.10	298	300 Peak	Horizontal	
2	5697.00	54.74	13.25	41.49	102.99	-48.25	298	300 Peak	Horizontal	
3	5712.00	54.66	13.07	41.59	108.56	-53.90	298	300 Peak	Horizontal	
4	5725.00	55.61	13.92	41.69	135.00	-79.39	298	300 Peak	Horizontal	
5	5745.00	101.37	59.50	41.87	135.00	-33.63	298	300 Peak	Horizontal	
6	5855.00	56.02	13.91	42.11	110.80	-54.78	298	300 Peak	Horizontal	
7	5855.00	56.02	13.91	42.11	110.80	-54.78	298	300 Peak	Horizontal	
8	5887.00	56.84	14.45	42.39	96.29	-39.45	298	300 Peak	Horizontal	
9	5954.50	56.17	13.77	42.40	68.20	-12.03	298	300 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5580.50	55.71	14.06	41.65	68.20	-12.49	316	297 Peak	Vertical	
2	5697.50	55.27	13.78	41.49	103.36	-48.09	316	297 Peak	Vertical	
3	5702.00	54.65	13.15	41.50	105.76	-51.11	316	297 Peak	Vertical	
4	5722.50	53.97	12.30	41.67	122.90	-68.93	316	297 Peak	Vertical	
5	5745.00	96.53	54.66	41.87	135.00	-38.47	316	297 Peak	Vertical	
6	5853.00	55.16	13.07	42.09	120.40	-65.32	316	297 Peak	Vertical	
7	5855.50	56.14	14.03	42.11	110.66	-54.52	316	297 Peak	Vertical	
8	5911.00	56.72	14.23	42.49	78.53	-21.81	316	297 Peak	Vertical	
9	5984.50	55.95	13.71	42.24	68.20	-12.25	316	297 Peak	Vertical	


802.11a

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5463.00	55.93	14.12	41.81	68.20	-12.27	328	302 Peak	HORIZONTAL	
2	5678.00	55.89	13.58	41.51	88.96	-33.87	328	302 Peak	HORIZONTAL	
3	5720.00	54.91	13.26	41.65	110.80	-55.89	328	302 Peak	HORIZONTAL	
4	5720.00	54.91	13.26	41.65	110.80	-55.89	328	302 Peak	HORIZONTAL	
5	5785.00	101.45	59.31	42.14	135.00	-33.55	328	302 Peak	HORIZONTAL	
6	5850.50	55.73	13.66	42.07	132.50	-76.05	328	302 Peak	HORIZONTAL	
7	5865.50	57.68	15.48	42.20	107.86	-50.18	328	302 Peak	HORIZONTAL	
8	5919.50	57.07	14.60	42.47	72.25	-15.18	328	302 Peak	HORIZONTAL	
9	5928.50	56.23	13.77	42.46	68.20	-11.97	328	302 Peak	HORIZONTAL	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5591.00	55.66	14.03	41.63	68.20	-12.54	268	297 Peak	Vertical	
2	5680.50	55.35	13.84	41.51	90.81	-35.46	268	297 Peak	Vertical	
3	5708.50	54.24	12.68	41.56	107.58	-53.34	268	297 Peak	Vertical	
4	5725.00	54.77	13.08	41.69	135.00	-80.23	268	297 Peak	Vertical	
5	5785.00	98.55	56.41	42.14	135.00	-36.45	268	297 Peak	Vertical	
6	5854.50	55.22	13.11	42.11	113.22	-50.00	268	297 Peak	Vertical	
7	5873.50	57.19	14.92	42.27	105.62	-48.43	268	297 Peak	Vertical	
8	5875.50	56.07	13.78	42.29	104.83	-48.76	268	297 Peak	Vertical	
9	5961.00	56.09	13.72	42.37	68.20	-12.11	268	297 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5636.00	55.67	14.10	41.57	68.20	-12.53	318	301 Peak	Horizontal	
2	5661.00	56.22	14.68	41.54	76.37	-20.15	318	301 Peak	Horizontal	
3	5703.00	55.08	13.58	41.50	106.04	-50.96	318	301 Peak	Horizontal	
4	5721.00	53.48	11.82	41.66	115.64	-62.16	318	301 Peak	Horizontal	
5	5825.00	101.88	59.73	42.15	135.00	-33.12	318	301 Peak	Horizontal	
6	5854.00	55.97	13.07	42.10	115.64	-59.67	318	301 Peak	Horizontal	
7	5856.00	56.42	14.30	42.12	110.52	-54.10	318	301 Peak	Horizontal	
8	5884.00	56.69	14.33	42.36	98.52	-41.83	318	301 Peak	Horizontal	
9	5951.00	56.02	13.60	42.42	68.20	-12.18	318	301 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5470.50	55.81	14.01	41.00	68.20	-12.39	299	304 Peak	Vertical	
2	5658.50	55.48	13.94	41.54	74.51	-19.03	299	304 Peak	Vertical	
3	5715.50	55.06	13.45	41.61	109.54	-54.48	299	304 Peak	Vertical	
4	5722.00	54.52	12.85	41.67	120.48	-65.96	299	304 Peak	Vertical	
5	5825.00	98.46	56.31	42.15	135.00	-36.54	299	304 Peak	Vertical	
6	5855.00	56.44	14.33	42.11	110.50	-54.36	299	304 Peak	Vertical	
7	5873.00	56.92	14.66	42.26	105.76	-48.84	299	304 Peak	Vertical	
8	5918.50	56.52	14.05	42.47	72.99	-16.47	299	304 Peak	Vertical	
9	5959.00	56.12	13.73	42.39	68.20	-12.08	299	304 Peak	Vertical	


802.11ac VHT20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5599.00	55.75	14.13	41.62	68.20	-12.45	262	302 Peak	Horizontal	
2	5674.50	55.50	13.99	41.51	86.37	-30.87	262	302 Peak	Horizontal	
3	5708.50	54.81	13.25	41.56	107.58	-52.77	262	302 Peak	Horizontal	
4	5724.50	54.83	13.14	41.69	132.58	-77.75	262	302 Peak	Horizontal	
5	5745.00	101.11	59.24	41.87	135.00	-33.89	262	302 Peak	Horizontal	
6	5852.00	55.14	13.05	42.09	125.32	-70.18	262	302 Peak	Horizontal	
7	5860.50	55.31	13.15	42.16	109.26	-53.95	262	302 Peak	Horizontal	
8	5882.00	55.77	13.42	42.35	100.00	-44.23	262	302 Peak	Horizontal	
9	5995.00	55.92	13.73	42.19	68.20	-12.28	262	302 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5587.00	56.31	14.67	41.64	68.20	-11.89	287	297 Peak	Vertical	
2	5683.00	55.60	14.10	41.50	92.66	-37.06	287	297 Peak	Vertical	
3	5711.00	55.00	13.42	41.58	108.28	-53.28	287	297 Peak	Vertical	
4	5723.50	54.57	12.89	41.68	127.74	-73.17	287	297 Peak	Vertical	
5	5745.00	94.66	52.79	41.87	135.00	-40.34	287	297 Peak	Vertical	
6	5855.00	55.35	13.24	42.11	110.00	-55.45	287	297 Peak	Vertical	
7	5864.00	55.93	13.74	42.19	100.28	-52.35	287	297 Peak	Vertical	
8	5917.50	56.21	13.73	42.48	73.73	-17.52	287	297 Peak	Vertical	
9	5991.50	55.85	13.65	42.20	68.20	-12.35	287	297 Peak	Vertical	


802.11ac VHT20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5462.50	56.06	14.25	41.81	68.20	-12.14	299	303 Peak	HORIZONTAL	
2	5668.00	55.11	13.59	41.52	81.56	-26.45	299	303 Peak	HORIZONTAL	
3	5716.00	55.12	13.50	41.62	109.68	-54.56	299	303 Peak	HORIZONTAL	
4	5724.00	54.56	12.88	41.68	130.16	-75.60	299	303 Peak	HORIZONTAL	
5	5785.00	100.00	58.66	42.14	135.00	-34.20	299	303 Peak	HORIZONTAL	
6	5852.00	55.38	13.29	42.09	125.32	-69.94	299	303 Peak	HORIZONTAL	
7	5870.50	56.26	14.02	42.24	106.46	-50.20	299	303 Peak	HORIZONTAL	
8	5912.00	56.90	14.41	42.49	77.79	-20.89	299	303 Peak	HORIZONTAL	
9	5925.50	56.64	14.17	42.47	68.20	-11.56	299	303 Peak	HORIZONTAL	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5548.00	56.51	14.82	41.69	68.20	-11.69	100	233 Peak	Vertical	
2	5676.50	55.36	13.84	41.52	87.85	-32.49	100	233 Peak	Vertical	
3	5718.50	54.95	13.31	41.64	110.38	-55.43	100	233 Peak	Vertical	
4	5722.00	54.33	12.66	41.67	120.48	-66.15	100	233 Peak	Vertical	
5	5785.00	96.15	54.01	42.14	135.00	-38.85	100	233 Peak	Vertical	
6	5850.00	56.37	14.30	42.07	135.00	-78.63	100	233 Peak	Vertical	
7	5856.50	55.80	13.68	42.12	110.38	-54.58	100	233 Peak	Vertical	
8	5899.00	56.29	13.80	42.49	87.40	-31.11	100	233 Peak	Vertical	
9	5954.50	56.88	14.48	42.40	68.20	-11.32	100	233 Peak	Vertical	

802.11ac VHT20

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5524.00	56.21	14.49	41.72	68.20	-11.99	258	292 Peak	Horizontal	
2	5688.00	56.05	14.56	41.49	96.35	-40.30	258	292 Peak	Horizontal	
3	5716.00	55.62	14.00	41.62	109.68	-54.06	258	292 Peak	Horizontal	
4	5721.00	54.86	13.20	41.66	115.64	-60.78	258	292 Peak	Horizontal	
5	5825.00	101.77	59.62	42.15	135.00	-33.23	258	292 Peak	Horizontal	
6	5851.00	56.67	14.59	42.00	130.16	-73.49	258	292 Peak	Horizontal	
7	5866.50	57.82	15.59	42.23	107.02	-40.20	258	292 Peak	Horizontal	
8	5878.50	56.63	14.31	42.32	102.60	-45.97	258	292 Peak	Horizontal	
9	5970.50	57.53	15.21	42.32	68.20	-10.67	258	292 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5548.50	55.86	14.17	41.69	68.20	-12.34	100	233 Peak	Vertical	
2	5673.50	56.06	14.55	41.51	85.63	-29.57	100	233 Peak	Vertical	
3	5717.00	54.80	13.17	41.63	109.96	-55.16	100	233 Peak	Vertical	
4	5724.50	54.39	12.70	41.69	132.58	-70.19	100	233 Peak	Vertical	
5	5825.00	95.69	53.54	42.15	135.00	-39.31	100	233 Peak	Vertical	
6	5853.50	55.34	13.24	42.10	118.06	-62.72	100	233 Peak	Vertical	
7	5866.50	55.40	13.28	42.21	107.58	-52.09	100	233 Peak	Vertical	
8	5899.50	56.42	13.92	42.50	87.03	-30.61	100	233 Peak	Vertical	
9	5947.00	56.71	14.27	42.44	68.20	-11.49	100	233 Peak	Vertical	


802.11ac VHT40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5682.50	54.99	13.38	41.61	68.20	-13.21	261	301 Peak	Horizontal	
2	5694.00	54.49	13.00	41.49	100.78	-46.29	261	301 Peak	Horizontal	
3	5717.50	53.76	12.13	41.63	110.10	-56.34	261	301 Peak	Horizontal	
4	5725.00	53.64	11.95	41.69	135.00	-81.36	261	301 Peak	Horizontal	
5	5755.00	97.25	55.31	41.94	135.00	-37.75	261	301 Peak	Horizontal	
6	5854.50	53.18	11.07	42.11	113.22	-60.04	261	301 Peak	Horizontal	
7	5867.00	54.26	12.04	42.22	107.44	-53.18	261	301 Peak	Horizontal	
8	5882.00	55.27	12.92	42.35	100.00	-44.73	261	301 Peak	Horizontal	
9	5965.50	55.77	13.42	42.35	68.20	-12.43	261	301 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5514.00	54.87	13.13	41.74	68.20	-13.33	289	296 Peak	Vertical	
2	5697.50	54.26	12.77	41.49	103.36	-49.10	289	296 Peak	Vertical	
3	5710.50	53.40	11.83	41.57	108.14	-54.74	289	296 Peak	Vertical	
4	5721.50	53.47	11.81	41.66	118.06	-64.59	289	296 Peak	Vertical	
5	5755.00	93.02	51.08	41.94	135.00	-41.98	289	296 Peak	Vertical	
6	5855.00	53.94	11.63	42.11	110.00	-56.06	289	296 Peak	Vertical	
7	5874.00	54.86	12.59	42.27	105.48	-50.62	289	296 Peak	Vertical	
8	5884.00	55.64	13.28	42.36	98.52	-42.88	289	296 Peak	Vertical	
9	5988.00	55.38	13.16	42.22	68.20	-12.82	289	296 Peak	Vertical	

802.11ac VHT40

CH 159 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5523.50	55.43	13.71	41.72	68.20	-12.77	274	301 Peak	Horizontal	
2	5697.50	54.21	12.72	41.49	103.36	-49.15	274	301 Peak	Horizontal	
3	5702.50	53.95	12.45	41.50	105.90	-51.95	274	301 Peak	Horizontal	
4	5721.50	52.73	11.07	41.66	118.06	-65.33	274	301 Peak	Horizontal	
5	5795.00	98.38	56.17	42.21	135.00	-36.62	274	301 Peak	Horizontal	
6	5852.00	54.77	12.68	42.09	125.32	-70.55	274	301 Peak	Horizontal	
7	5875.00	54.90	12.61	42.29	105.20	-50.30	274	301 Peak	Horizontal	
8	5911.50	56.34	13.85	42.49	78.16	-21.82	274	301 Peak	Horizontal	
9	5958.00	55.29	12.91	42.38	68.20	-12.91	274	301 Peak	Horizontal	

CH 159 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5495.00	53.88	12.11	41.77	68.20	-14.32	288	298 Peak	Vertical	
2	5680.00	53.48	11.97	41.51	90.44	-36.96	288	298 Peak	Vertical	
3	5701.00	54.06	12.57	41.49	105.48	-51.42	288	298 Peak	Vertical	
4	5725.00	53.59	11.90	41.69	135.00	-81.41	288	298 Peak	Vertical	
5	5795.00	95.16	52.95	42.21	135.00	-39.84	288	298 Peak	Vertical	
6	5852.00	54.17	12.08	42.09	125.32	-71.15	288	298 Peak	Vertical	
7	5869.50	54.36	12.12	42.24	106.74	-52.38	288	298 Peak	Vertical	
8	5901.00	55.86	13.36	42.50	85.92	-30.06	288	298 Peak	Vertical	
9	5933.00	55.76	13.31	42.45	68.20	-12.44	288	298 Peak	Vertical	

802.11ac VHT80

CH 155 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5575.50	55.47	13.81	41.66	68.20	-12.73	277	302 Peak	Horizontal	
2	5699.50	54.15	12.67	41.48	104.89	-49.94	277	302 Peak	Horizontal	
3	5715.00	54.67	13.06	41.61	109.40	-54.73	277	302 Peak	Horizontal	
4	5720.50	54.53	12.88	41.65	113.22	-58.69	277	302 Peak	Horizontal	
5	5775.00	94.21	52.13	42.08	135.00	-40.79	277	302 Peak	Horizontal	
6	5850.00	54.83	12.76	42.07	135.00	-80.17	277	302 Peak	Horizontal	
7	5857.00	54.63	12.50	42.13	110.24	-55.61	277	302 Peak	Horizontal	
8	5913.00	56.22	13.74	42.48	77.05	-20.83	277	302 Peak	Horizontal	
9	5948.00	55.04	12.61	42.43	68.20	-13.16	277	302 Peak	Horizontal	

CH 155 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5599.00	54.64	13.02	41.62	68.20	-13.56	314	297 Peak	Vertical	
2	5699.50	54.53	13.05	41.48	104.83	-50.39	314	297 Peak	Vertical	
3	5710.50	54.45	12.88	41.57	108.14	-53.69	314	297 Peak	Vertical	
4	5723.50	53.44	11.76	41.68	127.74	-74.30	314	297 Peak	Vertical	
5	5775.00	92.11	50.03	42.08	135.00	-42.89	314	297 Peak	Vertical	
6	5851.00	53.99	11.91	42.00	130.16	-76.17	314	297 Peak	Vertical	
7	5859.00	55.03	12.88	42.15	109.68	-54.65	314	297 Peak	Vertical	
8	5923.00	56.56	14.10	42.46	69.67	-13.11	314	297 Peak	Vertical	
9	5981.50	55.13	12.87	42.26	68.20	-13.07	314	297 Peak	Vertical	


Spurious Emissions, Tx Mode, For Battery mode 30MHz ~ 1GHz

Worst Battery Mode

(Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	69.77	24.30	33.13	-8.83	40.00	-15.70	200	0 Peak	Horizontal	
2	144.46	28.87	35.19	-6.32	43.50	-14.63	100	224 Peak	Horizontal	
3	350.10	31.82	36.24	-4.42	46.00	-14.18	100	228 Peak	Horizontal	
4	533.43	31.67	32.29	-0.62	46.00	-14.33	100	55 Peak	Horizontal	
5	770.11	32.82	29.11	3.71	46.00	-13.18	200	343 Peak	Horizontal	
6	851.59	34.39	30.15	4.24	46.00	-11.61	200	186 Peak	Horizontal	

(Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	69.77	30.52	39.35	-8.83	40.00	-9.48	100	242 Peak	Vertical	
2	144.46	40.24	46.56	-6.32	43.50	-3.26	100	138 Peak	Vertical	
3	350.10	29.91	34.33	-4.42	46.00	-16.09	200	30 Peak	Vertical	
4	596.48	34.18	33.78	0.40	46.00	-11.82	100	196 Peak	Vertical	
5	738.10	32.95	30.23	2.72	46.00	-13.05	100	166 Peak	Vertical	
6	880.69	34.59	30.02	4.57	46.00	-11.41	100	32 Peak	Vertical	

Spurious Emissions, Tx Mode, For Adapter mode 30MHz ~ 1GHz



Note: The noise highlighted in the red box does not originate from the intentional transmitter and is not part of the intentional transmission.

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	53.04	56.68	-3.64	68.20	-15.16	300	330 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10400.00	49.38	53.02	-3.64	68.20	-18.82	100	55 Peak	Vertical


802.11a

CH 40 (Horizontal)


CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	48.98	52.36	-3.38	68.20	-19.22	300	342 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	50.40	53.78	-3.38	68.20	-17.80	300	306 Peak	Vertical	

802.11ac VHT20

CH 36 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	49.42	53.04	-3.62	68.20	-18.78	100	242 Peak	Horizontal	

CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	51.61	55.23	-3.62	68.20	-16.59	200	333 Peak	Vertical	


802.11ac VHT20

CH 40 (Horizontal)


CH 40 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT20

CH 48 (Horizontal)


CH 48 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT40

CH 38 (Horizontal)

CH 38 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10380.00	47.90	51.53	-3.63	68.20	-20.30	300	313	Peak	Horizontal	
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------	--



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10380.00	47.51	51.14	-3.63	68.20	-20.69	200	257	Peak	Vertical	
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------	--


802.11ac VHT40

CH 46 (Horizontal)


CH 46 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ac VHT80

CH 42 (Horizontal)


CH 42 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



U-NII-2A


802.11a

CH 52 (Horizontal)


CH 52 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	35.28	38.46	-3.18	54.00	-18.72	300	310	Average	Horizontal	
2	10600.00	49.17	52.35	-3.18	74.00	-24.83	300	310	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	34.55	37.73	-3.18	54.00	-19.45	300	291	Average	Vertical	
2	10600.00	48.24	51.42	-3.18	74.00	-25.76	300	291	Peak	Vertical	


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	35.50	38.58	-3.08	54.00	-18.50	300	349	Average	Horizontal	
2	10640.00	49.03	52.11	-3.08	74.00	-24.97	300	349	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10640.00	37.04	40.12	-3.08	54.00	-16.96	200	292	Average	Vertical	
2	10640.00	50.59	53.67	-3.08	74.00	-23.41	200	292	Peak	Vertical	


802.11ac VHT20

CH 52 (Horizontal)

CH 52 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

