



Attachments



Operation Band MHz = [5150, 5250] Active Port = 2
Frequency MHz = 5190.00000 Modulation = 802.11ac VHT40 (OFDM MCS0)
TPC = No

Images:



Operation Band MHz = [5150, 5250] Active Port = 2
Frequency MHz = 5230.00000 Modulation = 802.11ac VHT40 (OFDM MCS0)
TPC = No

Images:





Operation Band MHz = [5150, 5250] Active Port = 1+2


Frequency MHz = 5190.00000

Modulation = 802.11ac VHT40 (OFDM MCS0)

TPC = No

Images:







Operation Band MHz = [5150, 5250] Active Port = 1+2


Frequency MHz = 5230.00000

Modulation = 802.11ac VHT40 (OFDM MCS0)

TPC = No

Images:





Modulation: 802.11ac VHT80 (OFDM MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Freq (MHz)	PSD (dBm)
[5150, 5250]	2	5210.00000	No	5221.250000	-18.50
	1+2			5214.750000	-18.98



Verdict

Pass

Attachments



Operation Band MHz = [5150, 5250] Active Port = 2
Frequency MHz = 5210.00000 Modulation = 802.11ac VHT80 (OFDM MCS0)
TPC = No


Images:



Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency MHz = 5210.00000 Modulation = 802.11ac VHT80 (OFDM MCS0)
TPC = No

Images:





Modulation: 802.11ax HE20 (OFDMA MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Subcarrier Mode	Freq (MHz)	PSD (dBm)
[5150, 5250]	2	5180.00000	No	SU	5176.237624	-2.60
[5150, 5250]	2	5180.00000	No	RU	5171.485149	6.90
[5150, 5250]	2	5200.00000	No	SU	5202.574257	-2.24
[5150, 5250]	2	5200.00000	No	RU	5197.623762	6.95
[5150, 5250]	2	5240.00000	No	SU	5237.029703	-1.86
[5150, 5250]	2	5240.00000	No	RU	5248.514851	7.27
[5150, 5250]	1+2	5180.00000	No	SU	5176.237624	-4.06
[5150, 5250]	1+2	5180.00000	No	RU	5171.485149	4.95
[5150, 5250]	1+2	5200.00000	No	SU	5197.623762	-3.80
[5150, 5250]	1+2	5200.00000	No	RU	5197.821782	5.89
[5150, 5250]	1+2	5240.00000	No	SU	5237.425743	-3.23
[5150, 5250]	1+2	5240.00000	No	RU	5248.514851	5.99



Verdict

Pass

Attachments



Operation Band MHz = [5150, 5250] Active Port = 2
Frequency MHz = 5180.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = 242/61
Subcarrier Mode = SU

Images:





Operation Band MHz = [5150, 5250] Active Port = 2
Frequency MHz = 5180.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = -
Subcarrier Mode = RU

Images:





Operation Band MHz = [5150, 5250] Active Port = 2
Frequency MHz = 5200.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = 242/61
Subcarrier Mode = SU

Images:




Operation Band MHz = [5150, 5250] Active Port = 2
Frequency MHz = 5200.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = -
Subcarrier Mode = RU

Images:





Operation Band MHz = [5150, 5250] Active Port = 2
Frequency MHz = 5240.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = 242/61
Subcarrier Mode = SU

Images:





Operation Band MHz = [5150, 5250] Active Port = 2
Frequency MHz = 5240.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = -
Subcarrier Mode = RU


Images:



Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency MHz = 5180.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = 242/61
Subcarrier Mode = SU



Images:






Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency MHz = 5180.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = -
Subcarrier Mode = RU


Images:






Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency MHz = 5200.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = 242/61
Subcarrier Mode = SU



Images:





Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency MHz = 5200.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = -
Subcarrier Mode = RU


Images:






Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency MHz = 5240.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = 242/61
Subcarrier Mode = SU



Images:






Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency MHz = 5240.00000 Modulation = 802.11ax HE20 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = -
Subcarrier Mode = RU

Images:





Modulation: 802.11ax HE40 (OFDMA MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	RU (Tone/Index)	Subcarrier Mode	Freq (MHz)	PSD (dBm)	
[5150, 5250]	2	5190.00000	No	484/65	SU	5186.435644	-8.54	
				-	RU	5172.178218	2.56	
		5230.00000		484/65	SU	5224.851485	-7.45	
				-	RU	5247.821782	3.05	
	1+2	5190.00000		484/65	SU	5184.059406	-8.99	
				-	RU	5172.178218	1.40	
		5230.00000		484/65	SU	5224.851485	-8.38	
				-	RU	5247.821782	2.32	



Verdict

Pass

Attachments



Operation Band MHz = [5150, 5250] Active Port = 2
Frequency MHz = 5190.00000 Modulation = 802.11ax HE40 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = 484/65
Subcarrier Mode = SU

Images:





Operation Band MHz = [5150, 5250] Active Port = 2
Frequency MHz = 5190.00000 Modulation = 802.11ax HE40 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = -
Subcarrier Mode = RU

Images:





Operation Band MHz = [5150, 5250] Active Port = 2
Frequency MHz = 5230.00000 Modulation = 802.11ax HE40 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = 484/65
Subcarrier Mode = SU

Images:





Operation Band MHz = [5150, 5250] Active Port = 2
Frequency MHz = 5230.00000 Modulation = 802.11ax HE40 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = -
Subcarrier Mode = RU


Images:



Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency MHz = 5190.00000 Modulation = 802.11ax HE40 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = 484/65
Subcarrier Mode = SU



Images:






Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency MHz = 5190.00000 Modulation = 802.11ax HE40 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = -
Subcarrier Mode = RU



Images:






Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency MHz = 5230.00000 Modulation = 802.11ax HE40 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = 484/65
Subcarrier Mode = SU



Images:






Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency MHz = 5230.00000 Modulation = 802.11ax HE40 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = -
Subcarrier Mode = RU

Images:





Modulation: 802.11ax HE80 (OFDMA MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Subcarrier Mode	Freq (MHz)	PSD (dBm)
[5150, 5250]	2	5210.00000	No	SU	5199.250000	-15.82
[5150, 5250]	2	5210.00000	No	RU	5172.250000	-1.38
[5150, 5250]	1+2	5210.00000	No	SU	5222.750000	-16.72
[5150, 5250]	1+2	5210.00000	No	RU	5207.750000	-2.90



Verdict

Pass

Attachments



Operation Band MHz = [5150, 5250] Active Port = 2
Frequency MHz = 5210.00000 Modulation = 802.11ax HE80 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = 996/67
Subcarrier Mode = SU

Images:




Operation Band MHz = [5150, 5250] Active Port = 2
Frequency MHz = 5210.00000 Modulation = 802.11ax HE80 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = -
Subcarrier Mode = RU


Images:



Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency MHz = 5210.00000 Modulation = 802.11ax HE80 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = 996/67
Subcarrier Mode = SU



Images:






Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency MHz = 5210.00000 Modulation = 802.11ax HE80 (OFDMA MCS0)
TPC = No Resource Unit Tone/Index = -
Subcarrier Mode = RU

Images:





RSS-247 7.3.1.3 / FCC 15.407 (b) (1) (6) [Rse] Transmitter Out of Band Radiated Emissions For transmitters operating in the 5.15–5.25 GHz

Limits

For transmitters operating in the 5.15–5.25 GHz band: all emissions outside of the 5.15–5.35 GHz band shall not exceed an EIRP of –27 dBm/MHz (68.23 dBμV/m at 3 m distance).

Radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c)):

Frequency Range (MHz)	Field strength (μV/m)	Field strength (dBμV/m)	Measurement distance (m)
0.009-0.490	2400/F(kHz)	-	300
0.490-1.705	24000/F(kHz)	-	300
1.705 - 30.0	30	-	30
30 - 88	100	40	3
88 - 216	150	43.5	3
216 - 960	200	46	3
960 - 40000	500	54	3

The emission limits shown in the above table are based on measurements employing CISPR quasi-peak detector except for the frequency bands 9-90 kHz, 110-490 kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector.

For average radiated emission measurements above 1000 MHz, there is also a limit corresponding to 20 dB above the indicated values in the table is specified when measuring with peak detector function.

Results

Spurious emissions were evaluated for the worst-case modes within each modulation family, including OFDM-based modulations (802.11g/n/ac) and OFDMA modulations (802.11ax). The modes with the highest power spectral density were selected for testing, as specified in ANSI C63.10-2020 + Cor.1-2023 + C63.10a-2024 + Errata to C63.10a-2024: American National Standard for Testing Unlicensed Wireless Devices.

Worst case: 802.11ax HE20 (OFDMA MCS0)

Modulation: 802.11ax HE20 (OFDMA MCS0)

Results

Operation Band (MHz)	Port	Freq Rng (GHz)	Freq (MHz)	Subcarrier Mode	Unwanted Freq (MHz)	Unwanted Lvl (dBµV/m)	Pol	Detector
[5150, 5250]	2	[1, 7]	5180.00000	RU	5120.800	54.23	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5120.800	42.19	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5127.200	57.43	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5127.200	43.29	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5132.200	59.60	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5132.200	44.10	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5134.000	67.84	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5134.000	44.74	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5135.600	69.40	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5135.600	46.24	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5138.800	62.71	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5138.800	42.74	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5142.400	63.55	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5142.400	44.75	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5144.800	62.21	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5144.800	45.28	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5146.400	62.33	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5146.400	44.94	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5148.000	62.63	H	
[5150, 5250]	2	[1, 7]	5180.00000	RU	5148.000	45.23	H	
[5150, 5250]	1+2	[1, 7]	5180.00000	RU	5139.200	61.94	H	
[5150, 5250]	1+2	[1, 7]	5180.00000	RU	5139.200	39.92	H	
[5150, 5250]	2	[7, 17]	5180.00000	RU	15513.490	59.58	H	
[5150, 5250]	2	[7, 17]	5180.00000	RU	15513.490	45.22	H	
[5150, 5250]	2	[7, 17]	5200.00000	RU	15594.859	64.87	H	
[5150, 5250]	2	[7, 17]	5200.00000	RU	15594.859	51.71	H	
[5150, 5250]	2	[7, 17]	5240.00000	RU	15744.145	62.51	H	
[5150, 5250]	2	[7, 17]	5240.00000	RU	15744.145	46.25	H	
[5150, 5250]	2	[17, 40]	5180.00000	RU	20719.867	41.29	H	
[5150, 5250]	2	[17, 40]	5180.00000	RU	23347.233	41.49	H	
[5150, 5250]	2	[17, 40]	5180.00000	RU	25899.467	42.42	H	
[5150, 5250]	2	[17, 40]	5200.00000	RU	19999.967	43.08	H	
[5150, 5250]	2	[17, 40]	5200.00000	RU	20799.600	46.20	H	
[5150, 5250]	2	[17, 40]	5200.00000	RU	23347.233	45.09	V	

Operation Band (MHz)	Port	Freq Rng (GHz)	Freq (MHz)	Subcarrier Mode	Unwanted Freq (MHz)	Unwanted Lvl (dBµV/m)	Pol	Detector
[5150, 5250]	2	[17, 40]	5200.00000	RU	25999.900	47.17	H	
[5150, 5250]	2	[17, 40]	5240.00000	RU	20959.833	44.61	V	
[5150, 5250]	2	[17, 40]	5240.00000	RU	23347.233	42.53	H	
[5150, 5250]	2	[17, 40]	5240.00000	RU	26200.000	45.35	V	
[5150, 5250]	1+2	[17, 40]	5180.00000	RU	19999.200	45.51	H	PK
[5150, 5250]	1+2	[17, 40]	5180.00000	RU	20719.867	44.08	H	
[5150, 5250]	1+2	[17, 40]	5180.00000	RU	20719.867	46.04	V	PK
[5150, 5250]	1+2	[17, 40]	5180.00000	RU	23347.233	40.51	H	
[5150, 5250]	1+2	[17, 40]	5180.00000	RU	25900.233	48.34	H	PK
[5150, 5250]	1+2	[17, 40]	5180.00000	RU	25900.233	43.19	H	
[5150, 5250]	1+2	[17, 40]	5200.00000	RU	19999.200	41.21	V	
[5150, 5250]	1+2	[17, 40]	5200.00000	RU	20790.400	42.92	H	
[5150, 5250]	1+2	[17, 40]	5200.00000	RU	23347.233	42.05	H	
[5150, 5250]	1+2	[17, 40]	5200.00000	RU	25999.900	42.44	H	
[5150, 5250]	1+2	[17, 40]	5240.00000	RU	19999.200	40.24	V	
[5150, 5250]	1+2	[17, 40]	5240.00000	RU	23347.233	40.68	V	
[5150, 5250]	1+2	[17, 40]	5240.00000	RU	26200.000	40.87	H	
[5150, 5250]	1+2	[7, 17]	5180.00000	RU	15514.580	61.78	H	PK
[5150, 5250]	1+2	[7, 17]	5180.00000	RU	15514.580	15514.58	H	
[5150, 5250]	1+2	[7, 17]	5180.00000	RU	15514.580	15514.58	H	


Verdict

Pass

Attachments

Operation Band MHz = [5150, 5250] Active Port = 2
Frequency Range GHz = [0.03, 1] This plot is valid for all channel and modes
Modulation = 802.11ax HE20 (OFDMA MCS0)
Subcarrier Mode = RU

Images:




Tables:


Spectrum Analyzer Parameters

	Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
	Receiver: [ESW 44]					
	30 MHz - 1 GHz	4,85 kHz	PK+	100 kHz	1 s	30 dB


Operation Band MHz = [5150, 5250] Active Port = 2
Frequency Range GHz = [1, 7] Frequency MHz = 5180.00000
Modulation = 802.11ax HE20 (OFDMA MCS0) Resource Unit Tone/Index = 26/0
Subcarrier Mode = RU

Images:





- Preview Result 2H-AVG
- Preview Result 1H-PK+
- Preview Result 2V-AVG
- Preview Result 1V-PK+
- PK+
- AVG
- FCC 15.407 Restricted Bands PK UNII-1 and UNII-2
- FCC 15.407 Restricted Bands AVG
- Final_Result PK+
- Final_Result AVG





- Preview Result 2H-AVG
- Preview Result 1H-PK+
- Preview Result 2V-AVG
- Preview Result 1V-PK+
- PK+
- AVG
- FCC 15.407 Restricted Bands PK UNII-1 and UNII-2
- FCC 15.407 Restricted Bands AVG
- Final_Result PK+
- Final_Result AVG

Operation Band MHz = [5150, 5250] Active Port = 2
Frequency Range GHz = [1, 7] Frequency MHz = 5200.00000
Modulation = 802.11ax HE20 (OFDMA MCS0) Resource Unit Tone/Index = 26/3
Subcarrier Mode = RU


Images:

Full Spectrum





- Preview Result 2H-AVG
- Preview Result 1H-PK+
- Preview Result 2V-AVG
- Preview Result 1V-PK+
- FCC 15.407 Restricted Bands PK UNII-1 and UNII-2
- FCC 15.407 Restricted Bands AVG
- Final_Result PK+
- Final_Result AVG





- Preview Result 2H-AVG
- Preview Result 1H-PK+
- Preview Result 2V-AVG
- Preview Result 1V-PK+
- FCC 15.407 Restricted Bands PK UNII-1 and UNII-2
- FCC 15.407 Restricted Bands AVG
- Final_Result PK+
- Final_Result AVG

Operation Band MHz = [5150, 5250] Active Port = 2
Frequency Range GHz = [1, 7] Frequency MHz = 5240.00000
Modulation = 802.11ax HE20 (OFDMA MCS0) Resource Unit Tone/Index = 26/8
Subcarrier Mode = RU


Images:

Full Spectrum






- Preview Result 2H-AVG
- Preview Result 1H-PK+
- Preview Result 2V-AVG
- Preview Result 1V-PK+
- Critical_Freqs AVG
- Critical_Freqs PK+
- FCC 15.407 Restricted Bands PK UNII-1 and UNII-2
- FCC 15.407 Restricted Bands AVG
- Final_Result PK+
- Final_Result AVG



- Preview Result 2H-AVG
- Preview Result 1H-PK+
- Preview Result 2V-AVG
- Preview Result 1V-PK+
- Critical_Freqs AVG
- Critical_Freqs PK+
- FCC 15.407 Restricted Bands PK UNII-1 and UNII-2
- FCC 15.407 Restricted Bands AVG
- Final_Result PK+
- Final_Result AVG

Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency Range GHz = [0.03, 1] Frequency MHz = 5180.00000
Modulation = 802.11ax HE20 (OFDMA MCS0) Resource Unit Tone/Index =
Subcarrier Mode = RU

Images:



Tables:

Spectrum Analyzer Parameters

	Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
	Receiver: [ESW 44]					
	30 MHz - 1 GHz	4,85 kHz	PK+	100 kHz	1 s	30 dB

Operation Band MHz = [5150, 5250]

Active Port = 1+2

Frequency Range GHz = [1, 7]

Frequency MHz = 5180.00000


Modulation = 802.11ax HE20 (OFDMA MCS0)



Resource Unit Tone/Index = 26/0

Subcarrier Mode = RU

Images:

Full Spectrum







Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency Range GHz = [1, 7] Frequency MHz = 5200.00000
Modulation = 802.11ax HE20 (OFDMA MCS0) Resource Unit Tone/Index = 26/3
Subcarrier Mode = RU


Images:

Full Spectrum






- Preview Result 2H-AVG
- Preview Result 1H-PK+
- Preview Result 2V-AVG
- Preview Result 1V-PK+
- Critical_Freqs AVG
- Critical_Freqs PK+
- FCC 15.407 Restricted Bands PK UNII-1 and UNII-2
- FCC 15.407 Restricted Bands AVG
- Final_Result PK+
- Final_Result AVG




- Preview Result 2H-AVG
- Preview Result 1H-PK+
- Preview Result 2V-AVG
- Preview Result 1V-PK+
- Critical_Freqs AVG
- Critical_Freqs PK+
- FCC 15.407 Restricted Bands PK UNII-1 and UNII-2
- FCC 15.407 Restricted Bands AVG
- Final_Result PK+
- Final_Result AVG


Operation Band MHz = [5150, 5250] Active Port = 1+2
Frequency Range GHz = [1, 7] Frequency MHz = 5240.00000
Modulation = 802.11ax HE20 (OFDMA MCS0) Resource Unit Tone/Index = 26/8
Subcarrier Mode = RU

Images:





- Preview Result 2H-AVG
- Preview Result 1H-PK+
- Preview Result 2V-AVG
- Preview Result 1V-PK+
- PK+
- AVG
- FCC 15.407 Restricted Bands PK UNII-1 and UNII-2
- FCC 15.407 Restricted Bands AVG
- Final_Result PK+
- Final_Result AVG



- Preview Result 2H-AVG
- Preview Result 1H-PK+
- Preview Result 2V-AVG
- Preview Result 1V-PK+
- PK+
- AVG
- FCC 15.407 Restricted Bands PK UNII-1 and UNII-2
- FCC 15.407 Restricted Bands AVG
- Final_Result PK+
- Final_Result AVG

Operation Band MHz = [5150, 5250]

Active Port = 2

Frequency Range GHz = [7, 17]


Frequency MHz = 5180.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index =

Subcarrier Mode = RU

Images:




Tables:

Spectrum Analyzer Parameters

	Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
	Receiver: [ESW 44]					
	7 GHz - 17 GHz	333,333 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [5150, 5250] Active Port = 2
Frequency Range GHz = [7, 17] Frequency MHz = 5200.00000
Modulation = 802.11ax HE20 (OFDMA MCS0) Resource Unit Tone/Index =
Subcarrier Mode = RU

Images:



- Preview Result 2H-AVG
- Preview Result 1H-PK+
- Preview Result 2V-AVG
- Preview Result 1V-PK+
- PK+
- AVG
- FCC 15.407 Restricted Bands PK UNII-1 and UNII-2
- FCC 15.407 Restricted Bands AVG
- Final_Result PK+
- Final_Result AVG


Tables:

Spectrum Analyzer Parameters

	Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
	Receiver: [ESW 44]					
	7 GHz - 17 GHz	333,333 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [5150, 5250] Active Port = 2
Frequency Range GHz = [7, 17] Frequency MHz = 5240.00000
Modulation = 802.11ax HE20 (OFDMA MCS0) Resource Unit Tone/Index =
Subcarrier Mode = RU

Images:




Tables:

Spectrum Analyzer Parameters

	Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
	Receiver: [ESW 44]					
	7 GHz - 17 GHz	333,333 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [5150, 5250] Active Port = 2
Frequency Range GHz = [17, 40] Frequency MHz = 5180.00000
Modulation = 802.11ax HE20 (OFDMA MCS0) Resource Unit Tone/Index =
Subcarrier Mode = RU

Images:




Tables:

Spectrum Analyzer Parameters

	Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
	Receiver: [ESW 44]					
	17 GHz - 40 GHz	766,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [5150, 5250] Active Port = 2
Frequency Range GHz = [17, 40] Frequency MHz = 5200.00000
Modulation = 802.11ax HE20 (OFDMA MCS0) Resource Unit Tone/Index =
Subcarrier Mode = RU

Images:



Tables:

Spectrum Analyzer Parameters

	Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
	Receiver: [ESW 44]					
	17 GHz - 40 GHz	766,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB