




Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6004.750000	-52.052	25.1	-27.000	PASS
6005.250000	-52.070	25.1	-27.000	PASS
6005.750000	-52.289	25.3	-27.000	PASS
5954.250000	-52.700	25.7	-27.000	PASS
5985.750000	-52.762	25.8	-27.000	PASS
5968.250000	-52.845	25.8	-27.000	PASS
5967.250000	-52.867	25.9	-27.000	PASS
5953.250000	-52.944	25.9	-27.000	PASS
6013.750000	-53.005	26.0	-27.000	PASS
5938.750000	-53.025	26.0	-27.000	PASS
5956.250000	-53.031	26.0	-27.000	PASS
5928.750000	-53.056	26.1	-27.000	PASS
6004.250000	-53.104	26.1	-27.000	PASS
5932.750000	-53.177	26.2	-27.000	PASS
6008.250000	-53.183	26.2	-27.000	PASS

Modulation: 802.11ax HE80 (OFDMA MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	Antenna configuration	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5527.250000	-49.7
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5524.250000	-52.1
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5935.750000	-52.8
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5945.250000	-53.1
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5566.750000	-53.1
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5633.750000	-53.1
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5966.750000	-53.2
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5613.750000	-53.2
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5974.750000	-53.3
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5624.750000	-53.3
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5961.750000	-53.3
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5558.750000	-53.3
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5968.750000	-53.3
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5947.750000	-53.4
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5525.250000	-53.3
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5580.750000	-53.5
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5947.250000	-53.4
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5639.250000	-53.5
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5932.250000	-53.5
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5522.250000	-53.6
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	6750.250000	-53.6
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5969.250000	-53.6
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5621.750000	-53.6

Operation Band (MHz)	Port	Freq (MHz)	Antenna configuration	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5940.250000	-53.6
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5582.750000	-53.6
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5526.250000	-53.6
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5930.250000	-53.6
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5927.250000	-53.7
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5534.750000	-53.6
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	SU	5938.750000	-53.7
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5583.250000	-47.8
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5582.750000	-48.2
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5928.750000	-50.4
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5929.250000	-50.7
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5583.750000	-48.8
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5545.250000	-48.9
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5928.250000	-51.1
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5935.750000	-51.6
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5544.750000	-49.3
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5585.250000	-49.4
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5929.750000	-51.6
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5545.750000	-49.7
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5927.750000	-52.1
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5584.250000	-49.9
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5956.250000	-52.4
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5931.750000	-52.5
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5585.750000	-50.0
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5519.250000	-50.0

Operation Band (MHz)	Port	Freq (MHz)	Antenna configuration	Subcarrier Mode	Freq (MHz)	Lvl (dBm)
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5953.250000	-52.6
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5584.750000	-50.4
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5938.250000	-52.7
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5544.250000	-50.5
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5930.250000	-52.7
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5926.750000	-52.7
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5581.250000	-50.6
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5546.250000	-50.8
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5926.250000	-52.8
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5927.250000	-52.8
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5580.750000	-50.9
[5725, 5850]	1+2	5775.00000	MIMO CDD Mode 2x2	RU	5940.250000	-52.8



Verdict



Pass


Attachments

Operation Band MHz = [5725, 5850] Active Port = 1+2
Frequency MHz = 5775.00000 Modulation = 802.11ax HE80 (OFDMA MCS0)
Antenna configuration = MIMO CDD Mode 2x2 Subcarrier Mode = SU

Images:







Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5527.250000	-49.679	22.7	-27.000	PASS
5524.250000	-52.102	25.1	-27.000	PASS
5566.750000	-53.096	26.1	-27.000	PASS
5633.750000	-53.127	26.1	-27.000	PASS
5613.750000	-53.158	26.2	-27.000	PASS
5624.750000	-53.278	26.3	-27.000	PASS
5558.750000	-53.303	26.3	-27.000	PASS
5525.250000	-53.349	26.3	-27.000	PASS
5580.750000	-53.487	26.5	-27.000	PASS
5639.250000	-53.534	26.5	-27.000	PASS
5522.250000	-53.568	26.6	-27.000	PASS
5621.750000	-53.604	26.6	-27.000	PASS
5582.750000	-53.614	26.6	-27.000	PASS
5526.250000	-53.635	26.6	-27.000	PASS
5534.750000	-53.638	26.6	-27.000	PASS

Operation Band MHz = [5725, 5850]



Active Port = 1+2



Frequency MHz = 5775.00000


Modulation = 802.11ax HE80 (OFDMA MCS0)

Antenna configuration = MIMO CDD Mode 2x2 Subcarrier Mode = RU

Images:







Tables:
Spectrum Analyzer Parameters

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5583.250000	-47.844	20.8	-27.000	PASS
5582.750000	-48.203	21.2	-27.000	PASS
5583.750000	-48.814	21.8	-27.000	PASS
5545.250000	-48.933	21.9	-27.000	PASS
5544.750000	-49.251	22.3	-27.000	PASS
5585.250000	-49.415	22.4	-27.000	PASS
5545.750000	-49.688	22.7	-27.000	PASS
5584.250000	-49.939	22.9	-27.000	PASS
5585.750000	-49.974	23.0	-27.000	PASS
5519.250000	-49.978	23.0	-27.000	PASS
5584.750000	-50.405	23.4	-27.000	PASS
5544.250000	-50.524	23.5	-27.000	PASS
5581.250000	-50.595	23.6	-27.000	PASS
5546.250000	-50.783	23.8	-27.000	PASS
5580.750000	-50.867	23.9	-27.000	PASS