

Modulation: 802.11b (DSSS 1 Mbit/s)

Results

Operation Band (MHz)	Freq Rng (GHz)	Equipment	Freq (MHz)	Port	Unwanted Freq (MHz)	Unwanted Lvl (dBµV/m)	Pol	Detector	Sig Path (dB)	Preamp (dB)	Trd Corr. (dB/m)	Raw Rec (dBµV)
[2400, 2483.5]	[0.03, 1]	Digital Transmission System (DTS)	2412.00000	4	812.548	37.36	V	PK	4.3	0.0	23.7	9.3
					812.548	34.24	V	QP	4.3	0.0	23.7	6.2

Verdict

Pass

Attachments

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [0.03, 1]


Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2412.00000

Active Port = 4

Modulation = 802.11b (DSSS 1 Mbit/s)

Images:



This plot is valid for all channels and all modes

Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
30 MHz - 1 GHz	48,5 kHz	PK+	100 kHz	1 s	30 dB

Operation Band MHz = [2400, 2483.5]


Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS) Frequency MHz = 2412.00000

Active Port = 4


Modulation = 802.11b (DSSS 1 Mbit/s)

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]


Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2437.00000

Active Port = 4


Modulation = 802.11b (DSSS 1 Mbit/s)

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]


Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS) Frequency MHz = 2462.00000

Active Port = 4


Modulation = 802.11b (DSSS 1 Mbit/s)

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)


Active Port = 4

Frequency Range GHz = [3, 17]

Frequency MHz = 2412.00000

Modulation = 802.11b (DSSS 1 Mbit/s)

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [3, 17]


Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2437.00000

Active Port = 4

Modulation = 802.11b (DSSS 1 Mbit/s)

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [3, 17]


Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2462.00000

Active Port = 4

Modulation = 802.11b (DSSS 1 Mbit/s)

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [17, 26]


Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2412.00000

Active Port = 4

Modulation = 802.11b (DSSS 1 Mbit/s)

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [17, 26]


Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2437.00000

Active Port = 4

Modulation = 802.11b (DSSS 1 Mbit/s)

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [17, 26]


Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2462.00000

Active Port = 4

Modulation = 802.11b (DSSS 1 Mbit/s)

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Modulation: 802.11g (OFDM 6 Mbit/s)

Results

No spurious frequencies detected at less than 20dB below the limit.


Verdict

Pass


Attachments


Operation Band MHz = [2400, 2483.5] Frequency Range GHz = [1, 3]
Equipment Type = Digital Transmission System (DTS) Frequency MHz = 2412.00000
Active Port = 4 Modulation = 802.11g (OFDM 6 Mbit/s)

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]


Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS) Frequency MHz = 2437.00000

Active Port = 4


Modulation = 802.11g (OFDM 6 Mbit/s)

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]


Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS) Frequency MHz = 2462.00000

Active Port = 4


Modulation = 802.11g (OFDM 6 Mbit/s)

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [3, 17]


Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2412.00000

Active Port = 4

Modulation = 802.11g (OFDM 6 Mbit/s)

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)


Active Port = 4

Frequency Range GHz = [3, 17]

Frequency MHz = 2437.00000

Modulation = 802.11g (OFDM 6 Mbit/s)

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)


Active Port = 4

Frequency Range GHz = [3, 17]

Frequency MHz = 2462.00000

Modulation = 802.11g (OFDM 6 Mbit/s)

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [17, 26]


Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2412.00000

Active Port = 4

Modulation = 802.11g (OFDM 6 Mbit/s)

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [17, 26]


Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2437.00000

Active Port = 4

Modulation = 802.11g (OFDM 6 Mbit/s)

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [17, 26]


Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2462.00000

Active Port = 4

Modulation = 802.11g (OFDM 6 Mbit/s)

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Modulation: 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)

Results

No spurious frequencies detected at less than 20dB below the limit.

Verdict

Pass

Attachments

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS)



Frequency MHz = 2412.00000


Active Port = 4

Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)

Resource Unit Tone/Index =

Images:






Tables:
Spectrum Analyzer Parameters


Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB


Operation Band MHz = [2400, 2483.5] Frequency Range GHz = [1, 3]
Equipment Type = Digital Transmission System (DTS) Frequency MHz = 2437.00000
Active Port = 4 Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)
Resource Unit Tone/Index =

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]


Equipment Type = Digital Transmission System (DTS) Frequency MHz = 2462.00000

Active Port = 4

Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)


Resource Unit Tone/Index =

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4


Resource Unit Tone/Index =

Frequency Range GHz = [3, 17]

Frequency MHz = 2412.00000

Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4


Resource Unit Tone/Index =

Frequency Range GHz = [3, 17]

Frequency MHz = 2437.00000

Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4


Resource Unit Tone/Index =

Frequency Range GHz = [3, 17]

Frequency MHz = 2462.00000

Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4


Resource Unit Tone/Index =

Frequency Range GHz = [17, 26]

Frequency MHz = 2412.00000

Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4


Resource Unit Tone/Index =

Frequency Range GHz = [17, 26]

Frequency MHz = 2437.00000

Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4


Resource Unit Tone/Index =

Frequency Range GHz = [17, 26]

Frequency MHz = 2462.00000

Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]


Equipment Type = Digital Transmission System (DTS) Frequency MHz = 2412.00000

Active Port = 3+4


Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)


Resource Unit Tone/Index =

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]


Equipment Type = Digital Transmission System (DTS) Frequency MHz = 2437.00000

Active Port = 3+4


Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)


Resource Unit Tone/Index =

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]


Equipment Type = Digital Transmission System (DTS) Frequency MHz = 2462.00000

Active Port = 3+4


Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)


Resource Unit Tone/Index =

Images:



Full Spectrum






Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5] Frequency Range GHz = [3, 17]
Equipment Type = Digital Transmission System (DTS) Frequency MHz = 2412.00000
Active Port = 3+4 Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)
Resource Unit Tone/Index =

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [3, 17]

Equipment Type = Digital Transmission System (DTS)


Frequency MHz = 2437.00000

Active Port = 3+4

Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)

Resource Unit Tone/Index =

Images:




Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5] Frequency Range GHz = [3, 17]
Equipment Type = Digital Transmission System (DTS) Frequency MHz = 2462.00000
Active Port = 3+4 Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)
Resource Unit Tone/Index =

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [17, 26]

Equipment Type = Digital Transmission System (DTS)


Frequency MHz = 2412.00000

Active Port = 3+4

Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)

Resource Unit Tone/Index =

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 3+4


Resource Unit Tone/Index =

Frequency Range GHz = [17, 26]

Frequency MHz = 2437.00000

Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 3+4


Resource Unit Tone/Index =

Frequency Range GHz = [17, 26]

Frequency MHz = 2462.00000

Modulation = 802.11n HT20 (OFDM MCS0 6.5 Mbit/s)

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Modulation: 802.11ax HE20 (OFDMA MCS0)

Results

No spurious frequencies detected at less than 20dB below the limit.

Verdict

Pass

Attachments

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2412.00000


Active Port = 4


Modulation = 802.11ax HE20 (OFDMA MCS0)

Subcarrier Mode = SU

Resource Unit Tone/Index = 242/61

Images:





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4

Subcarrier Mode = RU


Frequency Range GHz = [1, 3]

Frequency MHz = 2412.00000


Modulation = 802.11ax HE20 (OFDMA MCS0)


Resource Unit Tone/Index = 26/0

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2437.00000


Active Port = 4

Modulation = 802.11ax HE20 (OFDMA MCS0)

Subcarrier Mode = SU


Resource Unit Tone/Index = 242/61

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2437.00000


Active Port = 4

Modulation = 802.11ax HE20 (OFDMA MCS0)

Subcarrier Mode = RU


Resource Unit Tone/Index = 26/3

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2462.00000


Active Port = 4

Modulation = 802.11ax HE20 (OFDMA MCS0)

Subcarrier Mode = SU


Resource Unit Tone/Index = 242/61

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2462.00000


Active Port = 4

Modulation = 802.11ax HE20 (OFDMA MCS0)

Subcarrier Mode = RU


Resource Unit Tone/Index = 26/8

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4

Subcarrier Mode = SU


Frequency Range GHz = [3, 17]

Frequency MHz = 2412.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 242/61

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4

Subcarrier Mode = RU


Frequency Range GHz = [3, 17]

Frequency MHz = 2412.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 26/0

Images:



Tables:


Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]
Equipment Type = Digital Transmission System (DTS)
Active Port = 4
Subcarrier Mode = SU

Frequency Range GHz = [3, 17]
Frequency MHz = 2437.00000
Modulation = 802.11ax HE20 (OFDMA MCS0)
Resource Unit Tone/Index = 242/61

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4

Subcarrier Mode = RU


Frequency Range GHz = [3, 17]

Frequency MHz = 2437.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 26/3

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4

Subcarrier Mode = SU


Frequency Range GHz = [3, 17]

Frequency MHz = 2462.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 242/61

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4

Subcarrier Mode = RU


Frequency Range GHz = [3, 17]

Frequency MHz = 2462.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 26/8

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4

Subcarrier Mode = SU


Frequency Range GHz = [17, 26]

Frequency MHz = 2412.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 242/61

Images:




Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]
Equipment Type = Digital Transmission System (DTS)
Active Port = 4
Subcarrier Mode = RU

Frequency Range GHz = [17, 26]
Frequency MHz = 2412.00000
Modulation = 802.11ax HE20 (OFDMA MCS0)
Resource Unit Tone/Index = 26/0

Images:



Tables:


Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]
Equipment Type = Digital Transmission System (DTS)
Active Port = 4
Subcarrier Mode = SU

Frequency Range GHz = [17, 26]
Frequency MHz = 2437.00000
Modulation = 802.11ax HE20 (OFDMA MCS0)
Resource Unit Tone/Index = 242/61

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4

Subcarrier Mode = RU


Frequency Range GHz = [17, 26]

Frequency MHz = 2437.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 26/3

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4

Subcarrier Mode = SU


Frequency Range GHz = [17, 26]

Frequency MHz = 2462.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 242/61

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 4

Subcarrier Mode = RU


Frequency Range GHz = [17, 26]

Frequency MHz = 2462.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 26/8

Images:



Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2412.00000


Active Port = 3+4

Modulation = 802.11ax HE20 (OFDMA MCS0)


Subcarrier Mode = SU

Resource Unit Tone/Index = 242/61

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2412.00000


Active Port = 3+4

Modulation = 802.11ax HE20 (OFDMA MCS0)


Subcarrier Mode = RU


Resource Unit Tone/Index = 26/0

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2437.00000


Active Port = 3+4

Modulation = 802.11ax HE20 (OFDMA MCS0)


Subcarrier Mode = SU

Resource Unit Tone/Index = 242/61

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2437.00000


Active Port = 3+4

Modulation = 802.11ax HE20 (OFDMA MCS0)


Subcarrier Mode = RU


Resource Unit Tone/Index = 26/3

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2462.00000


Active Port = 3+4

Modulation = 802.11ax HE20 (OFDMA MCS0)


Subcarrier Mode = SU


Resource Unit Tone/Index = 242/61

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Frequency Range GHz = [1, 3]

Equipment Type = Digital Transmission System (DTS)

Frequency MHz = 2462.00000


Active Port = 3+4

Modulation = 802.11ax HE20 (OFDMA MCS0)


Subcarrier Mode = RU


Resource Unit Tone/Index = 26/3

Images:



Full Spectrum





Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
1 GHz - 3 GHz	66,667 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 3+4

Subcarrier Mode = SU


Frequency Range GHz = [3, 17]

Frequency MHz = 2412.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 26/0

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 3+4

Subcarrier Mode = RU


Frequency Range GHz = [3, 17]

Frequency MHz = 2412.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 26/0

Images:



Tables:


Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]
Equipment Type = Digital Transmission System (DTS)
Active Port = 3+4
Subcarrier Mode = SU

Frequency Range GHz = [3, 17]
Frequency MHz = 2437.00000
Modulation = 802.11ax HE20 (OFDMA MCS0)
Resource Unit Tone/Index = 26/3

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 3+4

Subcarrier Mode = RU


Frequency Range GHz = [3, 17]

Frequency MHz = 2437.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 26/3

Images:



Tables:


Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]
Equipment Type = Digital Transmission System (DTS)
Active Port = 3+4
Subcarrier Mode = SU

Frequency Range GHz = [3, 17]
Frequency MHz = 2462.00000
Modulation = 802.11ax HE20 (OFDMA MCS0)
Resource Unit Tone/Index = 26/8

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 3+4

Subcarrier Mode = RU


Frequency Range GHz = [3, 17]

Frequency MHz = 2462.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 26/8

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
3 GHz - 17 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 3+4

Subcarrier Mode = SU


Frequency Range GHz = [17, 26]

Frequency MHz = 2412.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 26/0

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 3+4

Subcarrier Mode = RU


Frequency Range GHz = [17, 26]

Frequency MHz = 2412.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 26/0

Images:




Tables:
Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]
Equipment Type = Digital Transmission System (DTS)
Active Port = 3+4
Subcarrier Mode = SU

Frequency Range GHz = [17, 26]
Frequency MHz = 2437.00000
Modulation = 802.11ax HE20 (OFDMA MCS0)
Resource Unit Tone/Index = 26/3

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 3+4

Subcarrier Mode = RU


Frequency Range GHz = [17, 26]

Frequency MHz = 2437.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 26/3

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 3+4

Subcarrier Mode = SU


Frequency Range GHz = [17, 26]

Frequency MHz = 2462.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 26/8

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB

Operation Band MHz = [2400, 2483.5]

Equipment Type = Digital Transmission System (DTS)

Active Port = 3+4

Subcarrier Mode = RU


Frequency Range GHz = [17, 26]

Frequency MHz = 2462.00000

Modulation = 802.11ax HE20 (OFDMA MCS0)

Resource Unit Tone/Index = 26/8

Images:



Tables:

Spectrum Analyzer Parameters

Subrange	Step Size	Detectors	Bandwidth	Sweep Time	Preamp
17 GHz - 26 GHz	500 kHz	PK+ ; AVG	1 MHz	1 s	0 dB