- High Channel:



SISO CORE0_Port2 Antenna:

- **Mode 802.11 b – Occupied Bandwidth**

- Low Channel:



- Middle Channel:



- High Channel:



- **Mode 802.11 g – Occupied Bandwidth**

- Low Channel:



- Middle Channel:



- High Channel:



- **Mode 802.11 n20 – Occupied Bandwidth**

- Low Channel:



- Middle Channel:



- High Channel:



MIMO – CORE1_Port4 Antenna & CORE0_Port2 Antenna:

- **Mode 802.11 b – Occupied Bandwidth**

- Low Channel:

CORE1_Port4



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.412498 GHz	1.28 dBm		
T1		1	2.40689 GHz	-11.27 dBm	Occ Bw	10.24 MHz
T2		1	2.41713 GHz	-11.64 dBm		

CORE0_Port2



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.41251 GHz	4.24 dBm		
T1		1	2.406866 GHz	-8.98 dBm	Occ Bw	10.276 MHz
T2		1	2.417142 GHz	-9.10 dBm		

- Middle Channel:

CORE1_Port4



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.436498 GHz	0.95 dBm		
T1		1	2.431886 GHz	-11.83 dBm	Occ Bw	10.252 MHz
T2		1	2.442138 GHz	-12.16 dBm		

CORE0_Port2



Marker

Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	2.436502 GHz	3.52 dBm		
T1		1	2.431842 GHz	-10.39 dBm	Occ Bw	10.288 MHz
T2		1	2.44213 GHz	-9.54 dBm		

- High Channel:

CORE1_Port4



CORE0_Port2