


VHT40_Nss1,(MCS8)_4TX

30/10/2018

2427MHz_TX




EUT Y_4TX
Setting 14
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	64.73	74.00	-9.27	32.14	3	Vertical	8	1.40	-
AV	2.39G	53.98	54.00	-0.02	32.14	3	Vertical	8	1.40	-
PK	2.4318G	112.24	Inf	-Inf	32.27	3	Vertical	8	1.40	-
AV	2.4118G	103.10	Inf	-Inf	32.21	3	Vertical	8	1.40	-
PK	2.4862G	61.76	74.00	-12.24	32.43	3	Vertical	8	1.40	-
AV	2.4835G	49.81	54.00	-4.19	32.42	3	Vertical	8	1.40	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2427MHz_TX




EUT Y_4TX
Setting 14
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3742G	56.20	74.00	-17.80	32.09	3	Horizontal	353	1.20	-
AV	2.3558G	45.37	54.00	-8.63	32.04	3	Horizontal	353	1.20	-
PK	2.4166G	95.35	Inf	-Inf	32.22	3	Horizontal	353	1.20	-
AV	2.4166G	86.71	Inf	-Inf	32.22	3	Horizontal	353	1.20	-
PK	2.4998G	56.15	74.00	-17.85	32.47	3	Horizontal	353	1.20	-
AV	2.4854G	45.41	54.00	-8.59	32.43	3	Horizontal	353	1.20	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2427MHz_TX




EUT Y_4TX
Setting 14
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.86252G	47.42	74.00	-26.58	6.64	3	Vertical	201	1.29	-
AV	4.86744G	36.97	54.00	-17.03	6.65	3	Vertical	201	1.29	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2427MHz_TX




EUT Y_4TX
Setting 14
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.85898G	46.83	74.00	-27.17	6.63	3	Horizontal	240	1.44	-
AV	4.85712G	36.36	54.00	-17.64	6.63	3	Horizontal	240	1.44	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2432MHz_TX




EUT Y_4TX
Setting 15
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	64.69	74.00	-9.31	32.14	3	Vertical	8	1.18	-
AV	2.3896G	53.94	54.00	-0.06	32.14	3	Vertical	8	1.18	-
PK	2.4168G	112.55	Inf	-Inf	32.22	3	Vertical	8	1.18	-
AV	2.4176G	104.00	Inf	-Inf	32.22	3	Vertical	8	1.18	-
PK	2.4835G	60.76	74.00	-13.24	32.42	3	Vertical	8	1.18	-
AV	2.484G	50.29	54.00	-3.71	32.42	3	Vertical	8	1.18	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2432MHz_TX




EUT Y_4TX
Setting 15
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
PK	2.3896G	55.40	74.00	-18.60	32.14	3	Horizontal	356	1.21	-								
AV	2.3768G	45.19	54.00	-8.81	32.10	3	Horizontal	356	1.21	-								
PK	2.4208G	96.28	Inf	-Inf	32.24	3	Horizontal	356	1.21	-								
AV	2.4216G	87.24	Inf	-Inf	32.24	3	Horizontal	356	1.21	-								
PK	2.484G	56.54	74.00	-17.46	32.42	3	Horizontal	356	1.21	-								
AV	2.4976G	45.58	54.00	-8.42	32.46	3	Horizontal	356	1.21	-								

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2437MHz_TX




EUT Y_4TX
Setting 15.5
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.2986G	58.24	74.00	-15.76	31.87	3	Vertical	10	1.08	-
AV	2.2954G	48.33	54.00	-5.67	31.86	3	Vertical	10	1.08	-
PK	2.3874G	65.05	74.00	-8.95	32.13	3	Vertical	10	1.08	-
AV	2.3874G	53.94	54.00	-0.06	32.13	3	Vertical	10	1.08	-
PK	2.4226G	115.17	Inf	-Inf	32.24	3	Vertical	10	1.08	-
AV	2.4218G	105.31	Inf	-Inf	32.24	3	Vertical	10	1.08	-
PK	2.4914G	62.54	74.00	-11.46	32.45	3	Vertical	10	1.08	-
AV	2.4954G	51.66	54.00	-2.34	32.46	3	Vertical	10	1.08	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2437MHz_TX




EUT Y_4TX
Setting 15.5
06-S-5
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.273G	56.38	74.00	-17.62	31.79	3	Horizontal	353	1.48	-
AV	2.2778G	45.47	54.00	-8.53	31.80	3	Horizontal	353	1.48	-
PK	2.3882G	56.32	74.00	-17.68	32.13	3	Horizontal	353	1.48	-
AV	2.3898G	45.24	54.00	-8.76	32.14	3	Horizontal	353	1.48	-
PK	2.4274G	95.97	Inf	-Inf	32.25	3	Horizontal	353	1.48	-
AV	2.4282G	87.71	Inf	-Inf	32.25	3	Horizontal	353	1.48	-
PK	2.4978G	56.36	74.00	-17.64	32.47	3	Horizontal	353	1.48	-
AV	2.5G	45.50	54.00	-8.50	32.47	3	Horizontal	353	1.48	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2437MHz_TX




EUT Y_4TX
Setting 15.5
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.86368G	48.71	74.00	-25.29	8.01	3	Vertical	255	2.09	-
AV	4.8716G	37.80	54.00	-16.20	8.02	3	Vertical	255	2.09	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2437MHz_TX




EUT Y_4TX
Setting 15.5
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.86638G	48.66	74.00	-25.34	8.01	3	Horizontal	197	1.76	-
AV	4.8869G	37.98	54.00	-16.02	8.06	3	Horizontal	197	1.76	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2447MHz_TX




EUT Y_4TX
Setting 15.5
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3806G	63.78	74.00	-10.22	32.12	3	Vertical	7	1.05	-
AV	2.3774G	53.32	54.00	-0.68	32.10	3	Vertical	7	1.05	-
PK	2.4518G	113.12	Inf	-Inf	32.32	3	Vertical	7	1.05	-
AV	2.4326G	104.37	Inf	-Inf	32.27	3	Vertical	7	1.05	-
PK	2.4835G	63.74	74.00	-10.26	32.42	3	Vertical	7	1.05	-
AV	2.4835G	53.77	54.00	-0.23	32.42	3	Vertical	7	1.05	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2447MHz_TX




EUT Y_4TX
Setting 15.5
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3862G	55.47	74.00	-18.53	32.13	3	Horizontal	208	1.15	-
AV	2.375G	45.04	54.00	-8.96	32.09	3	Horizontal	208	1.15	-
PK	2.4318G	95.61	Inf	-Inf	32.27	3	Horizontal	208	1.15	-
AV	2.4326G	87.05	Inf	-Inf	32.27	3	Horizontal	208	1.15	-
PK	2.4854G	56.20	74.00	-17.80	32.43	3	Horizontal	208	1.15	-
AV	2.4862G	45.79	54.00	-8.21	32.43	3	Horizontal	208	1.15	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2447MHz_TX




EUT Y_4TX
Setting 15.5
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.90426G	48.25	74.00	-25.75	6.73	3	Vertical	323	1.37	-
AV	4.89616G	37.25	54.00	-16.75	6.71	3	Vertical	323	1.37	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2447MHz_TX




EUT Y_4TX
Setting 15.5
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.9069G	48.24	74.00	-25.76	6.73	3	Horizontal	220	1.60	-
AV	4.89214G	36.94	54.00	-17.06	6.71	3	Horizontal	220	1.60	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2452MHz_TX




EUT Y_4TX
Setting 14
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	62.49	74.00	-11.51	32.14	3	Vertical	9	1.43	-
AV	2.3888G	52.14	54.00	-1.86	32.13	3	Vertical	9	1.43	-
PK	2.4368G	110.86	Inf	-Inf	32.28	3	Vertical	9	1.43	-
AV	2.4368G	102.12	Inf	-Inf	32.28	3	Vertical	9	1.43	-
PK	2.4835G	65.61	74.00	-8.39	32.42	3	Vertical	9	1.43	-
AV	2.4835G	53.86	54.00	-0.14	32.42	3	Vertical	9	1.43	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2452MHz_TX




EUT Y_4TX
Setting 14
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3144G	56.34	74.00	-17.66	31.91	3	Horizontal	201	1.11	-
AV	2.3816G	45.09	54.00	-8.91	32.12	3	Horizontal	201	1.11	-
PK	2.468G	93.79	Inf	-Inf	32.38	3	Horizontal	201	1.11	-
AV	2.468G	85.16	Inf	-Inf	32.38	3	Horizontal	201	1.11	-
PK	2.484G	56.02	74.00	-17.98	32.42	3	Horizontal	201	1.11	-
AV	2.4896G	45.87	54.00	-8.13	32.45	3	Horizontal	201	1.11	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2452MHz_TX




EUT Y_4TX
Setting 14
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.9016G	47.88	74.00	-26.12	6.72	3	Vertical	118	1.40	-
AV	4.90244G	36.95	54.00	-17.05	6.72	3	Vertical	118	1.40	-

VHT40_Nss1,(MCS8)_4TX

30/10/2018

2452MHz_TX




EUT Y_4TX
Setting 14
06-C-4
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.89932G	48.41	74.00	-25.59	6.72	3	Horizontal	80	1.77	-
AV	4.8953G	37.14	54.00	-16.86	6.71	3	Horizontal	80	1.77	-



RSE Co-location Result

Appendix G





RSE Co-location Result

Appendix G

