



### Transmitter Radiated Unwanted Emissions (Above 1GHz) for 5150-5250MHz



### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |     |                  |      |
|-----------------|-----|------------------|------|
| Modulation Mode | 11a | Test Freq. (MHz) | 5180 |
| N <sub>TX</sub> | 2   | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7808.000  | 61.12  | -7.08  | 68.20  | 51.83       | 36.97 | 7.88   | 35.56 Peak    |
| 2 | 10360.000 | 57.65  | -10.55 | 68.20  | 44.37       | 39.48 | 9.41   | 35.61 Peak    |
| 3 | 15540.000 | 46.25  | -7.75  | 54.00  | 31.93       | 38.41 | 11.54  | 35.63 Average |
| 4 | 15540.000 | 58.90  | -15.10 | 74.00  | 44.58       | 38.41 | 11.54  | 35.63 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |     |                  |      |
|-----------------|-----|------------------|------|
| Modulation Mode | 11a | Test Freq. (MHz) | 5200 |
| N <sub>TX</sub> | 2   | Polarization     | V    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7412.000  | 43.12  | -10.88 | 54.00  | 34.55       | 36.37 | 7.63   | 35.43 Average |
| 2 | 7412.000  | 65.49  | -8.51  | 74.00  | 56.92       | 36.37 | 7.63   | 35.43 Peak    |
| 3 | 10400.000 | 60.53  | -7.67  | 68.20  | 47.13       | 39.54 | 9.44   | 35.58 Peak    |
| 4 | 15600.000 | 46.21  | -7.79  | 54.00  | 32.10       | 38.28 | 11.50  | 35.67 Average |
| 5 | 15600.000 | 58.10  | -15.90 | 74.00  | 43.99       | 38.28 | 11.50  | 35.67 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |     |                  |      |
|-----------------|-----|------------------|------|
| Modulation Mode | 11a | Test Freq. (MHz) | 5200 |
| N <sub>TX</sub> | 2   | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7836.000  | 61.99  | -6.21  | 68.20  | 52.68       | 37.00 | 7.88   | 35.57 Peak    |
| 2 | 10400.000 | 56.46  | -11.74 | 68.20  | 43.06       | 39.54 | 9.44   | 35.58 Peak    |
| 3 | 15600.000 | 46.16  | -7.84  | 54.00  | 32.05       | 38.28 | 11.50  | 35.67 Average |
| 4 | 15600.000 | 57.41  | -16.59 | 74.00  | 43.30       | 38.28 | 11.50  | 35.67 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |     |                  |      |
|-----------------|-----|------------------|------|
| Modulation Mode | 11a | Test Freq. (MHz) | 5240 |
| N <sub>TX</sub> | 2   | Polarization     | V    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7404.000  | 42.84  | -11.16 | 54.00  | 34.29       | 36.35 | 7.63   | 35.43 Average |
| 2 | 7404.000  | 65.80  | -8.20  | 74.00  | 57.25       | 36.35 | 7.63   | 35.43 Peak    |
| 3 | 10480.000 | 57.32  | -10.88 | 68.20  | 43.67       | 39.67 | 9.48   | 35.50 Peak    |
| 4 | 15720.000 | 51.60  | -2.40  | 54.00  | 37.91       | 38.02 | 11.40  | 35.73 Average |
| 5 | 15720.000 | 64.41  | -9.59  | 74.00  | 50.72       | 38.02 | 11.40  | 35.73 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |     |                  |      |
|-----------------|-----|------------------|------|
| Modulation Mode | 11a | Test Freq. (MHz) | 5240 |
| N <sub>TX</sub> | 2   | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7816.000  | 62.55  | -5.65  | 68.20  | 53.25       | 36.98 | 7.88   | 35.56 Peak    |
| 2 | 10480.000 | 57.70  | -10.50 | 68.20  | 44.05       | 39.67 | 9.48   | 35.50 Peak    |
| 3 | 15720.000 | 46.49  | -7.51  | 54.00  | 32.80       | 38.02 | 11.40  | 35.73 Average |
| 4 | 15720.000 | 58.70  | -15.30 | 74.00  | 45.01       | 38.02 | 11.40  | 35.73 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT20 | Test Freq. (MHz) | 5180 |
| N <sub>TX</sub> | 2     | Polarization     | V    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7403.000  | 44.40  | -9.60  | 54.00  | 35.85       | 36.35 | 7.63   | 35.43 Average |
| 2 | 7403.000  | 67.56  | -6.44  | 74.00  | 59.01       | 36.35 | 7.63   | 35.43 Peak    |
| 3 | 10360.000 | 57.15  | -11.05 | 68.20  | 43.87       | 39.48 | 9.41   | 35.61 Peak    |
| 4 | 15540.000 | 46.72  | -7.28  | 54.00  | 32.40       | 38.41 | 11.54  | 35.63 Average |
| 5 | 15540.000 | 59.09  | -14.91 | 74.00  | 44.77       | 38.41 | 11.54  | 35.63 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT20 | Test Freq. (MHz) | 5180 |
| N <sub>TX</sub> | 2     | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7808.000  | 61.20  | -7.00  | 68.20  | 51.91       | 36.97 | 7.88   | 35.56 Peak    |
| 2 | 10360.000 | 57.29  | -10.91 | 68.20  | 44.01       | 39.48 | 9.41   | 35.61 Peak    |
| 3 | 15540.000 | 46.67  | -7.33  | 54.00  | 32.35       | 38.41 | 11.54  | 35.63 Average |
| 4 | 15540.000 | 58.70  | -15.30 | 74.00  | 44.38       | 38.41 | 11.54  | 35.63 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT20 | Test Freq. (MHz) | 5200 |
| N <sub>TX</sub> | 2     | Polarization     | V    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7400.000  | 44.21  | -9.79  | 54.00  | 35.67       | 36.34 | 7.63   | 35.43 Average |
| 2 | 7400.000  | 68.12  | -5.88  | 74.00  | 59.58       | 36.34 | 7.63   | 35.43 Peak    |
| 3 | 10400.000 | 57.17  | -11.03 | 68.20  | 43.77       | 39.54 | 9.44   | 35.58 Peak    |
| 4 | 15600.000 | 47.11  | -6.89  | 54.00  | 33.00       | 38.28 | 11.50  | 35.67 Average |
| 5 | 15600.000 | 59.16  | -14.84 | 74.00  | 45.05       | 38.28 | 11.50  | 35.67 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT20 | Test Freq. (MHz) | 5200 |
| N <sub>TX</sub> | 2     | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7816.000  | 60.83  | -7.37  | 68.20  | 51.53       | 36.98 | 7.88   | 35.56 Peak    |
| 2 | 10400.000 | 57.55  | -10.65 | 68.20  | 44.15       | 39.54 | 9.44   | 35.58 Peak    |
| 3 | 15600.000 | 46.80  | -7.20  | 54.00  | 32.69       | 38.28 | 11.50  | 35.67 Average |
| 4 | 15600.000 | 58.74  | -15.26 | 74.00  | 44.63       | 38.28 | 11.50  | 35.67 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT20 | Test Freq. (MHz) | 5240 |
| N <sub>TX</sub> | 2     | Polarization     | V    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable  | Preamp |        |
|---|-----------|--------|--------|--------|-------------|--------|--------|--------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Factor | Loss   | Factor |
|   | MHz       | dBuV/m | dB     | dBuV/m | dBuV        | dB/m   | dB     | dB     |
| 1 | 7399.000  | 44.30  | -9.70  | 54.00  | 35.76       | 36.34  | 7.63   | 35.43  |
| 2 | 7399.000  | 66.27  | -7.73  | 74.00  | 57.73       | 36.34  | 7.63   | 35.43  |
| 3 | 10480.000 | 57.26  | -10.94 | 68.20  | 43.61       | 39.67  | 9.48   | 35.50  |
| 4 | 15720.000 | 48.06  | -5.94  | 54.00  | 34.37       | 38.02  | 11.40  | 35.73  |
| 5 | 15720.000 | 60.36  | -13.64 | 74.00  | 46.67       | 38.02  | 11.40  | 35.73  |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT20 | Test Freq. (MHz) | 5240 |
| N <sub>TX</sub> | 2     | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable  | Preamp |        |
|---|-----------|--------|--------|--------|-------------|--------|--------|--------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Factor | Loss   | Factor |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m   | dB     | dB     |
| 1 | 7816.000  | 60.31  | -7.89  | 68.20  | 51.01       | 36.98  | 7.88   | 35.56  |
| 2 | 10480.000 | 58.61  | -9.59  | 68.20  | 44.96       | 39.67  | 9.48   | 35.50  |
| 3 | 15720.000 | 46.59  | -7.41  | 54.00  | 32.90       | 38.02  | 11.40  | 35.73  |
| 4 | 15720.000 | 58.53  | -15.47 | 74.00  | 44.84       | 38.02  | 11.40  | 35.73  |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT40 | Test Freq. (MHz) | 5190 |
| N <sub>TX</sub> | 2     | Polarization     | V    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7405.000  | 44.52  | -9.48  | 54.00  | 35.97       | 36.35 | 7.63   | 35.43 Average |
| 2 | 7405.000  | 67.12  | -6.88  | 74.00  | 58.57       | 36.35 | 7.63   | 35.43 Peak    |
| 3 | 10380.000 | 57.81  | -10.39 | 68.20  | 44.46       | 39.51 | 9.44   | 35.60 Peak    |
| 4 | 15570.000 | 46.79  | -7.21  | 54.00  | 32.59       | 38.35 | 11.50  | 35.65 Average |
| 5 | 15570.000 | 58.99  | -15.01 | 74.00  | 44.79       | 38.35 | 11.50  | 35.65 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT40 | Test Freq. (MHz) | 5190 |
| N <sub>TX</sub> | 2     | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7816.000  | 61.39  | -6.81  | 68.20  | 52.09       | 36.98 | 7.88   | 35.56 Peak    |
| 2 | 10380.000 | 57.99  | -10.21 | 68.20  | 44.64       | 39.51 | 9.44   | 35.60 Peak    |
| 3 | 15570.000 | 46.85  | -7.15  | 54.00  | 32.65       | 38.35 | 11.50  | 35.65 Average |
| 4 | 15570.000 | 59.24  | -14.76 | 74.00  | 45.04       | 38.35 | 11.50  | 35.65 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT40 | Test Freq. (MHz) | 5230 |
| N <sub>TX</sub> | 2     | Polarization     | V    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7401.000  | 44.46  | -9.54  | 54.00  | 35.92       | 36.34 | 7.63   | 35.43 Average |
| 2 | 7401.000  | 66.81  | -7.19  | 74.00  | 58.27       | 36.34 | 7.63   | 35.43 Peak    |
| 3 | 10460.000 | 57.65  | -10.55 | 68.20  | 44.05       | 39.64 | 9.48   | 35.52 Peak    |
| 4 | 15690.000 | 46.97  | -7.03  | 54.00  | 33.21       | 38.08 | 11.40  | 35.72 Average |
| 5 | 15690.000 | 59.12  | -14.88 | 74.00  | 45.36       | 38.08 | 11.40  | 35.72 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT40 | Test Freq. (MHz) | 5230 |
| N <sub>TX</sub> | 2     | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7824.000  | 60.55  | -7.65  | 68.20  | 51.24       | 36.99 | 7.88   | 35.56 Peak    |
| 2 | 10460.000 | 57.46  | -10.74 | 68.20  | 43.86       | 39.64 | 9.48   | 35.52 Peak    |
| 3 | 15690.000 | 46.55  | -7.45  | 54.00  | 32.79       | 38.08 | 11.40  | 35.72 Average |
| 4 | 15690.000 | 59.17  | -14.83 | 74.00  | 45.41       | 38.08 | 11.40  | 35.72 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT80 | Test Freq. (MHz) | 5210 |
| N <sub>TX</sub> | 2     | Polarization     | V    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7406.000  | 44.07  | -9.93  | 54.00  | 35.51       | 36.36 | 7.63   | 35.43 Average |
| 2 | 7406.000  | 68.15  | -5.85  | 74.00  | 59.59       | 36.36 | 7.63   | 35.43 Peak    |
| 3 | 10420.000 | 57.38  | -10.82 | 68.20  | 43.91       | 39.57 | 9.46   | 35.56 Peak    |
| 4 | 15630.000 | 46.66  | -7.34  | 54.00  | 32.66       | 38.21 | 11.47  | 35.68 Average |
| 5 | 15630.000 | 58.69  | -15.31 | 74.00  | 44.69       | 38.21 | 11.47  | 35.68 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT80 | Test Freq. (MHz) | 5210 |
| N <sub>TX</sub> | 2     | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7816.000  | 61.13  | -7.07  | 68.20  | 51.83       | 36.98 | 7.88   | 35.56 Peak    |
| 2 | 10420.000 | 57.70  | -10.50 | 68.20  | 44.23       | 39.57 | 9.46   | 35.56 Peak    |
| 3 | 15630.000 | 46.65  | -7.35  | 54.00  | 32.65       | 38.21 | 11.47  | 35.68 Average |
| 4 | 15630.000 | 58.75  | -15.25 | 74.00  | 44.75       | 38.21 | 11.47  | 35.68 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)


Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)

Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.


Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz) for 5725-5850MHz

| Transmitter Radiated Unwanted Emissions (Above 1GHz)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |           |        |        |        |             |                  |        |        |         |  |      |       |      |       |             |       |        |  |  |  |     |        |       |      |       |        |      |        |        |  |  |  |    |        |      |      |    |    |  |   |          |       |       |       |       |       |      |       |         |   |          |       |       |       |       |       |      |       |      |   |           |       |       |       |       |       |      |       |         |   |           |       |        |       |       |       |      |       |      |   |           |       |       |       |       |       |       |       |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|--------|--------|-------------|------------------|--------|--------|---------|--|------|-------|------|-------|-------------|-------|--------|--|--|--|-----|--------|-------|------|-------|--------|------|--------|--------|--|--|--|----|--------|------|------|----|----|--|---|----------|-------|-------|-------|-------|-------|------|-------|---------|---|----------|-------|-------|-------|-------|-------|------|-------|------|---|-----------|-------|-------|-------|-------|-------|------|-------|---------|---|-----------|-------|--------|-------|-------|-------|------|-------|------|---|-----------|-------|-------|-------|-------|-------|-------|-------|------|
| Modulation Mode                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |           | 11a    |        |        |             | Test Freq. (MHz) |        | 5745   |         |  |      |       |      |       |             |       |        |  |  |  |     |        |       |      |       |        |      |        |        |  |  |  |    |        |      |      |    |    |  |   |          |       |       |       |       |       |      |       |         |   |          |       |       |       |       |       |      |       |      |   |           |       |       |       |       |       |      |       |         |   |           |       |        |       |       |       |      |       |      |   |           |       |       |       |       |       |       |       |      |
| N <sub>TX</sub>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |           | 2      |        |        |             | Polarization     |        | V      |         |  |      |       |      |       |             |       |        |  |  |  |     |        |       |      |       |        |      |        |        |  |  |  |    |        |      |      |    |    |  |   |          |       |       |       |       |       |      |       |         |   |          |       |       |       |       |       |      |       |      |   |           |       |       |       |       |       |      |       |         |   |           |       |        |       |       |       |      |       |      |   |           |       |       |       |       |       |       |       |      |
| <div><div><div>Level (dBuV/m)</div><div></div><div>Frequency (MHz)</div></div><div>Date: 2016-08-22</div></div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |           |        |        |        |             |                  |        |        |         |  |      |       |      |       |             |       |        |  |  |  |     |        |       |      |       |        |      |        |        |  |  |  |    |        |      |      |    |    |  |   |          |       |       |       |       |       |      |       |         |   |          |       |       |       |       |       |      |       |      |   |           |       |       |       |       |       |      |       |         |   |           |       |        |       |       |       |      |       |      |   |           |       |       |       |       |       |       |       |      |
| <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th colspan="2"></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th></th><th></th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>7401.000</td><td>44.37</td><td>-9.63</td><td>54.00</td><td>35.83</td><td>36.34</td><td>7.63</td><td>35.43</td><td>Average</td></tr><tr><td>2</td><td>7401.000</td><td>66.92</td><td>-7.08</td><td>74.00</td><td>58.38</td><td>36.34</td><td>7.63</td><td>35.43</td><td>Peak</td></tr><tr><td>3</td><td>11490.000</td><td>46.50</td><td>-7.50</td><td>54.00</td><td>31.94</td><td>40.10</td><td>9.74</td><td>35.28</td><td>Average</td></tr><tr><td>4</td><td>11490.000</td><td>58.23</td><td>-15.77</td><td>74.00</td><td>43.67</td><td>40.10</td><td>9.74</td><td>35.28</td><td>Peak</td></tr><tr><td>5</td><td>17235.000</td><td>62.13</td><td>-6.07</td><td>68.20</td><td>44.24</td><td>41.05</td><td>11.93</td><td>35.09</td><td>Peak</td></tr></table> |           |        |        |        |             |                  |        |        |         |  | Freq | Level | Over | Limit | ReadAntenna | Cable | Preamp |  |  |  | MHz | dBuV/m | Limit | Line | Level | Factor | Loss | Factor | Remark |  |  |  | dB | dBuV/m | dBuV | dB/m | dB | dB |  | 1 | 7401.000 | 44.37 | -9.63 | 54.00 | 35.83 | 36.34 | 7.63 | 35.43 | Average | 2 | 7401.000 | 66.92 | -7.08 | 74.00 | 58.38 | 36.34 | 7.63 | 35.43 | Peak | 3 | 11490.000 | 46.50 | -7.50 | 54.00 | 31.94 | 40.10 | 9.74 | 35.28 | Average | 4 | 11490.000 | 58.23 | -15.77 | 74.00 | 43.67 | 40.10 | 9.74 | 35.28 | Peak | 5 | 17235.000 | 62.13 | -6.07 | 68.20 | 44.24 | 41.05 | 11.93 | 35.09 | Peak |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable            | Preamp |        |         |  |      |       |      |       |             |       |        |  |  |  |     |        |       |      |       |        |      |        |        |  |  |  |    |        |      |      |    |    |  |   |          |       |       |       |       |       |      |       |         |   |          |       |       |       |       |       |      |       |      |   |           |       |       |       |       |       |      |       |         |   |           |       |        |       |       |       |      |       |      |   |           |       |       |       |       |       |       |       |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | MHz       | dBuV/m | Limit  | Line   | Level       | Factor           | Loss   | Factor | Remark  |  |      |       |      |       |             |       |        |  |  |  |     |        |       |      |       |        |      |        |        |  |  |  |    |        |      |      |    |    |  |   |          |       |       |       |       |       |      |       |         |   |          |       |       |       |       |       |      |       |      |   |           |       |       |       |       |       |      |       |         |   |           |       |        |       |       |       |      |       |      |   |           |       |       |       |       |       |       |       |      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |           |        | dB     | dBuV/m | dBuV        | dB/m             | dB     | dB     |         |  |      |       |      |       |             |       |        |  |  |  |     |        |       |      |       |        |      |        |        |  |  |  |    |        |      |      |    |    |  |   |          |       |       |       |       |       |      |       |         |   |          |       |       |       |       |       |      |       |      |   |           |       |       |       |       |       |      |       |         |   |           |       |        |       |       |       |      |       |      |   |           |       |       |       |       |       |       |       |      |
| 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 7401.000  | 44.37  | -9.63  | 54.00  | 35.83       | 36.34            | 7.63   | 35.43  | Average |  |      |       |      |       |             |       |        |  |  |  |     |        |       |      |       |        |      |        |        |  |  |  |    |        |      |      |    |    |  |   |          |       |       |       |       |       |      |       |         |   |          |       |       |       |       |       |      |       |      |   |           |       |       |       |       |       |      |       |         |   |           |       |        |       |       |       |      |       |      |   |           |       |       |       |       |       |       |       |      |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 7401.000  | 66.92  | -7.08  | 74.00  | 58.38       | 36.34            | 7.63   | 35.43  | Peak    |  |      |       |      |       |             |       |        |  |  |  |     |        |       |      |       |        |      |        |        |  |  |  |    |        |      |      |    |    |  |   |          |       |       |       |       |       |      |       |         |   |          |       |       |       |       |       |      |       |      |   |           |       |       |       |       |       |      |       |         |   |           |       |        |       |       |       |      |       |      |   |           |       |       |       |       |       |       |       |      |
| 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 11490.000 | 46.50  | -7.50  | 54.00  | 31.94       | 40.10            | 9.74   | 35.28  | Average |  |      |       |      |       |             |       |        |  |  |  |     |        |       |      |       |        |      |        |        |  |  |  |    |        |      |      |    |    |  |   |          |       |       |       |       |       |      |       |         |   |          |       |       |       |       |       |      |       |      |   |           |       |       |       |       |       |      |       |         |   |           |       |        |       |       |       |      |       |      |   |           |       |       |       |       |       |       |       |      |
| 4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 11490.000 | 58.23  | -15.77 | 74.00  | 43.67       | 40.10            | 9.74   | 35.28  | Peak    |  |      |       |      |       |             |       |        |  |  |  |     |        |       |      |       |        |      |        |        |  |  |  |    |        |      |      |    |    |  |   |          |       |       |       |       |       |      |       |         |   |          |       |       |       |       |       |      |       |      |   |           |       |       |       |       |       |      |       |         |   |           |       |        |       |       |       |      |       |      |   |           |       |       |       |       |       |       |       |      |
| 5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 17235.000 | 62.13  | -6.07  | 68.20  | 44.24       | 41.05            | 11.93  | 35.09  | Peak    |  |      |       |      |       |             |       |        |  |  |  |     |        |       |      |       |        |      |        |        |  |  |  |    |        |      |      |    |    |  |   |          |       |       |       |       |       |      |       |         |   |          |       |       |       |       |       |      |       |      |   |           |       |       |       |       |       |      |       |         |   |           |       |        |       |       |       |      |       |      |   |           |       |       |       |       |       |       |       |      |
| <div>Note 1: "&gt;20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.</div> <div>Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)</div> <div>Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)</div> <div>Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.</div> <div>Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.</div> <div>Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.</div>                                                                                                                                                                                                                                                                                                                                                            |           |        |        |        |             |                  |        |        |         |  |      |       |      |       |             |       |        |  |  |  |     |        |       |      |       |        |      |        |        |  |  |  |    |        |      |      |    |    |  |   |          |       |       |       |       |       |      |       |         |   |          |       |       |       |       |       |      |       |      |   |           |       |       |       |       |       |      |       |         |   |           |       |        |       |       |       |      |       |      |   |           |       |       |       |       |       |       |       |      |

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |     |                  |      |
|-----------------|-----|------------------|------|
| Modulation Mode | 11a | Test Freq. (MHz) | 5745 |
| N <sub>TX</sub> | 2   | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7820.000  | 60.91  | -7.29  | 68.20  | 51.61       | 36.98 | 7.88   | 35.56 Peak    |
| 2 | 11490.000 | 46.34  | -7.66  | 54.00  | 31.78       | 40.10 | 9.74   | 35.28 Average |
| 3 | 11490.000 | 58.75  | -15.25 | 74.00  | 44.19       | 40.10 | 9.74   | 35.28 Peak    |
| 4 | 17235.000 | 62.28  | -5.92  | 68.20  | 44.39       | 41.05 | 11.93  | 35.09 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |     |                  |      |
|-----------------|-----|------------------|------|
| Modulation Mode | 11a | Test Freq. (MHz) | 5785 |
| N <sub>TX</sub> | 2   | Polarization     | V    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7402.000  | 44.44  | -9.56  | 54.00  | 35.89       | 36.35 | 7.63   | 35.43 Average |
| 2 | 7402.000  | 66.76  | -7.24  | 74.00  | 58.21       | 36.35 | 7.63   | 35.43 Peak    |
| 3 | 11570.000 | 46.15  | -7.85  | 54.00  | 31.74       | 39.93 | 9.79   | 35.31 Average |
| 4 | 11570.000 | 58.35  | -15.65 | 74.00  | 43.94       | 39.93 | 9.79   | 35.31 Peak    |
| 5 | 17355.000 | 63.40  | -4.80  | 68.20  | 45.18       | 41.44 | 11.92  | 35.14 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |     |                  |      |
|-----------------|-----|------------------|------|
| Modulation Mode | 11a | Test Freq. (MHz) | 5785 |
| N <sub>TX</sub> | 2   | Polarization     | H    |



|   | Freq      | Level  | Over<br>Limit | Limit<br>Line | ReadAntenna<br>Level | Factor | Cable<br>Loss | Preamp<br>Factor | Remark  |
|---|-----------|--------|---------------|---------------|----------------------|--------|---------------|------------------|---------|
|   | MHz       | dBuV/m | dB            | dBuV/m        | dBuV                 | dB/m   | dB            | dB               |         |
| 1 | 7820.000  | 60.99  | -7.21         | 68.20         | 51.69                | 36.98  | 7.88          | 35.56            | Peak    |
| 2 | 11570.000 | 45.57  | -8.43         | 54.00         | 31.16                | 39.93  | 9.79          | 35.31            | Average |
| 3 | 11570.000 | 58.05  | -15.95        | 74.00         | 43.64                | 39.93  | 9.79          | 35.31            | Peak    |
| 4 | 17355.000 | 62.64  | -5.56         | 68.20         | 44.42                | 41.44  | 11.92         | 35.14            | Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |     |                  |      |
|-----------------|-----|------------------|------|
| Modulation Mode | 11a | Test Freq. (MHz) | 5825 |
| N <sub>TX</sub> | 2   | Polarization     | V    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7400.000  | 44.29  | -9.71  | 54.00  | 35.75       | 36.34 | 7.63   | 35.43 Average |
| 2 | 7400.000  | 66.94  | -7.06  | 74.00  | 58.40       | 36.34 | 7.63   | 35.43 Peak    |
| 3 | 11650.000 | 47.03  | -6.97  | 54.00  | 32.79       | 39.74 | 9.84   | 35.34 Average |
| 4 | 11650.000 | 58.27  | -15.73 | 74.00  | 44.03       | 39.74 | 9.84   | 35.34 Peak    |
| 5 | 17475.000 | 63.59  | -4.61  | 68.20  | 45.05       | 41.82 | 11.90  | 35.18 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |     |                  |      |
|-----------------|-----|------------------|------|
| Modulation Mode | 11a | Test Freq. (MHz) | 5825 |
| N <sub>TX</sub> | 2   | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable  | Preamp |        |
|---|-----------|--------|--------|--------|-------------|--------|--------|--------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Factor | Loss   | Factor |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m   | dB     | dB     |
| 1 | 7820.000  | 60.99  | -7.21  | 68.20  | 51.69       | 36.98  | 7.88   | 35.56  |
| 2 | 11650.000 | 46.15  | -7.85  | 54.00  | 31.91       | 39.74  | 9.84   | 35.34  |
| 3 | 11650.000 | 58.76  | -15.24 | 74.00  | 44.52       | 39.74  | 9.84   | 35.34  |
| 4 | 17475.000 | 63.34  | -4.86  | 68.20  | 44.80       | 41.82  | 11.90  | 35.18  |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT20 | Test Freq. (MHz) | 5745 |
| N <sub>TX</sub> | 2     | Polarization     | V    |



|   | Freq      | Level  | Over  | Limit  | ReadAntenna | Cable  | Preamp |        |
|---|-----------|--------|-------|--------|-------------|--------|--------|--------|
|   | MHz       | dBuV/m | Limit | Line   | Level       | Factor | Loss   | Factor |
|   |           |        | dB    | dBuV/m | dBuV        | dB/m   | dB     | dB     |
| 1 | 7401.000  | 44.45  | -9.55 | 54.00  | 35.91       | 36.34  | 7.63   | 35.43  |
| 2 | 7401.000  | 67.06  | -6.94 | 74.00  | 58.52       | 36.34  | 7.63   | 35.43  |
| 3 | 11490.000 | 46.28  | -7.72 | 54.00  | 31.72       | 40.10  | 9.74   | 35.28  |
| 4 | 17235.000 | 63.11  | -5.09 | 68.20  | 45.22       | 41.05  | 11.93  | 35.09  |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT20 | Test Freq. (MHz) | 5745 |
| N <sub>TX</sub> | 2     | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7808.000  | 61.24  | -6.96  | 68.20  | 51.95       | 36.97 | 7.88   | 35.56 Peak    |
| 2 | 11490.000 | 46.31  | -7.69  | 54.00  | 31.75       | 40.10 | 9.74   | 35.28 Average |
| 3 | 11490.000 | 58.23  | -15.77 | 74.00  | 43.67       | 40.10 | 9.74   | 35.28 Peak    |
| 4 | 17235.000 | 62.38  | -5.82  | 68.20  | 44.49       | 41.05 | 11.93  | 35.09 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT20 | Test Freq. (MHz) | 5785 |
| N <sub>TX</sub> | 2     | Polarization     | V    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable  | Preamp |        |
|---|-----------|--------|--------|--------|-------------|--------|--------|--------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Factor | Loss   | Factor |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m   | dB     | dB     |
| 1 | 7401.000  | 44.49  | -9.51  | 54.00  | 35.95       | 36.34  | 7.63   | 35.43  |
| 2 | 7401.000  | 67.53  | -6.47  | 74.00  | 58.99       | 36.34  | 7.63   | 35.43  |
| 3 | 11570.000 | 46.03  | -7.97  | 54.00  | 31.62       | 39.93  | 9.79   | 35.31  |
| 4 | 11570.000 | 57.95  | -16.05 | 74.00  | 43.54       | 39.93  | 9.79   | 35.31  |
| 5 | 17355.000 | 62.99  | -5.21  | 68.20  | 44.77       | 41.44  | 11.92  | 35.14  |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT20 | Test Freq. (MHz) | 5785 |
| N <sub>TX</sub> | 2     | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7820.000  | 61.45  | -6.75  | 68.20  | 52.15       | 36.98 | 7.88   | 35.56 Peak    |
| 2 | 11570.000 | 45.77  | -8.23  | 54.00  | 31.36       | 39.93 | 9.79   | 35.31 Average |
| 3 | 11570.000 | 58.11  | -15.89 | 74.00  | 43.70       | 39.93 | 9.79   | 35.31 Peak    |
| 4 | 17355.000 | 63.01  | -5.19  | 68.20  | 44.79       | 41.44 | 11.92  | 35.14 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT20 | Test Freq. (MHz) | 5825 |
| N <sub>TX</sub> | 2     | Polarization     | V    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7401.000  | 44.48  | -9.52  | 54.00  | 35.94       | 36.34 | 7.63   | 35.43 Average |
| 2 | 7401.000  | 67.23  | -6.77  | 74.00  | 58.69       | 36.34 | 7.63   | 35.43 Peak    |
| 3 | 11650.000 | 46.63  | -7.37  | 54.00  | 32.39       | 39.74 | 9.84   | 35.34 Average |
| 4 | 11650.000 | 58.38  | -15.62 | 74.00  | 44.14       | 39.74 | 9.84   | 35.34 Peak    |
| 5 | 17475.000 | 63.78  | -4.42  | 68.20  | 45.24       | 41.82 | 11.90  | 35.18 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT20 | Test Freq. (MHz) | 5825 |
| N <sub>TX</sub> | 2     | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7820.000  | 61.18  | -7.02  | 68.20  | 51.88       | 36.98 | 7.88   | 35.56 Peak    |
| 2 | 11650.000 | 46.06  | -7.94  | 54.00  | 31.82       | 39.74 | 9.84   | 35.34 Average |
| 3 | 11650.000 | 58.96  | -15.04 | 74.00  | 44.72       | 39.74 | 9.84   | 35.34 Peak    |
| 4 | 17475.000 | 63.42  | -4.78  | 68.20  | 44.88       | 41.82 | 11.90  | 35.18 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT40 | Test Freq. (MHz) | 5755 |
| N <sub>TX</sub> | 2     | Polarization     | V    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7403.000  | 44.62  | -9.38  | 54.00  | 36.07       | 36.35 | 7.63   | 35.43 Average |
| 2 | 7403.000  | 67.62  | -6.38  | 74.00  | 59.07       | 36.35 | 7.63   | 35.43 Peak    |
| 3 | 11510.000 | 46.25  | -7.75  | 54.00  | 31.71       | 40.08 | 9.74   | 35.28 Average |
| 4 | 11510.000 | 58.22  | -15.78 | 74.00  | 43.68       | 40.08 | 9.74   | 35.28 Peak    |
| 5 | 17265.000 | 62.60  | -5.60  | 68.20  | 44.64       | 41.15 | 11.92  | 35.11 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT40 | Test Freq. (MHz) | 5755 |
| N <sub>TX</sub> | 2     | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7824.000  | 60.55  | -7.65  | 68.20  | 51.24       | 36.99 | 7.88   | 35.56 Peak    |
| 2 | 11510.000 | 46.20  | -7.80  | 54.00  | 31.66       | 40.08 | 9.74   | 35.28 Average |
| 3 | 11510.000 | 58.02  | -15.98 | 74.00  | 43.48       | 40.08 | 9.74   | 35.28 Peak    |
| 4 | 17265.000 | 63.40  | -4.80  | 68.20  | 45.44       | 41.15 | 11.92  | 35.11 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT40 | Test Freq. (MHz) | 5795 |
| N <sub>TX</sub> | 2     | Polarization     | V    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7401.000  | 44.56  | -9.44  | 54.00  | 36.02       | 36.34 | 7.63   | 35.43 Average |
| 2 | 7401.000  | 66.97  | -7.03  | 74.00  | 58.43       | 36.34 | 7.63   | 35.43 Peak    |
| 3 | 11590.000 | 46.09  | -7.91  | 54.00  | 31.71       | 39.88 | 9.82   | 35.32 Average |
| 4 | 11590.000 | 57.85  | -16.15 | 74.00  | 43.47       | 39.88 | 9.82   | 35.32 Peak    |
| 5 | 17385.000 | 63.25  | -4.95  | 68.20  | 44.96       | 41.53 | 11.91  | 35.15 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT40 | Test Freq. (MHz) | 5795 |
| N <sub>TX</sub> | 2     | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7816.000  | 61.62  | -6.58  | 68.20  | 52.32       | 36.98 | 7.88   | 35.56 Peak    |
| 2 | 11590.000 | 46.07  | -7.93  | 54.00  | 31.69       | 39.88 | 9.82   | 35.32 Average |
| 3 | 11590.000 | 58.29  | -15.71 | 74.00  | 43.91       | 39.88 | 9.82   | 35.32 Peak    |
| 4 | 17385.000 | 63.04  | -5.16  | 68.20  | 44.75       | 41.53 | 11.91  | 35.15 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT80 | Test Freq. (MHz) | 5775 |
| N <sub>TX</sub> | 2     | Polarization     | V    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7407.000  | 44.67  | -9.33  | 54.00  | 36.11       | 36.36 | 7.63   | 35.43 Average |
| 2 | 7407.000  | 67.81  | -6.19  | 74.00  | 59.25       | 36.36 | 7.63   | 35.43 Peak    |
| 3 | 11550.000 | 46.00  | -8.00  | 54.00  | 31.53       | 39.98 | 9.79   | 35.30 Average |
| 4 | 11550.000 | 58.08  | -15.92 | 74.00  | 43.61       | 39.98 | 9.79   | 35.30 Peak    |
| 5 | 17325.000 | 62.38  | -5.82  | 68.20  | 44.25       | 41.34 | 11.92  | 35.13 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)


Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.

### Transmitter Radiated Unwanted Emissions (Above 1GHz)

|                 |       |                  |      |
|-----------------|-------|------------------|------|
| Modulation Mode | VHT80 | Test Freq. (MHz) | 5775 |
| N <sub>TX</sub> | 2     | Polarization     | H    |



|   | Freq      | Level  | Over   | Limit  | ReadAntenna | Cable | Preamp |               |
|---|-----------|--------|--------|--------|-------------|-------|--------|---------------|
|   | MHz       | dBuV/m | Limit  | Line   | Level       | Loss  | Factor | Remark        |
|   |           |        | dB     | dBuV/m | dBuV        | dB/m  | dB     | dB            |
| 1 | 7816.000  | 61.89  | -6.31  | 68.20  | 52.59       | 36.98 | 7.88   | 35.56 Peak    |
| 2 | 11550.000 | 46.03  | -7.97  | 54.00  | 31.56       | 39.98 | 9.79   | 35.30 Average |
| 3 | 11550.000 | 58.40  | -15.60 | 74.00  | 43.93       | 39.98 | 9.79   | 35.30 Peak    |
| 4 | 17325.000 | 62.99  | -5.21  | 68.20  | 44.86       | 41.34 | 11.92  | 35.13 Peak    |

Note 1: ">20dB" means spurious emission levels that exceed the level of 20 dB below the applicable limit.

Note 2: "N/F" means Nothing Found spurious emissions (No spurious emissions were detected.)

Note 3: Measurement receive antenna polarization: H (Horizontal), V (Vertical)

Note 4: For restricted bands, the peak measurement is fully sufficient, as the max field strength as measured with the Peak-Detector meets the AV-Limit so that the AV level does not need to be reported in addition.

Note 5: For un-restricted bands emission satisfies both the average and peak limits of 15.209, it is not required to satisfy the -27 dBm peak emission limit of 15.407.

Note 6: No level of unwanted emissions exceeds the level of the fundamental emission.



Summary

| Mode                         | Result | Ch<br>(Hz) | Center<br>(Hz) | F1<br>(Hz) | Fh<br>(Hz) | ppm   | Limit<br>(ppm) | Port | Remark |
|------------------------------|--------|------------|----------------|------------|------------|-------|----------------|------|--------|
| 5.2G;11a;20;1;2;5200;M;T0,VN | Pass   | 5.2G       | 5.20004379G    | NaN        | NaN        | 8.422 | 20             | 1    | 0 min  |



Result

| Mode                          | Result | Ch<br>(Hz) | Center<br>(Hz) | FI<br>(Hz) | Fh<br>(Hz) | ppm   | Limit<br>(ppm) | Port | Remark |
|-------------------------------|--------|------------|----------------|------------|------------|-------|----------------|------|--------|
| 5.2G;11a;20;1;2;5200;M;TN,VN  | Pass   | 5.2G       | 5.2000153G     | NaN        | NaN        | 2.942 | 20             | 1    | 0 min  |
| 5.2G;11a;20;1;2;5200;M;TN,VN  | Pass   | 5.2G       | 5.20001532G    | NaN        | NaN        | 2.946 | 20             | 1    | 2 min  |
| 5.2G;11a;20;1;2;5200;M;TN,VN  | Pass   | 5.2G       | 5.20001531G    | NaN        | NaN        | 2.945 | 20             | 1    | 5 min  |
| 5.2G;11a;20;1;2;5200;M;TN,VN  | Pass   | 5.2G       | 5.20001529G    | NaN        | NaN        | 2.94  | 20             | 1    | 10 min |
| 5.2G;11a;20;1;2;5200;M;TN,VL  | Pass   | 5.2G       | 5.20001521G    | NaN        | NaN        | 2.924 | 20             | 1    | 0 min  |
| 5.2G;11a;20;1;2;5200;M;TN,VL  | Pass   | 5.2G       | 5.20001523G    | NaN        | NaN        | 2.929 | 20             | 1    | 2 min  |
| 5.2G;11a;20;1;2;5200;M;TN,VL  | Pass   | 5.2G       | 5.20001518G    | NaN        | NaN        | 2.919 | 20             | 1    | 5 min  |
| 5.2G;11a;20;1;2;5200;M;TN,VL  | Pass   | 5.2G       | 5.20001519G    | NaN        | NaN        | 2.921 | 20             | 1    | 10 min |
| 5.2G;11a;20;1;2;5200;M;TN,VH  | Pass   | 5.2G       | 5.20001526G    | NaN        | NaN        | 2.935 | 20             | 1    | 0 min  |
| 5.2G;11a;20;1;2;5200;M;TN,VH  | Pass   | 5.2G       | 5.20001526G    | NaN        | NaN        | 2.935 | 20             | 1    | 2 min  |
| 5.2G;11a;20;1;2;5200;M;TN,VH  | Pass   | 5.2G       | 5.20001525G    | NaN        | NaN        | 2.934 | 20             | 1    | 5 min  |
| 5.2G;11a;20;1;2;5200;M;TN,VH  | Pass   | 5.2G       | 5.20001527G    | NaN        | NaN        | 2.936 | 20             | 1    | 10 min |
| 5.2G;11a;20;1;2;5200;M;T35,VN | Pass   | 5.2G       | 5.19999447G    | NaN        | NaN        | 1.063 | 20             | 1    | 0 min  |
| 5.2G;11a;20;1;2;5200;M;T35,VN | Pass   | 5.2G       | 5.19999445G    | NaN        | NaN        | 1.067 | 20             | 1    | 2 min  |
| 5.2G;11a;20;1;2;5200;M;T35,VN | Pass   | 5.2G       | 5.19999446G    | NaN        | NaN        | 1.066 | 20             | 1    | 5 min  |
| 5.2G;11a;20;1;2;5200;M;T35,VN | Pass   | 5.2G       | 5.19999446G    | NaN        | NaN        | 1.065 | 20             | 1    | 10 min |
| 5.2G;11a;20;1;2;5200;M;T30,VN | Pass   | 5.2G       | 5.20000126G    | NaN        | NaN        | 0.242 | 20             | 1    | 0 min  |
| 5.2G;11a;20;1;2;5200;M;T30,VN | Pass   | 5.2G       | 5.20000126G    | NaN        | NaN        | 0.243 | 20             | 1    | 2 min  |
| 5.2G;11a;20;1;2;5200;M;T30,VN | Pass   | 5.2G       | 5.2000013G     | NaN        | NaN        | 0.25  | 20             | 1    | 5 min  |
| 5.2G;11a;20;1;2;5200;M;T30,VN | Pass   | 5.2G       | 5.20000129G    | NaN        | NaN        | 0.248 | 20             | 1    | 10 min |
| 5.2G;11a;20;1;2;5200;M;T20,VN | Pass   | 5.2G       | 5.20001537G    | NaN        | NaN        | 2.957 | 20             | 1    | 0 min  |
| 5.2G;11a;20;1;2;5200;M;T20,VN | Pass   | 5.2G       | 5.20001537G    | NaN        | NaN        | 2.956 | 20             | 1    | 2 min  |
| 5.2G;11a;20;1;2;5200;M;T20,VN | Pass   | 5.2G       | 5.20001536G    | NaN        | NaN        | 2.954 | 20             | 1    | 5 min  |
| 5.2G;11a;20;1;2;5200;M;T20,VN | Pass   | 5.2G       | 5.20001534G    | NaN        | NaN        | 2.951 | 20             | 1    | 10 min |
| 5.2G;11a;20;1;2;5200;M;T10,VN | Pass   | 5.2G       | 5.20003096G    | NaN        | NaN        | 5.954 | 20             | 1    | 0 min  |
| 5.2G;11a;20;1;2;5200;M;T10,VN | Pass   | 5.2G       | 5.20003098G    | NaN        | NaN        | 5.957 | 20             | 1    | 2 min  |
| 5.2G;11a;20;1;2;5200;M;T10,VN | Pass   | 5.2G       | 5.20003096G    | NaN        | NaN        | 5.955 | 20             | 1    | 5 min  |
| 5.2G;11a;20;1;2;5200;M;T10,VN | Pass   | 5.2G       | 5.20003095G    | NaN        | NaN        | 5.951 | 20             | 1    | 10 min |
| 5.2G;11a;20;1;2;5200;M;T0,VN  | Pass   | 5.2G       | 5.20004379G    | NaN        | NaN        | 8.422 | 20             | 1    | 0 min  |
| 5.2G;11a;20;1;2;5200;M;T0,VN  | Pass   | 5.2G       | 5.20004379G    | NaN        | NaN        | 8.421 | 20             | 1    | 2 min  |
| 5.2G;11a;20;1;2;5200;M;T0,VN  | Pass   | 5.2G       | 5.20004377G    | NaN        | NaN        | 8.418 | 20             | 1    | 5 min  |
| 5.2G;11a;20;1;2;5200;M;T0,VN  | Pass   | 5.2G       | 5.20004374G    | NaN        | NaN        | 8.411 | 20             | 1    | 10 min |