



FCC PART 27
FCC PART 22H, PART 24E
TEST REPORT

For

TP-Link Technologies Co., Ltd.

Building 24 (floors 1,3,4,5) and 28 (floors1-4), Central Science and Technology Park,
Nanshan, Shenzhen, China

FCC ID: TE7X20V1

Report Type: Original Report	Product Type: X20 FDD-LTE Smartphone
Report Number: RSZ190626008-00D	
Report Date: 2019-08-22	
Simon Wang <i>Simon wang</i>	
Reviewed By: RF Engineer	
Prepared By: Bay Area Compliance Laboratories Corp. (Shenzhen) 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China Tel: +86-755-33320018 Fax: +86-755-33320008 www.baclcorp.com.cn	

Note: This report must not be used by the customer to claim product certification, approval, or endorsement by A2LA* or any agency of the Federal Government. * This report may contain data that are not covered by the A2LA accreditation and are marked with an asterisk “*”.

The information marked # is provided by the applicant, the laboratory is not responsible for its authenticity.

TABLE OF CONTENTS

GENERAL INFORMATION.....	4
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	4
OBJECTIVE	4
RELATED SUBMITTAL(S)/GRANT(S).....	4
TEST METHODOLOGY	5
MEASUREMENT UNCERTAINTY	5
TEST FACILITY	5
SYSTEM TEST CONFIGURATION.....	6
DESCRIPTION OF TEST CONFIGURATION	6
EQUIPMENT MODIFICATIONS	6
SUPPORT EQUIPMENT LIST AND DETAILS	6
BLOCK DIAGRAM OF TEST SETUP	6
SUMMARY OF TEST RESULTS.....	7
TEST EQUIPMENT LIST	8
FCC §1.1307(B) & §2.1093 - RF EXPOSURE INFORMATION.....	10
APPLICABLE STANDARD	10
TEST RESULT	10
FCC §2.1047 - MODULATION CHARACTERISTIC	11
FCC § 2.1046, § 22.913 (A) & § 24.232 (C); §27.50 (D) (H) - RF OUTPUT POWER	12
APPLICABLE STANDARD	12
TEST PROCEDURE	12
TEST DATA	12
FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH	33
APPLICABLE STANDARD	33
TEST PROCEDURE	33
TEST DATA	33
FCC §2.1051, §22.917(A) & §24.238(A); §27.53 (H) (M) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS.....	61
APPLICABLE STANDARD	61
TEST PROCEDURE	61
TEST DATA	61
FCC § 2.1053; § 22.917 (A);§ 24.238 (A); §27.53 (H)(M) SPURIOUS RADIATED EMISSIONS.....	85
APPLICABLE STANDARD	85
TEST PROCEDURE	85
TEST DATA	85
FCC § 22.917 (A);§ 24.238 (A); §27.53 (H)(M) - BAND EDGES	89
APPLICABLE STANDARD	89
TEST PROCEDURE	89
TEST DATA	89
FCC § 2.1055; § 22.355; § 24.235; §27.54 - FREQUENCY STABILITY	135
APPLICABLE STANDARD	135

TEST PROCEDURE135

TEST DATA136

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

Product	X20 FDD-LTE Smartphone
Tested Model	TP7071C
Multiple Model [#]	TP7071CXYZZ
Frequency Range	Cellular: 824-849 MHz PCS: 1850-1910 MHz WCDMA B2/LTE B2: 1850-1910 MHz WCDMA B5: 824-849 MHz WCDMA B4/LTE B4: 1710- 1755 MHz LTE B7: 2500-2570 MHz
Transmit Power (Conducted)	GSM850: 32.37 dBm, PCS1900: 28.54 dBm EDGE 850: 26.97 dBm,EDGE1900: 24.91 dBm WCDMA Band 2: 21.27 dBm; WCDMA Band 4: 21.44 dBm WCDMA Band 5: 21.63dBm LTE Band 2: 22.79 dBm; LTE Band 4: 21.67 dBm LTE Band 7: 22.54 dBm
Modulation Technique	2G: GMSK,8PSK 3G: BPSK, QPSK, 16QAM 4G: QPSK, 16QAM
Antenna Specification	Cellular/ WCDMA B5: -2dBi PCS /WCDMA B2/LTE B2: -0.6dBi WCDMA B4/LTE B4: -0.7dBi LTE B7:-1dBi
Voltage Range	DC 3.85V from battery or DC 5V from adapter
Date of Test	2019-06-30 ~ 2019-07-11
Sample serial number	190626008 (Assigned by Shenzhen BACL)
Received date	2019-06-26
Sample/EUT Status	Good condition
Adapter information	Model: A8A-050200U-US1 Input: AC 100-240V, 50/60Hz, 0.3A Output: DC 5V, 2A

Notes: This series products model: TP7071CXYZZ and TP7071C are electrically identical. Model TP7071C was selected for fully testing, the detailed information can be referred to the product similarity declaration letter.

Objective

This test report is prepared on behalf of *TP-Link Technologies Co., Ltd.* in accordance with Part 2-Subpart J, Part 22-Subpart H and Part 24-Subpart E and Subpart 27 of the Federal Communication Commissions rules.

The objective is to determine the compliance of the EUT with FCC rules for output power, modulation characteristic, occupied bandwidth, and spurious emission at antenna terminal, spurious radiated emission, frequency stability and band edge.

Related Submittal(s)/Grant(s)

FCC Part 15.247 DSS, Part 15.247 DTS, Part 15.407 NII and Part 15B JBP submissions with FCC ID: TE7X20V1.

Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2-Subpart J as well as the following parts:

Part 22 Subpart H - Public Mobile Services
Part 24 Subpart E - Personal Communication Services
Part 27 – Miscellaneous wireless communications services

Applicable Standards: TIA/EIA 603-D.

All emissions measurement was performed at Bay Area Compliance Laboratories Corp. (Shenzhen). The radiated testing was performed at an antenna-to-EUT distance of 3 meters.

Measurement Uncertainty

Parameter		Uncertainty
Occupied Channel Bandwidth		±5%
RF output power, conducted		±0.73dB
Unwanted Emission, conducted		±1.6dB
Emissions, Radiated	Below 1GHz	±4.75dB
	Above 1GHz	±4.88dB
Temperature		±1°C
Humidity		±6%
Supply voltages		±0.4%

Note: Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.

Test Facility

The Test site used by Bay Area Compliance Laboratories Corp. (Shenzhen) to collect test data is located on the 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China.

The test site has been approved by the FCC under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, FCC Registration No.: 342867, the FCC Designation No.: CN1221.

The test site has been registered with ISED Canada under ISED Canada Registration Number 3062B.

SYSTEM TEST CONFIGURATION

Description of Test Configuration

The EUT was configured for testing according to TIA/EIA-603-D.


Equipment Modifications

No modification was made to the EUT.

Support Equipment List and Details

Manufacturer	Description	Model	Serial Number
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50-116218-UY
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605

Block Diagram of Test Setup



SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§ 1.1307 , §2.1093	RF Exposure (SAR)	Compliance*
§2.1046; § 22.913 (a); § 24.232 (c); §27.50 (d) (h)	RF Output Power	Compliance
§ 2.1047	Modulation Characteristics	Not Applicable
§ 2.1049; § 22.905; § 22.917; § 24.238; §27.53	Occupied Bandwidth	Compliance
§ 2.1051; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Spurious Emissions at Antenna Terminal	Compliance
§ 2.1053; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Field Strength of Spurious Radiation	Compliance
§ 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Band Edge	Compliance
§ 2.1055; § 22.355; § 24.235; §27.54;	Frequency stability	Compliance

Note: * Please refer to SAR report released by BACL, report number: RSZ190626008-20.

TEST EQUIPMENT LIST

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Radiated Emission Test					
Sunol Sciences	Horn Antenna	DRH-118	A052604	2017-12-22	2020-12-21
Rohde & Schwarz	Signal and Spectrum Analyzer	FSV40-N	102259	2019-06-22	2020-06-22
Sunol Sciences	Broadband Antenna	JB1	A040904-1	2017-12-22	2020-12-21
COM-POWER	Pre-amplifier	PA-122	181919	2018-11-12	2019-11-12
Sonoma Instrument	Amplifier	310N	186238	2018-11-12	2019-11-12
Agilent	Signal Generator	N5183A	MY51040755	2018-12-03	2019-12-03
Rohde & Schwarz	EMI Test Receiver	ESR	1316.3003K03-101746-zn	2018-07-11	2019-07-11
COM-POWER	Dipole Antenna	AD-100	41000	NCR	NCR
A.H. System	Horn Antenna	SAS-200/571	135	2018-09-01	2021-08-31
UTiFLEX MICRO-C0AX	RF Cable	UFA147A-2362-100100	MFR64639 231029-003	2018-11-12	2019-11-12
Ducommun Technologies	RF Cable	104PEA	218124002	2018-11-12	2019-11-12
Ducommun Technologies	RF Cable	RG-214	1	2019-05-21	2019-11-19
Ducommun Technologies	RF Cable	RG-214	2	2018-11-12	2019-11-12
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-04	2017-12-29	2020-12-28
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-03	2017-12-29	2020-12-28
Heatsink Required	Amplifier	QLW-18405536-J0	15964001002	2018-11-12	2019-11-12

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
RF Conducted Test					
Rohde & Schwarz	Spectrum Analyzer	FSU26	200120	2019-03-02	2020-03-01
ESPEC	Temperature & Humidity Chamber	EL-10KA	9107726	2019-01-05	2020-01-05
Long Wei	DC Power Supply	TPR-6420D	398363	NCR	NCR
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	106891	2019-01-15	2020-01-15
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1316.3003K03-101746-zn	2018-08-19	2019-08-19
Ducommun Technologies	RF Cable	RG-214	3	Each Time	
WEINSCHTEL	10dB Attenuator	5324	AU 3842	Each Time	
WEINSCHTEL	3dB Attenuator	6231	666	Each Time	
Unknown	Power Splitter	1620	129	Each Time	
Wainwright	notch filter	WRCG1850/1910-1835/1925-40/8SS	22	NCR	NCR
Oulitong	notch filter	OBSF-2500-2570-S	OE01601523	NCR	NCR
Wainwright	notch filter	WRCG1709/1786-1689/1806-40/8SS	2	NCR	NCR

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Shenzhen) attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

FCC §1.1307(b) & §2.1093 - RF EXPOSURE INFORMATION

Applicable Standard

FCC§1.1310 and §2.1093.

Test Result

Compliance, please refer to the SAR report: RSZ190626008-20.

FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 22H & 24E & 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

FCC § 2.1046, § 22.913 (a) & § 24.232 (c); §27.50 (d) (h) - RF OUTPUT POWER

Applicable Standard

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (C), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB.


According to §27.50(d), the maximum EIRP must not exceed 1Watts (30dBm) for 1710-1755MHz.

According to §27.50(h), the maximum EIRP must not exceed 2Watts (33dBm) for 2500-2570MHz.

Test Procedure

Conducted method:

The RF output of the transmitter was connected to the CMW500/CMU200 through sufficient attenuation.



Radiated method:

TIA 603-D section 2.2.17

Test Data

Environmental Conditions

Temperature:	24~25 °C
Relative Humidity:	49~52 %
ATM Pressure:	100.0~101.0 kPa

The testing was performed by Leo Huang from 2019-06-30 to 2019-07-11.

Conducted Power**Cellular Band (Part 22H)**

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	128	824.2	32.21	38.45
	190	836.6	32.34	38.45
	251	848.8	32.31	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	128	824.2	32.26	30.42	28.39	26.94	38.45
	190	836.6	32.37	30.44	28.49	27.06	38.45
	251	848.8	32.35	30.38	28.46	27.02	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	128	824.2	26.96	23.52	22.03	20.26	38.45
	190	836.6	26.94	23.87	22.14	20.35	38.45
	251	848.8	26.97	23.94	22.09	20.39	38.45

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band V)	Normal	RMC12.2k		21.61	21.63	21.62
		HSDPA	1	20.85	20.87	20.88
			2	20.90	20.91	20.91
			3	20.98	20.95	20.93
			4	21.02	20.98	20.98
		HSUPA	1	20.51	20.46	20.47
			2	20.56	20.51	20.55
			3	20.63	20.53	20.58
			4	20.71	20.61	20.63
			5	20.77	20.67	20.70
		HSPA ⁺	1	21.10	21.09	21.11

PCS Band (Part 24E)

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	512	1850.2	28.51	33
	661	1880.0	28.38	33
	810	1909.8	28.08	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	512	1850.2	28.54	25.41	23.69	22.31	33
	661	1880.0	28.45	25.35	23.64	22.28	33
	810	1909.8	28.13	25.13	23.44	22.09	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	512	1850.2	24.81	21.74	19.87	18.51	33
	661	1880.0	24.71	21.70	19.74	18.30	33
	810	1909.8	24.91	21.82	20.02	18.54	33

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band II)	Normal	RMC12.2k		21.27	21.18	21.11
		HSDPA	1	20.71	20.53	20.58
			2	20.73	20.59	20.60
			3	20.81	20.66	20.66
			4	20.83	20.70	20.70
		HSUPA	1	20.64	20.44	20.46
			2	20.68	20.47	20.48
			3	20.73	20.50	20.53
			4	20.76	20.55	20.61
			5	20.82	20.57	20.67
		HSPA ⁺	1	21.20	21.10	21.18

AWS Band (Part 27)

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band IV)	Normal	RMC12.2k		21.40	21.44	21.42
		HSDPA	1	20.81	20.79	20.74
			2	20.85	20.86	20.82
			3	20.92	20.90	20.87
			4	20.97	20.96	20.92
		HSUPA	1	20.51	20.53	20.48
			2	20.56	20.58	20.56
			3	20.61	20.61	20.60
			4	20.64	20.65	20.66
			5	20.68	20.73	20.73
		HSPA ⁺	1	21.14	21.05	21.12

Peak-to-average ratio (PAR)**Cellular Band**

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	1.47	13
	Middle	1.42	13
	High	1.44	13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	1.39	13
	Middle	1.41	13
	High	1.45	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	3.41	13
	Middle	3.48	13
	High	3.47	13
HSDPA (16QAM)	Low	3.53	13
	Middle	3.59	13
	High	3.55	13
HSUPA (BPSK)	Low	3.77	13
	Middle	3.80	13
	High	3.78	13

PCS Band

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	1.34	13
	Middle	1.36	13
	High	1.37	13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	1.36	13
	Middle	1.34	13
	High	1.38	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	3.31	13
	Middle	3.33	13
	High	3.32	13
HSDPA (16QAM)	Low	3.68	13
	Middle	3.70	13
	High	3.65	13
HSUPA (BPSK)	Low	3.61	13
	Middle	3.65	13
	High	3.64	13

AWS Band

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	3.21	13
	Middle	3.22	13
	High	3.24	13
HSDPA (16QAM)	Low	3.51	13
	Middle	3.55	13
	High	3.52	13
HSUPA (BPSK)	Low	3.77	13
	Middle	3.75	13
	High	3.71	13

GSM Mode:

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dBi)			
ERP for Cellular Band (Part 22H), Middle Channel										
836.6	91.68	171	1.0	H	29.7	0.7	0.0	29.00	38.45	9.45
836.6	92.41	11	1.6	V	32.0	0.7	0.0	31.30	38.45	7.15
EIRP for PCS Band (Part 24E), Middle Channel										
1880.00	92.10	31	1.5	H	22.4	1.30	9.40	30.50	33	4.70
1880.00	88.84	20	1.3	V	18.9	1.30	9.40	27.00	33	6.00

EDGE Mode:

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dBi)			
ERP, Cellular Band (Part 22H), Middle Channel										
836.6	87.69	171	1.0	H	25.7	0.7	0.0	25.00	38.45	13.45
836.6	87.54	11	1.6	V	27.1	0.7	0.0	26.40	38.45	12.05
EIRP, PCS Band (Part 24E), Middle Channel										
1880.00	86.01	106	1.7	H	16.0	1.30	9.40	24.10	33	8.9
1880.00	86.19	330	1.4	V	15.9	1.30	9.40	24.00	33	9.0

WCDMA Mode:

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dBi)			
ERP for WCDMA Band V (Part 22H), Middle Channel										
836.6	84.21	320	2.4	H	22.2	0.7	0.0	21.50	38.45	16.95
836.6	83.19	272	1.6	V	22.8	0.7	0.0	22.10	38.45	16.35
EIRP for WCDMA Band II (Part 24E), Middle Channel										
1880.00	84.71	71	2.3	H	15.0	1.30	9.40	23.10	33	11.9
1880.00	78.90	252	1.4	V	9.0	1.30	9.40	17.10	33	12.0
EIRP for WCDMA Band IV (Part 27), Middle Channel										
1732.60	85.64	271	2.4	H	12.3	1.30	8.90	19.90	30	9.1
1732.60	81.61	14	1.0	V	8.9	1.30	8.90	16.50	30	8.2

Note:

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

LTE Band 2:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	21.41	21.50	21.55
		RB Size=1, RB Offset=2	21.52	21.53	21.61
		RB Size=1, RB Offset=5	21.28	21.56	21.56
		RB Size=3, RB Offset=0	21.40	21.34	21.32
		RB Size=3, RB Offset=1	21.25	21.31	21.20
		RB Size=3, RB Offset=2	21.18	21.14	21.16
		RB Size=6, RB Offset=0	21.13	21.13	21.10
	16QAM	RB Size=1, RB Offset=0	21.17	21.15	21.08
		RB Size=1, RB Offset=2	21.02	21.02	20.94
		RB Size=1, RB Offset=5	20.99	20.92	21.95
		RB Size=3, RB Offset=0	20.75	20.70	21.86
		RB Size=3, RB Offset=1	20.77	20.84	20.81
		RB Size=3, RB Offset=2	20.78	20.78	20.75
		RB Size=6, RB Offset=0	20.70	20.65	20.76
3.0	QPSK	RB Size=1, RB Offset=0	21.80	21.74	21.82
		RB Size=1, RB Offset=7	21.73	21.64	21.74
		RB Size=1, RB Offset=14	21.55	21.61	21.76
		RB Size=8, RB Offset=0	20.86	20.84	20.90
		RB Size=8, RB Offset=4	20.77	20.68	20.77
		RB Size=8, RB Offset=7	20.56	20.58	20.70
		RB Size=15, RB Offset=0	20.77	20.72	20.76
	16QAM	RB Size=1, RB Offset=0	21.08	21.06	21.00
		RB Size=1, RB Offset=7	21.07	20.96	21.00
		RB Size=1, RB Offset=14	21.16	20.78	20.89
		RB Size=8, RB Offset=0	20.84	20.77	20.88
		RB Size=8, RB Offset=4	20.62	20.75	20.88
		RB Size=8, RB Offset=7	20.69	20.58	20.78
		RB Size=15, RB Offset=0	20.72	20.72	20.75

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	21.83	21.78	21.83
		RB Size=1, RB Offset=12	21.76	21.74	21.66
		RB Size=1, RB Offset=24	21.50	21.84	21.43
		RB Size=12, RB Offset=0	20.80	20.78	20.85
		RB Size=12, RB Offset=6	20.81	20.70	20.68
		RB Size=12, RB Offset=11	20.81	20.50	20.72
		RB Size=25, RB Offset=0	20.72	20.69	20.73
	16QAM	RB Size=1, RB Offset=0	20.98	20.76	20.69
		RB Size=1, RB Offset=12	20.79	20.76	20.68
		RB Size=1, RB Offset=24	20.80	20.77	20.53
		RB Size=12, RB Offset=0	20.78	20.74	20.75
		RB Size=12, RB Offset=6	20.76	20.67	20.64
		RB Size=12, RB Offset=11	20.55	20.66	20.56
		RB Size=25, RB Offset=0	20.73	20.68	20.72
10.0	QPSK	RB Size=1, RB Offset=0	22.79	22.76	22.69
		RB Size=1, RB Offset=24	22.73	22.79	22.62
		RB Size=1, RB Offset=49	22.60	22.68	22.58
		RB Size=25, RB Offset=0	21.77	21.73	21.70
		RB Size=25, RB Offset=12	21.75	21.67	21.63
		RB Size=25, RB Offset=24	21.82	21.54	21.50
		RB Size=50, RB Offset=0	21.53	21.51	21.53
	16QAM	RB Size=1, RB Offset=0	20.64	21.61	21.63
		RB Size=1, RB Offset=24	20.60	21.48	21.61
		RB Size=1, RB Offset=49	20.40	21.37	21.69
		RB Size=25, RB Offset=0	20.61	20.66	20.73
		RB Size=25, RB Offset=12	20.49	20.47	20.54
		RB Size=25, RB Offset=24	20.57	20.55	20.70
		RB Size=50, RB Offset=0	20.68	20.46	20.58

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	21.10	21.05	21.34
		RB Size=1, RB Offset=37	21.00	20.92	21.18
		RB Size=1, RB Offset=74	21.01	20.99	21.19
		RB Size=36, RB Offset=0	21.01	20.98	21.01
		RB Size=36, RB Offset=18	21.03	20.94	20.88
		RB Size=36, RB Offset=37	21.10	20.66	20.59
		RB Size=75, RB Offset=0	20.87	20.88	20.99
	16QAM	RB Size=1, RB Offset=0	20.82	20.84	20.70
		RB Size=1, RB Offset=37	20.80	20.83	20.54
		RB Size=1, RB Offset=74	20.76	20.80	20.88
		RB Size=36, RB Offset=0	20.79	20.79	21.02
		RB Size=36, RB Offset=18	20.79	20.68	20.97
		RB Size=36, RB Offset=37	20.53	20.56	20.81
		RB Size=75, RB Offset=0	20.66	20.70	20.97
20.0	QPSK	RB Size=1, RB Offset=0	21.89	21.87	21.95
		RB Size=1, RB Offset=49	21.90	21.85	21.83
		RB Size=1, RB Offset=99	21.77	21.80	21.76
		RB Size=50, RB Offset=0	20.82	20.79	20.93
		RB Size=50, RB Offset=24	20.79	20.83	20.84
		RB Size=50, RB Offset=49	20.65	20.64	20.74
		RB Size=100, RB Offset=0	20.76	20.75	20.83
	16QAM	RB Size=1, RB Offset=0	20.34	20.95	21.04
		RB Size=1, RB Offset=49	20.93	20.86	20.86
		RB Size=1, RB Offset=99	20.89	20.67	20.87
		RB Size=50, RB Offset=0	20.87	20.84	20.98
		RB Size=50, RB Offset=24	20.75	20.83	20.96
		RB Size=50, RB Offset=49	20.68	20.69	20.87
		RB Size=100, RB Offset=0	20.77	20.77	20.91

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	5.36	13	Pass
QPSK (100RB Size)	6.22	13	Pass
16QAM (1RB Size)	6.12	13	Pass
16QAM (100RB Size)	6.44	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
1880.00	81.95	283	2.3	H	12.3	1.30	9.40	20.40	33
1880.00	82.33	167	2.2	V	12.4	1.30	9.40	20.50	33
3 MHz Bandwidth									
1880.00	81.75	317	1.1	H	12.1	1.30	9.40	20.20	33
1880.00	82.13	271	1.5	V	12.2	1.30	9.40	20.30	33
5 MHz Bandwidth									
1880.00	81.51	162	1.0	H	11.8	1.30	9.40	19.90	33
1880.00	81.84	287	2.3	V	11.9	1.30	9.40	20.00	33
10 MHz Bandwidth									
1880.00	81.34	260	1.9	H	11.7	1.30	9.40	19.80	33
1880.00	81.67	307	1.0	V	11.8	1.30	9.40	19.90	33
15 MHz Bandwidth									
1880.00	81.08	275	1.6	H	11.4	1.30	9.40	19.50	33
1880.00	81.39	273	1.1	V	11.5	1.30	9.40	19.60	33
20 MHz Bandwidth									
1880.00	80.97	80	2.2	H	11.3	1.30	9.40	19.40	33
1880.00	81.05	74	1.7	V	11.2	1.30	9.40	19.30	33

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
1880.00	82.18	31	1.7	H	12.5	1.30	9.40	20.60	33
1880.00	82.77	277	1.9	V	12.9	1.30	9.40	21.00	33
3 MHz Bandwidth									
1880.00	81.81	18	1.6	H	12.1	1.30	9.40	20.20	33
1880.00	82.16	272	1.3	V	12.3	1.30	9.40	20.40	33
5 MHz Bandwidth									
1880.00	81.74	258	1.1	H	12.1	1.30	9.40	20.20	33
1880.00	81.93	72	2.4	V	12.0	1.30	9.40	20.10	33
10 MHz Bandwidth									
1880.00	81.57	26	1.3	H	11.9	1.30	9.40	20.00	33
1880.00	81.68	233	1.8	V	11.8	1.30	9.40	19.90	33
15 MHz Bandwidth									
1880.00	81.18	309	1.2	H	11.5	1.30	9.40	19.60	33
1880.00	81.49	20	2.4	V	11.6	1.30	9.40	19.70	33
20 MHz Bandwidth									
1880.00	81.04	215	1.7	H	11.4	1.30	9.40	19.50	33
1880.00	81.21	238	2.3	V	11.3	1.30	9.40	19.40	33

LTE Band 4:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	21.53	21.39	21.46
		RB Size=1, RB Offset=2	21.42	21.22	21.51
		RB Size=1, RB Offset=5	21.39	20.96	21.56
		RB Size=3, RB Offset=0	21.62	21.63	21.64
		RB Size=3, RB Offset=1	21.54	21.58	21.62
		RB Size=3, RB Offset=2	21.43	21.48	21.44
		RB Size=6, RB Offset=0	20.43	20.45	20.39
	16QAM	RB Size=1, RB Offset=0	20.86	20.84	20.91
		RB Size=1, RB Offset=2	20.74	20.79	20.74
		RB Size=1, RB Offset=5	20.71	20.82	20.83
		RB Size=3, RB Offset=0	20.78	20.78	20.74
		RB Size=3, RB Offset=1	20.78	20.66	20.78
		RB Size=3, RB Offset=2	20.58	20.69	20.58
		RB Size=6, RB Offset=0	20.65	20.67	20.57
3.0	QPSK	RB Size=1, RB Offset=0	21.46	21.44	21.41
		RB Size=1, RB Offset=7	21.25	21.36	21.23
		RB Size=1, RB Offset=14	21.31	21.18	21.20
		RB Size=8, RB Offset=0	20.55	20.56	20.62
		RB Size=8, RB Offset=4	20.44	20.42	20.64
		RB Size=8, RB Offset=7	20.30	20.26	20.61
		RB Size=15, RB Offset=0	20.56	20.58	20.64
	16QAM	RB Size=1, RB Offset=0	20.66	20.60	20.55
		RB Size=1, RB Offset=7	20.68	20.57	20.45
		RB Size=1, RB Offset=14	20.67	20.41	20.27
		RB Size=8, RB Offset=0	20.69	21.05	20.71
		RB Size=8, RB Offset=4	20.56	20.96	20.99
		RB Size=8, RB Offset=7	20.79	20.68	20.52
		RB Size=15, RB Offset=0	20.70	20.69	20.70

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	21.66	21.58	21.67
		RB Size=1, RB Offset=12	21.55	21.49	21.56
		RB Size=1, RB Offset=24	21.49	21.48	21.61
		RB Size=12, RB Offset=0	20.75	20.58	20.64
		RB Size=12, RB Offset=6	20.69	20.62	20.63
		RB Size=12, RB Offset=11	20.55	20.67	20.58
		RB Size=25, RB Offset=0	20.71	20.65	20.68
	16QAM	RB Size=1, RB Offset=0	20.90	20.85	20.86
		RB Size=1, RB Offset=12	20.77	20.71	20.66
		RB Size=1, RB Offset=24	20.64	20.68	20.63
		RB Size=12, RB Offset=0	20.87	20.95	20.97
		RB Size=12, RB Offset=6	20.76	20.90	20.84
		RB Size=12, RB Offset=11	20.68	20.68	20.75
		RB Size=25, RB Offset=0	20.80	20.69	20.62
10.0	QPSK	RB Size=1, RB Offset=0	21.69	21.69	21.72
		RB Size=1, RB Offset=24	21.66	21.59	21.72
		RB Size=1, RB Offset=49	21.52	21.65	21.70
		RB Size=25, RB Offset=0	20.73	20.74	20.67
		RB Size=25, RB Offset=12	20.59	20.77	20.70
		RB Size=25, RB Offset=24	20.58	20.48	20.62
		RB Size=50, RB Offset=0	20.78	20.76	20.75
	16QAM	RB Size=1, RB Offset=0	21.13	21.13	21.22
		RB Size=1, RB Offset=24	21.06	21.07	21.23
		RB Size=1, RB Offset=49	21.14	21.09	21.03
		RB Size=25, RB Offset=0	20.80	20.80	20.81
		RB Size=25, RB Offset=12	20.62	20.72	20.86
		RB Size=25, RB Offset=24	20.53	20.65	20.64
		RB Size=50, RB Offset=0	20.88	20.84	20.87

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	21.64	21.54	21.53
		RB Size=1, RB Offset=37	21.62	21.34	21.42
		RB Size=1, RB Offset=74	21.45	21.35	21.42
		RB Size=36, RB Offset=0	20.95	20.86	20.82
		RB Size=36, RB Offset=18	20.85	20.70	20.73
		RB Size=36, RB Offset=37	20.93	20.61	20.69
		RB Size=75, RB Offset=0	20.69	20.53	20.56
	16QAM	RB Size=1, RB Offset=0	20.67	20.56	20.56
		RB Size=1, RB Offset=37	20.57	20.93	20.73
		RB Size=1, RB Offset=74	20.99	20.80	20.78
		RB Size=36, RB Offset=0	20.80	20.64	20.66
		RB Size=36, RB Offset=18	20.75	20.79	20.56
		RB Size=36, RB Offset=37	20.49	20.51	20.55
		RB Size=75, RB Offset=0	20.71	20.68	20.73
20.0	QPSK	RB Size=1, RB Offset=0	21.65	21.36	21.41
		RB Size=1, RB Offset=49	21.60	21.24	21.44
		RB Size=1, RB Offset=99	21.64	21.24	21.16
		RB Size=50, RB Offset=0	20.79	20.85	20.91
		RB Size=50, RB Offset=24	20.75	20.83	20.86
		RB Size=50, RB Offset=49	20.68	20.81	20.74
		RB Size=100, RB Offset=0	20.74	20.75	20.78
	16QAM	RB Size=1, RB Offset=0	21.27	21.16	21.26
		RB Size=1, RB Offset=49	21.11	21.16	21.29
		RB Size=1, RB Offset=99	20.98	20.11	21.32
		RB Size=50, RB Offset=0	20.71	20.98	20.91
		RB Size=50, RB Offset=24	20.95	20.97	20.99
		RB Size=50, RB Offset=49	20.77	20.98	20.96
		RB Size=100, RB Offset=0	20.84	20.75	20.77

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	5.24	13	Pass
QPSK (100RB Size)	5.57	13	Pass
16QAM (1RB Size)	6.22	13	Pass
16QAM (100RB Size)	6.45	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
1732.50	85.87	38	1.5	H	12.5	1.30	8.90	20.10	30
1732.50	85.96	338	1.7	V	13.2	1.30	8.90	20.80	30
3 MHz Bandwidth									
1732.50	86.55	120	1.1	H	13.2	1.30	8.90	20.80	30
1732.50	85.42	130	1.5	V	12.7	1.30	8.90	20.30	30
5 MHz Bandwidth									
1732.50	86.34	306	2.2	H	13.0	1.30	8.90	20.60	30
1732.50	85.17	286	2.4	V	12.4	1.30	8.90	20.00	30
10 MHz Bandwidth									
1732.50	86.1	115	2.4	H	12.8	1.30	8.90	20.40	30
1732.50	84.93	10	2.3	V	12.2	1.30	8.90	19.80	30
15 MHz Bandwidth									
1732.50	85.66	30	2.4	H	12.3	1.30	8.90	19.90	30
1732.50	84.32	198	2.2	V	11.6	1.30	8.90	19.20	30
20 MHz Bandwidth									
1732.50	85.31	349	1.2	H	12.0	1.30	8.90	19.60	30
1732.50	84.12	342	2.1	V	11.4	1.30	8.90	19.00	30

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
1732.50	87.02	84	1.8	H	13.7	1.30	8.90	21.30	30
1732.50	85.64	214	1.1	V	12.9	1.30	8.90	20.50	30
3 MHz Bandwidth									
1732.50	86.66	132	2.0	H	13.3	1.30	8.90	20.90	30
1732.50	85.47	93	2.4	V	12.7	1.30	8.90	20.30	30
5 MHz Bandwidth									
1732.50	86.15	227	2.2	H	12.8	1.30	8.90	20.40	30
1732.50	84.99	344	2.2	V	12.3	1.30	8.90	19.90	30
10 MHz Bandwidth									
1732.50	85.92	115	2.0	H	12.6	1.30	8.90	20.20	30
1732.50	84.78	84	2.4	V	12.1	1.30	8.90	19.70	30
15 MHz Bandwidth									
1732.50	85.71	188	1.6	H	12.4	1.30	8.90	20.00	30
1732.50	84.56	217	1.7	V	11.8	1.30	8.90	19.40	30
20 MHz Bandwidth									
1732.50	85.44	9	1.8	H	12.1	1.30	8.90	19.70	30
1732.50	84.23	167	2.1	V	11.5	1.30	8.90	19.10	30

LTE Band 7:

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5	QPSK	RB Size=1, RB Offset=0	22.13	22.28	22.36
		RB Size=1, RB Offset=12	21.84	21.90	21.87
		RB Size=1, RB Offset=24	22.02	22.19	22.17
		RB Size=12, RB Offset=0	21.67	21.83	22.20
		RB Size=12, RB Offset=6	21.85	21.87	22.10
		RB Size=12, RB Offset=11	21.82	22.14	21.64
		RB Size=25, RB Offset=0	21.91	22.28	22.21
	16QAM	RB Size=1, RB Offset=0	22.58	21.92	22.10
		RB Size=1, RB Offset=12	22.52	21.78	22.12
		RB Size=1, RB Offset=24	22.64	21.99	22.24
		RB Size=12, RB Offset=0	21.83	20.95	21.34
		RB Size=12, RB Offset=6	21.67	21.09	21.30
		RB Size=12, RB Offset=11	21.64	20.99	21.39
		RB Size=25, RB Offset=0	21.05	20.76	20.58
10	QPSK	RB Size=1, RB Offset=0	22.43	22.31	22.54
		RB Size=1, RB Offset=24	21.84	22.06	22.39
		RB Size=1, RB Offset=49	22.06	21.88	22.11
		RB Size=25, RB Offset=0	22.13	21.87	22.27
		RB Size=25, RB Offset=12	21.99	22.11	22.18
		RB Size=25, RB Offset=24	22.38	21.87	21.76
		RB Size=50, RB Offset=0	22.25	22.28	22.32
	16QAM	RB Size=1, RB Offset=0	21.88	22.05	21.97
		RB Size=1, RB Offset=24	21.72	22.17	21.99
		RB Size=1, RB Offset=49	21.78	22.26	22.01
		RB Size=25, RB Offset=0	21.03	21.23	21.22
		RB Size=25, RB Offset=12	21.15	21.15	21.05
		RB Size=25, RB Offset=24	21.07	21.30	21.22
		RB Size=50, RB Offset=0	21.14	20.56	20.67

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15	QPSK	RB Size=1, RB Offset=0	21.64	21.54	21.53
		RB Size=1, RB Offset=37	21.62	21.34	21.42
		RB Size=1, RB Offset=74	21.45	21.35	21.42
		RB Size=36, RB Offset=0	20.95	20.86	20.82
		RB Size=36, RB Offset=18	20.85	20.70	20.73
		RB Size=36, RB Offset=37	20.93	20.61	20.69
		RB Size=75, RB Offset=0	20.69	20.53	20.56
	16QAM	RB Size=1, RB Offset=0	20.67	20.56	20.56
		RB Size=1, RB Offset=37	20.57	20.93	20.73
		RB Size=1, RB Offset=74	20.99	20.80	20.78
		RB Size=36, RB Offset=0	20.80	20.64	20.66
		RB Size=36, RB Offset=18	20.75	20.79	20.56
		RB Size=36, RB Offset=37	20.49	20.51	20.55
		RB Size=75, RB Offset=0	20.71	20.68	20.73
20	QPSK	RB Size=1, RB Offset=0	21.65	21.36	21.41
		RB Size=1, RB Offset=49	21.60	21.24	21.44
		RB Size=1, RB Offset=99	21.64	21.24	21.16
		RB Size=50, RB Offset=0	20.79	20.85	20.91
		RB Size=50, RB Offset=24	20.75	20.83	20.86
		RB Size=50, RB Offset=49	20.68	20.81	20.74
		RB Size=100, RB Offset=0	20.74	20.75	20.78
	16QAM	RB Size=1, RB Offset=0	21.27	21.16	21.26
		RB Size=1, RB Offset=49	21.11	21.16	21.29
		RB Size=1, RB Offset=99	20.98	20.11	21.32
		RB Size=50, RB Offset=0	20.71	20.98	20.91
		RB Size=50, RB Offset=24	20.95	20.97	20.99
		RB Size=50, RB Offset=49	20.77	20.98	20.96
		RB Size=100, RB Offset=0	20.84	20.75	20.77

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	5.58	13	Pass
QPSK (100RB Size)	5.72	13	Pass
16QAM (1RB Size)	6.26	13	Pass
16QAM (100RB Size)	6.34	13	Pass

EIRP:**Main Antenna:****QPSK:**

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
5 MHz Bandwidth									
2535.00	83.08	324	1.0	H	12.9	2.60	10.20	20.50	33
2535.00	82.31	95	1.9	V	12.8	2.60	10.20	20.40	33
10 MHz Bandwidth									
2535.00	82.77	156	2.1	H	12.6	2.60	10.20	20.20	33
2535.00	82.04	161	2.0	V	12.5	2.60	10.20	20.10	33
15 MHz Bandwidth									
2535.00	82.54	23	1.5	H	12.4	2.60	10.20	20.00	33
2535.00	81.83	82	2.0	V	12.3	2.60	10.20	19.90	33
20 MHz Bandwidth									
2535.00	82.38	301	2.2	H	12.2	2.60	10.20	19.80	33
2535.00	81.48	169	1.2	V	11.9	2.60	10.20	19.50	33

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
5 MHz Bandwidth									
2535.00	83.67	191	1.7	H	13.5	2.60	10.20	21.10	33
2535.00	82.46	253	1.8	V	12.9	2.60	10.20	20.50	33
10 MHz Bandwidth									
2535.00	83.14	50	1.1	H	13.0	2.60	10.20	20.60	33
2535.00	82.25	167	1.7	V	12.7	2.60	10.20	20.30	33
15 MHz Bandwidth									
2535.00	82.79	196	2.5	H	12.6	2.60	10.20	20.20	33
2535.00	82.11	28	1.1	V	12.6	2.60	10.20	20.20	33
20 MHz Bandwidth									
2535.00	82.43	116	1.7	H	12.3	2.60	10.20	19.90	33
2535.00	81.99	244	1.3	V	12.4	2.60	10.20	20.00	33

Note:

All above data were tested with no amplifier

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH


Applicable Standard

FCC 47 §2.1049, §22.917, §22.905, §24.238 and §27.53.

Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set at 1% to 5% of the anticipated emission bandwidth and the 26 dB & 99% bandwidth was recorded.



Test Data

Environmental Conditions

Temperature:	24~25 °C
Relative Humidity:	49~52 %
ATM Pressure:	100.0~101.0 kPa

The testing was performed by Leo Huang from 2019-06-30 to 2019-07-02.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables and plots.

Cellular Band (Part 22H)

Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	836.6	246.79	320.51
EGPRS(8PSK)	836.6	248.40	325.32

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	836.6	4.18	4.71
HSUPA (BPSK)	836.6	4.20	4.97
HSDPA (16QAM)	836.6	4.20	4.97

PCS Band (Part 24E)

Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	1880.0	243.59	322.12
EGPRS(8PSK)	1880.0	248.40	315.71


Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	1880.0	4.17	4.73
HSUPA (BPSK)	1880.0	4.17	4.73
HSDPA (16QAM)	1880.0	4.18	4.73

AWS Band (Part 27)

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	1732.6	4.17	4.73
HSUPA (BPSK)	1732.6	4.20	4.79
HSDPA (16QAM)	1732.6	4.20	4.82


Cellular Band (Part 22H)

26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode




Date: 30.JUN.2019 11:23:47

26 dB Emissions & 99% Occupied Bandwidth for EDGE Mode




Date: 30.JUN.2019 11:32:59

26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode




Date: 30.JUN.2019 14:36:02


26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode




Date: 30.JUN.2019 14:38:16

26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode


Date: 30.JUN.2019 14:41:43

PCS Band (Part 24E)**26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode**

Date: 30.JUN.2019 11:35:39


26 dB Emissions & 99% Occupied Bandwidth for EDGE Mode

Date: 30.JUN.2019 11:42:14

26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode


Date: 30.JUN.2019 14:19:40

26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 30.JUN.2019 14:23:41


26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode



Date: 30.JUN.2019 14:21:52


AWS Band (Part 27)

26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode




Date: 30.JUN.2019 13:47:26

26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 30.JUN.2019 13:49:53


26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode




Date: 30.JUN.2019 13:52:02

LTE Band 2: (Middle Channel)

Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.098	1.297
	16QAM	1.104	1.321
3.0	QPSK	2.688	2.892
	16QAM	2.688	2.905
5.0	QPSK	4.520	4.960
	16QAM	4.520	4.923
10.0	QPSK	8.960	9.636
	16QAM	8.960	9.567
15.0	QPSK	13.500	14.587
	16QAM	13.500	14.528
20.0	QPSK	17.920	19.048
	16QAM	17.920	19.116


QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 2.JUL.2019 17:13:20

16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 2.JUL.2019 17:11:31

QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2019 17:17:24

16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2019 17:16:36

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2019 17:19:08


16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2019 17:18:21

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 2.JUL.2019 17:20:09

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 2.JUL.2019 17:21:09

QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 2.JUL.2019 17:22:06

16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 2.JUL.2019 17:23:00

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 2.JUL.2019 17:24:14

16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 2.JUL.2019 17:25:05

LTE Band 4: (Middle Channel)



Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.098	1.300
	16QAM	1.104	1.318
3.0	QPSK	2.688	2.884
	16QAM	2.688	2.897
5.0	QPSK	4.520	4.962
	16QAM	4.500	4.976
10.0	QPSK	9.000	9.678
	16QAM	8.960	9.577
15.0	QPSK	13.500	14.531
	16QAM	13.500	14.381
20.0	QPSK	17.920	19.065
	16QAM	17.920	18.999


QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 2.JUL.2019 17:35:27


16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 2.JUL.2019 17:36:16




QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 2.JUL.2019 17:31:49

16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 2.JUL.2019 17:32:47


QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 2.JUL.2019 17:30:56

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 2.JUL.2019 17:30:06

QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2019 17:29:10

16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2019 17:28:24

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 2.JUL.2019 17:27:42

16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2019 17:26:48

LTE Band 7: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
5.0	QPSK	4.500	4.942
	16QAM	4.520	4.975
10.0	QPSK	9.000	9.781
	16QAM	8.960	9.562
15.0	QPSK	13.500	14.523
	16QAM	13.500	14.464
20.0	QPSK	17.920	18.965
	16QAM	17.920	19.050

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2019 17:38:35


16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 2.JUL.2019 17:37:41


QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 2.JUL.2019 17:39:31

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 2.JUL.2019 17:40:58

QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 2.JUL.2019 17:42:23


16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 2.JUL.2019 17:43:07

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 2.JUL.2019 17:44:00

16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 2.JUL.2019 17:44:49

FCC §2.1051, §22.917(a) & §24.238(a); §27.53 (h) (m) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS


Applicable Standard

FCC §2.1051, §22.917(a) and §24.238(a) and §27.53(h) (m).

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1MHz. Sufficient scans were taken to show any out of band emissions up to 10th harmonic.



Test Data

Environmental Conditions

Temperature:	24~25 °C
Relative Humidity:	49~52 %
ATM Pressure:	100.0~101.0 kPa

The testing was performed by Leo Huang from 2019-06-30 to 2019-07-02.


Test result: Compliance.

EUT operation mode: transmitting

Please refer to the following plots.

Cellular Band (Part 22H)


30 MHz – 1 GHz (GSM Mode)



Fundamental test


Date: 30.JUN.2019 11:25:17

1 GHz – 10 GHz (GSM Mode)



Date: 30.JUN.2019 11:26:24


30 MHz – 1 GHz (WCDMA Mode)



Fundamental test

Date: 30.JUN.2019 14:54:11


1 GHz – 10 GHz (WCDMA Mode)



Date: 30.JUN.2019 14:54:48


PCS Band (Part 24E)

30 MHz – 1 GHz (GSM Mode)



Date: 30.JUN.2019 11:36:48


1 GHz – 2 GHz (GSM Mode)



Fundamental test


Date: 30.JUN.2019 11:37:32

2 GHz – 20 GHz (GSM Mode)




Date: 30.JUN.2019 11:37:53

30 MHz – 1 GHz (WCDMA Mode)



Date: 30.JUN.2019 14:30:44


1 GHz – 2 GHz (WCDMA Mode)



Fundamental test

Date: 30.JUN.2019 14:31:19


2 GHz – 20 GHz (WCDMA Mode)



Date: 30.JUN.2019 14:31:52


AWS Band (Part 27)

30 MHz – 1 GHz (WCDMA Mode)




Date: 30.JUN.2019 13:59:53

1 GHz – 2 GHz (WCDMA Mode)



Date: 30.JUN.2019 14:01:16


2 GHz – 20 GHz (WCDMA Mode)



Date: 30.JUN.2019 14:01:40


LTE Band 2:

30 MHz - 1 GHz (1.4 MHz, Middle Channel)




Date: 2.JUL.2019 16:45:21

1 GHz – 20 GHz (1.4 MHz, Middle Channel)




Date: 2.JUL.2019 16:45:30

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:45:49

1 GHz – 20 GHz (3.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:45:58

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:46:16

1 GHz – 20 GHz (5.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:46:25

30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:46:42

1 GHz – 20 GHz (10.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:46:51


30 MHz - 1 GHz (15.0 MHz, Middle Channel)



Date: 2.JUL.2019 16:47:13


1 GHz – 20 GHz (15.0 MHz, Middle Channel)

Date: 2.JUL.2019 16:47:22

30 MHz - 1 GHz (20.0 MHz, Middle Channel)

Date: 2.JUL.2019 16:47:41


1 GHz - 20 GHz (20.0 MHz, Middle Channel)



Date: 2.JUL.2019 16:47:50


LTE Band 4:

30 MHz - 1 GHz (1.4 MHz, Middle Channel)




Date: 2.JUL.2019 16:49:29

1 GHz – 20 GHz (1.4 MHz, Middle Channel)




Date: 2.JUL.2019 16:49:38

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:49:56

1 GHz – 20 GHz (3.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:50:09

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:50:27

1 GHz – 20 GHz (5.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:50:36

30 MHz - 1 GHz (10.0 MHz, Middle Channel)



Date: 2.JUL.2019 16:50:55


1 GHz – 20 GHz (10.0 MHz, Middle Channel)



Fundamental test


Date: 2.JUL.2019 16:51:04

30 MHz - 1 GHz (15.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:51:23

1 GHz – 20 GHz (15.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:51:32

30 MHz - 1 GHz (20.0 MHz, Middle Channel)



Date: 2.JUL.2019 16:51:51


1 GHz – 20 GHz (20.0 MHz, Middle Channel)



Date: 2.JUL.2019 16:52:00


LTE Band 7:

30 MHz – 1 GHz (5.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:53:54

1.0 GHz – 26.5 GHz (5.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:54:03

30 MHz – 1.0 GHz (10.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:54:22

1 GHz – 26.5 GHz (10.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:54:32

30 MHz – 1 GHz (15.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:54:50

1 GHz – 26.5 GHz (15.0 MHz, Middle Channel)




Date: 2.JUL.2019 16:54:59

30 MHz – 1 GHz (20.0 MHz, Middle Channel)



Date: 2.JUL.2019 16:55:18

1 GHz – 26.5 GHz (20.0 MHz, Middle Channel)



Date: 2.JUL.2019 16:55:27

FCC § 2.1053; § 22.917 (a); § 24.238 (a); § 27.53 (h)(m) SPURIOUS RADIATED EMISSIONS

Applicable Standard

FCC § 2.1053, § 22.917(a) and § 24.238(a) and § 27.53(h)(m)

Test Procedure

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the receiving antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Test Data**Environmental Conditions**

Temperature:	24~25 °C
Relative Humidity:	50~52 %
ATM Pressure:	100.0~101.0 kPa

The testing was performed by Alan He and Curry Xiang from 2019-06-30 to 2019-07-10.

EUT operation mode: Transmitting

Pre-scan with Low, Middle and High channel, the worst case as below:

30 MHz ~ 10 GHz:

Cellular Band (Part 22H)

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		Limit (dBm)	Margin (dB)
GSM Mode, middle channel										
392.5	33.98	194	1.3	H	-65.5	1.08	0.0	-66.58	-13	53.58
392.5	34.12	15	2.0	V	-64.2	1.08	0.0	-65.28	-13	52.28
1673.20	60.12	305	1.8	H	-46.2	1.30	8.90	-38.60	-13	25.60
1673.20	57.93	32	1.1	V	-47.8	1.30	8.90	-40.20	-13	27.20
2509.80	48.88	238	1.5	H	-54.5	2.60	10.20	-46.90	-13	33.90
2509.80	46.72	36	1.1	V	-56.0	2.60	10.20	-48.40	-13	35.40
WCDMA Mode, Middle channel										
372.5	33.12	355	1.3	H	-66.4	1.08	0.0	-67.48	-13	54.48
372.5	32.98	111	1.7	V	-65.3	1.08	0.0	-66.38	-13	53.38
1673.20	42.92	97	1.0	H	-63.4	1.30	8.90	-55.80	-13	42.80
1673.20	42.88	160	2.0	V	-62.9	1.30	8.90	-55.30	-13	42.30
2509.80	51.87	156	2.0	H	-51.5	2.60	10.20	-43.90	-13	30.90
2509.80	49.74	353	1.9	V	-53.0	2.60	10.20	-45.40	-13	32.40

30 MHz ~ 20 GHz:

PCS Band (Part 24E)

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		Limit (dBm)	Margin (dB)
GSM Mode, middle channel										
392.5	34.32	269	2.2	H	-65.2	1.08	0.0	-66.28	-13	53.28
392.5	34.61	331	1.4	V	-63.7	1.08	0.0	-64.78	-13	51.78
3760.00	43.81	42	1.7	H	-58.2	1.50	11.80	-47.90	-13	34.90
3760.00	44.25	35	1.6	V	-57.3	1.50	11.80	-47.00	-13	34.00
WCDMA Mode Band II, Middle channel										
372.5	33.56	108	1.2	H	-66.0	1.08	0.0	-67.08	-13	54.08
372.5	32.9	29	1.2	V	-65.4	1.08	0.0	-66.48	-13	53.48
3760.00	44.07	216	1.0	H	-58.0	1.50	11.80	-47.70	-13	34.70
3760.00	44.27	207	1.5	V	-57.3	1.50	11.80	-47.00	-13	34.00

30 MHz ~ 20 GHz:

AWS Band (Part 27)

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 27	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		Limit (dBm)	Margin (dB)
WCDMA Mode Band IV, Middle channel										
372.5	33.39	20	2.5	H	-66.1	1.08	0.0	-67.18	-13	54.18
372.5	33.07	32	2.5	V	-65.2	1.08	0.0	-66.28	-13	53.28
3465.20	42.84	179	1.1	H	-57.9	1.50	12.00	-47.40	-13	34.40
3465.20	42.68	117	1.2	V	-58.8	1.50	12.00	-48.30	-13	35.30

LTE Band: (Pre-scan with all the bandwidth, and worse case as below)

Frequency	Receiver	Turntable	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
(MHz)	Reading (dBμV)	Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)			
Band 2										
Test frequency range:30 MHz ~ 20 GHz										
342.7	32.24	249	2.0	H	-67.3	1.08	0.0	-68.38	-13	55.38
342.7	33.17	27	1.1	V	-65.1	1.08	0.0	-66.18	-13	53.18
3760.00	44.25	339	1.3	H	-57.8	1.50	11.80	-47.50	-13	34.50
3760.00	43.90	175	1.1	V	-57.7	1.50	11.80	-47.40	-13	34.40
Band 4										
Test frequency range:30 MHz ~ 18 GHz										
342.7	32.89	228	1.1	H	-66.6	1.08	0.0	-67.68	-13	54.68
342.7	33.26	236	2.3	V	-65.0	1.08	0.0	-66.08	-13	53.08
3465.00	43.31	274	1.0	H	-57.4	1.50	12.00	-46.90	-13	33.90
3465.00	42.80	247	2.4	V	-58.7	1.50	12.00	-48.20	-13	35.20
Band 7										
Test frequency range: 30 MHz ~ 26GHz										
342.7	32.71	61	2.0	H	-66.8	1.08	0.0	-67.88	-25	42.88
342.7	33.4	278	2.1	V	-64.9	1.08	0.0	-65.98	-25	40.98
5070.00	43.84	279	1.1	H	-56.2	1.60	12.10	-45.70	-25	20.70
5070.00	43.54	222	1.8	V	-56.5	1.60	12.10	-46.00	-25	21.00

Note:

- 1) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 2) Margin = Limit- Absolute Level

FCC § 22.917 (a);§ 24.238 (a); §27.53 (h)(m) - BAND EDGES**Applicable Standard**

According to § 22.917(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.


According to §24.238(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

According to FCC §27.53 (h)(m), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency

**Test Data****Environmental Conditions**


Temperature:	24~25 °C
Relative Humidity:	49~52 %
ATM Pressure:	100.0~101.0 kPa

The testing was performed by Leo Huang from 2019-06-30 to 2019-07-02.

EUT operation mode: Transmitting


Test Result: Compliance. Please refer to the following plots.

Cellular Band, Left Band Edge for GSM (GMSK) Mode




Date: 30.JUN.2019 11:28:29

Cellular Band, Right Band Edge for GSM (GMSK) Mode




Date: 30.JUN.2019 11:29:04

Cellular Band, Left Band Edge for EDGE Mode




Date: 30.JUN.2019 11:31:22

Cellular Band, Right Band Edge for EDGE Mode




Date: 30.JUN.2019 11:31:55

Cellular Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 30.JUN.2019 14:51:51

Cellular Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 30.JUN.2019 14:53:10

Cellular Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 30.JUN.2019 14:43:56

Cellular Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 30.JUN.2019 14:44:28

Cellular Band, Left Band Edge for HSUPA (BPSK) Mode




Date: 30.JUN.2019 14:50:41

Cellular Band, Right Band Edge for HSUPA (BPSK) Mode




Date: 30.JUN.2019 14:50:09

PCS Band, Left Band Edge for GSM (GMSK) Mode




Date: 30.JUN.2019 11:38:39

PCS Band, Right Band Edge for GSM (GMSK) Mode




Date: 30.JUN.2019 11:39:29

PCS Band, Left Band Edge for EDGE Mode




Date: 30.JUN.2019 11:40:46

PCS Band, Right Band Edge for EDGE Mode




Date: 30.JUN.2019 11:41:13

PCS Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 30.JUN.2019 14:27:58

PCS Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 30.JUN.2019 14:28:23

PCS Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 30.JUN.2019 14:27:26

PCS Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 30.JUN.2019 14:27:06

PCS Band, Left Band Edge for HSUPA (BPSK) Mode




Date: 30.JUN.2019 14:24:30

PCS Band, Right Band Edge for HSUPA (BPSK) Mode




Date: 30.JUN.2019 14:25:07

AWS Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 30.JUN.2019 13:59:01

AWS Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 30.JUN.2019 13:59:20

AWS Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 30.JUN.2019 13:53:52

AWS Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 30.JUN.2019 13:54:50

AWS Band, Left Band Edge for HSUPA (BPSK) Mode




Date: 30.JUN.2019 13:57:03


AWS Band, Right Band Edge for HSUPA (BPSK) Mode



Date: 30.JUN.2019 13:56:38


LTE Band 2:**QPSK (1.4 MHz, FULL RB) - Left Band Edge**

Date: 2.JUL.2019 15:39:19

QPSK (1.4 MHz, FULL RB) - Right Band Edge


Date: 2.JUL.2019 15:40:13

16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:39:45

16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 15:40:42

QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:41:13

QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 15:42:08

16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:41:39

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 15:42:37

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:43:15

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 15:44:28

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:43:50

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 15:45:03

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:45:33

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 15:46:33

16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:46:03

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 15:47:06

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:47:44

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 15:48:49

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:48:19

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 15:49:28

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:50:00

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 15:51:21

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 2.JUL.2019 15:50:42


16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 2.JUL.2019 15:51:56


LTE Band 4:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:52:37

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 15:53:48

16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:53:15

16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 15:54:17

QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:54:51


QPSK (3.0 MHz, FULL RB) - Right Band Edge



Date: 2.JUL.2019 15:55:47


16-QAM (3.0 MHz, FULL RB) - Left Band Edge

Date: 2.JUL.2019 15:55:20

16-QAM (3.0 MHz, FULL RB) - Right Band Edge


Date: 2.JUL.2019 15:56:06

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:56:44

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 15:57:45

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:57:12

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 15:58:23

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:58:56

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 15:59:44

16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 15:59:16

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 16:00:11

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 16:00:46

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 16:01:55

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 16:01:15

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 16:02:27

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 16:03:05

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 16:04:23

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 2.JUL.2019 16:03:41


16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 2.JUL.2019 16:04:58


LTE Band 7:

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 16:05:33

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 16:06:38

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 16:06:08

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 16:07:10

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 16:07:39

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 16:08:40

16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 16:08:06

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 16:09:07

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 16:09:41

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 16:10:53

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 16:10:16

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 16:11:22

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 2.JUL.2019 16:11:57

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 2.JUL.2019 16:13:05

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 2.JUL.2019 16:12:26

16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 2.JUL.2019 16:13:40

FCC § 2.1055; § 22.355; § 24.235; §27.54 - FREQUENCY STABILITY**Applicable Standard**

FCC § 2.1055, §22.355, §24.235 and § 27.54.

According to FCC §2.1055, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below:

Frequency Tolerance for Transmitters in the Public Mobile Services

Frequency Range (MHz)	Base, fixed (ppm)	Mobile ≤ 3 watts (ppm)	Mobile > 3 watts (ppm)
25 to 50	20.0	20.0	50.0
50 to 450	5.0	5.0	50.0
450 to 512	2.5	5.0	5.0
821 to 896	1.5	2.5	2.5
928 to 929.	5.0	N/A	N/A
929 to 960.	1.5	N/A	N/A
2110 to 2220	10.0	N/A	N/A


According to §24.235, the frequency stability shall be sufficient to ensure that the fundamental emissions stays within the authorized frequency block.

Test Procedure

Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

Frequency Stability vs. Voltage: For hand carried, battery powered equipment; reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer.



Test Data**Environmental Conditions**

Temperature:	24~25 °C
Relative Humidity:	49~52 %
ATM Pressure:	100.0~101.0 kPa

The testing was performed by Leo Huang from 2019-06-30 to 2019-07-03.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables.

Cellular Band (Part 22H)**GSM Mode**

Middle Channel, $f_0 = 836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.85	4	0.0048	2.5
-20		7	0.0084	2.5
-10		9	0.0108	2.5
0		10	0.0120	2.5
10		12	0.0143	2.5
20		13	0.0155	2.5
30		14	0.0167	2.5
40		16	0.0191	2.5
50		18	0.0215	2.5
20	V min.= 3.3	22	0.0263	2.5
	V max.= 4.4	25	0.0299	2.5

EDGE Mode

Middle Channel, $f_0=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.85	3	0.0036	2.5
-20		4	0.0048	2.5
-10		6	0.0072	2.5
0		7	0.0084	2.5
10		9	0.0108	2.5
20		11	0.0131	2.5
30		13	0.0155	2.5
40		14	0.0167	2.5
50		17	0.0203	2.5
20	V min.= 3.3	16	0.0191	2.5
	V max.= 4.4	24	0.0287	2.5

WCDMA Mode

Middle Channel, $f_0=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.85	-23	-0.0275	2.5
-20		-21	-0.0251	2.5
-10		-18	-0.0215	2.5
0		-17	-0.0203	2.5
10		-15	-0.0179	2.5
20		-14	-0.0167	2.5
30		-11	-0.0131	2.5
40		10	0.0120	2.5
50		-8	-0.0096	2.5
20	V min.= 3.3	-6	-0.0072	2.5
	V max.= 4.4	-5	-0.0060	2.5

PCS Band (Part 24E)**GSM Mode**

Middle Channel, $f_0 = 1880.0$ MHz				
Temperature (°C)	Voltage Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.85	11	0.0059	pass
-20		14	0.0074	pass
-10		17	0.0090	pass
0		19	0.0101	pass
10		21	0.0112	pass
20		27	0.0144	pass
30		25	0.0133	pass
40		29	0.0154	pass
50		28	0.0149	pass
20	V min.= 3.3	30	0.0160	pass
	V max.= 4.4	34	0.0181	pass

EDGE Mode

Middle Channel, $f_0 = 1880.0$ MHz				
Temperature (°C)	Voltage Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.85	10	0.0053	pass
-20		11	0.0059	pass
-10		12	0.0064	pass
0		15	0.0080	pass
10		16	0.0085	pass
20		19	0.0101	pass
30		21	0.0112	pass
40		22	0.0117	pass
50		25	0.0133	pass
20	V min.= 3.3	27	0.0144	pass
	V max.= 4.4	29	0.0154	pass

WCDMA Mode

Middle Channel, $f_0 = 1880.0$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.85	-22	-0.0117	pass
-20		-19	-0.0101	pass
-10		-17	-0.0090	pass
0		-14	-0.0074	pass
10		-15	-0.0080	pass
20		-12	-0.0064	pass
30		-11	-0.0059	pass
40		-10	-0.0053	pass
50		-7	-0.0037	pass
20	V min.= 3.3	-5	-0.0027	pass
	V max.= 4.4	-2	-0.0011	pass

Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.85	1710.321648	1754.646362	1710.0000	1755.0000
-20		1710.320865	1754.650087	1710.0000	1755.0000
-10		1710.323159	1754.651345	1710.0000	1755.0000
0		1710.325208	1754.644823	1710.0000	1755.0000
10		1710.320264	1754.649429	1710.0000	1755.0000
20		1710.320518	1754.647434	1710.0000	1755.0000
30		1710.319276	1754.650085	1710.0000	1755.0000
40		1710.321733	1754.648858	1710.0000	1755.0000
50		1710.323912	1754.652190	1710.0000	1755.0000
20	V min.= 3.3	1710.318557	1754.651321	1710.0000	1755.0000
	V max.= 4.4	1710.319104	1754.648209	1710.0000	1755.0000

LTE:
QPSK:

Band 2:

10.0 MHz Middle Channel, $f_o=1880\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.85	-5	-0.0027	pass
-20		-6	-0.0032	pass
-10		-3	-0.0016	pass
0		-4	-0.0021	pass
10		-5	-0.0027	pass
20		-4	-0.0021	pass
30		-6	-0.0032	pass
40		-2	-0.0011	pass
50		-4	-0.0021	pass
20	V min.= 3.3	-6	-0.0032	pass
	V max.= 4.4	-6	-0.0032	pass

Band 4:

10 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.85	1710.290552	1754.648921	1710	1755
-20		1710.288599	1754.648752	1710	1755
-10		1710.292324	1754.647630	1710	1755
0		1710.291015	1754.649080	1710	1755
10		1710.292272	1754.644528	1710	1755
20		1710.288462	1754.647436	1710	1755
30		1710.291047	1754.648573	1710	1755
40		1710.287841	1754.645343	1710	1755
50		1710.291107	1754.647446	1710	1755
20	V min.= 3.3	1710.291688	1754.649035	1710	1755
	V max.= 4.4	1710.290884	1754.650214	1710	1755

Band 7:

10 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.85	2500.382564	2569.620339	2500	2570
-20		2500.381851	2569.614826	2500	2570
-10		2500.385294	2569.618696	2500	2570
0		2500.383833	2569.614827	2500	2570
10		2500.388679	2569.613455	2500	2570
20		2500.384615	2569.615385	2500	2570
30		2500.384443	2569.613643	2500	2570
40		2500.384379	2569.613150	2500	2570
50		2500.388985	2569.614569	2500	2570
20	V min.= 3.3	2500.389313	2569.618050	2500	2570
	V max.= 4.4	2500.383428	2569.617024	2500	2570

16QAM:**Band 2:**

10.0 MHz Middle Channel, f ₀ =1880MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.85	-6	-0.0032	pass
-20		-2	-0.0011	pass
-10		-2	-0.0011	pass
0		-5	-0.0027	pass
10		-5	-0.0027	pass
20		-3	-0.0016	pass
30		-3	-0.0016	pass
40		-2	-0.0011	pass
50		-3	-0.0016	pass
20	V min.= 3.3	-3	-0.0016	pass
	V max.= 4.4	-2	-0.0011	pass

Band 4:

10 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.85	1710.321644	1754.646359	1710	1755
-20		1710.320876	1754.650090	1710	1755
-10		1710.323156	1754.651346	1710	1755
0		1710.325206	1754.644825	1710	1755
10		1710.320267	1754.649417	1710	1755
20		1710.320513	1754.647436	1710	1755
30		1710.319290	1754.650081	1710	1755
40		1710.321740	1754.648859	1710	1755
50		1710.323916	1754.652185	1710	1755
20	V min.= 3.3	1710.318559	1754.651318	1710	1755
	V max.= 4.4	1710.319109	1754.648200	1710	1755

Band 7:

10 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.85	2500.356177	2569.646225	2500	2570
-20		2500.355008	2569.647740	2500	2570
-10		2500.354736	2569.651875	2500	2570
0		2500.352647	2569.647020	2500	2570
10		2500.352293	2569.647004	2500	2570
20		2500.352564	2569.647436	2500	2570
30		2500.350960	2569.646670	2500	2570
40		2500.354610	2569.645459	2500	2570
50		2500.357258	2569.649529	2500	2570
20	V min.= 3.3	2500.356529	2569.650840	2500	2570
	V max.= 4.4	2500.355925	2569.649563	2500	2570

***** END OF REPORT *****