


Appendix B

RF Power Output




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 28.66 dBm VBW 3 MHz
36 dBm 1.85016994 GHz SWT 5 ms Unit dBm



Title: Output power conducted / Channel: 512
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:20:16




Ref Lvl	Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
36 dBm	28.73 dBm	VBW	3 MHz		
	1.87996994 GHz	SWT	5 ms	Unit	dBm



Title: Output power conducted / Channel: 661
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:21:23




Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
Ref Lvl	28.54 dBm	VBW	3 MHz	
36 dBm	1.90989018 GHz	SWT	5 ms	Unit dBm



Title: Output power conducted / Channel: 810
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:22:54




Marker 1 [T1] RBW 3 MHz RF Att 50 dB
Ref Lvl 31.45 dBm VBW 3 MHz
36 dBm 824.16993988 MHz SWT 5 ms Unit dBm



Title: Output power conducted / Channel: 128
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:40:08




Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
Ref Lvl	31.55 dBm	VBW	3 MHz	
36 dBm	836.29018036 MHz	SWT	5 ms	Unit dBm



Title: Output power conducted / Channel: 188
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:41:02



Ref Lvl	Marker 1 [T1]	RBW	3 MHz	RF Att	50 dB
36 dBm	31.57 dBm	VBW	3 MHz		
	848.64969940 MHz	SWT	5 ms	Unit	dBm




Title: Output power conducted / Channel: 251
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:42:00

Appendix C

ERP, EIRP


Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 25.67dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 512
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.232
Comment 1: Dist.: 3m, Ant.: HL025,PCL 0
Comment 2: Freq: 1.850GHz, Pmax: 12.77dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 25.80dBm, RBW: 3MHz




Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 661
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.880GHz, Pmax: 12.27dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 23.42dBm, RBW: 3MHz




**Equivalent Isotropically Radiated Power
FCC RULES PART 24 SUBPART E**

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 810
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S24.232
Comment 1: Dist.: 3m, Ant.: HL025, PCL 0
Comment 2: Freq: 1.910GHz, Pmax: 14.48dBm, RBW: 3MHz




Effective Radiated Power
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.361MHz, Pmax: 28.88dBm, RBW: 3MHz




Effective Radiated Power
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 824.306MHz, Pmax: 15.80dBm, RBW: 3MHz




Effective Radiated Power
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.213MHz, Pmax: 29.52dBm, RBW: 3MHz




Effective Radiated Power
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 836.320MHz, Pmax: 18.47dBm, RBW: 3MHz




Effective Radiated Power
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 251
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 849.107MHz, Pmax: 28.84dBm, RBW: 3MHz



Effective Radiated Power
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 251
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.913
Comment 1: Dist.: 3m, Ant.: HL223
Comment 2: Freq: 849.080MHz, Pmax: 19.14dBm, RBW: 3MHz



Appendix D

Modulation Requirements

Appendix E

Audio Filter Characteristics

Appendix F


Emission Limitation

Appendix G

Occupied Bandwidth




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 20.21 dBm VBW 3 kHz
36 dBm 1.85018096 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth \ Channel: 512
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:25:04




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 20.51 dBm VBW 3 kHz
36 dBm 1.88002705 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 661
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:26:52




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 20.60 dBm VBW 3 kHz
36 dBm 1.90978497 GHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 810
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:28:16




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 23.41 dBm VBW 3 kHz
36 dBm 824.18697395 MHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 128
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:45:58




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 23.78 dBm VBW 3 kHz
36 dBm 836.18296593 MHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 188
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:47:19




Marker 1 [T1] RBW 3 kHz RF Att 50 dB
Ref Lvl 22.98 dBm VBW 3 kHz
36 dBm 848.81102204 MHz SWT 280 ms Unit dBm



Title: Occupied Bandwidth / Channel: 251
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:48:58




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 316.63326653 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 512
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:31:10




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 312.62525050 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 661
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:32:19




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 294.58917836 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 810
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:33:24




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 312.62525050 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 128
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:51:44




Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 300.60120240 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 188
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:52:44



Marker 1 [T1 ndB] RBW 3 kHz RF Att 50 dB
Ref Lvl ndB 26.00 dB VBW 3 kHz
36 dBm BW 314.62925852 kHz SWT 280 ms Unit dBm



Title: Emission Bandwidth (-26 dB) / Channel: 251
Comment A: Gizmondo Gameconsole GPRS / BT
Date: 11.JUL.2005 17:53:56

Appendix H


Out of Band Emission at Antenna Terminals Mobile Emissions In Base
Frequency Range

Appendix I

Spurious Radiation


Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 43.789MHz, Pmax: -52.45dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 62.678MHz, Pmax: -52.75dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 823.994MHz, Pmax: -23.90dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 823.994MHz, Pmax: -35.66dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 1.653GHz, Pmax: -13.89dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.643GHz, Pmax: -23.14dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.969GHz, Pmax: -43.66dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.987GHz, Pmax: -45.39dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.738GHz, Pmax: -40.37dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 128
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 11.164GHz, Pmax: -40.84dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 44.922MHz, Pmax: -51.89dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HK 116
Comment 2: Freq: 35.856MHz, Pmax: -52.27dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 870.384MHz, Pmax: -38.63dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL 223+notch
Comment 2: Freq: 992.051MHz, Pmax: -39.36dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.997GHz, Pmax: -22.55dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025
Comment 2: Freq: 3.917GHz, Pmax: -22.91dBm, RBW: 1MHz




Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to S22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.973GHz, Pmax: -43.94dBm, RBW: 1MHz



Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 7.591GHz, Pmax: -44.17dBm, RBW: 1MHz



Radiated Emissions Tx
FCC RULES PART 22 SUBPART H

Applicant: Gizmondo Europe Ltd.
EUT: Gizmondo / Gameconsole GPRS / BT (850/1800/1900)
Model/Channel: Gizmondo / Ch.: 188
Temperature/ Voltage: Temp.: 23°C, Unom.: 3.70VDC (battery)
Test Site / Operator: ETS / Mr. Handrik
Test Specification: according to §22.917
Comment 1: Dist.: 3m, Ant.: HL025, ampl.+HP.
Comment 2: Freq: 10.698GHz, Pmax: -39.67dBm, RBW: 1MHz

