





EHT160_5250MHz_Duty Cycle



EHT160_5570MHz_Duty Cycle

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

12 NON-OCCUPANCY PERIOD MEASUREMENT

To verify whether channel is unavailable to be operated in 30 minutes.

$1.8\text{ks} = 1800\text{s} = 1800\text{ s/min} / 60 = 30\text{minute}$



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

13 UNII DETECTION BANDWIDTH MEASUREMENT

13.1 Test Result

EHT20_5320MHz

EUT operating Frequency(MHz)	:	5320MHz	EUT 99% Bandwidth(MHz)	:	18.878						
Radar Type	:	Type 0	Detection BW(MHz)	:	BE20						
Test Result	:	Pass	※ FH:	5330	FL: 5310						
Radio Frequency (MHz)	DFS Detection Trials (1=Detection, 0= No Detection)										Detection Rate (%)
	1	2	3	4	5	6	7	8	9	10	
5310	1	1	1	1	1	1	1	1	1	1	100
5315	1	1	1	1	1	1	1	1	1	1	100
5320	1	1	1	1	1	1	1	1	1	1	100
5325	1	1	1	1	1	1	1	1	1	1	100
5330	1	1	1	1	1	1	1	1	1	1	100

EHT20_5500MHz

EUT operating Frequency(MHz)	:	5500MHz			EUT 99% Bandwidth(MHz)	:	19.002				
Radar Type	:	Type 0			Detection BW(MHz)	:	BE20				
Test Result	:	Pass	※	FH:	5510	FL:	5490				
Radio Frequency (MHz)	DFS Detection Trials (1=Detection, 0= No Detection)										Detection Rate (%)
	1	2	3	4	5	6	7	8	9	10	
5490	1	1	1	1	1	1	1	1	1	1	100
5495	1	1	1	1	1	1	1	1	1	1	100
5500	1	1	1	1	1	1	1	1	1	1	100
5505	1	1	1	1	1	1	1	1	1	1	100
5510	1	1	1	1	1	1	1	1	1	1	100

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

EHT40_5310MHz

EUT operating Frequency(MHz)	:	5310MHz	EUT 99% Bandwidth(MHz)				:	37.668			
Radar Type	:	Type 0	Detection BW(MHz)				:	BE40			
Test Result	:	Pass	※	FH:	5330	FL:	5290				
Radio Frequency (MHz)	DFS Detection Trials (1=Detection, 0= No Detection)										Detection Rate (%)
	1	2	3	4	5	6	7	8	9	10	
5290	1	1	1	1	1	1	1	1	1	1	100
5295	1	1	1	1	1	1	1	1	1	1	100
5300	1	1	1	1	1	1	1	1	1	1	100
5305	1	1	1	1	1	1	1	1	1	1	100
5310	1	1	1	1	1	1	1	1	1	1	100
5315	1	1	1	1	1	1	1	1	1	1	100
5320	1	1	1	1	1	1	1	1	1	1	100
5325	1	1	1	1	1	1	1	1	1	1	100
5330	1	1	1	1	1	1	1	1	1	1	100

EHT40_5510MHz

EUT operating Frequency(MHz) : 5510MHz EUT 99% Bandwidth(MHz) : 37.405											
Radar Type : Type 0 Detction BW(MHz) : BE40											
Test Result : Pass ※ FH: 5530 FL: 5490											
Radio Frequency (MHz)	DFS Detection Trials (1=Detection, 0= No Detection)										Detection Rate (%)
	1	2	3	4	5	6	7	8	9	10	
5490	1	1	1	1	1	1	1	1	1	1	100
5495	1	1	1	1	1	1	1	1	1	1	100
5500	1	1	1	1	1	1	1	1	1	1	100
5505	1	1	1	1	1	1	1	1	1	1	100
5510	1	1	1	1	1	1	1	1	1	1	100
5515	1	1	1	1	1	1	1	1	1	1	100
5520	1	1	1	1	1	1	1	1	1	1	100
5525	1	1	1	1	1	1	1	1	1	1	100
5530	1	1	1	1	1	1	1	1	1	1	100

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

EHT80_5290MHz

EUT operating Frequency(MHz)	:	5290MHz	EUT 99% Bandwidth(MHz)				:	77.365			
Radar Type	:	Type 0	Detection BW(MHz)				:	BE80			
Test Result	:	Pass	※	FH:	5330	FL:	5250				
Radio Frequency (MHz)	DFS Detection Trials (1=Detection, 0= No Detection)										Detection Rate (%)
	1	2	3	4	5	6	7	8	9	10	
5250	1	1	1	1	1	1	1	1	1	1	100
5255	1	1	1	1	1	1	1	1	1	1	100
5260	1	1	1	1	1	1	1	1	1	1	100
5265	1	1	1	1	1	1	1	1	1	1	100
5270	1	1	1	1	1	1	1	1	1	1	100
5275	1	1	1	1	1	1	1	1	1	1	100
5280	1	1	1	1	1	1	1	1	1	1	100
5285	1	1	1	1	1	1	1	1	1	1	100
5290	1	1	1	1	1	1	1	1	1	1	100
5295	1	1	1	1	1	1	1	1	1	1	100
5300	1	1	1	1	1	1	1	1	1	1	100
5305	1	1	1	1	1	1	1	1	1	1	100
5310	1	1	1	1	1	1	1	1	1	1	100
5315	1	1	1	1	1	1	1	1	1	1	100
5320	1	1	1	1	1	1	1	1	1	1	100
5325	1	1	1	1	1	1	1	1	1	1	100
5330	1	1	1	1	1	1	1	1	1	1	100

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

EHT80_5530MHz

EUT operating Frequency(MHz)	:	5530MHz	EUT 99% Bandwidth(MHz)				:	77.887			
Radar Type	:	Type 0	Detection BW(MHz)				:	BE80			
Test Result	:	Pass	※	FH:	5570	FL:	5490				
Radio Frequency (MHz)	DFS Detection Trials (1=Detection, 0= No Detection)										Detection Rate (%)
	1	2	3	4	5	6	7	8	9	10	
5490	1	1	1	1	1	1	1	1	1	1	100
5495	1	1	1	1	1	1	1	1	1	1	100
5500	1	1	1	1	1	1	1	1	1	1	100
5505	1	1	1	1	1	1	1	1	1	1	100
5510	1	1	1	1	1	1	1	1	1	1	100
5515	1	1	1	1	1	1	1	1	1	1	100
5520	1	1	1	1	1	1	1	1	1	1	100
5525	1	1	1	1	1	1	1	1	1	1	100
5530	1	1	1	1	1	1	1	1	1	1	100
5535	1	1	1	1	1	1	1	1	1	1	100
5540	1	1	1	1	1	1	1	1	1	1	100
5545	1	1	1	1	1	1	1	1	1	1	100
5550	1	1	1	1	1	1	1	1	1	1	100
5555	1	1	1	1	1	1	1	1	1	1	100
5560	1	1	1	1	1	1	1	1	1	1	100
5565	1	1	1	1	1	1	1	1	1	1	100
5570	1	1	1	1	1	1	1	1	1	1	100

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

EHT160_5250MHz

EUT operating Frequency(MHz) : 5250MHz EUT 99% Bandwidth(MHz) : 78.410											
Radar Type : Type 0 Detection BW(MHz) : BE80											
Test Result : Pass ※ FH: 5330 FL: 5250											
Radio Frequency (MHz)	DFS Detection Trials (1=Detection, 0= No Detection)										Detection Rate (%)
	1	2	3	4	5	6	7	8	9	10	
5250	1	1	1	1	1	1	1	1	1	1	100
5255	1	1	1	1	1	1	1	1	1	1	100
5260	1	1	1	1	1	1	1	1	1	1	100
5265	1	1	1	1	1	1	1	1	1	1	100
5270	1	1	1	1	1	1	1	1	1	1	100
5275	1	1	1	1	1	1	1	1	1	1	100
5280	1	1	1	1	1	1	1	1	1	1	100
5285	1	1	1	1	1	1	1	1	1	1	100
5290	1	1	1	1	1	1	1	1	1	1	100
5295	1	1	1	1	1	1	1	1	1	1	100
5300	1	1	1	1	1	1	1	1	1	1	100
5305	1	1	1	1	1	1	1	1	1	1	100
5310	1	1	1	1	1	1	1	1	1	1	100
5315	1	1	1	1	1	1	1	1	1	1	100
5320	1	1	1	1	1	1	1	1	1	1	100
5325	1	1	1	1	1	1	1	1	1	1	100
5330	1	1	1	1	1	1	1	1	1	1	100

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

EHT160_5570MHz

EUT operating Frequency(MHz)		: 5570MHz		EUT 99% Bandwidth(MHz)		: 156.730					
Radar Type		: Type 0		Detection BW(MHz)		: BE160					
Test Result		: Pass		※ FH: 5650		FL: 5490					
Radio Frequency (MHz)	DFS Detection Trials (1=Detection, 0= No Detection)										Detection Rate (%)
	1	2	3	4	5	6	7	8	9	10	
5490	1	1	1	1	1	1	1	1	1	1	100
5495	1	1	1	1	1	1	1	1	1	1	100
5500	1	1	1	1	1	1	1	1	1	1	100
5505	1	1	1	1	1	1	1	1	1	1	100
5510	1	1	1	1	1	1	1	1	1	1	100
5515	1	1	1	1	1	1	1	1	1	1	100
5520	1	1	1	1	1	1	1	1	1	1	100
5525	1	1	1	1	1	1	1	1	1	1	100
5530	1	1	1	1	1	1	1	1	1	1	100
5535	1	1	1	1	1	1	1	1	1	1	100
5540	1	1	1	1	1	1	1	1	1	1	100
5545	1	1	1	1	1	1	1	1	1	1	100
5550	1	1	1	1	1	1	1	1	1	1	100
5555	1	1	1	1	1	1	1	1	1	1	100
5560	1	1	1	1	1	1	1	1	1	1	100
5565	1	1	1	1	1	1	1	1	1	1	100
5570	1	1	1	1	1	1	1	1	1	1	100
5575	1	1	1	1	1	1	1	1	1	1	100
5580	1	1	1	1	1	1	1	1	1	1	100
5585	1	1	1	1	1	1	1	1	1	1	100
5590	1	1	1	1	1	1	1	1	1	1	100
5595	1	1	1	0	1	1	1	1	1	1	90
5600	1	1	1	1	1	1	1	1	1	1	100
5605	1	1	1	1	1	1	1	1	1	1	100
5610	1	1	1	1	1	1	1	1	1	1	100
5615	1	1	1	1	1	1	1	1	1	1	100
5620	1	1	1	1	1	1	1	1	1	1	100
5625	1	1	1	1	1	1	1	1	1	1	100
5630	1	1	1	1	1	1	1	1	1	1	100
5635	1	1	1	1	1	1	1	1	1	1	100
5640	1	1	1	1	1	1	1	1	1	1	100
5645	1	1	1	1	1	1	1	1	1	1	100
5650	1	1	1	1	1	1	1	1	1	1	100

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號







台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



EHT160_5250MHz

EHT160_5570MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279

f (886-2) 2298-0488


www.sgs.com.tw

Member of SGS Group


14 CHANNEL AVAILABILITY CHECK MEASUREMENT




EHT160 5250MHz Radar Initial Time




EHT160 5250MHz Radar Type 0_01




EHT160 5250MHz Radar Type 0_02



EHT160 5570MHz Radar Initial Time



EHT160 5570MHz Radar Type 0_01



EHT160 5570MHz Radar Type 0_02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

15 IN SERVICE MONITORING

EHT20_5320MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	86.67		60	Pass
3	30	73.33		60	Pass
4	30	76.67		60	Pass
Aggregate (Radar Types 1-4)	120	84.1675		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minimum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type1 for 5320MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
		Number (1 to 23)	(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5314	7	1567.4	638	A	Yes
2	5320	6	1618.1	618	A	Yes
3	5310	22	1066.1	938	A	Yes
4	5315	18	1165.5	858	A	Yes
5	5311	19	1139	878	A	Yes
6	5319	20	1113.6	898	A	Yes
7	5313	17	1193.3	838	A	Yes
8	5321	2	1858.7	538	A	Yes
9	5323	8	1519.8	658	A	Yes
10	5317	12	1355	738	A	Yes
11	5327	14	1285.3	778	A	Yes
12	5328	5	1672.2	598	A	Yes
13	5322	21	1089.3	918	A	Yes
14	5313	4	1730.1	578	A	Yes
15	5316	13	1319.3	758	A	Yes
16	5326	-	892.1	1121	B	Yes
17	5322	-	999	1001	B	Yes
18	5312	-	540	1852	B	Yes
19	5320	-	756.4	1322	B	Yes
20	5327	-	387.4	2581	B	Yes
21	5318	-	1292	774	B	Yes
22	5316	-	841	1189	B	Yes
23	5313	-	429.4	2329	B	Yes
24	5317	-	727.3	1375	B	Yes
25	5323	-	396.7	2521	B	Yes
26	5317	-	583.1	1715	B	Yes
27	5324	-	397.9	2513	B	Yes
28	5319	-	597	1675	B	Yes
29	5327	-	440.7	2269	B	Yes
30	5326	-	513.3	1948	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type2 for 5320MHz

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5310	25	2.1	183	Yes
2	5318	28	4.2	229	Yes
3	5313	29	4.6	180	Yes
4	5315	29	4.9	168	Yes
5	5314	25	2.4	220	No
6	5325	26	3	156	No
7	5314	24	1.7	172	Yes
8	5313	28	4.3	186	Yes
9	5319	24	1.9	199	Yes
10	5313	28	4.2	227	Yes
11	5318	29	4.7	176	Yes
12	5311	25	2.6	174	Yes
13	5324	27	3.8	163	Yes
14	5325	29	4.7	225	Yes
15	5321	23	1.3	216	Yes
16	5322	25	2.5	191	Yes
17	5323	27	3.8	154	No
18	5314	27	3.5	221	Yes
19	5322	28	4.4	162	Yes
20	5320	28	4	158	Yes
21	5317	26	2.7	203	Yes
22	5316	28	4.4	202	Yes
23	5316	29	4.8	194	Yes
24	5315	28	4.4	213	Yes
25	5312	23	1.4	159	Yes
26	5322	24	1.7	189	Yes
27	5314	26	3.2	206	No
28	5314	25	2.6	184	Yes
29	5315	29	5	196	Yes
30	5311	29	5	160	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type3 for 5320MHz

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5321	16	7.1	298	Yes
2	5318	18	9.2	302	Yes
3	5314	18	9.6	275	Yes
4	5322	18	9.9	488	Yes
5	5315	17	7.4	483	No
6	5311	17	8	223	Yes
7	5321	16	6.7	233	Yes
8	5319	18	9.3	374	Yes
9	5322	16	6.9	290	Yes
10	5327	18	9.2	291	No
11	5317	18	9.7	255	Yes
12	5317	17	7.6	306	No
13	5319	18	8.8	228	Yes
14	5316	18	9.7	277	Yes
15	5319	16	6.3	334	Yes
16	5311	17	7.5	393	Yes
17	5311	18	8.8	369	No
18	5322	17	8.5	313	Yes
19	5321	18	9.4	330	Yes
20	5317	18	9	230	No
21	5321	17	7.7	326	Yes
22	5310	18	9.4	234	Yes
23	5325	18	9.8	379	Yes
24	5326	18	9.4	225	Yes
25	5326	16	6.4	324	Yes
26	5325	16	6.7	245	Yes
27	5325	17	8.2	456	No
28	5318	17	7.6	416	Yes
29	5326	18	10	206	No
30	5328	18	10	272	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type4 for 5320MHz

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5314	13	13.6	298	Yes
2	5328	15	18.2	302	Yes
3	5319	16	19.1	275	Yes
4	5320	16	19.7	488	Yes
5	5326	13	14.3	483	Yes
6	5327	14	15.6	223	Yes
7	5324	12	12.6	233	No
8	5322	16	18.3	374	Yes
9	5318	13	13.1	290	No
10	5314	15	18.2	291	Yes
11	5310	16	19.2	255	No
12	5314	14	14.6	306	No
13	5310	15	17.4	228	Yes
14	5323	16	19.2	277	Yes
15	5315	12	11.7	334	Yes
16	5318	13	14.4	393	Yes
17	5322	15	17.2	369	Yes
18	5321	15	16.7	313	Yes
19	5321	16	18.6	330	Yes
20	5317	15	17.7	230	Yes
21	5310	14	14.9	326	Yes
22	5316	16	18.7	234	Yes
23	5316	16	19.5	379	No
24	5320	16	18.5	225	Yes
25	5326	12	12	324	Yes
26	5325	12	12.6	245	Yes
27	5327	14	16	456	Yes
28	5323	14	14.7	416	No
29	5317	16	19.9	206	Yes
30	5311	16	19.8	272	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial1 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			1	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.4	9			579227
2	3	89.8	9	1304.2	1603.2	841365
3	3	94.9	9	1392.1	1424.1	18234
4	3	98.1	9	1823.9	1687.9	281420
5	2	68.2	9	984.8		546139
6	2	75.4	9	972.6		810074
7	1	59.2	9			1075177
8	3	90.6	9	1596.4	1909.4	248995
9	1	62	9			513976
10	3	89.7	9	1518.3	1534.3	776229
11	3	95.3	9	1116.7	1057.7	1040412
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial2 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			2	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70	17	1166		132436
2	3	85.3	17	1466.7	1352.7	292626
3	3	95.2	17	1087.8	1356.8	453362
4	1	54.1	17			616318
5	2	68.8	17	1007.2		112661
6	3	84.3	17	1625.7	1256.7	272945
7	2	81.6	17	1825.4		434348
8	3	92	17	1630	1426	593917
9	3	86.9	17	1842.1	1877.1	92421
10	2	71.7	17	1921.3		253426
11	3	92.5	17	1592.5	1555.5	413812
12	3	96.9	17	1430.1	1338.1	574368
13	3	91.7	17	1627.3	1159.3	72750
14	1	55.8	17			234292
15	1	59	17			395635
16	2	78	17	1193		556445
17	2	70.7	17	1532.3		53168
18	3	99.3	17	1022.7	1425.7	213870
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial3 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			3	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	19	1814.1	1539.1	354113
2	3	93.6	19	1609.4	1589.4	506434
3	3	86.1	19	1405.9	1550.9	31465
4	3	99.5	19	1100.5	1743.5	183493
5	1	53.6	19			337104
6	2	74.9	19	1507.1		489209
7	1	56.3	19			12808
8	1	52.4	19			165727
9	3	94.7	19	1456.3	1387.3	316976
10	1	57.5	19			471045
11	2	69.1	19	1134.9		622905
12	3	86.1	19	1024.9	1830.9	146027
13	2	70.4	19	1736.6		298828
14	3	96.5	19	1061.5	1678.5	450434
15	2	73.1	19	1144.9		604293
16	2	72.8	19	1874.2		127589
17	2	69	19	1556		279861
18	3	91.2	19	1064.8	1474.8	431418
19	1	63.5	19			586157
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial4 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			4	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	20	1292.3		103517
2	3	95.9	20	1400.1	1335.1	247474
3	3	88.7	20	999.3	1887.3	391918
4	3	98.3	20	1710.7	1190.7	536307
5	3	88.2	20	1571.8	1388.8	85412
6	2	77.7	20	1705.3		230205
7	3	97.9	20	1659.1	1026.1	374505
8	2	71.9	20	1625.1		519902
9	3	92.9	20	1667.1	1395.1	67502
10	1	53.2	20			213185
11	3	92.2	20	1699.8	1174.8	356508
12	1	59.2	20			503465
13	3	97.5	20	1147.5	1742.5	49765
14	3	88.6	20	1528.4	1444.4	194301
15	3	91.3	20	1832.7	918.7	338760
16	1	63.1	20			485122
17	3	96.2	20	1828.8	1507.8	31983
18	1	59.1	20			177179
19	2	70.6	20	1510.4		321661
20	2	81.6	20	1354.4		466758

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial5 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			5	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.2	10	1116.8		23781
2	3	97.8	10	954.2	1222.2	265327
3	1	66.3	10			508335
4	3	89.6	10	948.4	1452.4	748584
5	2	74.1	10	1072.9		991182
6	2	72.9	10	1092.1		235983
7	1	50.7	10			478237
8	1	51.2	10			720672
9	3	96.1	10	1544.9	1883.9	958686
10	2	73.8	10	948.2		206198
11	2	68.9	10	1625.1		447826
12	3	86.9	10	1122.1	1513.1	688804
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial6 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	67.8	13	1016.2		798691
2	1	64.5	13			151251
3	3	97	13	1501	1313	357387
4	1	53.4	13			566076
5	1	60.2	13			773837
6	3	95.4	13	909.6	1226.6	125288
7	3	98	13	1462	1700	331925
8	2	71.8	13	994.2		539875
9	1	55.8	13			747862
10	1	52.9	13			100147
11	1	63.4	13			307774
12	3	99.3	13	1052.7	1697.7	513420
13	1	52.5	13			722946
14	3	98.4	13	1781.6	1735.6	74225
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial7 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			7	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.7	7	1101.3		394740
2	3	97.6	7	1613.4	992.4	683933
3	2	79.2	7	1243.8		975692
4	2	83.3	7	953.7		68550
5	2	77	7	1834		358744
6	1	63.6	7			650085
7	3	98.5	7	1677.5	1070.5	938563
8	1	59.6	7			32834
9	3	93.3	7	1607.7	1604.7	322644
10	2	75.9	7	1644.1		613124
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial8 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			8	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.5	17	1015.5		501236
2	3	99.1	17	1662.9	1831.9	660220
3	2	74.2	17	1313.8		159226
4	1	65.2	17			320765
5	2	76.9	17	1019.1		481258
6	3	96.6	17	1431.4	1749.4	640584
7	2	75.9	17	1305.1		139582
8	2	69.1	17	1719.9		300516
9	3	84.4	17	1331.6	1478.6	460230
10	1	55.3	17			624048
11	3	91.4	17	1021.6	910.6	119511
12	2	82.9	17	1339.1		280585
13	3	91.7	17	1513.3	1355.3	440412
14	3	87.9	17	967.1	1061.1	601939
15	1	52.9	17			100042
16	1	50.7	17			261511
17	1	61.2	17			422986
18	3	98.8	17	1765.2	974.2	581579
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial9 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			9	VSG Frequency(MHz):		5320
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.8	8	1409.2		131130
2	2	67.2	8	1094.8		395224
3	3	84.4	8	1219.6	1218.6	658373
4	2	67.1	8	1039.9		923354
5	3	87.1	8	1793.9	1375.9	98519
6	2	75.8	8	1285.2		362400
7	1	51.1	8			627167
8	1	53.2	8			891480
9	2	72.1	8	1443.9		66152
10	1	62.7	8			330351
11	3	96.9	8	1085.1	1009.1	593345
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial10 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			10		VSG Frequency(MHz):	
Number of Bursts in Trial:			18		Successful Detection:	
					Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.2	17			524136
2	3	88.5	17	973.5	1521.5	20502
3	1	58.2	17			181858
4	2	71.2	17	1745.8		342215
5	2	71	17	1520		503246
6	2	73.9	17	1220.1		700
7	1	61.1	17			162115
8	2	71.2	17	1189.8		322689
9	2	82.7	17	1241.3		483759
10	3	94.9	17	1151.1	1139.1	643329
11	1	59.2	17			142200
12	2	77.1	17	1556.9		302918
13	3	94.3	17	1244.7	1732.7	462572
14	1	64.9	17			626009
15	3	97.2	17	1397.8	1597.8	121726
16	1	56.9	17			283645
17	3	88.8	17	1402.2	934.2	443369
18	1	55.8	17			606247
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial11 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			11	VSG Frequency(MHz):		5318.161
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.3	19	1260.7	1167.7	96650
2	2	80.3	19	1392.7		249095
3	2	76.2	19	1855.8		401111
4	1	52.4	19			555703
5	3	99.7	19	1276.3	1574.3	77774
6	3	83.8	19	1460.2	1634.2	229633
7	2	76.1	19	988.9		383360
8	3	91.5	19	1348.5	994.5	534711
9	1	62.4	19			59393
10	1	62	19			212172
11	3	98.4	19	1082.6	1102.6	363727
12	1	64	19			517515
13	2	73.6	19	1498.4		40405
14	2	74.5	19	1914.5		192747
15	1	63.1	19			346017
16	2	72.3	19	1146.7		498292
17	2	79.1	19	1661.9		21650
18	2	66.9	19	1127.1		174224
19	2	83.2	19	1206.8		326920
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial12 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			12	VSG Frequency(MHz):		5314.961
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.7	11			701980
2	2	70.6	11	1195.4		4223
3	1	64	11			227751
4	3	91.9	11	988.1	1654.1	449804
5	2	79.6	11	1807.4		673736
6	2	78.5	11	1106.5		897227
7	1	53.9	11			200181
8	1	66.6	11			423743
9	3	90.2	11	1236.8	959.8	645236
10	3	90.2	11	1476.8	1448.8	867872
11	1	52.2	11			172590
12	3	89.9	11	1900.1	978.1	395028
13	2	68.8	11	1511.2		618935
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial13 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			13	VSG Frequency(MHz):		5316.961
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	62.4	16			644422
2	3	97.4	16	934.6	1327.6	110607
3	2	80.9	16	1135.1		281434
4	2	82.5	16	1813.5		451514
5	2	70.6	16	1136.4		622643
6	1	52.8	16			89942
7	3	88.8	16	1323.2	1644.2	259563
8	2	74.4	16	1135.6		430673
9	3	95.2	16	1651.8	1030.8	600164
10	2	79.5	16	1375.5		68672
11	1	61.4	16			239791
12	3	99.1	16	1607.9	1320.9	408787
13	2	72.8	16	1846.2		580008
14	2	68.6	16	1045.4		47748
15	2	71.2	16	961.8		218318
16	3	84.8	16	941.2	1636.2	388146
17	1	64	16			560697
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial14 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			14	VSG Frequency(MHz):		5318.161
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100) (μ sec)	Chirp Width (5-20) (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Starting Location Within Interval (μ sec)
1	2	71.9	19	1326.1		23884
2	3	85.8	19	1573.2	1881.2	175818
3	2	80.3	19	1670.7		328650
4	2	73.7	19	1511.3		481087
5	2	77	19	965		5109
6	3	85.3	19	1753.7	1688.7	156956
7	2	77.3	19	1393.7		309907
8	3	88.5	19	928.5	1782.5	461222
9	3	96.6	19	1091.4	1579.4	613128
10	2	74	19	1887		138732
11	3	95.8	19	1778.2	1212.2	290573
12	2	67.2	19	1469.8		443516
13	3	86	19	1276	1292	594737
14	1	51.3	19			120366
15	1	60.2	19			273020
16	2	72.2	19	1835.8		424712
17	2	79.5	19	1068.5		577791
18	1	51.6	19			101396
19	2	76.2	19	1006.8		253684
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial15 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			15	VSG Frequency(MHz):		5312.961
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.6	6	1208.4	1390.4	858523
2	2	80.7	6	1358.3		1182345
3	1	51.6	6			174691
4	2	76.3	6	1351.7		497325
5	2	78.1	6	1441.9		819993
6	1	58.8	6			1143999
7	1	66.6	6			134938
8	3	91.1	6	1773.9	1473.9	456574
9	1	52.5	6			781040
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial16 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			16	VSG Frequency(MHz):		5314.961
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.9	11	1588.1	1518.1	825224
2	1	56.8	11			71290
3	1	59.8	11			313485
4	2	82.7	11	1783.3		554517
5	2	81.9	11	1712.1		796738
6	2	76.1	11	1267.9		41426
7	2	68.2	11	1676.8		283281
8	1	66.4	11			526072
9	1	59.5	11			768107
10	3	95.2	11	1214.8	1899.8	11605
11	3	85.4	11	1300.6	1003.6	253097
12	1	62.1	11			495924
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial17 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			17	VSG Frequency(MHz):		5316.561
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53.5	15			553429
2	3	94	15	1738	1131	732347
3	2	74.1	15	1238.9		167568
4	2	78.9	15	940.1		348961
5	3	93.1	15	1605.9	1183.9	528636
6	1	57.2	15			712774
7	1	59.1	15			145454
8	2	78.2	15	1475.8		326451
9	1	51.2	15			508679
10	2	76.8	15	957.2		689345
11	3	93.3	15	1805.7	1098.7	122621
12	2	67	15	1249		304153
13	3	95.1	15	1191.9	1756.9	484366
14	3	91.2	15	1698.8	1023.8	665289
15	2	83.3	15	1858.7		100613
16	2	70.2	15	1278.8		281782
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial18 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			18	VSG Frequency(MHz):		5316.561
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.5	15			464026
2	1	52.2	15			645006
3	1	64.9	15			78499
4	1	60.4	15			259832
5	3	94.2	15	1047.8	1783.8	439598
6	2	74.7	15	1710.3		621874
7	3	95.6	15	1038.4	1219.4	55936
8	3	89.7	15	1637.3	1164.3	236696
9	1	64.1	15			418946
10	1	63.1	15			600579
11	3	85.3	15	1727.7	1193.7	33617
12	1	59.8	15			215387
13	2	83.1	15	1825.9		396042
14	3	93.8	15	1420.2	1264.2	576211
15	1	62.6	15			11378
16	3	84.4	15	1805.6	1319.6	191957
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial19 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			19	VSG Frequency(MHz):		5317.761
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.2	18			332944
2	1	64.1	18			494262
3	3	90.1	18	1257.9	1137.9	652937
4	3	86.7	18	1657.3	983.3	150848
5	2	77.6	18	1411.4		312036
6	3	97.4	18	1242.6	1796.6	472197
7	3	85.1	18	1535.9	1341.9	632468
8	1	51.6	18			131753
9	1	57.4	18			292873
10	1	62.8	18			454000
11	1	51.2	18			615518
12	1	66	18			111785
13	1	63.6	18			273299
14	3	92.8	18	1768.2	1563.2	431884
15	3	87.6	18	1453.4	1626.4	592905
16	3	90.8	18	1156.2	1506.2	91558
17	3	92.9	18	1061.1	1383.1	252151
18	3	98	18	1223	929	413078
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial20 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			20	VSG Frequency(MHz):		5316.961
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	56.9	16			609748
2	1	57.3	16			76333
3	2	80.2	16	1489.8		246508
4	2	75	16	1367		416875
5	2	67.9	16	1343.1		587860
6	2	78.8	16	1599.2		55184
7	3	98.5	16	1199.5	1091.5	225387
8	3	84.4	16	946.6	1285.6	395809
9	1	64.7	16			567651
10	2	80	16	921		34202
11	2	71.9	16	1160.1		204616
12	3	99.4	16	1246.6	940.6	374567
13	3	95.1	16	1491.9	1023.9	544589
14	1	57.4	16			13194
15	1	64.2	16			184102
16	1	58.8	16			354646
17	1	50.7	16			525809
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial21 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			21	VSG Frequency(MHz):		5325.039
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81	11	1457		910167
2	1	51.1	11			213159
3	3	96.7	11	1895.3	1702.3	434883
4	3	92.7	11	1299.3	1279.3	658508
5	1	62.1	11			883748
6	2	67.2	11	1332.8		185430
7	1	63.3	11			409432
8	1	52.9	11			633080
9	2	81.3	11	1610.7		854932
10	2	73.4	11	1877.6		157904
11	2	79.6	11	1626.4		380928
12	2	76.1	11	1841.9		603647
13	2	71.4	11	1619.6		826836
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial22 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			22	VSG Frequency(MHz):		5322.239
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.5	18	1886.5		89102
2	3	94.6	18	990.4	1591.4	240957
3	2	67	18	1224		394240
4	3	85.1	18	1800.9	1646.9	544510
5	3	86.9	18	1602.1	1445.1	70099
6	1	55.3	18			223278
7	1	54.1	18			375951
8	3	91.3	18	1535.7	1146.7	526307
9	3	96.2	18	1664.8	1868.8	51378
10	1	61.2	18			204390
11	3	88.3	18	1888.7	1344.7	355514
12	3	93.2	18	1854.8	1515.8	506902
13	2	82.7	18	1314.3		32784
14	1	55	18			185602
15	2	79.7	18	1645.3		337333
16	1	58.1	18			491642
17	2	67.8	18	1696.2		13999
18	3	93.9	18	1782.1	1467.1	165908
19	1	51.8	18			319455
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial23 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			23	VSG Frequency(MHz):		5321.839
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	54.7	19			448581
2	3	92	19	1457	1486	590911
3	1	56.6	19			140493
4	3	89.7	19	1780.3	1390.3	284081
5	3	96.2	19	1889.8	990.8	428881
6	1	55.3	19			576288
7	3	94.8	19	1689.2	1497.2	122105
8	3	90.2	19	1326.8	1771.8	266198
9	2	66.9	19	1051.1		412229
10	2	72	19	1297		557041
11	3	86.7	19	1641.3	1489.3	104197
12	1	55.4	19			249848
13	2	68.8	19	1441.2		393914
14	1	58.2	19			539974
15	3	93.4	19	1785.6	1387.6	86460
16	1	54.5	19			232284
17	2	77.3	19	965.7		376508
18	2	82.4	19	964.6		521934
19	1	60	19			69033
20	2	70.6	19	1672.4		213556

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial24 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			24	VSG Frequency(MHz):		5322.239
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.8	18			399422
2	1	54.6	18			560885
3	1	59.5	18			56933
4	3	84.8	18	1560.2	973.2	217304
5	3	90	18	1840	1010	377792
6	1	58.4	18			540537
7	3	99.5	18	1093.5	1037.5	36898
8	2	79.5	18	1422.5		198025
9	1	62.1	18			359634
10	3	83.6	18	1173.4	1447.4	518473
11	3	94.9	18	1839.1	1170.1	17097
12	1	63.5	18			178542
13	2	79.6	18	1364.4		339041
14	2	77.8	18	1544.2		499738
15	2	71.4	18	1593.6		660310
16	2	79.4	18	1153.6		158348
17	2	68.8	18	1261.2		319461
18	1	54.9	18			480988
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial25 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			25	VSG Frequency(MHz):		5327.039
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.8	6	1865.2		1284761
2	2	79.8	6	1192.2		277502
3	3	92.2	6	1649.8	1809.8	599137
4	1	65.2	6			923577
5	3	87.3	6	1405.7	920.7	1244630
6	2	69.3	6	1160.7		237805
7	1	59.5	6			561128
8	1	55.7	6			883817
9	2	69.4	6	1485.6		1205420
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial26 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			26	VSG Frequency(MHz):		5326.639
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85	7	1797	1750	177904
2	3	89.3	7	987.7	1313.7	467954
3	1	50.5	7			759742
4	1	52.4	7			1050405
5	2	75.8	7	1088.2		142453
6	1	57.7	7			433163
7	2	73.3	7	1676.7		723132
8	3	93	7	1819	1490	1011682
9	1	50	7			106740
10	2	82.5	7	1510.5		396909
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial27 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			27	VSG Frequency(MHz):		5324.239
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	13	1765.1		457385
2	3	99.8	13	1894.2	1378.2	649016
3	3	87.8	13	918.2	1455.2	47115
4	1	55.8	13			240845
5	1	65.2	13			434565
6	2	78	13	1218		627641
7	2	83.3	13	1832.7		23378
8	2	77.2	13	1125.8		216751
9	2	73.1	13	1140.9		409885
10	2	75.8	13	1262.2		603652
11	3	91.1	13	1526.9	1647.9	794766
12	3	86.8	13	1014.2	1245.2	192657
13	1	64	13			387110
14	3	85.8	13	1386.2	1874.2	577864
15	2	72.4	13	1757.6		772119
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial28 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			28	VSG Frequency(MHz):		5325.039
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.5	11			195431
2	2	80.2	11	1730.8		418403
3	2	78.4	11	1747.6		640940
4	3	93.6	11	969.4	1148.4	864134
5	2	67.4	11	1239.6		167780
6	3	90.3	11	1365.7	1280.7	390481
7	2	75.3	11	1474.7		613844
8	3	84.2	11	1451.8	1534.8	835343
9	3	89	11	1764	1565	139896
10	1	64.5	11			363785
11	3	90.2	11	1855.8	1717.8	585171
12	1	61.6	11			810651
13	2	81.2	11	1424.8		112685
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial29 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5321.439
Number of Bursts in Trial:		20		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69	20	1216		217877
2	1	55.8	20			363917
3	1	56.3	20			509147
4	3	84.8	20	960.2	1300.2	55196
5	2	71.4	20	1377.6		200224
6	3	96.9	20	1491.1	1263.1	344029
7	3	96.9	20	1309.1	1404.1	488676
8	1	55.2	20			37542
9	2	83.1	20	1639.9		182339
10	2	73.9	20	1035.1		327232
11	2	76.9	20	1756.1		471341
12	3	87.3	20	1185.7	1733.7	19578
13	1	54	20			164753
14	3	92.1	20	986.9	1454.9	308407
15	3	86.5	20	1115.5	1637.5	453275
16	2	80	20	1526		1796
17	2	78.4	20	1190.6		146713
18	3	98.2	20	1794.8	1517.8	290510
19	2	75.3	20	924.7		436314
20	1	64.7	20			582284

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial30 for 5320MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			30	VSG Frequency(MHz):		5321.439
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.1	20	1910.9		128704
2	1	64.2	20			274230
3	2	77.5	20	1452.5		418456
4	3	94.9	20	1734.1	1153.1	561890
5	3	99.4	20	1609.6	1682.6	110610
6	2	82.7	20	1808.3		255501
7	3	92.3	20	1903.7	1677.7	398676
8	3	96.6	20	1583.4	1321.4	543882
9	1	65.6	20			93305
10	3	98.8	20	1290.2	1060.2	237549
11	3	91.4	20	1194.6	1785.6	381571
12	2	75.1	20	1660.9		527564
13	1	66.3	20			75456
14	1	52.1	20			220700
15	1	58.1	20			365839
16	2	67.3	20	1311.7		509473
17	2	69.4	20	1337.6		57395
18	1	56.2	20			202750
19	1	65.4	20			347970
20	2	67.1	20	1663.9		491762

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type6 for 5320MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

EHT20_5500MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	86.67		60	Pass
3	30	76.67		60	Pass
4	30	86.67		60	Pass
Aggregate (Radar Types 1-4)	120	87.5025		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minimum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
6	30	96.67		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type1 for 5500MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
		Number (1 to 23)	(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5496	7	1567.4	638	A	Yes
2	5490	6	1618.1	618	A	Yes
3	5490	22	1066.1	938	A	Yes
4	5508	18	1165.5	858	A	Yes
5	5498	19	1139	878	A	Yes
6	5506	20	1113.6	898	A	Yes
7	5501	17	1193.3	838	A	Yes
8	5500	2	1858.7	538	A	Yes
9	5508	8	1519.8	658	A	Yes
10	5499	12	1355	738	A	Yes
11	5506	14	1285.3	778	A	Yes
12	5508	5	1672.2	598	A	Yes
13	5500	21	1089.3	918	A	Yes
14	5506	4	1730.1	578	A	Yes
15	5499	13	1319.3	758	A	Yes
16	5506	-	892.1	1121	B	Yes
17	5495	-	999	1001	B	Yes
18	5496	-	540	1852	B	Yes
19	5498	-	756.4	1322	B	Yes
20	5498	-	387.4	2581	B	Yes
21	5493	-	1292	774	B	Yes
22	5490	-	841	1189	B	Yes
23	5491	-	429.4	2329	B	Yes
24	5491	-	727.3	1375	B	Yes
25	5493	-	396.7	2521	B	Yes
26	5507	-	583.1	1715	B	Yes
27	5507	-	397.9	2513	B	Yes
28	5509	-	597	1675	B	Yes
29	5502	-	440.7	2269	B	Yes
30	5503	-	513.3	1948	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type2 for 5500MHz

Data Sheet for FCC Radar Type 2

Trial	VSG (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5505	25	2.1	183	Yes
2	5506	28	4.2	229	No
3	5502	29	4.6	180	Yes
4	5492	29	4.9	168	Yes
5	5491	25	2.4	220	Yes
6	5507	26	3	156	Yes
7	5494	24	1.7	172	Yes
8	5494	28	4.3	186	Yes
9	5493	24	1.9	199	Yes
10	5504	28	4.2	227	No
11	5506	29	4.7	176	Yes
12	5507	25	2.6	174	Yes
13	5499	27	3.8	163	Yes
14	5491	29	4.7	225	Yes
15	5493	23	1.3	216	Yes
16	5493	25	2.5	191	Yes
17	5502	27	3.8	154	No
18	5494	27	3.5	221	Yes
19	5491	28	4.4	162	Yes
20	5490	28	4	158	Yes
21	5503	26	2.7	203	Yes
22	5496	28	4.4	202	Yes
23	5491	29	4.8	194	Yes
24	5498	28	4.4	213	Yes
25	5492	23	1.4	159	Yes
26	5509	24	1.7	189	Yes
27	5508	26	3.2	206	No
28	5499	25	2.6	184	Yes
29	5504	29	5	196	Yes
30	5505	29	5	160	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type3 for 5500MHz

Data Sheet for FCC Radar Type 3

Trial	VSG (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5502	16	7.1	298	Yes
2	5498	18	9.2	302	Yes
3	5490	18	9.6	275	Yes
4	5500	18	9.9	488	Yes
5	5509	17	7.4	483	Yes
6	5500	17	8	223	No
7	5506	16	6.7	233	No
8	5502	18	9.3	374	Yes
9	5494	16	6.9	290	No
10	5494	18	9.2	291	Yes
11	5493	18	9.7	255	Yes
12	5497	17	7.6	306	Yes
13	5493	18	8.8	228	Yes
14	5503	18	9.7	277	Yes
15	5497	16	6.3	334	Yes
16	5500	17	7.5	393	Yes
17	5495	18	8.8	369	Yes
18	5490	17	8.5	313	Yes
19	5505	18	9.4	330	Yes
20	5500	18	9	230	Yes
21	5501	17	7.7	326	No
22	5491	18	9.4	234	Yes
23	5501	18	9.8	379	No
24	5493	18	9.4	225	Yes
25	5498	16	6.4	324	Yes
26	5497	16	6.7	245	Yes
27	5499	17	8.2	456	Yes
28	5496	17	7.6	416	No
29	5495	18	10	206	No
30	5501	18	10	272	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type4 for 5500MHz

Data Sheet for FCC Radar Type 4

Trial	VSG (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μ s)	(μ s)	(Yes/No)
1	5492	13	13.6	298	Yes
2	5497	15	18.2	302	Yes
3	5499	16	19.1	275	Yes
4	5508	16	19.7	488	Yes
5	5497	13	14.3	483	Yes
6	5502	14	15.6	223	Yes
7	5495	12	12.6	233	Yes
8	5508	16	18.3	374	Yes
9	5503	13	13.1	290	No
10	5502	15	18.2	291	Yes
11	5493	16	19.2	255	Yes
12	5508	14	14.6	306	Yes
13	5507	15	17.4	228	No
14	5493	16	19.2	277	No
15	5495	12	11.7	334	Yes
16	5495	13	14.4	393	Yes
17	5506	15	17.2	369	Yes
18	5492	15	16.7	313	Yes
19	5508	16	18.6	330	No
20	5494	15	17.7	230	Yes
21	5504	14	14.9	326	Yes
22	5501	16	18.7	234	Yes
23	5504	16	19.5	379	Yes
24	5505	16	18.5	225	Yes
25	5496	12	12	324	Yes
26	5508	12	12.6	245	Yes
27	5503	14	16	456	Yes
28	5499	14	14.7	416	Yes
29	5506	16	19.9	206	Yes
30	5505	16	19.8	272	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial1 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			1	VSG Frequency(MHz):		5500
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.4	9			579227
2	3	89.8	9	1304.2	1603.2	841365
3	3	94.9	9	1392.1	1424.1	18234
4	3	98.1	9	1823.9	1687.9	281420
5	2	68.2	9	984.8		546139
6	2	75.4	9	972.6		810074
7	1	59.2	9			1075177
8	3	90.6	9	1596.4	1909.4	248995
9	1	62	9			513976
10	3	89.7	9	1518.3	1534.3	776229
11	3	95.3	9	1116.7	1057.7	1040412
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial2 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			2	VSG Frequency(MHz):		5500
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70	17	1166		132436
2	3	85.3	17	1466.7	1352.7	292626
3	3	95.2	17	1087.8	1356.8	453362
4	1	54.1	17			616318
5	2	68.8	17	1007.2		112661
6	3	84.3	17	1625.7	1256.7	272945
7	2	81.6	17	1825.4		434348
8	3	92	17	1630	1426	593917
9	3	86.9	17	1842.1	1877.1	92421
10	2	71.7	17	1921.3		253426
11	3	92.5	17	1592.5	1555.5	413812
12	3	96.9	17	1430.1	1338.1	574368
13	3	91.7	17	1627.3	1159.3	72750
14	1	55.8	17			234292
15	1	59	17			395635
16	2	78	17	1193		556445
17	2	70.7	17	1532.3		53168
18	3	99.3	17	1022.7	1425.7	213870
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial3 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			3	VSG Frequency(MHz):		5500
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	19	1814.1	1539.1	354113
2	3	93.6	19	1609.4	1589.4	506434
3	3	86.1	19	1405.9	1550.9	31465
4	3	99.5	19	1100.5	1743.5	183493
5	1	53.6	19			337104
6	2	74.9	19	1507.1		489209
7	1	56.3	19			12808
8	1	52.4	19			165727
9	3	94.7	19	1456.3	1387.3	316976
10	1	57.5	19			471045
11	2	69.1	19	1134.9		622905
12	3	86.1	19	1024.9	1830.9	146027
13	2	70.4	19	1736.6		298828
14	3	96.5	19	1061.5	1678.5	450434
15	2	73.1	19	1144.9		604293
16	2	72.8	19	1874.2		127589
17	2	69	19	1556		279861
18	3	91.2	19	1064.8	1474.8	431418
19	1	63.5	19			586157
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial4 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			4	VSG Frequency(MHz):		5500
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	20	1292.3		103517
2	3	95.9	20	1400.1	1335.1	247474
3	3	88.7	20	999.3	1887.3	391918
4	3	98.3	20	1710.7	1190.7	536307
5	3	88.2	20	1571.8	1388.8	85412
6	2	77.7	20	1705.3		230205
7	3	97.9	20	1659.1	1026.1	374505
8	2	71.9	20	1625.1		519902
9	3	92.9	20	1667.1	1395.1	67502
10	1	53.2	20			213185
11	3	92.2	20	1699.8	1174.8	356508
12	1	59.2	20			503465
13	3	97.5	20	1147.5	1742.5	49765
14	3	88.6	20	1528.4	1444.4	194301
15	3	91.3	20	1832.7	918.7	338760
16	1	63.1	20			485122
17	3	96.2	20	1828.8	1507.8	31983
18	1	59.1	20			177179
19	2	70.6	20	1510.4		321661
20	2	81.6	20	1354.4		466758

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial5 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			5	VSG Frequency(MHz):		5500
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.2	10	1116.8		23781
2	3	97.8	10	954.2	1222.2	265327
3	1	66.3	10			508335
4	3	89.6	10	948.4	1452.4	748584
5	2	74.1	10	1072.9		991182
6	2	72.9	10	1092.1		235983
7	1	50.7	10			478237
8	1	51.2	10			720672
9	3	96.1	10	1544.9	1883.9	958686
10	2	73.8	10	948.2		206198
11	2	68.9	10	1625.1		447826
12	3	86.9	10	1122.1	1513.1	688804
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial6 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5500
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	67.8	13	1016.2		798691
2	1	64.5	13			151251
3	3	97	13	1501	1313	357387
4	1	53.4	13			566076
5	1	60.2	13			773837
6	3	95.4	13	909.6	1226.6	125288
7	3	98	13	1462	1700	331925
8	2	71.8	13	994.2		539875
9	1	55.8	13			747862
10	1	52.9	13			100147
11	1	63.4	13			307774
12	3	99.3	13	1052.7	1697.7	513420
13	1	52.5	13			722946
14	3	98.4	13	1781.6	1735.6	74225
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial7 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			7	VSG Frequency(MHz):		5500
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.7	7	1101.3		394740
2	3	97.6	7	1613.4	992.4	683933
3	2	79.2	7	1243.8		975692
4	2	83.3	7	953.7		68550
5	2	77	7	1834		358744
6	1	63.6	7			650085
7	3	98.5	7	1677.5	1070.5	938563
8	1	59.6	7			32834
9	3	93.3	7	1607.7	1604.7	322644
10	2	75.9	7	1644.1		613124
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial8 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			8	VSG Frequency(MHz):		5500
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.5	17	1015.5		501236
2	3	99.1	17	1662.9	1831.9	660220
3	2	74.2	17	1313.8		159226
4	1	65.2	17			320765
5	2	76.9	17	1019.1		481258
6	3	96.6	17	1431.4	1749.4	640584
7	2	75.9	17	1305.1		139582
8	2	69.1	17	1719.9		300516
9	3	84.4	17	1331.6	1478.6	460230
10	1	55.3	17			624048
11	3	91.4	17	1021.6	910.6	119511
12	2	82.9	17	1339.1		280585
13	3	91.7	17	1513.3	1355.3	440412
14	3	87.9	17	967.1	1061.1	601939
15	1	52.9	17			100042
16	1	50.7	17			261511
17	1	61.2	17			422986
18	3	98.8	17	1765.2	974.2	581579
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial9 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			9	VSG Frequency(MHz):		5500
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.8	8	1409.2		131130
2	2	67.2	8	1094.8		395224
3	3	84.4	8	1219.6	1218.6	658373
4	2	67.1	8	1039.9		923354
5	3	87.1	8	1793.9	1375.9	98519
6	2	75.8	8	1285.2		362400
7	1	51.1	8			627167
8	1	53.2	8			891480
9	2	72.1	8	1443.9		66152
10	1	62.7	8			330351
11	3	96.9	8	1085.1	1009.1	593345
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial10 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			10		VSG Frequency(MHz):	
Number of Bursts in Trial:			18		Successful Detection:	
					Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.2	17			524136
2	3	88.5	17	973.5	1521.5	20502
3	1	58.2	17			181858
4	2	71.2	17	1745.8		342215
5	2	71	17	1520		503246
6	2	73.9	17	1220.1		700
7	1	61.1	17			162115
8	2	71.2	17	1189.8		322689
9	2	82.7	17	1241.3		483759
10	3	94.9	17	1151.1	1139.1	643329
11	1	59.2	17			142200
12	2	77.1	17	1556.9		302918
13	3	94.3	17	1244.7	1732.7	462572
14	1	64.9	17			626009
15	3	97.2	17	1397.8	1597.8	121726
16	1	56.9	17			283645
17	3	88.8	17	1402.2	934.2	443369
18	1	55.8	17			606247
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial11 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			11	VSG Frequency(MHz):		5507.6
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.3	19	1260.7	1167.7	96650
2	2	80.3	19	1392.7		249095
3	2	76.2	19	1855.8		401111
4	1	52.4	19			555703
5	3	99.7	19	1276.3	1574.3	77774
6	3	83.8	19	1460.2	1634.2	229633
7	2	76.1	19	988.9		383360
8	3	91.5	19	1348.5	994.5	534711
9	1	62.4	19			59393
10	1	62	19			212172
11	3	98.4	19	1082.6	1102.6	363727
12	1	64	19			517515
13	2	73.6	19	1498.4		40405
14	2	74.5	19	1914.5		192747
15	1	63.1	19			346017
16	2	72.3	19	1146.7		498292
17	2	79.1	19	1661.9		21650
18	2	66.9	19	1127.1		174224
19	2	83.2	19	1206.8		326920
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial12 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			12	VSG Frequency(MHz):		5504.4
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.7	11			701980
2	2	70.6	11	1195.4		4223
3	1	64	11			227751
4	3	91.9	11	988.1	1654.1	449804
5	2	79.6	11	1807.4		673736
6	2	78.5	11	1106.5		897227
7	1	53.9	11			200181
8	1	66.6	11			423743
9	3	90.2	11	1236.8	959.8	645236
10	3	90.2	11	1476.8	1448.8	867872
11	1	52.2	11			172590
12	3	89.9	11	1900.1	978.1	395028
13	2	68.8	11	1511.2		618935
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial13 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			13	VSG Frequency(MHz):		5506.4
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	62.4	16			644422
2	3	97.4	16	934.6	1327.6	110607
3	2	80.9	16	1135.1		281434
4	2	82.5	16	1813.5		451514
5	2	70.6	16	1136.4		622643
6	1	52.8	16			89942
7	3	88.8	16	1323.2	1644.2	259563
8	2	74.4	16	1135.6		430673
9	3	95.2	16	1651.8	1030.8	600164
10	2	79.5	16	1375.5		68672
11	1	61.4	16			239791
12	3	99.1	16	1607.9	1320.9	408787
13	2	72.8	16	1846.2		580008
14	2	68.6	16	1045.4		47748
15	2	71.2	16	961.8		218318
16	3	84.8	16	941.2	1636.2	388146
17	1	64	16			560697
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial14 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			14	VSG Frequency(MHz):		5507.6
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	19	1326.1		23884
2	3	85.8	19	1573.2	1881.2	175818
3	2	80.3	19	1670.7		328650
4	2	73.7	19	1511.3		481087
5	2	77	19	965		5109
6	3	85.3	19	1753.7	1688.7	156956
7	2	77.3	19	1393.7		309907
8	3	88.5	19	928.5	1782.5	461222
9	3	96.6	19	1091.4	1579.4	613128
10	2	74	19	1887		138732
11	3	95.8	19	1778.2	1212.2	290573
12	2	67.2	19	1469.8		443516
13	3	86	19	1276	1292	594737
14	1	51.3	19			120366
15	1	60.2	19			273020
16	2	72.2	19	1835.8		424712
17	2	79.5	19	1068.5		577791
18	1	51.6	19			101396
19	2	76.2	19	1006.8		253684
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial15 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			15	VSG Frequency(MHz):		5502.4
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.6	6	1208.4	1390.4	858523
2	2	80.7	6	1358.3		1182345
3	1	51.6	6			174691
4	2	76.3	6	1351.7		497325
5	2	78.1	6	1441.9		819993
6	1	58.8	6			1143999
7	1	66.6	6			134938
8	3	91.1	6	1773.9	1473.9	456574
9	1	52.5	6			781040
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial16 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			16	VSG Frequency(MHz):		5504.4
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.9	11	1588.1	1518.1	825224
2	1	56.8	11			71290
3	1	59.8	11			313485
4	2	82.7	11	1783.3		554517
5	2	81.9	11	1712.1		796738
6	2	76.1	11	1267.9		41426
7	2	68.2	11	1676.8		283281
8	1	66.4	11			526072
9	1	59.5	11			768107
10	3	95.2	11	1214.8	1899.8	11605
11	3	85.4	11	1300.6	1003.6	253097
12	1	62.1	11			495924
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial17 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			17		VSG Frequency(MHz):	
Number of Bursts in Trial:			16		Successful Detection:	
					Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53.5	15			553429
2	3	94	15	1738	1131	732347
3	2	74.1	15	1238.9		167568
4	2	78.9	15	940.1		348961
5	3	93.1	15	1605.9	1183.9	528636
6	1	57.2	15			712774
7	1	59.1	15			145454
8	2	78.2	15	1475.8		326451
9	1	51.2	15			508679
10	2	76.8	15	957.2		689345
11	3	93.3	15	1805.7	1098.7	122621
12	2	67	15	1249		304153
13	3	95.1	15	1191.9	1756.9	484366
14	3	91.2	15	1698.8	1023.8	665289
15	2	83.3	15	1858.7		100613
16	2	70.2	15	1278.8		281782
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial18 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			18	VSG Frequency(MHz):		5506
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.5	15			464026
2	1	52.2	15			645006
3	1	64.9	15			78499
4	1	60.4	15			259832
5	3	94.2	15	1047.8	1783.8	439598
6	2	74.7	15	1710.3		621874
7	3	95.6	15	1038.4	1219.4	55936
8	3	89.7	15	1637.3	1164.3	236696
9	1	64.1	15			418946
10	1	63.1	15			600579
11	3	85.3	15	1727.7	1193.7	33617
12	1	59.8	15			215387
13	2	83.1	15	1825.9		396042
14	3	93.8	15	1420.2	1264.2	576211
15	1	62.6	15			11378
16	3	84.4	15	1805.6	1319.6	191957
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial19 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			19	VSG Frequency(MHz):		5507.2
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.2	18			332944
2	1	64.1	18			494262
3	3	90.1	18	1257.9	1137.9	652937
4	3	86.7	18	1657.3	983.3	150848
5	2	77.6	18	1411.4		312036
6	3	97.4	18	1242.6	1796.6	472197
7	3	85.1	18	1535.9	1341.9	632468
8	1	51.6	18			131753
9	1	57.4	18			292873
10	1	62.8	18			454000
11	1	51.2	18			615518
12	1	66	18			111785
13	1	63.6	18			273299
14	3	92.8	18	1768.2	1563.2	431884
15	3	87.6	18	1453.4	1626.4	592905
16	3	90.8	18	1156.2	1506.2	91558
17	3	92.9	18	1061.1	1383.1	252151
18	3	98	18	1223	929	413078
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial20 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		20		VSG Frequency(MHz):		5506.4
Number of Bursts in Trial:		17		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	56.9	16			609748
2	1	57.3	16			76333
3	2	80.2	16	1489.8		246508
4	2	75	16	1367		416875
5	2	67.9	16	1343.1		587860
6	2	78.8	16	1599.2		55184
7	3	98.5	16	1199.5	1091.5	225387
8	3	84.4	16	946.6	1285.6	395809
9	1	64.7	16			567651
10	2	80	16	921		34202
11	2	71.9	16	1160.1		204616
12	3	99.4	16	1246.6	940.6	374567
13	3	95.1	16	1491.9	1023.9	544589
14	1	57.4	16			13194
15	1	64.2	16			184102
16	1	58.8	16			354646
17	1	50.7	16			525809
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial21 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			21	VSG Frequency(MHz):		5495.6
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81	11	1457		910167
2	1	51.1	11			213159
3	3	96.7	11	1895.3	1702.3	434883
4	3	92.7	11	1299.3	1279.3	658508
5	1	62.1	11			883748
6	2	67.2	11	1332.8		185430
7	1	63.3	11			409432
8	1	52.9	11			633080
9	2	81.3	11	1610.7		854932
10	2	73.4	11	1877.6		157904
11	2	79.6	11	1626.4		380928
12	2	76.1	11	1841.9		603647
13	2	71.4	11	1619.6		826836
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial22 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			22	VSG Frequency(MHz):		5492.8
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.5	18	1886.5		89102
2	3	94.6	18	990.4	1591.4	240957
3	2	67	18	1224		394240
4	3	85.1	18	1800.9	1646.9	544510
5	3	86.9	18	1602.1	1445.1	70099
6	1	55.3	18			223278
7	1	54.1	18			375951
8	3	91.3	18	1535.7	1146.7	526307
9	3	96.2	18	1664.8	1868.8	51378
10	1	61.2	18			204390
11	3	88.3	18	1888.7	1344.7	355514
12	3	93.2	18	1854.8	1515.8	506902
13	2	82.7	18	1314.3		32784
14	1	55	18			185602
15	2	79.7	18	1645.3		337333
16	1	58.1	18			491642
17	2	67.8	18	1696.2		13999
18	3	93.9	18	1782.1	1467.1	165908
19	1	51.8	18			319455
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial23 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			23	VSG Frequency(MHz):		5492.4
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	54.7	19			448581
2	3	92	19	1457	1486	590911
3	1	56.6	19			140493
4	3	89.7	19	1780.3	1390.3	284081
5	3	96.2	19	1889.8	990.8	428881
6	1	55.3	19			576288
7	3	94.8	19	1689.2	1497.2	122105
8	3	90.2	19	1326.8	1771.8	266198
9	2	66.9	19	1051.1		412229
10	2	72	19	1297		557041
11	3	86.7	19	1641.3	1489.3	104197
12	1	55.4	19			249848
13	2	68.8	19	1441.2		393914
14	1	58.2	19			539974
15	3	93.4	19	1785.6	1387.6	86460
16	1	54.5	19			232284
17	2	77.3	19	965.7		376508
18	2	82.4	19	964.6		521934
19	1	60	19			69033
20	2	70.6	19	1672.4		213556

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial24 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			24	VSG Frequency(MHz):		5492.8
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.8	18			399422
2	1	54.6	18			560885
3	1	59.5	18			56933
4	3	84.8	18	1560.2	973.2	217304
5	3	90	18	1840	1010	377792
6	1	58.4	18			540537
7	3	99.5	18	1093.5	1037.5	36898
8	2	79.5	18	1422.5		198025
9	1	62.1	18			359634
10	3	83.6	18	1173.4	1447.4	518473
11	3	94.9	18	1839.1	1170.1	17097
12	1	63.5	18			178542
13	2	79.6	18	1364.4		339041
14	2	77.8	18	1544.2		499738
15	2	71.4	18	1593.6		660310
16	2	79.4	18	1153.6		158348
17	2	68.8	18	1261.2		319461
18	1	54.9	18			480988
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial25 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			25	VSG Frequency(MHz):		5497.6
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.8	6	1865.2		1284761
2	2	79.8	6	1192.2		277502
3	3	92.2	6	1649.8	1809.8	599137
4	1	65.2	6			923577
5	3	87.3	6	1405.7	920.7	1244630
6	2	69.3	6	1160.7		237805
7	1	59.5	6			561128
8	1	55.7	6			883817
9	2	69.4	6	1485.6		1205420
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial26 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			26	VSG Frequency(MHz):		5497.2
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85	7	1797	1750	177904
2	3	89.3	7	987.7	1313.7	467954
3	1	50.5	7			759742
4	1	52.4	7			1050405
5	2	75.8	7	1088.2		142453
6	1	57.7	7			433163
7	2	73.3	7	1676.7		723132
8	3	93	7	1819	1490	1011682
9	1	50	7			106740
10	2	82.5	7	1510.5		396909
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial27 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			27	VSG Frequency(MHz):		5494.8
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	13	1765.1		457385
2	3	99.8	13	1894.2	1378.2	649016
3	3	87.8	13	918.2	1455.2	47115
4	1	55.8	13			240845
5	1	65.2	13			434565
6	2	78	13	1218		627641
7	2	83.3	13	1832.7		23378
8	2	77.2	13	1125.8		216751
9	2	73.1	13	1140.9		409885
10	2	75.8	13	1262.2		603652
11	3	91.1	13	1526.9	1647.9	794766
12	3	86.8	13	1014.2	1245.2	192657
13	1	64	13			387110
14	3	85.8	13	1386.2	1874.2	577864
15	2	72.4	13	1757.6		772119
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial28 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			28	VSG Frequency(MHz):		5495.6
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.5	11			195431
2	2	80.2	11	1730.8		418403
3	2	78.4	11	1747.6		640940
4	3	93.6	11	969.4	1148.4	864134
5	2	67.4	11	1239.6		167780
6	3	90.3	11	1365.7	1280.7	390481
7	2	75.3	11	1474.7		613844
8	3	84.2	11	1451.8	1534.8	835343
9	3	89	11	1764	1565	139896
10	1	64.5	11			363785
11	3	90.2	11	1855.8	1717.8	585171
12	1	61.6	11			810651
13	2	81.2	11	1424.8		112685
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial29 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5492
Number of Bursts in Trial:		20		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69	20	1216		217877
2	1	55.8	20			363917
3	1	56.3	20			509147
4	3	84.8	20	960.2	1300.2	55196
5	2	71.4	20	1377.6		200224
6	3	96.9	20	1491.1	1263.1	344029
7	3	96.9	20	1309.1	1404.1	488676
8	1	55.2	20			37542
9	2	83.1	20	1639.9		182339
10	2	73.9	20	1035.1		327232
11	2	76.9	20	1756.1		471341
12	3	87.3	20	1185.7	1733.7	19578
13	1	54	20			164753
14	3	92.1	20	986.9	1454.9	308407
15	3	86.5	20	1115.5	1637.5	453275
16	2	80	20	1526		1796
17	2	78.4	20	1190.6		146713
18	3	98.2	20	1794.8	1517.8	290510
19	2	75.3	20	924.7		436314
20	1	64.7	20			582284

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial30 for 5500MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			30	VSG Frequency(MHz):		5492
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.1	20	1910.9		128704
2	1	64.2	20			274230
3	2	77.5	20	1452.5		418456
4	3	94.9	20	1734.1	1153.1	561890
5	3	99.4	20	1609.6	1682.6	110610
6	2	82.7	20	1808.3		255501
7	3	92.3	20	1903.7	1677.7	398676
8	3	96.6	20	1583.4	1321.4	543882
9	1	65.6	20			93305
10	3	98.8	20	1290.2	1060.2	237549
11	3	91.4	20	1194.6	1785.6	381571
12	2	75.1	20	1660.9		527564
13	1	66.3	20			75456
14	1	52.1	20			220700
15	1	58.1	20			365839
16	2	67.3	20	1311.7		509473
17	2	69.4	20	1337.6		57395
18	1	56.2	20			202750
19	1	65.4	20			347970
20	2	67.1	20	1663.9		491762

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type6 for 5500MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	No
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

EHT40_5310MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	86.67		60	Pass
3	30	86.67		60	Pass
4	30	90		60	Pass
Aggregate (Radar Types 1-4)	120	90.835		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minimum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type1 for 5310MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
		Number (1 to 23)	(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5325	7	1567.4	638	A	Yes
2	5291	6	1618.1	618	A	Yes
3	5297	22	1066.1	938	A	Yes
4	5303	18	1165.5	858	A	Yes
5	5314	19	1139	878	A	Yes
6	5309	20	1113.6	898	A	Yes
7	5328	17	1193.3	838	A	Yes
8	5326	2	1858.7	538	A	Yes
9	5315	8	1519.8	658	A	Yes
10	5315	12	1355	738	A	Yes
11	5329	14	1285.3	778	A	Yes
12	5301	5	1672.2	598	A	Yes
13	5323	21	1089.3	918	A	Yes
14	5320	4	1730.1	578	A	Yes
15	5302	13	1319.3	758	A	Yes
16	5319	-	892.1	1121	B	Yes
17	5309	-	999	1001	B	Yes
18	5300	-	540	1852	B	Yes
19	5304	-	756.4	1322	B	Yes
20	5312	-	387.4	2581	B	Yes
21	5314	-	1292	774	B	Yes
22	5300	-	841	1189	B	Yes
23	5290	-	429.4	2329	B	Yes
24	5290	-	727.3	1375	B	Yes
25	5329	-	396.7	2521	B	Yes
26	5307	-	583.1	1715	B	Yes
27	5329	-	397.9	2513	B	Yes
28	5291	-	597	1675	B	Yes
29	5315	-	440.7	2269	B	Yes
30	5295	-	513.3	1948	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type2 for 5310MHz

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5298	25	2.1	183	Yes
2	5306	28	4.2	229	Yes
3	5300	29	4.6	180	Yes
4	5321	29	4.9	168	Yes
5	5296	25	2.4	220	Yes
6	5297	26	3	156	Yes
7	5301	24	1.7	172	No
8	5308	28	4.3	186	No
9	5323	24	1.9	199	Yes
10	5327	28	4.2	227	Yes
11	5319	29	4.7	176	Yes
12	5309	25	2.6	174	Yes
13	5291	27	3.8	163	Yes
14	5320	29	4.7	225	Yes
15	5296	23	1.3	216	Yes
16	5291	25	2.5	191	Yes
17	5295	27	3.8	154	Yes
18	5299	27	3.5	221	Yes
19	5314	28	4.4	162	Yes
20	5313	28	4	158	Yes
21	5302	26	2.7	203	Yes
22	5311	28	4.4	202	Yes
23	5307	29	4.8	194	Yes
24	5300	28	4.4	213	Yes
25	5305	23	1.4	159	Yes
26	5327	24	1.7	189	No
27	5324	26	3.2	206	No
28	5301	25	2.6	184	Yes
29	5294	29	5	196	Yes
30	5296	29	5	160	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type3 for 5310MHz

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5322	16	7.1	298	Yes
2	5322	18	9.2	302	Yes
3	5301	18	9.6	275	No
4	5304	18	9.9	488	Yes
5	5300	17	7.4	483	No
6	5324	17	8	223	Yes
7	5318	16	6.7	233	Yes
8	5303	18	9.3	374	Yes
9	5311	16	6.9	290	Yes
10	5316	18	9.2	291	Yes
11	5315	18	9.7	255	No
12	5296	17	7.6	306	Yes
13	5295	18	8.8	228	Yes
14	5311	18	9.7	277	Yes
15	5319	16	6.3	334	Yes
16	5306	17	7.5	393	Yes
17	5296	18	8.8	369	Yes
18	5325	17	8.5	313	Yes
19	5324	18	9.4	330	Yes
20	5290	18	9	230	Yes
21	5328	17	7.7	326	Yes
22	5299	18	9.4	234	Yes
23	5301	18	9.8	379	Yes
24	5328	18	9.4	225	Yes
25	5301	16	6.4	324	Yes
26	5321	16	6.7	245	Yes
27	5300	17	8.2	456	Yes
28	5313	17	7.6	416	Yes
29	5303	18	10	206	No
30	5307	18	10	272	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type4 for 5310MHz

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5318	13	13.6	298	Yes
2	5316	15	18.2	302	Yes
3	5323	16	19.1	275	Yes
4	5323	16	19.7	488	Yes
5	5308	13	14.3	483	Yes
6	5290	14	15.6	223	Yes
7	5297	12	12.6	233	Yes
8	5319	16	18.3	374	Yes
9	5317	13	13.1	290	Yes
10	5313	15	18.2	291	No
11	5307	16	19.2	255	Yes
12	5321	14	14.6	306	Yes
13	5297	15	17.4	228	Yes
14	5323	16	19.2	277	Yes
15	5296	12	11.7	334	Yes
16	5293	13	14.4	393	Yes
17	5323	15	17.2	369	No
18	5312	15	16.7	313	Yes
19	5298	16	18.6	330	Yes
20	5313	15	17.7	230	Yes
21	5308	14	14.9	326	Yes
22	5301	16	18.7	234	Yes
23	5318	16	19.5	379	Yes
24	5316	16	18.5	225	No
25	5292	12	12	324	Yes
26	5299	12	12.6	245	Yes
27	5303	14	16	456	Yes
28	5310	14	14.7	416	Yes
29	5300	16	19.9	206	Yes
30	5295	16	19.8	272	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial1 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			1	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.4	9			579227
2	3	89.8	9	1304.2	1603.2	841365
3	3	94.9	9	1392.1	1424.1	18234
4	3	98.1	9	1823.9	1687.9	281420
5	2	68.2	9	984.8		546139
6	2	75.4	9	972.6		810074
7	1	59.2	9			1075177
8	3	90.6	9	1596.4	1909.4	248995
9	1	62	9			513976
10	3	89.7	9	1518.3	1534.3	776229
11	3	95.3	9	1116.7	1057.7	1040412
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial2 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			2	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70	17	1166		132436
2	3	85.3	17	1466.7	1352.7	292626
3	3	95.2	17	1087.8	1356.8	453362
4	1	54.1	17			616318
5	2	68.8	17	1007.2		112661
6	3	84.3	17	1625.7	1256.7	272945
7	2	81.6	17	1825.4		434348
8	3	92	17	1630	1426	593917
9	3	86.9	17	1842.1	1877.1	92421
10	2	71.7	17	1921.3		253426
11	3	92.5	17	1592.5	1555.5	413812
12	3	96.9	17	1430.1	1338.1	574368
13	3	91.7	17	1627.3	1159.3	72750
14	1	55.8	17			234292
15	1	59	17			395635
16	2	78	17	1193		556445
17	2	70.7	17	1532.3		53168
18	3	99.3	17	1022.7	1425.7	213870
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial3 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			3	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	19	1814.1	1539.1	354113
2	3	93.6	19	1609.4	1589.4	506434
3	3	86.1	19	1405.9	1550.9	31465
4	3	99.5	19	1100.5	1743.5	183493
5	1	53.6	19			337104
6	2	74.9	19	1507.1		489209
7	1	56.3	19			12808
8	1	52.4	19			165727
9	3	94.7	19	1456.3	1387.3	316976
10	1	57.5	19			471045
11	2	69.1	19	1134.9		622905
12	3	86.1	19	1024.9	1830.9	146027
13	2	70.4	19	1736.6		298828
14	3	96.5	19	1061.5	1678.5	450434
15	2	73.1	19	1144.9		604293
16	2	72.8	19	1874.2		127589
17	2	69	19	1556		279861
18	3	91.2	19	1064.8	1474.8	431418
19	1	63.5	19			586157
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial4 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			4	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	20	1292.3		103517
2	3	95.9	20	1400.1	1335.1	247474
3	3	88.7	20	999.3	1887.3	391918
4	3	98.3	20	1710.7	1190.7	536307
5	3	88.2	20	1571.8	1388.8	85412
6	2	77.7	20	1705.3		230205
7	3	97.9	20	1659.1	1026.1	374505
8	2	71.9	20	1625.1		519902
9	3	92.9	20	1667.1	1395.1	67502
10	1	53.2	20			213185
11	3	92.2	20	1699.8	1174.8	356508
12	1	59.2	20			503465
13	3	97.5	20	1147.5	1742.5	49765
14	3	88.6	20	1528.4	1444.4	194301
15	3	91.3	20	1832.7	918.7	338760
16	1	63.1	20			485122
17	3	96.2	20	1828.8	1507.8	31983
18	1	59.1	20			177179
19	2	70.6	20	1510.4		321661
20	2	81.6	20	1354.4		466758

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial5 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			5	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.2	10	1116.8		23781
2	3	97.8	10	954.2	1222.2	265327
3	1	66.3	10			508335
4	3	89.6	10	948.4	1452.4	748584
5	2	74.1	10	1072.9		991182
6	2	72.9	10	1092.1		235983
7	1	50.7	10			478237
8	1	51.2	10			720672
9	3	96.1	10	1544.9	1883.9	958686
10	2	73.8	10	948.2		206198
11	2	68.9	10	1625.1		447826
12	3	86.9	10	1122.1	1513.1	688804
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial6 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	67.8	13	1016.2		798691
2	1	64.5	13			151251
3	3	97	13	1501	1313	357387
4	1	53.4	13			566076
5	1	60.2	13			773837
6	3	95.4	13	909.6	1226.6	125288
7	3	98	13	1462	1700	331925
8	2	71.8	13	994.2		539875
9	1	55.8	13			747862
10	1	52.9	13			100147
11	1	63.4	13			307774
12	3	99.3	13	1052.7	1697.7	513420
13	1	52.5	13			722946
14	3	98.4	13	1781.6	1735.6	74225
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial7 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			7	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.7	7	1101.3		394740
2	3	97.6	7	1613.4	992.4	683933
3	2	79.2	7	1243.8		975692
4	2	83.3	7	953.7		68550
5	2	77	7	1834		358744
6	1	63.6	7			650085
7	3	98.5	7	1677.5	1070.5	938563
8	1	59.6	7			32834
9	3	93.3	7	1607.7	1604.7	322644
10	2	75.9	7	1644.1		613124
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial8 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			8	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.5	17	1015.5		501236
2	3	99.1	17	1662.9	1831.9	660220
3	2	74.2	17	1313.8		159226
4	1	65.2	17			320765
5	2	76.9	17	1019.1		481258
6	3	96.6	17	1431.4	1749.4	640584
7	2	75.9	17	1305.1		139582
8	2	69.1	17	1719.9		300516
9	3	84.4	17	1331.6	1478.6	460230
10	1	55.3	17			624048
11	3	91.4	17	1021.6	910.6	119511
12	2	82.9	17	1339.1		280585
13	3	91.7	17	1513.3	1355.3	440412
14	3	87.9	17	967.1	1061.1	601939
15	1	52.9	17			100042
16	1	50.7	17			261511
17	1	61.2	17			422986
18	3	98.8	17	1765.2	974.2	581579
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial9 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			9	VSG Frequency(MHz):		5310
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.8	8	1409.2		131130
2	2	67.2	8	1094.8		395224
3	3	84.4	8	1219.6	1218.6	658373
4	2	67.1	8	1039.9		923354
5	3	87.1	8	1793.9	1375.9	98519
6	2	75.8	8	1285.2		362400
7	1	51.1	8			627167
8	1	53.2	8			891480
9	2	72.1	8	1443.9		66152
10	1	62.7	8			330351
11	3	96.9	8	1085.1	1009.1	593345
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial10 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			10		VSG Frequency(MHz):	
Number of Bursts in Trial:			18		Successful Detection:	
					Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.2	17			524136
2	3	88.5	17	973.5	1521.5	20502
3	1	58.2	17			181858
4	2	71.2	17	1745.8		342215
5	2	71	17	1520		503246
6	2	73.9	17	1220.1		700
7	1	61.1	17			162115
8	2	71.2	17	1189.8		322689
9	2	82.7	17	1241.3		483759
10	3	94.9	17	1151.1	1139.1	643329
11	1	59.2	17			142200
12	2	77.1	17	1556.9		302918
13	3	94.3	17	1244.7	1732.7	462572
14	1	64.9	17			626009
15	3	97.2	17	1397.8	1597.8	121726
16	1	56.9	17			283645
17	3	88.8	17	1402.2	934.2	443369
18	1	55.8	17			606247
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial11 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			11	VSG Frequency(MHz):		5298.766
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.3	19	1260.7	1167.7	96650
2	2	80.3	19	1392.7		249095
3	2	76.2	19	1855.8		401111
4	1	52.4	19			555703
5	3	99.7	19	1276.3	1574.3	77774
6	3	83.8	19	1460.2	1634.2	229633
7	2	76.1	19	988.9		383360
8	3	91.5	19	1348.5	994.5	534711
9	1	62.4	19			59393
10	1	62	19			212172
11	3	98.4	19	1082.6	1102.6	363727
12	1	64	19			517515
13	2	73.6	19	1498.4		40405
14	2	74.5	19	1914.5		192747
15	1	63.1	19			346017
16	2	72.3	19	1146.7		498292
17	2	79.1	19	1661.9		21650
18	2	66.9	19	1127.1		174224
19	2	83.2	19	1206.8		326920
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial12 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			12	VSG Frequency(MHz):		5295.566
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.7	11			701980
2	2	70.6	11	1195.4		4223
3	1	64	11			227751
4	3	91.9	11	988.1	1654.1	449804
5	2	79.6	11	1807.4		673736
6	2	78.5	11	1106.5		897227
7	1	53.9	11			200181
8	1	66.6	11			423743
9	3	90.2	11	1236.8	959.8	645236
10	3	90.2	11	1476.8	1448.8	867872
11	1	52.2	11			172590
12	3	89.9	11	1900.1	978.1	395028
13	2	68.8	11	1511.2		618935
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial13 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			13	VSG Frequency(MHz):		5297.566
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	62.4	16			644422
2	3	97.4	16	934.6	1327.6	110607
3	2	80.9	16	1135.1		281434
4	2	82.5	16	1813.5		451514
5	2	70.6	16	1136.4		622643
6	1	52.8	16			89942
7	3	88.8	16	1323.2	1644.2	259563
8	2	74.4	16	1135.6		430673
9	3	95.2	16	1651.8	1030.8	600164
10	2	79.5	16	1375.5		68672
11	1	61.4	16			239791
12	3	99.1	16	1607.9	1320.9	408787
13	2	72.8	16	1846.2		580008
14	2	68.6	16	1045.4		47748
15	2	71.2	16	961.8		218318
16	3	84.8	16	941.2	1636.2	388146
17	1	64	16			560697
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial14 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			14	VSG Frequency(MHz):		5298.766
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100) (μ sec)	Chirp Width (5-20) (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Starting Location Within Interval (μ sec)
1	2	71.9	19	1326.1		23884
2	3	85.8	19	1573.2	1881.2	175818
3	2	80.3	19	1670.7		328650
4	2	73.7	19	1511.3		481087
5	2	77	19	965		5109
6	3	85.3	19	1753.7	1688.7	156956
7	2	77.3	19	1393.7		309907
8	3	88.5	19	928.5	1782.5	461222
9	3	96.6	19	1091.4	1579.4	613128
10	2	74	19	1887		138732
11	3	95.8	19	1778.2	1212.2	290573
12	2	67.2	19	1469.8		443516
13	3	86	19	1276	1292	594737
14	1	51.3	19			120366
15	1	60.2	19			273020
16	2	72.2	19	1835.8		424712
17	2	79.5	19	1068.5		577791
18	1	51.6	19			101396
19	2	76.2	19	1006.8		253684
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial15 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			15	VSG Frequency(MHz):		5293.566
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.6	6	1208.4	1390.4	858523
2	2	80.7	6	1358.3		1182345
3	1	51.6	6			174691
4	2	76.3	6	1351.7		497325
5	2	78.1	6	1441.9		819993
6	1	58.8	6			1143999
7	1	66.6	6			134938
8	3	91.1	6	1773.9	1473.9	456574
9	1	52.5	6			781040
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial16 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			16	VSG Frequency(MHz):		5295.566
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.9	11	1588.1	1518.1	825224
2	1	56.8	11			71290
3	1	59.8	11			313485
4	2	82.7	11	1783.3		554517
5	2	81.9	11	1712.1		796738
6	2	76.1	11	1267.9		41426
7	2	68.2	11	1676.8		283281
8	1	66.4	11			526072
9	1	59.5	11			768107
10	3	95.2	11	1214.8	1899.8	11605
11	3	85.4	11	1300.6	1003.6	253097
12	1	62.1	11			495924
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial17 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			17	VSG Frequency(MHz):		5297.166
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53.5	15			553429
2	3	94	15	1738	1131	732347
3	2	74.1	15	1238.9		167568
4	2	78.9	15	940.1		348961
5	3	93.1	15	1605.9	1183.9	528636
6	1	57.2	15			712774
7	1	59.1	15			145454
8	2	78.2	15	1475.8		326451
9	1	51.2	15			508679
10	2	76.8	15	957.2		689345
11	3	93.3	15	1805.7	1098.7	122621
12	2	67	15	1249		304153
13	3	95.1	15	1191.9	1756.9	484366
14	3	91.2	15	1698.8	1023.8	665289
15	2	83.3	15	1858.7		100613
16	2	70.2	15	1278.8		281782
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial18 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			18	VSG Frequency(MHz):		5297.166
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.5	15			464026
2	1	52.2	15			645006
3	1	64.9	15			78499
4	1	60.4	15			259832
5	3	94.2	15	1047.8	1783.8	439598
6	2	74.7	15	1710.3		621874
7	3	95.6	15	1038.4	1219.4	55936
8	3	89.7	15	1637.3	1164.3	236696
9	1	64.1	15			418946
10	1	63.1	15			600579
11	3	85.3	15	1727.7	1193.7	33617
12	1	59.8	15			215387
13	2	83.1	15	1825.9		396042
14	3	93.8	15	1420.2	1264.2	576211
15	1	62.6	15			11378
16	3	84.4	15	1805.6	1319.6	191957
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial19 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			19	VSG Frequency(MHz):		5298.366
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.2	18			332944
2	1	64.1	18			494262
3	3	90.1	18	1257.9	1137.9	652937
4	3	86.7	18	1657.3	983.3	150848
5	2	77.6	18	1411.4		312036
6	3	97.4	18	1242.6	1796.6	472197
7	3	85.1	18	1535.9	1341.9	632468
8	1	51.6	18			131753
9	1	57.4	18			292873
10	1	62.8	18			454000
11	1	51.2	18			615518
12	1	66	18			111785
13	1	63.6	18			273299
14	3	92.8	18	1768.2	1563.2	431884
15	3	87.6	18	1453.4	1626.4	592905
16	3	90.8	18	1156.2	1506.2	91558
17	3	92.9	18	1061.1	1383.1	252151
18	3	98	18	1223	929	413078
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial20 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			20	VSG Frequency(MHz):		5297.566
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	56.9	16			609748
2	1	57.3	16			76333
3	2	80.2	16	1489.8		246508
4	2	75	16	1367		416875
5	2	67.9	16	1343.1		587860
6	2	78.8	16	1599.2		55184
7	3	98.5	16	1199.5	1091.5	225387
8	3	84.4	16	946.6	1285.6	395809
9	1	64.7	16			567651
10	2	80	16	921		34202
11	2	71.9	16	1160.1		204616
12	3	99.4	16	1246.6	940.6	374567
13	3	95.1	16	1491.9	1023.9	544589
14	1	57.4	16			13194
15	1	64.2	16			184102
16	1	58.8	16			354646
17	1	50.7	16			525809
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial21 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			21	VSG Frequency(MHz):		5324.434
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81	11	1457		910167
2	1	51.1	11			213159
3	3	96.7	11	1895.3	1702.3	434883
4	3	92.7	11	1299.3	1279.3	658508
5	1	62.1	11			883748
6	2	67.2	11	1332.8		185430
7	1	63.3	11			409432
8	1	52.9	11			633080
9	2	81.3	11	1610.7		854932
10	2	73.4	11	1877.6		157904
11	2	79.6	11	1626.4		380928
12	2	76.1	11	1841.9		603647
13	2	71.4	11	1619.6		826836
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial22 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			22	VSG Frequency(MHz):		5321.634
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.5	18	1886.5		89102
2	3	94.6	18	990.4	1591.4	240957
3	2	67	18	1224		394240
4	3	85.1	18	1800.9	1646.9	544510
5	3	86.9	18	1602.1	1445.1	70099
6	1	55.3	18			223278
7	1	54.1	18			375951
8	3	91.3	18	1535.7	1146.7	526307
9	3	96.2	18	1664.8	1868.8	51378
10	1	61.2	18			204390
11	3	88.3	18	1888.7	1344.7	355514
12	3	93.2	18	1854.8	1515.8	506902
13	2	82.7	18	1314.3		32784
14	1	55	18			185602
15	2	79.7	18	1645.3		337333
16	1	58.1	18			491642
17	2	67.8	18	1696.2		13999
18	3	93.9	18	1782.1	1467.1	165908
19	1	51.8	18			319455
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial23 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			23	VSG Frequency(MHz):		5321.234
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	54.7	19			448581
2	3	92	19	1457	1486	590911
3	1	56.6	19			140493
4	3	89.7	19	1780.3	1390.3	284081
5	3	96.2	19	1889.8	990.8	428881
6	1	55.3	19			576288
7	3	94.8	19	1689.2	1497.2	122105
8	3	90.2	19	1326.8	1771.8	266198
9	2	66.9	19	1051.1		412229
10	2	72	19	1297		557041
11	3	86.7	19	1641.3	1489.3	104197
12	1	55.4	19			249848
13	2	68.8	19	1441.2		393914
14	1	58.2	19			539974
15	3	93.4	19	1785.6	1387.6	86460
16	1	54.5	19			232284
17	2	77.3	19	965.7		376508
18	2	82.4	19	964.6		521934
19	1	60	19			69033
20	2	70.6	19	1672.4		213556

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial24 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			24	VSG Frequency(MHz):		5321.634
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.8	18			399422
2	1	54.6	18			560885
3	1	59.5	18			56933
4	3	84.8	18	1560.2	973.2	217304
5	3	90	18	1840	1010	377792
6	1	58.4	18			540537
7	3	99.5	18	1093.5	1037.5	36898
8	2	79.5	18	1422.5		198025
9	1	62.1	18			359634
10	3	83.6	18	1173.4	1447.4	518473
11	3	94.9	18	1839.1	1170.1	17097
12	1	63.5	18			178542
13	2	79.6	18	1364.4		339041
14	2	77.8	18	1544.2		499738
15	2	71.4	18	1593.6		660310
16	2	79.4	18	1153.6		158348
17	2	68.8	18	1261.2		319461
18	1	54.9	18			480988
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial25 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			25	VSG Frequency(MHz):		5326.434
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.8	6	1865.2		1284761
2	2	79.8	6	1192.2		277502
3	3	92.2	6	1649.8	1809.8	599137
4	1	65.2	6			923577
5	3	87.3	6	1405.7	920.7	1244630
6	2	69.3	6	1160.7		237805
7	1	59.5	6			561128
8	1	55.7	6			883817
9	2	69.4	6	1485.6		1205420
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial26 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			26	VSG Frequency(MHz):		5326.034
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85	7	1797	1750	177904
2	3	89.3	7	987.7	1313.7	467954
3	1	50.5	7			759742
4	1	52.4	7			1050405
5	2	75.8	7	1088.2		142453
6	1	57.7	7			433163
7	2	73.3	7	1676.7		723132
8	3	93	7	1819	1490	1011682
9	1	50	7			106740
10	2	82.5	7	1510.5		396909
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial27 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			27	VSG Frequency(MHz):		5323.634
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	13	1765.1		457385
2	3	99.8	13	1894.2	1378.2	649016
3	3	87.8	13	918.2	1455.2	47115
4	1	55.8	13			240845
5	1	65.2	13			434565
6	2	78	13	1218		627641
7	2	83.3	13	1832.7		23378
8	2	77.2	13	1125.8		216751
9	2	73.1	13	1140.9		409885
10	2	75.8	13	1262.2		603652
11	3	91.1	13	1526.9	1647.9	794766
12	3	86.8	13	1014.2	1245.2	192657
13	1	64	13			387110
14	3	85.8	13	1386.2	1874.2	577864
15	2	72.4	13	1757.6		772119
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial28 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			28	VSG Frequency(MHz):		5324.434
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.5	11			195431
2	2	80.2	11	1730.8		418403
3	2	78.4	11	1747.6		640940
4	3	93.6	11	969.4	1148.4	864134
5	2	67.4	11	1239.6		167780
6	3	90.3	11	1365.7	1280.7	390481
7	2	75.3	11	1474.7		613844
8	3	84.2	11	1451.8	1534.8	835343
9	3	89	11	1764	1565	139896
10	1	64.5	11			363785
11	3	90.2	11	1855.8	1717.8	585171
12	1	61.6	11			810651
13	2	81.2	11	1424.8		112685
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial29 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			29	VSG Frequency(MHz):		5320.834
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69	20	1216		217877
2	1	55.8	20			363917
3	1	56.3	20			509147
4	3	84.8	20	960.2	1300.2	55196
5	2	71.4	20	1377.6		200224
6	3	96.9	20	1491.1	1263.1	344029
7	3	96.9	20	1309.1	1404.1	488676
8	1	55.2	20			37542
9	2	83.1	20	1639.9		182339
10	2	73.9	20	1035.1		327232
11	2	76.9	20	1756.1		471341
12	3	87.3	20	1185.7	1733.7	19578
13	1	54	20			164753
14	3	92.1	20	986.9	1454.9	308407
15	3	86.5	20	1115.5	1637.5	453275
16	2	80	20	1526		1796
17	2	78.4	20	1190.6		146713
18	3	98.2	20	1794.8	1517.8	290510
19	2	75.3	20	924.7		436314
20	1	64.7	20			582284

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial30 for 5310MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			30	VSG Frequency(MHz):		5320.834
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.1	20	1910.9		128704
2	1	64.2	20			274230
3	2	77.5	20	1452.5		418456
4	3	94.9	20	1734.1	1153.1	561890
5	3	99.4	20	1609.6	1682.6	110610
6	2	82.7	20	1808.3		255501
7	3	92.3	20	1903.7	1677.7	398676
8	3	96.6	20	1583.4	1321.4	543882
9	1	65.6	20			93305
10	3	98.8	20	1290.2	1060.2	237549
11	3	91.4	20	1194.6	1785.6	381571
12	2	75.1	20	1660.9		527564
13	1	66.3	20			75456
14	1	52.1	20			220700
15	1	58.1	20			365839
16	2	67.3	20	1311.7		509473
17	2	69.4	20	1337.6		57395
18	1	56.2	20			202750
19	1	65.4	20			347970
20	2	67.1	20	1663.9		491762

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type6 for 5310MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

EHT40_5510MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	96.67		60	Pass
3	30	100		60	Pass
4	30	83.33		60	Pass
Aggregate (Radar Types 1-4)	120	95		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minimum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	96.67	80	Pass
	Low Edge:10	90			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type1 for 5510MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
		Number (1 to 23)	(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5526	7	1567.4	638	A	Yes
2	5514	6	1618.1	618	A	Yes
3	5507	22	1066.1	938	A	Yes
4	5505	18	1165.5	858	A	Yes
5	5512	19	1139	878	A	Yes
6	5514	20	1113.6	898	A	Yes
7	5499	17	1193.3	838	A	Yes
8	5499	2	1858.7	538	A	Yes
9	5511	8	1519.8	658	A	Yes
10	5520	12	1355	738	A	Yes
11	5506	14	1285.3	778	A	Yes
12	5495	5	1672.2	598	A	Yes
13	5513	21	1089.3	918	A	Yes
14	5498	4	1730.1	578	A	Yes
15	5491	13	1319.3	758	A	Yes
16	5519	-	892.1	1121	B	Yes
17	5524	-	999	1001	B	Yes
18	5514	-	540	1852	B	Yes
19	5490	-	756.4	1322	B	Yes
20	5492	-	387.4	2581	B	Yes
21	5501	-	1292	774	B	Yes
22	5504	-	841	1189	B	Yes
23	5497	-	429.4	2329	B	Yes
24	5520	-	727.3	1375	B	Yes
25	5525	-	396.7	2521	B	Yes
26	5512	-	583.1	1715	B	Yes
27	5521	-	397.9	2513	B	Yes
28	5499	-	597	1675	B	Yes
29	5492	-	440.7	2269	B	Yes
30	5495	-	513.3	1948	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type2 for 5510MHz

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5508	25	2.1	183	Yes
2	5502	28	4.2	229	Yes
3	5529	29	4.6	180	Yes
4	5493	29	4.9	168	Yes
5	5508	25	2.4	220	Yes
6	5494	26	3	156	Yes
7	5497	24	1.7	172	Yes
8	5490	28	4.3	186	Yes
9	5492	24	1.9	199	Yes
10	5513	28	4.2	227	Yes
11	5490	29	4.7	176	Yes
12	5501	25	2.6	174	No
13	5517	27	3.8	163	Yes
14	5491	29	4.7	225	Yes
15	5512	23	1.3	216	Yes
16	5519	25	2.5	191	Yes
17	5493	27	3.8	154	Yes
18	5506	27	3.5	221	Yes
19	5520	28	4.4	162	Yes
20	5513	28	4	158	Yes
21	5529	26	2.7	203	Yes
22	5510	28	4.4	202	Yes
23	5497	29	4.8	194	Yes
24	5502	28	4.4	213	Yes
25	5499	23	1.4	159	Yes
26	5505	24	1.7	189	Yes
27	5500	26	3.2	206	Yes
28	5490	25	2.6	184	Yes
29	5509	29	5	196	Yes
30	5507	29	5	160	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type3 for 5510MHz

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5492	16	7.1	298	Yes
2	5526	18	9.2	302	Yes
3	5529	18	9.6	275	Yes
4	5518	18	9.9	488	Yes
5	5510	17	7.4	483	Yes
6	5492	17	8	223	Yes
7	5522	16	6.7	233	Yes
8	5494	18	9.3	374	Yes
9	5497	16	6.9	290	Yes
10	5515	18	9.2	291	Yes
11	5526	18	9.7	255	Yes
12	5529	17	7.6	306	Yes
13	5491	18	8.8	228	Yes
14	5503	18	9.7	277	Yes
15	5492	16	6.3	334	Yes
16	5495	17	7.5	393	Yes
17	5518	18	8.8	369	Yes
18	5498	17	8.5	313	Yes
19	5514	18	9.4	330	Yes
20	5520	18	9	230	Yes
21	5523	17	7.7	326	Yes
22	5527	18	9.4	234	Yes
23	5509	18	9.8	379	Yes
24	5520	18	9.4	225	Yes
25	5528	16	6.4	324	Yes
26	5516	16	6.7	245	Yes
27	5490	17	8.2	456	Yes
28	5510	17	7.6	416	Yes
29	5517	18	10	206	Yes
30	5494	18	10	272	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type4 for 5510MHz

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5491	13	13.6	298	Yes
2	5505	15	18.2	302	No
3	5507	16	19.1	275	Yes
4	5510	16	19.7	488	Yes
5	5522	13	14.3	483	Yes
6	5499	14	15.6	223	Yes
7	5500	12	12.6	233	No
8	5513	16	18.3	374	Yes
9	5519	13	13.1	290	No
10	5499	15	18.2	291	Yes
11	5521	16	19.2	255	Yes
12	5526	14	14.6	306	Yes
13	5508	15	17.4	228	Yes
14	5514	16	19.2	277	Yes
15	5526	12	11.7	334	Yes
16	5507	13	14.4	393	Yes
17	5514	15	17.2	369	Yes
18	5494	15	16.7	313	Yes
19	5504	16	18.6	330	No
20	5508	15	17.7	230	Yes
21	5514	14	14.9	326	Yes
22	5490	16	18.7	234	Yes
23	5508	16	19.5	379	Yes
24	5529	16	18.5	225	Yes
25	5496	12	12	324	Yes
26	5492	12	12.6	245	Yes
27	5517	14	16	456	Yes
28	5490	14	14.7	416	No
29	5499	16	19.9	206	Yes
30	5500	16	19.8	272	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial1 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			1	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.4	9			579227
2	3	89.8	9	1304.2	1603.2	841365
3	3	94.9	9	1392.1	1424.1	18234
4	3	98.1	9	1823.9	1687.9	281420
5	2	68.2	9	984.8		546139
6	2	75.4	9	972.6		810074
7	1	59.2	9			1075177
8	3	90.6	9	1596.4	1909.4	248995
9	1	62	9			513976
10	3	89.7	9	1518.3	1534.3	776229
11	3	95.3	9	1116.7	1057.7	1040412
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial2 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			2	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70	17	1166		132436
2	3	85.3	17	1466.7	1352.7	292626
3	3	95.2	17	1087.8	1356.8	453362
4	1	54.1	17			616318
5	2	68.8	17	1007.2		112661
6	3	84.3	17	1625.7	1256.7	272945
7	2	81.6	17	1825.4		434348
8	3	92	17	1630	1426	593917
9	3	86.9	17	1842.1	1877.1	92421
10	2	71.7	17	1921.3		253426
11	3	92.5	17	1592.5	1555.5	413812
12	3	96.9	17	1430.1	1338.1	574368
13	3	91.7	17	1627.3	1159.3	72750
14	1	55.8	17			234292
15	1	59	17			395635
16	2	78	17	1193		556445
17	2	70.7	17	1532.3		53168
18	3	99.3	17	1022.7	1425.7	213870
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial3 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			3	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	19	1814.1	1539.1	354113
2	3	93.6	19	1609.4	1589.4	506434
3	3	86.1	19	1405.9	1550.9	31465
4	3	99.5	19	1100.5	1743.5	183493
5	1	53.6	19			337104
6	2	74.9	19	1507.1		489209
7	1	56.3	19			12808
8	1	52.4	19			165727
9	3	94.7	19	1456.3	1387.3	316976
10	1	57.5	19			471045
11	2	69.1	19	1134.9		622905
12	3	86.1	19	1024.9	1830.9	146027
13	2	70.4	19	1736.6		298828
14	3	96.5	19	1061.5	1678.5	450434
15	2	73.1	19	1144.9		604293
16	2	72.8	19	1874.2		127589
17	2	69	19	1556		279861
18	3	91.2	19	1064.8	1474.8	431418
19	1	63.5	19			586157
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial4 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			4	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	20	1292.3		103517
2	3	95.9	20	1400.1	1335.1	247474
3	3	88.7	20	999.3	1887.3	391918
4	3	98.3	20	1710.7	1190.7	536307
5	3	88.2	20	1571.8	1388.8	85412
6	2	77.7	20	1705.3		230205
7	3	97.9	20	1659.1	1026.1	374505
8	2	71.9	20	1625.1		519902
9	3	92.9	20	1667.1	1395.1	67502
10	1	53.2	20			213185
11	3	92.2	20	1699.8	1174.8	356508
12	1	59.2	20			503465
13	3	97.5	20	1147.5	1742.5	49765
14	3	88.6	20	1528.4	1444.4	194301
15	3	91.3	20	1832.7	918.7	338760
16	1	63.1	20			485122
17	3	96.2	20	1828.8	1507.8	31983
18	1	59.1	20			177179
19	2	70.6	20	1510.4		321661
20	2	81.6	20	1354.4		466758

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial5 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			5	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.2	10	1116.8		23781
2	3	97.8	10	954.2	1222.2	265327
3	1	66.3	10			508335
4	3	89.6	10	948.4	1452.4	748584
5	2	74.1	10	1072.9		991182
6	2	72.9	10	1092.1		235983
7	1	50.7	10			478237
8	1	51.2	10			720672
9	3	96.1	10	1544.9	1883.9	958686
10	2	73.8	10	948.2		206198
11	2	68.9	10	1625.1		447826
12	3	86.9	10	1122.1	1513.1	688804
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial6 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	67.8	13	1016.2		798691
2	1	64.5	13			151251
3	3	97	13	1501	1313	357387
4	1	53.4	13			566076
5	1	60.2	13			773837
6	3	95.4	13	909.6	1226.6	125288
7	3	98	13	1462	1700	331925
8	2	71.8	13	994.2		539875
9	1	55.8	13			747862
10	1	52.9	13			100147
11	1	63.4	13			307774
12	3	99.3	13	1052.7	1697.7	513420
13	1	52.5	13			722946
14	3	98.4	13	1781.6	1735.6	74225
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial7 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			7	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.7	7	1101.3		394740
2	3	97.6	7	1613.4	992.4	683933
3	2	79.2	7	1243.8		975692
4	2	83.3	7	953.7		68550
5	2	77	7	1834		358744
6	1	63.6	7			650085
7	3	98.5	7	1677.5	1070.5	938563
8	1	59.6	7			32834
9	3	93.3	7	1607.7	1604.7	322644
10	2	75.9	7	1644.1		613124
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial8 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			8	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.5	17	1015.5		501236
2	3	99.1	17	1662.9	1831.9	660220
3	2	74.2	17	1313.8		159226
4	1	65.2	17			320765
5	2	76.9	17	1019.1		481258
6	3	96.6	17	1431.4	1749.4	640584
7	2	75.9	17	1305.1		139582
8	2	69.1	17	1719.9		300516
9	3	84.4	17	1331.6	1478.6	460230
10	1	55.3	17			624048
11	3	91.4	17	1021.6	910.6	119511
12	2	82.9	17	1339.1		280585
13	3	91.7	17	1513.3	1355.3	440412
14	3	87.9	17	967.1	1061.1	601939
15	1	52.9	17			100042
16	1	50.7	17			261511
17	1	61.2	17			422986
18	3	98.8	17	1765.2	974.2	581579
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial9 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			9	VSG Frequency(MHz):		5510
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.8	8	1409.2		131130
2	2	67.2	8	1094.8		395224
3	3	84.4	8	1219.6	1218.6	658373
4	2	67.1	8	1039.9		923354
5	3	87.1	8	1793.9	1375.9	98519
6	2	75.8	8	1285.2		362400
7	1	51.1	8			627167
8	1	53.2	8			891480
9	2	72.1	8	1443.9		66152
10	1	62.7	8			330351
11	3	96.9	8	1085.1	1009.1	593345
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial10 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			10		VSG Frequency(MHz):	
Number of Bursts in Trial:			18		Successful Detection:	
					Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.2	17			524136
2	3	88.5	17	973.5	1521.5	20502
3	1	58.2	17			181858
4	2	71.2	17	1745.8		342215
5	2	71	17	1520		503246
6	2	73.9	17	1220.1		700
7	1	61.1	17			162115
8	2	71.2	17	1189.8		322689
9	2	82.7	17	1241.3		483759
10	3	94.9	17	1151.1	1139.1	643329
11	1	59.2	17			142200
12	2	77.1	17	1556.9		302918
13	3	94.3	17	1244.7	1732.7	462572
14	1	64.9	17			626009
15	3	97.2	17	1397.8	1597.8	121726
16	1	56.9	17			283645
17	3	88.8	17	1402.2	934.2	443369
18	1	55.8	17			606247
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial11 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			11	VSG Frequency(MHz):		5498.8975
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.3	19	1260.7	1167.7	96650
2	2	80.3	19	1392.7		249095
3	2	76.2	19	1855.8		401111
4	1	52.4	19			555703
5	3	99.7	19	1276.3	1574.3	77774
6	3	83.8	19	1460.2	1634.2	229633
7	2	76.1	19	988.9		383360
8	3	91.5	19	1348.5	994.5	534711
9	1	62.4	19			59393
10	1	62	19			212172
11	3	98.4	19	1082.6	1102.6	363727
12	1	64	19			517515
13	2	73.6	19	1498.4		40405
14	2	74.5	19	1914.5		192747
15	1	63.1	19			346017
16	2	72.3	19	1146.7		498292
17	2	79.1	19	1661.9		21650
18	2	66.9	19	1127.1		174224
19	2	83.2	19	1206.8		326920
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial12 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			12	VSG Frequency(MHz):		5495.6975
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.7	11			701980
2	2	70.6	11	1195.4		4223
3	1	64	11			227751
4	3	91.9	11	988.1	1654.1	449804
5	2	79.6	11	1807.4		673736
6	2	78.5	11	1106.5		897227
7	1	53.9	11			200181
8	1	66.6	11			423743
9	3	90.2	11	1236.8	959.8	645236
10	3	90.2	11	1476.8	1448.8	867872
11	1	52.2	11			172590
12	3	89.9	11	1900.1	978.1	395028
13	2	68.8	11	1511.2		618935
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial13 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			13	VSG Frequency(MHz):		5497.6975
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	62.4	16			644422
2	3	97.4	16	934.6	1327.6	110607
3	2	80.9	16	1135.1		281434
4	2	82.5	16	1813.5		451514
5	2	70.6	16	1136.4		622643
6	1	52.8	16			89942
7	3	88.8	16	1323.2	1644.2	259563
8	2	74.4	16	1135.6		430673
9	3	95.2	16	1651.8	1030.8	600164
10	2	79.5	16	1375.5		68672
11	1	61.4	16			239791
12	3	99.1	16	1607.9	1320.9	408787
13	2	72.8	16	1846.2		580008
14	2	68.6	16	1045.4		47748
15	2	71.2	16	961.8		218318
16	3	84.8	16	941.2	1636.2	388146
17	1	64	16			560697
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial14 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			14	VSG Frequency(MHz):		5498.8975
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	19	1326.1		23884
2	3	85.8	19	1573.2	1881.2	175818
3	2	80.3	19	1670.7		328650
4	2	73.7	19	1511.3		481087
5	2	77	19	965		5109
6	3	85.3	19	1753.7	1688.7	156956
7	2	77.3	19	1393.7		309907
8	3	88.5	19	928.5	1782.5	461222
9	3	96.6	19	1091.4	1579.4	613128
10	2	74	19	1887		138732
11	3	95.8	19	1778.2	1212.2	290573
12	2	67.2	19	1469.8		443516
13	3	86	19	1276	1292	594737
14	1	51.3	19			120366
15	1	60.2	19			273020
16	2	72.2	19	1835.8		424712
17	2	79.5	19	1068.5		577791
18	1	51.6	19			101396
19	2	76.2	19	1006.8		253684
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial15 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			15	VSG Frequency(MHz):		5493.6975
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.6	6	1208.4	1390.4	858523
2	2	80.7	6	1358.3		1182345
3	1	51.6	6			174691
4	2	76.3	6	1351.7		497325
5	2	78.1	6	1441.9		819993
6	1	58.8	6			1143999
7	1	66.6	6			134938
8	3	91.1	6	1773.9	1473.9	456574
9	1	52.5	6			781040
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial16 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			16	VSG Frequency(MHz):		5495.6975
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.9	11	1588.1	1518.1	825224
2	1	56.8	11			71290
3	1	59.8	11			313485
4	2	82.7	11	1783.3		554517
5	2	81.9	11	1712.1		796738
6	2	76.1	11	1267.9		41426
7	2	68.2	11	1676.8		283281
8	1	66.4	11			526072
9	1	59.5	11			768107
10	3	95.2	11	1214.8	1899.8	11605
11	3	85.4	11	1300.6	1003.6	253097
12	1	62.1	11			495924
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial17 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			17	VSG Frequency(MHz):		5497.2975
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53.5	15			553429
2	3	94	15	1738	1131	732347
3	2	74.1	15	1238.9		167568
4	2	78.9	15	940.1		348961
5	3	93.1	15	1605.9	1183.9	528636
6	1	57.2	15			712774
7	1	59.1	15			145454
8	2	78.2	15	1475.8		326451
9	1	51.2	15			508679
10	2	76.8	15	957.2		689345
11	3	93.3	15	1805.7	1098.7	122621
12	2	67	15	1249		304153
13	3	95.1	15	1191.9	1756.9	484366
14	3	91.2	15	1698.8	1023.8	665289
15	2	83.3	15	1858.7		100613
16	2	70.2	15	1278.8		281782
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial18 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			18	VSG Frequency(MHz):		5497.2975
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.5	15			464026
2	1	52.2	15			645006
3	1	64.9	15			78499
4	1	60.4	15			259832
5	3	94.2	15	1047.8	1783.8	439598
6	2	74.7	15	1710.3		621874
7	3	95.6	15	1038.4	1219.4	55936
8	3	89.7	15	1637.3	1164.3	236696
9	1	64.1	15			418946
10	1	63.1	15			600579
11	3	85.3	15	1727.7	1193.7	33617
12	1	59.8	15			215387
13	2	83.1	15	1825.9		396042
14	3	93.8	15	1420.2	1264.2	576211
15	1	62.6	15			11378
16	3	84.4	15	1805.6	1319.6	191957
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial19 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			19	VSG Frequency(MHz):		5498.4975
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.2	18			332944
2	1	64.1	18			494262
3	3	90.1	18	1257.9	1137.9	652937
4	3	86.7	18	1657.3	983.3	150848
5	2	77.6	18	1411.4		312036
6	3	97.4	18	1242.6	1796.6	472197
7	3	85.1	18	1535.9	1341.9	632468
8	1	51.6	18			131753
9	1	57.4	18			292873
10	1	62.8	18			454000
11	1	51.2	18			615518
12	1	66	18			111785
13	1	63.6	18			273299
14	3	92.8	18	1768.2	1563.2	431884
15	3	87.6	18	1453.4	1626.4	592905
16	3	90.8	18	1156.2	1506.2	91558
17	3	92.9	18	1061.1	1383.1	252151
18	3	98	18	1223	929	413078
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial20 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			20	VSG Frequency(MHz):		5497.6975
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	56.9	16			609748
2	1	57.3	16			76333
3	2	80.2	16	1489.8		246508
4	2	75	16	1367		416875
5	2	67.9	16	1343.1		587860
6	2	78.8	16	1599.2		55184
7	3	98.5	16	1199.5	1091.5	225387
8	3	84.4	16	946.6	1285.6	395809
9	1	64.7	16			567651
10	2	80	16	921		34202
11	2	71.9	16	1160.1		204616
12	3	99.4	16	1246.6	940.6	374567
13	3	95.1	16	1491.9	1023.9	544589
14	1	57.4	16			13194
15	1	64.2	16			184102
16	1	58.8	16			354646
17	1	50.7	16			525809
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial21 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			21	VSG Frequency(MHz):		5524.3025
Number of Bursts in Trial:			13	Successful Detection:		No
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81	11	1457		910167
2	1	51.1	11			213159
3	3	96.7	11	1895.3	1702.3	434883
4	3	92.7	11	1299.3	1279.3	658508
5	1	62.1	11			883748
6	2	67.2	11	1332.8		185430
7	1	63.3	11			409432
8	1	52.9	11			633080
9	2	81.3	11	1610.7		854932
10	2	73.4	11	1877.6		157904
11	2	79.6	11	1626.4		380928
12	2	76.1	11	1841.9		603647
13	2	71.4	11	1619.6		826836
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial22 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			22	VSG Frequency(MHz):		5521.5025
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.5	18	1886.5		89102
2	3	94.6	18	990.4	1591.4	240957
3	2	67	18	1224		394240
4	3	85.1	18	1800.9	1646.9	544510
5	3	86.9	18	1602.1	1445.1	70099
6	1	55.3	18			223278
7	1	54.1	18			375951
8	3	91.3	18	1535.7	1146.7	526307
9	3	96.2	18	1664.8	1868.8	51378
10	1	61.2	18			204390
11	3	88.3	18	1888.7	1344.7	355514
12	3	93.2	18	1854.8	1515.8	506902
13	2	82.7	18	1314.3		32784
14	1	55	18			185602
15	2	79.7	18	1645.3		337333
16	1	58.1	18			491642
17	2	67.8	18	1696.2		13999
18	3	93.9	18	1782.1	1467.1	165908
19	1	51.8	18			319455
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial23 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			23	VSG Frequency(MHz):		5521.1025
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	54.7	19			448581
2	3	92	19	1457	1486	590911
3	1	56.6	19			140493
4	3	89.7	19	1780.3	1390.3	284081
5	3	96.2	19	1889.8	990.8	428881
6	1	55.3	19			576288
7	3	94.8	19	1689.2	1497.2	122105
8	3	90.2	19	1326.8	1771.8	266198
9	2	66.9	19	1051.1		412229
10	2	72	19	1297		557041
11	3	86.7	19	1641.3	1489.3	104197
12	1	55.4	19			249848
13	2	68.8	19	1441.2		393914
14	1	58.2	19			539974
15	3	93.4	19	1785.6	1387.6	86460
16	1	54.5	19			232284
17	2	77.3	19	965.7		376508
18	2	82.4	19	964.6		521934
19	1	60	19			69033
20	2	70.6	19	1672.4		213556

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial24 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			24	VSG Frequency(MHz):		5521.5025
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.8	18			399422
2	1	54.6	18			560885
3	1	59.5	18			56933
4	3	84.8	18	1560.2	973.2	217304
5	3	90	18	1840	1010	377792
6	1	58.4	18			540537
7	3	99.5	18	1093.5	1037.5	36898
8	2	79.5	18	1422.5		198025
9	1	62.1	18			359634
10	3	83.6	18	1173.4	1447.4	518473
11	3	94.9	18	1839.1	1170.1	17097
12	1	63.5	18			178542
13	2	79.6	18	1364.4		339041
14	2	77.8	18	1544.2		499738
15	2	71.4	18	1593.6		660310
16	2	79.4	18	1153.6		158348
17	2	68.8	18	1261.2		319461
18	1	54.9	18			480988
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial25 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			25	VSG Frequency(MHz):		5526.3025
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.8	6	1865.2		1284761
2	2	79.8	6	1192.2		277502
3	3	92.2	6	1649.8	1809.8	599137
4	1	65.2	6			923577
5	3	87.3	6	1405.7	920.7	1244630
6	2	69.3	6	1160.7		237805
7	1	59.5	6			561128
8	1	55.7	6			883817
9	2	69.4	6	1485.6		1205420
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial26 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			26	VSG Frequency(MHz):		5525.9025
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85	7	1797	1750	177904
2	3	89.3	7	987.7	1313.7	467954
3	1	50.5	7			759742
4	1	52.4	7			1050405
5	2	75.8	7	1088.2		142453
6	1	57.7	7			433163
7	2	73.3	7	1676.7		723132
8	3	93	7	1819	1490	1011682
9	1	50	7			106740
10	2	82.5	7	1510.5		396909
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial27 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			27	VSG Frequency(MHz):		5523.5025
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	13	1765.1		457385
2	3	99.8	13	1894.2	1378.2	649016
3	3	87.8	13	918.2	1455.2	47115
4	1	55.8	13			240845
5	1	65.2	13			434565
6	2	78	13	1218		627641
7	2	83.3	13	1832.7		23378
8	2	77.2	13	1125.8		216751
9	2	73.1	13	1140.9		409885
10	2	75.8	13	1262.2		603652
11	3	91.1	13	1526.9	1647.9	794766
12	3	86.8	13	1014.2	1245.2	192657
13	1	64	13			387110
14	3	85.8	13	1386.2	1874.2	577864
15	2	72.4	13	1757.6		772119
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial28 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			28	VSG Frequency(MHz):		5524.3025
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.5	11			195431
2	2	80.2	11	1730.8		418403
3	2	78.4	11	1747.6		640940
4	3	93.6	11	969.4	1148.4	864134
5	2	67.4	11	1239.6		167780
6	3	90.3	11	1365.7	1280.7	390481
7	2	75.3	11	1474.7		613844
8	3	84.2	11	1451.8	1534.8	835343
9	3	89	11	1764	1565	139896
10	1	64.5	11			363785
11	3	90.2	11	1855.8	1717.8	585171
12	1	61.6	11			810651
13	2	81.2	11	1424.8		112685
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial29 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			29	VSG Frequency(MHz):		5520.7025
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69	20	1216		217877
2	1	55.8	20			363917
3	1	56.3	20			509147
4	3	84.8	20	960.2	1300.2	55196
5	2	71.4	20	1377.6		200224
6	3	96.9	20	1491.1	1263.1	344029
7	3	96.9	20	1309.1	1404.1	488676
8	1	55.2	20			37542
9	2	83.1	20	1639.9		182339
10	2	73.9	20	1035.1		327232
11	2	76.9	20	1756.1		471341
12	3	87.3	20	1185.7	1733.7	19578
13	1	54	20			164753
14	3	92.1	20	986.9	1454.9	308407
15	3	86.5	20	1115.5	1637.5	453275
16	2	80	20	1526		1796
17	2	78.4	20	1190.6		146713
18	3	98.2	20	1794.8	1517.8	290510
19	2	75.3	20	924.7		436314
20	1	64.7	20			582284

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial30 for 5510MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			30	VSG Frequency(MHz):		5520.7025
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.1	20	1910.9		128704
2	1	64.2	20			274230
3	2	77.5	20	1452.5		418456
4	3	94.9	20	1734.1	1153.1	561890
5	3	99.4	20	1609.6	1682.6	110610
6	2	82.7	20	1808.3		255501
7	3	92.3	20	1903.7	1677.7	398676
8	3	96.6	20	1583.4	1321.4	543882
9	1	65.6	20			93305
10	3	98.8	20	1290.2	1060.2	237549
11	3	91.4	20	1194.6	1785.6	381571
12	2	75.1	20	1660.9		527564
13	1	66.3	20			75456
14	1	52.1	20			220700
15	1	58.1	20			365839
16	2	67.3	20	1311.7		509473
17	2	69.4	20	1337.6		57395
18	1	56.2	20			202750
19	1	65.4	20			347970
20	2	67.1	20	1663.9		491762

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type6 for 5510MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

EHT80_5290MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	96.67		60	Pass
3	30	76.67		60	Pass
4	30	80		60	Pass
Aggregate (Radar Types 1-4)	120	88.335		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minimum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type1 for 5290MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
		Number (1 to 23)	(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5262	7	1567.4	638	A	Yes
2	5312	6	1618.1	618	A	Yes
3	5273	22	1066.1	938	A	Yes
4	5310	18	1165.5	858	A	Yes
5	5298	19	1139	878	A	Yes
6	5324	20	1113.6	898	A	Yes
7	5277	17	1193.3	838	A	Yes
8	5322	2	1858.7	538	A	Yes
9	5287	8	1519.8	658	A	Yes
10	5326	12	1355	738	A	Yes
11	5276	14	1285.3	778	A	Yes
12	5314	5	1672.2	598	A	Yes
13	5266	21	1089.3	918	A	Yes
14	5302	4	1730.1	578	A	Yes
15	5250	13	1319.3	758	A	Yes
16	5326	-	892.1	1121	B	Yes
17	5253	-	999	1001	B	Yes
18	5277	-	540	1852	B	Yes
19	5294	-	756.4	1322	B	Yes
20	5313	-	387.4	2581	B	Yes
21	5255	-	1292	774	B	Yes
22	5299	-	841	1189	B	Yes
23	5309	-	429.4	2329	B	Yes
24	5261	-	727.3	1375	B	Yes
25	5284	-	396.7	2521	B	Yes
26	5275	-	583.1	1715	B	Yes
27	5267	-	397.9	2513	B	Yes
28	5319	-	597	1675	B	Yes
29	5329	-	440.7	2269	B	Yes
30	5283	-	513.3	1948	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type2 for 5290MHz

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5318	25	2.1	183	Yes
2	5319	28	4.2	229	Yes
3	5308	29	4.6	180	Yes
4	5307	29	4.9	168	Yes
5	5315	25	2.4	220	Yes
6	5301	26	3	156	Yes
7	5324	24	1.7	172	Yes
8	5271	28	4.3	186	Yes
9	5268	24	1.9	199	Yes
10	5256	28	4.2	227	Yes
11	5255	29	4.7	176	Yes
12	5296	25	2.6	174	Yes
13	5269	27	3.8	163	Yes
14	5287	29	4.7	225	Yes
15	5254	23	1.3	216	Yes
16	5258	25	2.5	191	Yes
17	5254	27	3.8	154	Yes
18	5323	27	3.5	221	Yes
19	5318	28	4.4	162	Yes
20	5329	28	4	158	Yes
21	5260	26	2.7	203	Yes
22	5263	28	4.4	202	Yes
23	5327	29	4.8	194	Yes
24	5253	28	4.4	213	Yes
25	5309	23	1.4	159	No
26	5311	24	1.7	189	Yes
27	5250	26	3.2	206	Yes
28	5255	25	2.6	184	Yes
29	5272	29	5	196	Yes
30	5272	29	5	160	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type3 for 5290MHz

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5277	16	7.1	298	Yes
2	5308	18	9.2	302	Yes
3	5299	18	9.6	275	Yes
4	5309	18	9.9	488	Yes
5	5261	17	7.4	483	Yes
6	5318	17	8	223	Yes
7	5266	16	6.7	233	Yes
8	5292	18	9.3	374	Yes
9	5255	16	6.9	290	No
10	5301	18	9.2	291	Yes
11	5286	18	9.7	255	Yes
12	5266	17	7.6	306	Yes
13	5288	18	8.8	228	Yes
14	5273	18	9.7	277	Yes
15	5258	16	6.3	334	No
16	5281	17	7.5	393	Yes
17	5329	18	8.8	369	Yes
18	5265	17	8.5	313	No
19	5275	18	9.4	330	No
20	5292	18	9	230	Yes
21	5301	17	7.7	326	Yes
22	5313	18	9.4	234	No
23	5273	18	9.8	379	Yes
24	5322	18	9.4	225	Yes
25	5255	16	6.4	324	No
26	5266	16	6.7	245	Yes
27	5307	17	8.2	456	Yes
28	5281	17	7.6	416	Yes
29	5314	18	10	206	Yes
30	5280	18	10	272	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type4 for 5290MHz

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5303	13	13.6	298	Yes
2	5272	15	18.2	302	Yes
3	5295	16	19.1	275	Yes
4	5322	16	19.7	488	Yes
5	5255	13	14.3	483	Yes
6	5285	14	15.6	223	Yes
7	5273	12	12.6	233	Yes
8	5296	16	18.3	374	No
9	5262	13	13.1	290	Yes
10	5270	15	18.2	291	Yes
11	5293	16	19.2	255	Yes
12	5318	14	14.6	306	Yes
13	5305	15	17.4	228	Yes
14	5311	16	19.2	277	Yes
15	5290	12	11.7	334	Yes
16	5259	13	14.4	393	Yes
17	5268	15	17.2	369	Yes
18	5283	15	16.7	313	Yes
19	5322	16	18.6	330	Yes
20	5261	15	17.7	230	No
21	5312	14	14.9	326	Yes
22	5281	16	18.7	234	Yes
23	5258	16	19.5	379	Yes
24	5299	16	18.5	225	No
25	5286	12	12	324	Yes
26	5285	12	12.6	245	No
27	5322	14	16	456	Yes
28	5265	14	14.7	416	No
29	5290	16	19.9	206	Yes
30	5320	16	19.8	272	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial1 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			1	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.4	9			579227
2	3	89.8	9	1304.2	1603.2	841365
3	3	94.9	9	1392.1	1424.1	18234
4	3	98.1	9	1823.9	1687.9	281420
5	2	68.2	9	984.8		546139
6	2	75.4	9	972.6		810074
7	1	59.2	9			1075177
8	3	90.6	9	1596.4	1909.4	248995
9	1	62	9			513976
10	3	89.7	9	1518.3	1534.3	776229
11	3	95.3	9	1116.7	1057.7	1040412
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial2 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			2	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70	17	1166		132436
2	3	85.3	17	1466.7	1352.7	292626
3	3	95.2	17	1087.8	1356.8	453362
4	1	54.1	17			616318
5	2	68.8	17	1007.2		112661
6	3	84.3	17	1625.7	1256.7	272945
7	2	81.6	17	1825.4		434348
8	3	92	17	1630	1426	593917
9	3	86.9	17	1842.1	1877.1	92421
10	2	71.7	17	1921.3		253426
11	3	92.5	17	1592.5	1555.5	413812
12	3	96.9	17	1430.1	1338.1	574368
13	3	91.7	17	1627.3	1159.3	72750
14	1	55.8	17			234292
15	1	59	17			395635
16	2	78	17	1193		556445
17	2	70.7	17	1532.3		53168
18	3	99.3	17	1022.7	1425.7	213870
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial3 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			3	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	19	1814.1	1539.1	354113
2	3	93.6	19	1609.4	1589.4	506434
3	3	86.1	19	1405.9	1550.9	31465
4	3	99.5	19	1100.5	1743.5	183493
5	1	53.6	19			337104
6	2	74.9	19	1507.1		489209
7	1	56.3	19			12808
8	1	52.4	19			165727
9	3	94.7	19	1456.3	1387.3	316976
10	1	57.5	19			471045
11	2	69.1	19	1134.9		622905
12	3	86.1	19	1024.9	1830.9	146027
13	2	70.4	19	1736.6		298828
14	3	96.5	19	1061.5	1678.5	450434
15	2	73.1	19	1144.9		604293
16	2	72.8	19	1874.2		127589
17	2	69	19	1556		279861
18	3	91.2	19	1064.8	1474.8	431418
19	1	63.5	19			586157
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial4 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			4	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	20	1292.3		103517
2	3	95.9	20	1400.1	1335.1	247474
3	3	88.7	20	999.3	1887.3	391918
4	3	98.3	20	1710.7	1190.7	536307
5	3	88.2	20	1571.8	1388.8	85412
6	2	77.7	20	1705.3		230205
7	3	97.9	20	1659.1	1026.1	374505
8	2	71.9	20	1625.1		519902
9	3	92.9	20	1667.1	1395.1	67502
10	1	53.2	20			213185
11	3	92.2	20	1699.8	1174.8	356508
12	1	59.2	20			503465
13	3	97.5	20	1147.5	1742.5	49765
14	3	88.6	20	1528.4	1444.4	194301
15	3	91.3	20	1832.7	918.7	338760
16	1	63.1	20			485122
17	3	96.2	20	1828.8	1507.8	31983
18	1	59.1	20			177179
19	2	70.6	20	1510.4		321661
20	2	81.6	20	1354.4		466758

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial5 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			5		VSG Frequency(MHz):	
Number of Bursts in Trial:			12		Successful Detection:	
					Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.2	10	1116.8		23781
2	3	97.8	10	954.2	1222.2	265327
3	1	66.3	10			508335
4	3	89.6	10	948.4	1452.4	748584
5	2	74.1	10	1072.9		991182
6	2	72.9	10	1092.1		235983
7	1	50.7	10			478237
8	1	51.2	10			720672
9	3	96.1	10	1544.9	1883.9	958686
10	2	73.8	10	948.2		206198
11	2	68.9	10	1625.1		447826
12	3	86.9	10	1122.1	1513.1	688804
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial6 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	67.8	13	1016.2		798691
2	1	64.5	13			151251
3	3	97	13	1501	1313	357387
4	1	53.4	13			566076
5	1	60.2	13			773837
6	3	95.4	13	909.6	1226.6	125288
7	3	98	13	1462	1700	331925
8	2	71.8	13	994.2		539875
9	1	55.8	13			747862
10	1	52.9	13			100147
11	1	63.4	13			307774
12	3	99.3	13	1052.7	1697.7	513420
13	1	52.5	13			722946
14	3	98.4	13	1781.6	1735.6	74225
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial7 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			7	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.7	7	1101.3		394740
2	3	97.6	7	1613.4	992.4	683933
3	2	79.2	7	1243.8		975692
4	2	83.3	7	953.7		68550
5	2	77	7	1834		358744
6	1	63.6	7			650085
7	3	98.5	7	1677.5	1070.5	938563
8	1	59.6	7			32834
9	3	93.3	7	1607.7	1604.7	322644
10	2	75.9	7	1644.1		613124
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial8 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			8	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.5	17	1015.5		501236
2	3	99.1	17	1662.9	1831.9	660220
3	2	74.2	17	1313.8		159226
4	1	65.2	17			320765
5	2	76.9	17	1019.1		481258
6	3	96.6	17	1431.4	1749.4	640584
7	2	75.9	17	1305.1		139582
8	2	69.1	17	1719.9		300516
9	3	84.4	17	1331.6	1478.6	460230
10	1	55.3	17			624048
11	3	91.4	17	1021.6	910.6	119511
12	2	82.9	17	1339.1		280585
13	3	91.7	17	1513.3	1355.3	440412
14	3	87.9	17	967.1	1061.1	601939
15	1	52.9	17			100042
16	1	50.7	17			261511
17	1	61.2	17			422986
18	3	98.8	17	1765.2	974.2	581579
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial9 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			9	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.8	8	1409.2		131130
2	2	67.2	8	1094.8		395224
3	3	84.4	8	1219.6	1218.6	658373
4	2	67.1	8	1039.9		923354
5	3	87.1	8	1793.9	1375.9	98519
6	2	75.8	8	1285.2		362400
7	1	51.1	8			627167
8	1	53.2	8			891480
9	2	72.1	8	1443.9		66152
10	1	62.7	8			330351
11	3	96.9	8	1085.1	1009.1	593345
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial10 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			10	VSG Frequency(MHz):		5290
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.2	17			524136
2	3	88.5	17	973.5	1521.5	20502
3	1	58.2	17			181858
4	2	71.2	17	1745.8		342215
5	2	71	17	1520		503246
6	2	73.9	17	1220.1		700
7	1	61.1	17			162115
8	2	71.2	17	1189.8		322689
9	2	82.7	17	1241.3		483759
10	3	94.9	17	1151.1	1139.1	643329
11	1	59.2	17			142200
12	2	77.1	17	1556.9		302918
13	3	94.3	17	1244.7	1732.7	462572
14	1	64.9	17			626009
15	3	97.2	17	1397.8	1597.8	121726
16	1	56.9	17			283645
17	3	88.8	17	1402.2	934.2	443369
18	1	55.8	17			606247
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial11 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			11	VSG Frequency(MHz):		5258.9175
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.3	19	1260.7	1167.7	96650
2	2	80.3	19	1392.7		249095
3	2	76.2	19	1855.8		401111
4	1	52.4	19			555703
5	3	99.7	19	1276.3	1574.3	77774
6	3	83.8	19	1460.2	1634.2	229633
7	2	76.1	19	988.9		383360
8	3	91.5	19	1348.5	994.5	534711
9	1	62.4	19			59393
10	1	62	19			212172
11	3	98.4	19	1082.6	1102.6	363727
12	1	64	19			517515
13	2	73.6	19	1498.4		40405
14	2	74.5	19	1914.5		192747
15	1	63.1	19			346017
16	2	72.3	19	1146.7		498292
17	2	79.1	19	1661.9		21650
18	2	66.9	19	1127.1		174224
19	2	83.2	19	1206.8		326920
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial12 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			12	VSG Frequency(MHz):		5255.7175
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.7	11			701980
2	2	70.6	11	1195.4		4223
3	1	64	11			227751
4	3	91.9	11	988.1	1654.1	449804
5	2	79.6	11	1807.4		673736
6	2	78.5	11	1106.5		897227
7	1	53.9	11			200181
8	1	66.6	11			423743
9	3	90.2	11	1236.8	959.8	645236
10	3	90.2	11	1476.8	1448.8	867872
11	1	52.2	11			172590
12	3	89.9	11	1900.1	978.1	395028
13	2	68.8	11	1511.2		618935
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial13 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			13	VSG Frequency(MHz):		5257.7175
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	62.4	16			644422
2	3	97.4	16	934.6	1327.6	110607
3	2	80.9	16	1135.1		281434
4	2	82.5	16	1813.5		451514
5	2	70.6	16	1136.4		622643
6	1	52.8	16			89942
7	3	88.8	16	1323.2	1644.2	259563
8	2	74.4	16	1135.6		430673
9	3	95.2	16	1651.8	1030.8	600164
10	2	79.5	16	1375.5		68672
11	1	61.4	16			239791
12	3	99.1	16	1607.9	1320.9	408787
13	2	72.8	16	1846.2		580008
14	2	68.6	16	1045.4		47748
15	2	71.2	16	961.8		218318
16	3	84.8	16	941.2	1636.2	388146
17	1	64	16			560697
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial14 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			14	VSG Frequency(MHz):		5258.9175
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	19	1326.1		23884
2	3	85.8	19	1573.2	1881.2	175818
3	2	80.3	19	1670.7		328650
4	2	73.7	19	1511.3		481087
5	2	77	19	965		5109
6	3	85.3	19	1753.7	1688.7	156956
7	2	77.3	19	1393.7		309907
8	3	88.5	19	928.5	1782.5	461222
9	3	96.6	19	1091.4	1579.4	613128
10	2	74	19	1887		138732
11	3	95.8	19	1778.2	1212.2	290573
12	2	67.2	19	1469.8		443516
13	3	86	19	1276	1292	594737
14	1	51.3	19			120366
15	1	60.2	19			273020
16	2	72.2	19	1835.8		424712
17	2	79.5	19	1068.5		577791
18	1	51.6	19			101396
19	2	76.2	19	1006.8		253684
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial15 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			15	VSG Frequency(MHz):		5253.7175
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.6	6	1208.4	1390.4	858523
2	2	80.7	6	1358.3		1182345
3	1	51.6	6			174691
4	2	76.3	6	1351.7		497325
5	2	78.1	6	1441.9		819993
6	1	58.8	6			1143999
7	1	66.6	6			134938
8	3	91.1	6	1773.9	1473.9	456574
9	1	52.5	6			781040
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial16 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			16	VSG Frequency(MHz):		5255.7175
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.9	11	1588.1	1518.1	825224
2	1	56.8	11			71290
3	1	59.8	11			313485
4	2	82.7	11	1783.3		554517
5	2	81.9	11	1712.1		796738
6	2	76.1	11	1267.9		41426
7	2	68.2	11	1676.8		283281
8	1	66.4	11			526072
9	1	59.5	11			768107
10	3	95.2	11	1214.8	1899.8	11605
11	3	85.4	11	1300.6	1003.6	253097
12	1	62.1	11			495924
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial17 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			17	VSG Frequency(MHz):		5257.3175
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53.5	15			553429
2	3	94	15	1738	1131	732347
3	2	74.1	15	1238.9		167568
4	2	78.9	15	940.1		348961
5	3	93.1	15	1605.9	1183.9	528636
6	1	57.2	15			712774
7	1	59.1	15			145454
8	2	78.2	15	1475.8		326451
9	1	51.2	15			508679
10	2	76.8	15	957.2		689345
11	3	93.3	15	1805.7	1098.7	122621
12	2	67	15	1249		304153
13	3	95.1	15	1191.9	1756.9	484366
14	3	91.2	15	1698.8	1023.8	665289
15	2	83.3	15	1858.7		100613
16	2	70.2	15	1278.8		281782
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial18 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			18	VSG Frequency(MHz):		5257.3175
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.5	15			464026
2	1	52.2	15			645006
3	1	64.9	15			78499
4	1	60.4	15			259832
5	3	94.2	15	1047.8	1783.8	439598
6	2	74.7	15	1710.3		621874
7	3	95.6	15	1038.4	1219.4	55936
8	3	89.7	15	1637.3	1164.3	236696
9	1	64.1	15			418946
10	1	63.1	15			600579
11	3	85.3	15	1727.7	1193.7	33617
12	1	59.8	15			215387
13	2	83.1	15	1825.9		396042
14	3	93.8	15	1420.2	1264.2	576211
15	1	62.6	15			11378
16	3	84.4	15	1805.6	1319.6	191957
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial19 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			19	VSG Frequency(MHz):		5258.5175
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.2	18			332944
2	1	64.1	18			494262
3	3	90.1	18	1257.9	1137.9	652937
4	3	86.7	18	1657.3	983.3	150848
5	2	77.6	18	1411.4		312036
6	3	97.4	18	1242.6	1796.6	472197
7	3	85.1	18	1535.9	1341.9	632468
8	1	51.6	18			131753
9	1	57.4	18			292873
10	1	62.8	18			454000
11	1	51.2	18			615518
12	1	66	18			111785
13	1	63.6	18			273299
14	3	92.8	18	1768.2	1563.2	431884
15	3	87.6	18	1453.4	1626.4	592905
16	3	90.8	18	1156.2	1506.2	91558
17	3	92.9	18	1061.1	1383.1	252151
18	3	98	18	1223	929	413078
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial20 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			20	VSG Frequency(MHz):		5257.7175
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	56.9	16			609748
2	1	57.3	16			76333
3	2	80.2	16	1489.8		246508
4	2	75	16	1367		416875
5	2	67.9	16	1343.1		587860
6	2	78.8	16	1599.2		55184
7	3	98.5	16	1199.5	1091.5	225387
8	3	84.4	16	946.6	1285.6	395809
9	1	64.7	16			567651
10	2	80	16	921		34202
11	2	71.9	16	1160.1		204616
12	3	99.4	16	1246.6	940.6	374567
13	3	95.1	16	1491.9	1023.9	544589
14	1	57.4	16			13194
15	1	64.2	16			184102
16	1	58.8	16			354646
17	1	50.7	16			525809
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial21 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			21	VSG Frequency(MHz):		5324.2825
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81	11	1457		910167
2	1	51.1	11			213159
3	3	96.7	11	1895.3	1702.3	434883
4	3	92.7	11	1299.3	1279.3	658508
5	1	62.1	11			883748
6	2	67.2	11	1332.8		185430
7	1	63.3	11			409432
8	1	52.9	11			633080
9	2	81.3	11	1610.7		854932
10	2	73.4	11	1877.6		157904
11	2	79.6	11	1626.4		380928
12	2	76.1	11	1841.9		603647
13	2	71.4	11	1619.6		826836
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial22 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			22	VSG Frequency(MHz):		5321.4825
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.5	18	1886.5		89102
2	3	94.6	18	990.4	1591.4	240957
3	2	67	18	1224		394240
4	3	85.1	18	1800.9	1646.9	544510
5	3	86.9	18	1602.1	1445.1	70099
6	1	55.3	18			223278
7	1	54.1	18			375951
8	3	91.3	18	1535.7	1146.7	526307
9	3	96.2	18	1664.8	1868.8	51378
10	1	61.2	18			204390
11	3	88.3	18	1888.7	1344.7	355514
12	3	93.2	18	1854.8	1515.8	506902
13	2	82.7	18	1314.3		32784
14	1	55	18			185602
15	2	79.7	18	1645.3		337333
16	1	58.1	18			491642
17	2	67.8	18	1696.2		13999
18	3	93.9	18	1782.1	1467.1	165908
19	1	51.8	18			319455
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial23 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			23	VSG Frequency(MHz):		5321.0825
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	54.7	19			448581
2	3	92	19	1457	1486	590911
3	1	56.6	19			140493
4	3	89.7	19	1780.3	1390.3	284081
5	3	96.2	19	1889.8	990.8	428881
6	1	55.3	19			576288
7	3	94.8	19	1689.2	1497.2	122105
8	3	90.2	19	1326.8	1771.8	266198
9	2	66.9	19	1051.1		412229
10	2	72	19	1297		557041
11	3	86.7	19	1641.3	1489.3	104197
12	1	55.4	19			249848
13	2	68.8	19	1441.2		393914
14	1	58.2	19			539974
15	3	93.4	19	1785.6	1387.6	86460
16	1	54.5	19			232284
17	2	77.3	19	965.7		376508
18	2	82.4	19	964.6		521934
19	1	60	19			69033
20	2	70.6	19	1672.4		213556

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial24 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			24	VSG Frequency(MHz):		5321.4825
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.8	18			399422
2	1	54.6	18			560885
3	1	59.5	18			56933
4	3	84.8	18	1560.2	973.2	217304
5	3	90	18	1840	1010	377792
6	1	58.4	18			540537
7	3	99.5	18	1093.5	1037.5	36898
8	2	79.5	18	1422.5		198025
9	1	62.1	18			359634
10	3	83.6	18	1173.4	1447.4	518473
11	3	94.9	18	1839.1	1170.1	17097
12	1	63.5	18			178542
13	2	79.6	18	1364.4		339041
14	2	77.8	18	1544.2		499738
15	2	71.4	18	1593.6		660310
16	2	79.4	18	1153.6		158348
17	2	68.8	18	1261.2		319461
18	1	54.9	18			480988
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial25 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			25	VSG Frequency(MHz):		5326.2825
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.8	6	1865.2		1284761
2	2	79.8	6	1192.2		277502
3	3	92.2	6	1649.8	1809.8	599137
4	1	65.2	6			923577
5	3	87.3	6	1405.7	920.7	1244630
6	2	69.3	6	1160.7		237805
7	1	59.5	6			561128
8	1	55.7	6			883817
9	2	69.4	6	1485.6		1205420
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial26 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			26	VSG Frequency(MHz):		5325.8825
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85	7	1797	1750	177904
2	3	89.3	7	987.7	1313.7	467954
3	1	50.5	7			759742
4	1	52.4	7			1050405
5	2	75.8	7	1088.2		142453
6	1	57.7	7			433163
7	2	73.3	7	1676.7		723132
8	3	93	7	1819	1490	1011682
9	1	50	7			106740
10	2	82.5	7	1510.5		396909
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial27 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			27	VSG Frequency(MHz):		5323.4825
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	13	1765.1		457385
2	3	99.8	13	1894.2	1378.2	649016
3	3	87.8	13	918.2	1455.2	47115
4	1	55.8	13			240845
5	1	65.2	13			434565
6	2	78	13	1218		627641
7	2	83.3	13	1832.7		23378
8	2	77.2	13	1125.8		216751
9	2	73.1	13	1140.9		409885
10	2	75.8	13	1262.2		603652
11	3	91.1	13	1526.9	1647.9	794766
12	3	86.8	13	1014.2	1245.2	192657
13	1	64	13			387110
14	3	85.8	13	1386.2	1874.2	577864
15	2	72.4	13	1757.6		772119
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial28 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			28	VSG Frequency(MHz):		5324.2825
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.5	11			195431
2	2	80.2	11	1730.8		418403
3	2	78.4	11	1747.6		640940
4	3	93.6	11	969.4	1148.4	864134
5	2	67.4	11	1239.6		167780
6	3	90.3	11	1365.7	1280.7	390481
7	2	75.3	11	1474.7		613844
8	3	84.2	11	1451.8	1534.8	835343
9	3	89	11	1764	1565	139896
10	1	64.5	11			363785
11	3	90.2	11	1855.8	1717.8	585171
12	1	61.6	11			810651
13	2	81.2	11	1424.8		112685
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial29 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			29	VSG Frequency(MHz):		5320.6825
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69	20	1216		217877
2	1	55.8	20			363917
3	1	56.3	20			509147
4	3	84.8	20	960.2	1300.2	55196
5	2	71.4	20	1377.6		200224
6	3	96.9	20	1491.1	1263.1	344029
7	3	96.9	20	1309.1	1404.1	488676
8	1	55.2	20			37542
9	2	83.1	20	1639.9		182339
10	2	73.9	20	1035.1		327232
11	2	76.9	20	1756.1		471341
12	3	87.3	20	1185.7	1733.7	19578
13	1	54	20			164753
14	3	92.1	20	986.9	1454.9	308407
15	3	86.5	20	1115.5	1637.5	453275
16	2	80	20	1526		1796
17	2	78.4	20	1190.6		146713
18	3	98.2	20	1794.8	1517.8	290510
19	2	75.3	20	924.7		436314
20	1	64.7	20			582284

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial30 for 5290MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			30	VSG Frequency(MHz):		5320.6825
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.1	20	1910.9		128704
2	1	64.2	20			274230
3	2	77.5	20	1452.5		418456
4	3	94.9	20	1734.1	1153.1	561890
5	3	99.4	20	1609.6	1682.6	110610
6	2	82.7	20	1808.3		255501
7	3	92.3	20	1903.7	1677.7	398676
8	3	96.6	20	1583.4	1321.4	543882
9	1	65.6	20			93305
10	3	98.8	20	1290.2	1060.2	237549
11	3	91.4	20	1194.6	1785.6	381571
12	2	75.1	20	1660.9		527564
13	1	66.3	20			75456
14	1	52.1	20			220700
15	1	58.1	20			365839
16	2	67.3	20	1311.7		509473
17	2	69.4	20	1337.6		57395
18	1	56.2	20			202750
19	1	65.4	20			347970
20	2	67.1	20	1663.9		491762

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type6 for 5290MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

EHT80_5530MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	100		60	Pass
3	30	86.67		60	Pass
4	30	76.67		60	Pass
Aggregate (Radar Types 1-4)	120	90.835		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minimum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
6	30	90		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type1 for 5530MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
		Number (1 to 23)	(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5563	7	1567.4	638	A	Yes
2	5539	6	1618.1	618	A	Yes
3	5492	22	1066.1	938	A	Yes
4	5544	18	1165.5	858	A	Yes
5	5494	19	1139	878	A	Yes
6	5511	20	1113.6	898	A	Yes
7	5564	17	1193.3	838	A	Yes
8	5529	2	1858.7	538	A	Yes
9	5526	8	1519.8	658	A	Yes
10	5563	12	1355	738	A	Yes
11	5544	14	1285.3	778	A	Yes
12	5543	5	1672.2	598	A	Yes
13	5552	21	1089.3	918	A	Yes
14	5549	4	1730.1	578	A	Yes
15	5509	13	1319.3	758	A	Yes
16	5556	-	892.1	1121	B	Yes
17	5532	-	999	1001	B	Yes
18	5521	-	540	1852	B	Yes
19	5558	-	756.4	1322	B	Yes
20	5556	-	387.4	2581	B	Yes
21	5552	-	1292	774	B	Yes
22	5500	-	841	1189	B	Yes
23	5553	-	429.4	2329	B	Yes
24	5504	-	727.3	1375	B	Yes
25	5545	-	396.7	2521	B	Yes
26	5542	-	583.1	1715	B	Yes
27	5540	-	397.9	2513	B	Yes
28	5529	-	597	1675	B	Yes
29	5527	-	440.7	2269	B	Yes
30	5563	-	513.3	1948	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type2 for 5530MHz

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5517	25	2.1	183	Yes
2	5520	28	4.2	229	Yes
3	5511	29	4.6	180	Yes
4	5555	29	4.9	168	Yes
5	5561	25	2.4	220	Yes
6	5541	26	3	156	Yes
7	5543	24	1.7	172	Yes
8	5512	28	4.3	186	Yes
9	5511	24	1.9	199	Yes
10	5556	28	4.2	227	Yes
11	5512	29	4.7	176	Yes
12	5515	25	2.6	174	Yes
13	5547	27	3.8	163	Yes
14	5550	29	4.7	225	Yes
15	5559	23	1.3	216	Yes
16	5551	25	2.5	191	Yes
17	5534	27	3.8	154	Yes
18	5543	27	3.5	221	Yes
19	5538	28	4.4	162	Yes
20	5524	28	4	158	Yes
21	5558	26	2.7	203	Yes
22	5502	28	4.4	202	Yes
23	5511	29	4.8	194	Yes
24	5563	28	4.4	213	Yes
25	5507	23	1.4	159	Yes
26	5526	24	1.7	189	Yes
27	5522	26	3.2	206	Yes
28	5525	25	2.6	184	Yes
29	5503	29	5	196	Yes
30	5530	29	5	160	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type3 for 5530MHz

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5499	16	7.1	298	Yes
2	5521	18	9.2	302	Yes
3	5522	18	9.6	275	Yes
4	5566	18	9.9	488	Yes
5	5533	17	7.4	483	Yes
6	5554	17	8	223	Yes
7	5568	16	6.7	233	No
8	5522	18	9.3	374	Yes
9	5509	16	6.9	290	Yes
10	5549	18	9.2	291	Yes
11	5558	18	9.7	255	Yes
12	5542	17	7.6	306	Yes
13	5531	18	8.8	228	Yes
14	5524	18	9.7	277	Yes
15	5560	16	6.3	334	Yes
16	5564	17	7.5	393	Yes
17	5503	18	8.8	369	No
18	5493	17	8.5	313	Yes
19	5505	18	9.4	330	Yes
20	5549	18	9	230	Yes
21	5504	17	7.7	326	Yes
22	5537	18	9.4	234	Yes
23	5519	18	9.8	379	No
24	5495	18	9.4	225	Yes
25	5543	16	6.4	324	No
26	5493	16	6.7	245	Yes
27	5503	17	8.2	456	Yes
28	5533	17	7.6	416	Yes
29	5532	18	10	206	Yes
30	5528	18	10	272	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type4 for 5530MHz

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5541	13	13.6	298	No
2	5490	15	18.2	302	Yes
3	5521	16	19.1	275	Yes
4	5526	16	19.7	488	No
5	5513	13	14.3	483	Yes
6	5557	14	15.6	223	Yes
7	5549	12	12.6	233	No
8	5538	16	18.3	374	Yes
9	5538	13	13.1	290	Yes
10	5507	15	18.2	291	Yes
11	5517	16	19.2	255	No
12	5566	14	14.6	306	Yes
13	5509	15	17.4	228	Yes
14	5523	16	19.2	277	Yes
15	5563	12	11.7	334	Yes
16	5503	13	14.4	393	Yes
17	5559	15	17.2	369	Yes
18	5533	15	16.7	313	Yes
19	5519	16	18.6	330	No
20	5497	15	17.7	230	No
21	5561	14	14.9	326	Yes
22	5490	16	18.7	234	Yes
23	5519	16	19.5	379	Yes
24	5502	16	18.5	225	Yes
25	5536	12	12	324	Yes
26	5504	12	12.6	245	Yes
27	5511	14	16	456	Yes
28	5536	14	14.7	416	Yes
29	5561	16	19.9	206	Yes
30	5496	16	19.8	272	No

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial1 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			1	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.4	9			579227
2	3	89.8	9	1304.2	1603.2	841365
3	3	94.9	9	1392.1	1424.1	18234
4	3	98.1	9	1823.9	1687.9	281420
5	2	68.2	9	984.8		546139
6	2	75.4	9	972.6		810074
7	1	59.2	9			1075177
8	3	90.6	9	1596.4	1909.4	248995
9	1	62	9			513976
10	3	89.7	9	1518.3	1534.3	776229
11	3	95.3	9	1116.7	1057.7	1040412
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial2 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			2	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70	17	1166		132436
2	3	85.3	17	1466.7	1352.7	292626
3	3	95.2	17	1087.8	1356.8	453362
4	1	54.1	17			616318
5	2	68.8	17	1007.2		112661
6	3	84.3	17	1625.7	1256.7	272945
7	2	81.6	17	1825.4		434348
8	3	92	17	1630	1426	593917
9	3	86.9	17	1842.1	1877.1	92421
10	2	71.7	17	1921.3		253426
11	3	92.5	17	1592.5	1555.5	413812
12	3	96.9	17	1430.1	1338.1	574368
13	3	91.7	17	1627.3	1159.3	72750
14	1	55.8	17			234292
15	1	59	17			395635
16	2	78	17	1193		556445
17	2	70.7	17	1532.3		53168
18	3	99.3	17	1022.7	1425.7	213870
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial3 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			3	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	19	1814.1	1539.1	354113
2	3	93.6	19	1609.4	1589.4	506434
3	3	86.1	19	1405.9	1550.9	31465
4	3	99.5	19	1100.5	1743.5	183493
5	1	53.6	19			337104
6	2	74.9	19	1507.1		489209
7	1	56.3	19			12808
8	1	52.4	19			165727
9	3	94.7	19	1456.3	1387.3	316976
10	1	57.5	19			471045
11	2	69.1	19	1134.9		622905
12	3	86.1	19	1024.9	1830.9	146027
13	2	70.4	19	1736.6		298828
14	3	96.5	19	1061.5	1678.5	450434
15	2	73.1	19	1144.9		604293
16	2	72.8	19	1874.2		127589
17	2	69	19	1556		279861
18	3	91.2	19	1064.8	1474.8	431418
19	1	63.5	19			586157
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Radar Type5_Trial4 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			4	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	20	1292.3		103517
2	3	95.9	20	1400.1	1335.1	247474
3	3	88.7	20	999.3	1887.3	391918
4	3	98.3	20	1710.7	1190.7	536307
5	3	88.2	20	1571.8	1388.8	85412
6	2	77.7	20	1705.3		230205
7	3	97.9	20	1659.1	1026.1	374505
8	2	71.9	20	1625.1		519902
9	3	92.9	20	1667.1	1395.1	67502
10	1	53.2	20			213185
11	3	92.2	20	1699.8	1174.8	356508
12	1	59.2	20			503465
13	3	97.5	20	1147.5	1742.5	49765
14	3	88.6	20	1528.4	1444.4	194301
15	3	91.3	20	1832.7	918.7	338760
16	1	63.1	20			485122
17	3	96.2	20	1828.8	1507.8	31983
18	1	59.1	20			177179
19	2	70.6	20	1510.4		321661
20	2	81.6	20	1354.4		466758

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial5 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			5	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.2	10	1116.8		23781
2	3	97.8	10	954.2	1222.2	265327
3	1	66.3	10			508335
4	3	89.6	10	948.4	1452.4	748584
5	2	74.1	10	1072.9		991182
6	2	72.9	10	1092.1		235983
7	1	50.7	10			478237
8	1	51.2	10			720672
9	3	96.1	10	1544.9	1883.9	958686
10	2	73.8	10	948.2		206198
11	2	68.9	10	1625.1		447826
12	3	86.9	10	1122.1	1513.1	688804
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial6 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	67.8	13	1016.2		798691
2	1	64.5	13			151251
3	3	97	13	1501	1313	357387
4	1	53.4	13			566076
5	1	60.2	13			773837
6	3	95.4	13	909.6	1226.6	125288
7	3	98	13	1462	1700	331925
8	2	71.8	13	994.2		539875
9	1	55.8	13			747862
10	1	52.9	13			100147
11	1	63.4	13			307774
12	3	99.3	13	1052.7	1697.7	513420
13	1	52.5	13			722946
14	3	98.4	13	1781.6	1735.6	74225
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial7 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			7	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.7	7	1101.3		394740
2	3	97.6	7	1613.4	992.4	683933
3	2	79.2	7	1243.8		975692
4	2	83.3	7	953.7		68550
5	2	77	7	1834		358744
6	1	63.6	7			650085
7	3	98.5	7	1677.5	1070.5	938563
8	1	59.6	7			32834
9	3	93.3	7	1607.7	1604.7	322644
10	2	75.9	7	1644.1		613124
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial8 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			8	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.5	17	1015.5		501236
2	3	99.1	17	1662.9	1831.9	660220
3	2	74.2	17	1313.8		159226
4	1	65.2	17			320765
5	2	76.9	17	1019.1		481258
6	3	96.6	17	1431.4	1749.4	640584
7	2	75.9	17	1305.1		139582
8	2	69.1	17	1719.9		300516
9	3	84.4	17	1331.6	1478.6	460230
10	1	55.3	17			624048
11	3	91.4	17	1021.6	910.6	119511
12	2	82.9	17	1339.1		280585
13	3	91.7	17	1513.3	1355.3	440412
14	3	87.9	17	967.1	1061.1	601939
15	1	52.9	17			100042
16	1	50.7	17			261511
17	1	61.2	17			422986
18	3	98.8	17	1765.2	974.2	581579
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial9 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			9	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.8	8	1409.2		131130
2	2	67.2	8	1094.8		395224
3	3	84.4	8	1219.6	1218.6	658373
4	2	67.1	8	1039.9		923354
5	3	87.1	8	1793.9	1375.9	98519
6	2	75.8	8	1285.2		362400
7	1	51.1	8			627167
8	1	53.2	8			891480
9	2	72.1	8	1443.9		66152
10	1	62.7	8			330351
11	3	96.9	8	1085.1	1009.1	593345
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial10 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			10	VSG Frequency(MHz):		5530
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.2	17			524136
2	3	88.5	17	973.5	1521.5	20502
3	1	58.2	17			181858
4	2	71.2	17	1745.8		342215
5	2	71	17	1520		503246
6	2	73.9	17	1220.1		700
7	1	61.1	17			162115
8	2	71.2	17	1189.8		322689
9	2	82.7	17	1241.3		483759
10	3	94.9	17	1151.1	1139.1	643329
11	1	59.2	17			142200
12	2	77.1	17	1556.9		302918
13	3	94.3	17	1244.7	1732.7	462572
14	1	64.9	17			626009
15	3	97.2	17	1397.8	1597.8	121726
16	1	56.9	17			283645
17	3	88.8	17	1402.2	934.2	443369
18	1	55.8	17			606247
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial11 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			11	VSG Frequency(MHz):		5498.6565
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.3	19	1260.7	1167.7	96650
2	2	80.3	19	1392.7		249095
3	2	76.2	19	1855.8		401111
4	1	52.4	19			555703
5	3	99.7	19	1276.3	1574.3	77774
6	3	83.8	19	1460.2	1634.2	229633
7	2	76.1	19	988.9		383360
8	3	91.5	19	1348.5	994.5	534711
9	1	62.4	19			59393
10	1	62	19			212172
11	3	98.4	19	1082.6	1102.6	363727
12	1	64	19			517515
13	2	73.6	19	1498.4		40405
14	2	74.5	19	1914.5		192747
15	1	63.1	19			346017
16	2	72.3	19	1146.7		498292
17	2	79.1	19	1661.9		21650
18	2	66.9	19	1127.1		174224
19	2	83.2	19	1206.8		326920
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial12 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			12	VSG Frequency(MHz):		5495.4565
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.7	11			701980
2	2	70.6	11	1195.4		4223
3	1	64	11			227751
4	3	91.9	11	988.1	1654.1	449804
5	2	79.6	11	1807.4		673736
6	2	78.5	11	1106.5		897227
7	1	53.9	11			200181
8	1	66.6	11			423743
9	3	90.2	11	1236.8	959.8	645236
10	3	90.2	11	1476.8	1448.8	867872
11	1	52.2	11			172590
12	3	89.9	11	1900.1	978.1	395028
13	2	68.8	11	1511.2		618935
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial13 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			13	VSG Frequency(MHz):		5497.4565
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	62.4	16			644422
2	3	97.4	16	934.6	1327.6	110607
3	2	80.9	16	1135.1		281434
4	2	82.5	16	1813.5		451514
5	2	70.6	16	1136.4		622643
6	1	52.8	16			89942
7	3	88.8	16	1323.2	1644.2	259563
8	2	74.4	16	1135.6		430673
9	3	95.2	16	1651.8	1030.8	600164
10	2	79.5	16	1375.5		68672
11	1	61.4	16			239791
12	3	99.1	16	1607.9	1320.9	408787
13	2	72.8	16	1846.2		580008
14	2	68.6	16	1045.4		47748
15	2	71.2	16	961.8		218318
16	3	84.8	16	941.2	1636.2	388146
17	1	64	16			560697
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial14 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			14	VSG Frequency(MHz):		5498.6565
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	19	1326.1		23884
2	3	85.8	19	1573.2	1881.2	175818
3	2	80.3	19	1670.7		328650
4	2	73.7	19	1511.3		481087
5	2	77	19	965		5109
6	3	85.3	19	1753.7	1688.7	156956
7	2	77.3	19	1393.7		309907
8	3	88.5	19	928.5	1782.5	461222
9	3	96.6	19	1091.4	1579.4	613128
10	2	74	19	1887		138732
11	3	95.8	19	1778.2	1212.2	290573
12	2	67.2	19	1469.8		443516
13	3	86	19	1276	1292	594737
14	1	51.3	19			120366
15	1	60.2	19			273020
16	2	72.2	19	1835.8		424712
17	2	79.5	19	1068.5		577791
18	1	51.6	19			101396
19	2	76.2	19	1006.8		253684
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial15 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			15	VSG Frequency(MHz):		5493.4565
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.6	6	1208.4	1390.4	858523
2	2	80.7	6	1358.3		1182345
3	1	51.6	6			174691
4	2	76.3	6	1351.7		497325
5	2	78.1	6	1441.9		819993
6	1	58.8	6			1143999
7	1	66.6	6			134938
8	3	91.1	6	1773.9	1473.9	456574
9	1	52.5	6			781040
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial16 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			16	VSG Frequency(MHz):		5495.4565
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.9	11	1588.1	1518.1	825224
2	1	56.8	11			71290
3	1	59.8	11			313485
4	2	82.7	11	1783.3		554517
5	2	81.9	11	1712.1		796738
6	2	76.1	11	1267.9		41426
7	2	68.2	11	1676.8		283281
8	1	66.4	11			526072
9	1	59.5	11			768107
10	3	95.2	11	1214.8	1899.8	11605
11	3	85.4	11	1300.6	1003.6	253097
12	1	62.1	11			495924
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial17 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			17	VSG Frequency(MHz):		5497.0565
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53.5	15			553429
2	3	94	15	1738	1131	732347
3	2	74.1	15	1238.9		167568
4	2	78.9	15	940.1		348961
5	3	93.1	15	1605.9	1183.9	528636
6	1	57.2	15			712774
7	1	59.1	15			145454
8	2	78.2	15	1475.8		326451
9	1	51.2	15			508679
10	2	76.8	15	957.2		689345
11	3	93.3	15	1805.7	1098.7	122621
12	2	67	15	1249		304153
13	3	95.1	15	1191.9	1756.9	484366
14	3	91.2	15	1698.8	1023.8	665289
15	2	83.3	15	1858.7		100613
16	2	70.2	15	1278.8		281782
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial18 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			18	VSG Frequency(MHz):		5497.0565
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.5	15			464026
2	1	52.2	15			645006
3	1	64.9	15			78499
4	1	60.4	15			259832
5	3	94.2	15	1047.8	1783.8	439598
6	2	74.7	15	1710.3		621874
7	3	95.6	15	1038.4	1219.4	55936
8	3	89.7	15	1637.3	1164.3	236696
9	1	64.1	15			418946
10	1	63.1	15			600579
11	3	85.3	15	1727.7	1193.7	33617
12	1	59.8	15			215387
13	2	83.1	15	1825.9		396042
14	3	93.8	15	1420.2	1264.2	576211
15	1	62.6	15			11378
16	3	84.4	15	1805.6	1319.6	191957
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial19 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			19	VSG Frequency(MHz):		5498.2565
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.2	18			332944
2	1	64.1	18			494262
3	3	90.1	18	1257.9	1137.9	652937
4	3	86.7	18	1657.3	983.3	150848
5	2	77.6	18	1411.4		312036
6	3	97.4	18	1242.6	1796.6	472197
7	3	85.1	18	1535.9	1341.9	632468
8	1	51.6	18			131753
9	1	57.4	18			292873
10	1	62.8	18			454000
11	1	51.2	18			615518
12	1	66	18			111785
13	1	63.6	18			273299
14	3	92.8	18	1768.2	1563.2	431884
15	3	87.6	18	1453.4	1626.4	592905
16	3	90.8	18	1156.2	1506.2	91558
17	3	92.9	18	1061.1	1383.1	252151
18	3	98	18	1223	929	413078
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial20 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			20	VSG Frequency(MHz):		5497.4565
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	56.9	16			609748
2	1	57.3	16			76333
3	2	80.2	16	1489.8		246508
4	2	75	16	1367		416875
5	2	67.9	16	1343.1		587860
6	2	78.8	16	1599.2		55184
7	3	98.5	16	1199.5	1091.5	225387
8	3	84.4	16	946.6	1285.6	395809
9	1	64.7	16			567651
10	2	80	16	921		34202
11	2	71.9	16	1160.1		204616
12	3	99.4	16	1246.6	940.6	374567
13	3	95.1	16	1491.9	1023.9	544589
14	1	57.4	16			13194
15	1	64.2	16			184102
16	1	58.8	16			354646
17	1	50.7	16			525809
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial21 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			21	VSG Frequency(MHz):		5564.5435
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81	11	1457		910167
2	1	51.1	11			213159
3	3	96.7	11	1895.3	1702.3	434883
4	3	92.7	11	1299.3	1279.3	658508
5	1	62.1	11			883748
6	2	67.2	11	1332.8		185430
7	1	63.3	11			409432
8	1	52.9	11			633080
9	2	81.3	11	1610.7		854932
10	2	73.4	11	1877.6		157904
11	2	79.6	11	1626.4		380928
12	2	76.1	11	1841.9		603647
13	2	71.4	11	1619.6		826836
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial22 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			22	VSG Frequency(MHz):		5561.7435
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.5	18	1886.5		89102
2	3	94.6	18	990.4	1591.4	240957
3	2	67	18	1224		394240
4	3	85.1	18	1800.9	1646.9	544510
5	3	86.9	18	1602.1	1445.1	70099
6	1	55.3	18			223278
7	1	54.1	18			375951
8	3	91.3	18	1535.7	1146.7	526307
9	3	96.2	18	1664.8	1868.8	51378
10	1	61.2	18			204390
11	3	88.3	18	1888.7	1344.7	355514
12	3	93.2	18	1854.8	1515.8	506902
13	2	82.7	18	1314.3		32784
14	1	55	18			185602
15	2	79.7	18	1645.3		337333
16	1	58.1	18			491642
17	2	67.8	18	1696.2		13999
18	3	93.9	18	1782.1	1467.1	165908
19	1	51.8	18			319455
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial23 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		23		VSG Frequency(MHz):		5561.3435
Number of Bursts in Trial:		20		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	54.7	19			448581
2	3	92	19	1457	1486	590911
3	1	56.6	19			140493
4	3	89.7	19	1780.3	1390.3	284081
5	3	96.2	19	1889.8	990.8	428881
6	1	55.3	19			576288
7	3	94.8	19	1689.2	1497.2	122105
8	3	90.2	19	1326.8	1771.8	266198
9	2	66.9	19	1051.1		412229
10	2	72	19	1297		557041
11	3	86.7	19	1641.3	1489.3	104197
12	1	55.4	19			249848
13	2	68.8	19	1441.2		393914
14	1	58.2	19			539974
15	3	93.4	19	1785.6	1387.6	86460
16	1	54.5	19			232284
17	2	77.3	19	965.7		376508
18	2	82.4	19	964.6		521934
19	1	60	19			69033
20	2	70.6	19	1672.4		213556

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial24 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			24	VSG Frequency(MHz):		5561.7435
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.8	18			399422
2	1	54.6	18			560885
3	1	59.5	18			56933
4	3	84.8	18	1560.2	973.2	217304
5	3	90	18	1840	1010	377792
6	1	58.4	18			540537
7	3	99.5	18	1093.5	1037.5	36898
8	2	79.5	18	1422.5		198025
9	1	62.1	18			359634
10	3	83.6	18	1173.4	1447.4	518473
11	3	94.9	18	1839.1	1170.1	17097
12	1	63.5	18			178542
13	2	79.6	18	1364.4		339041
14	2	77.8	18	1544.2		499738
15	2	71.4	18	1593.6		660310
16	2	79.4	18	1153.6		158348
17	2	68.8	18	1261.2		319461
18	1	54.9	18			480988
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial25 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			25	VSG Frequency(MHz):		5566.5435
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.8	6	1865.2		1284761
2	2	79.8	6	1192.2		277502
3	3	92.2	6	1649.8	1809.8	599137
4	1	65.2	6			923577
5	3	87.3	6	1405.7	920.7	1244630
6	2	69.3	6	1160.7		237805
7	1	59.5	6			561128
8	1	55.7	6			883817
9	2	69.4	6	1485.6		1205420
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial26 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			26	VSG Frequency(MHz):		5566.1435
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85	7	1797	1750	177904
2	3	89.3	7	987.7	1313.7	467954
3	1	50.5	7			759742
4	1	52.4	7			1050405
5	2	75.8	7	1088.2		142453
6	1	57.7	7			433163
7	2	73.3	7	1676.7		723132
8	3	93	7	1819	1490	1011682
9	1	50	7			106740
10	2	82.5	7	1510.5		396909
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial27 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		27		VSG Frequency(MHz):		5563.7435
Number of Bursts in Trial:		15		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	13	1765.1		457385
2	3	99.8	13	1894.2	1378.2	649016
3	3	87.8	13	918.2	1455.2	47115
4	1	55.8	13			240845
5	1	65.2	13			434565
6	2	78	13	1218		627641
7	2	83.3	13	1832.7		23378
8	2	77.2	13	1125.8		216751
9	2	73.1	13	1140.9		409885
10	2	75.8	13	1262.2		603652
11	3	91.1	13	1526.9	1647.9	794766
12	3	86.8	13	1014.2	1245.2	192657
13	1	64	13			387110
14	3	85.8	13	1386.2	1874.2	577864
15	2	72.4	13	1757.6		772119
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial28 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			28	VSG Frequency(MHz):		5564.5435
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.5	11			195431
2	2	80.2	11	1730.8		418403
3	2	78.4	11	1747.6		640940
4	3	93.6	11	969.4	1148.4	864134
5	2	67.4	11	1239.6		167780
6	3	90.3	11	1365.7	1280.7	390481
7	2	75.3	11	1474.7		613844
8	3	84.2	11	1451.8	1534.8	835343
9	3	89	11	1764	1565	139896
10	1	64.5	11			363785
11	3	90.2	11	1855.8	1717.8	585171
12	1	61.6	11			810651
13	2	81.2	11	1424.8		112685
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial29 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:		29		VSG Frequency(MHz):		5560.9435
Number of Bursts in Trial:		20		Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69	20	1216		217877
2	1	55.8	20			363917
3	1	56.3	20			509147
4	3	84.8	20	960.2	1300.2	55196
5	2	71.4	20	1377.6		200224
6	3	96.9	20	1491.1	1263.1	344029
7	3	96.9	20	1309.1	1404.1	488676
8	1	55.2	20			37542
9	2	83.1	20	1639.9		182339
10	2	73.9	20	1035.1		327232
11	2	76.9	20	1756.1		471341
12	3	87.3	20	1185.7	1733.7	19578
13	1	54	20			164753
14	3	92.1	20	986.9	1454.9	308407
15	3	86.5	20	1115.5	1637.5	453275
16	2	80	20	1526		1796
17	2	78.4	20	1190.6		146713
18	3	98.2	20	1794.8	1517.8	290510
19	2	75.3	20	924.7		436314
20	1	64.7	20			582284

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial30 for 5530MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			30	VSG Frequency(MHz):		5560.9435
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.1	20	1910.9		128704
2	1	64.2	20			274230
3	2	77.5	20	1452.5		418456
4	3	94.9	20	1734.1	1153.1	561890
5	3	99.4	20	1609.6	1682.6	110610
6	2	82.7	20	1808.3		255501
7	3	92.3	20	1903.7	1677.7	398676
8	3	96.6	20	1583.4	1321.4	543882
9	1	65.6	20			93305
10	3	98.8	20	1290.2	1060.2	237549
11	3	91.4	20	1194.6	1785.6	381571
12	2	75.1	20	1660.9		527564
13	1	66.3	20			75456
14	1	52.1	20			220700
15	1	58.1	20			365839
16	2	67.3	20	1311.7		509473
17	2	69.4	20	1337.6		57395
18	1	56.2	20			202750
19	1	65.4	20			347970
20	2	67.1	20	1663.9		491762

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type6 for 5530MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	No
20	1	333	9	0.333	300	No
21	1	333	9	0.333	300	No
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

EHT160_5250MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
1	30	100		60	Pass
2	30	93.33		60	Pass
3	30	93.33		60	Pass
4	30	96.67		60	Pass
Aggregate (Radar Types 1-4)	120	95.83		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minimum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type1 for 5250MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
		Number (1 to 23)	(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5288	7	1567.4	638	A	Yes
2	5179	6	1618.1	618	A	Yes
3	5255	22	1066.1	938	A	Yes
4	5298	18	1165.5	858	A	Yes
5	5314	19	1139	878	A	Yes
6	5311	20	1113.6	898	A	Yes
7	5205	17	1193.3	838	A	Yes
8	5175	2	1858.7	538	A	Yes
9	5266	8	1519.8	658	A	Yes
10	5291	12	1355	738	A	Yes
11	5287	14	1285.3	778	A	Yes
12	5245	5	1672.2	598	A	Yes
13	5290	21	1089.3	918	A	Yes
14	5178	4	1730.1	578	A	Yes
15	5209	13	1319.3	758	A	Yes
16	5319	-	892.1	1121	B	Yes
17	5320	-	999	1001	B	Yes
18	5322	-	540	1852	B	Yes
19	5193	-	756.4	1322	B	Yes
20	5175	-	387.4	2581	B	Yes
21	5259	-	1292	774	B	Yes
22	5276	-	841	1189	B	Yes
23	5178	-	429.4	2329	B	Yes
24	5314	-	727.3	1375	B	Yes
25	5203	-	396.7	2521	B	Yes
26	5191	-	583.1	1715	B	Yes
27	5219	-	397.9	2513	B	Yes
28	5285	-	597	1675	B	Yes
29	5245	-	440.7	2269	B	Yes
30	5244	-	513.3	1948	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type2 for 5250MHz

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5242	25	2.1	183	Yes
2	5178	28	4.2	229	Yes
3	5203	29	4.6	180	Yes
4	5219	29	4.9	168	Yes
5	5286	25	2.4	220	Yes
6	5242	26	3	156	Yes
7	5185	24	1.7	172	Yes
8	5196	28	4.3	186	Yes
9	5180	24	1.9	199	Yes
10	5271	28	4.2	227	Yes
11	5196	29	4.7	176	Yes
12	5260	25	2.6	174	Yes
13	5269	27	3.8	163	Yes
14	5276	29	4.7	225	Yes
15	5314	23	1.3	216	Yes
16	5205	25	2.5	191	Yes
17	5306	27	3.8	154	No
18	5231	27	3.5	221	Yes
19	5318	28	4.4	162	Yes
20	5190	28	4	158	Yes
21	5253	26	2.7	203	Yes
22	5318	28	4.4	202	Yes
23	5318	29	4.8	194	Yes
24	5272	28	4.4	213	Yes
25	5206	23	1.4	159	No
26	5241	24	1.7	189	Yes
27	5242	26	3.2	206	Yes
28	5259	25	2.6	184	Yes
29	5183	29	5	196	Yes
30	5225	29	5	160	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type3 for 5250MHz

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5219	16	7.1	298	Yes
2	5234	18	9.2	302	Yes
3	5172	18	9.6	275	Yes
4	5244	18	9.9	488	Yes
5	5296	17	7.4	483	Yes
6	5261	17	8	223	Yes
7	5277	16	6.7	233	Yes
8	5241	18	9.3	374	Yes
9	5316	16	6.9	290	Yes
10	5299	18	9.2	291	Yes
11	5202	18	9.7	255	Yes
12	5297	17	7.6	306	Yes
13	5211	18	8.8	228	Yes
14	5260	18	9.7	277	Yes
15	5318	16	6.3	334	Yes
16	5245	17	7.5	393	Yes
17	5284	18	8.8	369	No
18	5237	17	8.5	313	Yes
19	5266	18	9.4	330	Yes
20	5198	18	9	230	Yes
21	5195	17	7.7	326	Yes
22	5197	18	9.4	234	Yes
23	5299	18	9.8	379	Yes
24	5228	18	9.4	225	Yes
25	5187	16	6.4	324	Yes
26	5279	16	6.7	245	Yes
27	5240	17	8.2	456	No
28	5182	17	7.6	416	Yes
29	5204	18	10	206	Yes
30	5284	18	10	272	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type4 for 5250MHz

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5317	13	13.6	298	Yes
2	5200	15	18.2	302	Yes
3	5250	16	19.1	275	Yes
4	5207	16	19.7	488	Yes
5	5208	13	14.3	483	Yes
6	5200	14	15.6	223	Yes
7	5189	12	12.6	233	No
8	5317	16	18.3	374	Yes
9	5222	13	13.1	290	Yes
10	5281	15	18.2	291	Yes
11	5290	16	19.2	255	Yes
12	5311	14	14.6	306	Yes
13	5313	15	17.4	228	Yes
14	5301	16	19.2	277	Yes
15	5182	12	11.7	334	Yes
16	5215	13	14.4	393	Yes
17	5263	15	17.2	369	Yes
18	5295	15	16.7	313	Yes
19	5262	16	18.6	330	Yes
20	5300	15	17.7	230	Yes
21	5186	14	14.9	326	Yes
22	5222	16	18.7	234	Yes
23	5304	16	19.5	379	Yes
24	5259	16	18.5	225	Yes
25	5270	12	12	324	Yes
26	5308	12	12.6	245	Yes
27	5298	14	16	456	Yes
28	5320	14	14.7	416	Yes
29	5172	16	19.9	206	Yes
30	5204	16	19.8	272	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial1 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			1	VSG Frequency(MHz):		5289.205
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.4	9			579227
2	3	89.8	9	1304.2	1603.2	841365
3	3	94.9	9	1392.1	1424.1	18234
4	3	98.1	9	1823.9	1687.9	281420
5	2	68.2	9	984.8		546139
6	2	75.4	9	972.6		810074
7	1	59.2	9			1075177
8	3	90.6	9	1596.4	1909.4	248995
9	1	62	9			513976
10	3	89.7	9	1518.3	1534.3	776229
11	3	95.3	9	1116.7	1057.7	1040412
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial2 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			2	VSG Frequency(MHz):		5289.205
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70	17	1166		132436
2	3	85.3	17	1466.7	1352.7	292626
3	3	95.2	17	1087.8	1356.8	453362
4	1	54.1	17			616318
5	2	68.8	17	1007.2		112661
6	3	84.3	17	1625.7	1256.7	272945
7	2	81.6	17	1825.4		434348
8	3	92	17	1630	1426	593917
9	3	86.9	17	1842.1	1877.1	92421
10	2	71.7	17	1921.3		253426
11	3	92.5	17	1592.5	1555.5	413812
12	3	96.9	17	1430.1	1338.1	574368
13	3	91.7	17	1627.3	1159.3	72750
14	1	55.8	17			234292
15	1	59	17			395635
16	2	78	17	1193		556445
17	2	70.7	17	1532.3		53168
18	3	99.3	17	1022.7	1425.7	213870
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial3 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			3	VSG Frequency(MHz):		5289.205
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	19	1814.1	1539.1	354113
2	3	93.6	19	1609.4	1589.4	506434
3	3	86.1	19	1405.9	1550.9	31465
4	3	99.5	19	1100.5	1743.5	183493
5	1	53.6	19			337104
6	2	74.9	19	1507.1		489209
7	1	56.3	19			12808
8	1	52.4	19			165727
9	3	94.7	19	1456.3	1387.3	316976
10	1	57.5	19			471045
11	2	69.1	19	1134.9		622905
12	3	86.1	19	1024.9	1830.9	146027
13	2	70.4	19	1736.6		298828
14	3	96.5	19	1061.5	1678.5	450434
15	2	73.1	19	1144.9		604293
16	2	72.8	19	1874.2		127589
17	2	69	19	1556		279861
18	3	91.2	19	1064.8	1474.8	431418
19	1	63.5	19			586157
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial4 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			4	VSG Frequency(MHz):		5289.205
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	20	1292.3		103517
2	3	95.9	20	1400.1	1335.1	247474
3	3	88.7	20	999.3	1887.3	391918
4	3	98.3	20	1710.7	1190.7	536307
5	3	88.2	20	1571.8	1388.8	85412
6	2	77.7	20	1705.3		230205
7	3	97.9	20	1659.1	1026.1	374505
8	2	71.9	20	1625.1		519902
9	3	92.9	20	1667.1	1395.1	67502
10	1	53.2	20			213185
11	3	92.2	20	1699.8	1174.8	356508
12	1	59.2	20			503465
13	3	97.5	20	1147.5	1742.5	49765
14	3	88.6	20	1528.4	1444.4	194301
15	3	91.3	20	1832.7	918.7	338760
16	1	63.1	20			485122
17	3	96.2	20	1828.8	1507.8	31983
18	1	59.1	20			177179
19	2	70.6	20	1510.4		321661
20	2	81.6	20	1354.4		466758

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial5 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			5	VSG Frequency(MHz):		5289.205
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.2	10	1116.8		23781
2	3	97.8	10	954.2	1222.2	265327
3	1	66.3	10			508335
4	3	89.6	10	948.4	1452.4	748584
5	2	74.1	10	1072.9		991182
6	2	72.9	10	1092.1		235983
7	1	50.7	10			478237
8	1	51.2	10			720672
9	3	96.1	10	1544.9	1883.9	958686
10	2	73.8	10	948.2		206198
11	2	68.9	10	1625.1		447826
12	3	86.9	10	1122.1	1513.1	688804
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial6 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5289.205
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	67.8	13	1016.2		798691
2	1	64.5	13			151251
3	3	97	13	1501	1313	357387
4	1	53.4	13			566076
5	1	60.2	13			773837
6	3	95.4	13	909.6	1226.6	125288
7	3	98	13	1462	1700	331925
8	2	71.8	13	994.2		539875
9	1	55.8	13			747862
10	1	52.9	13			100147
11	1	63.4	13			307774
12	3	99.3	13	1052.7	1697.7	513420
13	1	52.5	13			722946
14	3	98.4	13	1781.6	1735.6	74225
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial7 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			7	VSG Frequency(MHz):		5289.205
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.7	7	1101.3		394740
2	3	97.6	7	1613.4	992.4	683933
3	2	79.2	7	1243.8		975692
4	2	83.3	7	953.7		68550
5	2	77	7	1834		358744
6	1	63.6	7			650085
7	3	98.5	7	1677.5	1070.5	938563
8	1	59.6	7			32834
9	3	93.3	7	1607.7	1604.7	322644
10	2	75.9	7	1644.1		613124
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial8 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			8	VSG Frequency(MHz):		5289.205
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.5	17	1015.5		501236
2	3	99.1	17	1662.9	1831.9	660220
3	2	74.2	17	1313.8		159226
4	1	65.2	17			320765
5	2	76.9	17	1019.1		481258
6	3	96.6	17	1431.4	1749.4	640584
7	2	75.9	17	1305.1		139582
8	2	69.1	17	1719.9		300516
9	3	84.4	17	1331.6	1478.6	460230
10	1	55.3	17			624048
11	3	91.4	17	1021.6	910.6	119511
12	2	82.9	17	1339.1		280585
13	3	91.7	17	1513.3	1355.3	440412
14	3	87.9	17	967.1	1061.1	601939
15	1	52.9	17			100042
16	1	50.7	17			261511
17	1	61.2	17			422986
18	3	98.8	17	1765.2	974.2	581579
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial9 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			9	VSG Frequency(MHz):		5289.205
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.8	8	1409.2		131130
2	2	67.2	8	1094.8		395224
3	3	84.4	8	1219.6	1218.6	658373
4	2	67.1	8	1039.9		923354
5	3	87.1	8	1793.9	1375.9	98519
6	2	75.8	8	1285.2		362400
7	1	51.1	8			627167
8	1	53.2	8			891480
9	2	72.1	8	1443.9		66152
10	1	62.7	8			330351
11	3	96.9	8	1085.1	1009.1	593345
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial10 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			10	VSG Frequency(MHz):		5289.205
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.2	17			524136
2	3	88.5	17	973.5	1521.5	20502
3	1	58.2	17			181858
4	2	71.2	17	1745.8		342215
5	2	71	17	1520		503246
6	2	73.9	17	1220.1		700
7	1	61.1	17			162115
8	2	71.2	17	1189.8		322689
9	2	82.7	17	1241.3		483759
10	3	94.9	17	1151.1	1139.1	643329
11	1	59.2	17			142200
12	2	77.1	17	1556.9		302918
13	3	94.3	17	1244.7	1732.7	462572
14	1	64.9	17			626009
15	3	97.2	17	1397.8	1597.8	121726
16	1	56.9	17			283645
17	3	88.8	17	1402.2	934.2	443369
18	1	55.8	17			606247
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial11 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			11	VSG Frequency(MHz):		5257.6
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.3	19	1260.7	1167.7	96650
2	2	80.3	19	1392.7		249095
3	2	76.2	19	1855.8		401111
4	1	52.4	19			555703
5	3	99.7	19	1276.3	1574.3	77774
6	3	83.8	19	1460.2	1634.2	229633
7	2	76.1	19	988.9		383360
8	3	91.5	19	1348.5	994.5	534711
9	1	62.4	19			59393
10	1	62	19			212172
11	3	98.4	19	1082.6	1102.6	363727
12	1	64	19			517515
13	2	73.6	19	1498.4		40405
14	2	74.5	19	1914.5		192747
15	1	63.1	19			346017
16	2	72.3	19	1146.7		498292
17	2	79.1	19	1661.9		21650
18	2	66.9	19	1127.1		174224
19	2	83.2	19	1206.8		326920
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial12 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			12	VSG Frequency(MHz):		5254.4
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.7	11			701980
2	2	70.6	11	1195.4		4223
3	1	64	11			227751
4	3	91.9	11	988.1	1654.1	449804
5	2	79.6	11	1807.4		673736
6	2	78.5	11	1106.5		897227
7	1	53.9	11			200181
8	1	66.6	11			423743
9	3	90.2	11	1236.8	959.8	645236
10	3	90.2	11	1476.8	1448.8	867872
11	1	52.2	11			172590
12	3	89.9	11	1900.1	978.1	395028
13	2	68.8	11	1511.2		618935
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial13 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			13	VSG Frequency(MHz):		5256.4
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	62.4	16			644422
2	3	97.4	16	934.6	1327.6	110607
3	2	80.9	16	1135.1		281434
4	2	82.5	16	1813.5		451514
5	2	70.6	16	1136.4		622643
6	1	52.8	16			89942
7	3	88.8	16	1323.2	1644.2	259563
8	2	74.4	16	1135.6		430673
9	3	95.2	16	1651.8	1030.8	600164
10	2	79.5	16	1375.5		68672
11	1	61.4	16			239791
12	3	99.1	16	1607.9	1320.9	408787
13	2	72.8	16	1846.2		580008
14	2	68.6	16	1045.4		47748
15	2	71.2	16	961.8		218318
16	3	84.8	16	941.2	1636.2	388146
17	1	64	16			560697
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial14 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			14	VSG Frequency(MHz):		5257.6
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	19	1326.1		23884
2	3	85.8	19	1573.2	1881.2	175818
3	2	80.3	19	1670.7		328650
4	2	73.7	19	1511.3		481087
5	2	77	19	965		5109
6	3	85.3	19	1753.7	1688.7	156956
7	2	77.3	19	1393.7		309907
8	3	88.5	19	928.5	1782.5	461222
9	3	96.6	19	1091.4	1579.4	613128
10	2	74	19	1887		138732
11	3	95.8	19	1778.2	1212.2	290573
12	2	67.2	19	1469.8		443516
13	3	86	19	1276	1292	594737
14	1	51.3	19			120366
15	1	60.2	19			273020
16	2	72.2	19	1835.8		424712
17	2	79.5	19	1068.5		577791
18	1	51.6	19			101396
19	2	76.2	19	1006.8		253684
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial15 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			15	VSG Frequency(MHz):		5252.4
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.6	6	1208.4	1390.4	858523
2	2	80.7	6	1358.3		1182345
3	1	51.6	6			174691
4	2	76.3	6	1351.7		497325
5	2	78.1	6	1441.9		819993
6	1	58.8	6			1143999
7	1	66.6	6			134938
8	3	91.1	6	1773.9	1473.9	456574
9	1	52.5	6			781040
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial16 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			16	VSG Frequency(MHz):		5254.4
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.9	11	1588.1	1518.1	825224
2	1	56.8	11			71290
3	1	59.8	11			313485
4	2	82.7	11	1783.3		554517
5	2	81.9	11	1712.1		796738
6	2	76.1	11	1267.9		41426
7	2	68.2	11	1676.8		283281
8	1	66.4	11			526072
9	1	59.5	11			768107
10	3	95.2	11	1214.8	1899.8	11605
11	3	85.4	11	1300.6	1003.6	253097
12	1	62.1	11			495924
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial17 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			17	VSG Frequency(MHz):		5256
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53.5	15			553429
2	3	94	15	1738	1131	732347
3	2	74.1	15	1238.9		167568
4	2	78.9	15	940.1		348961
5	3	93.1	15	1605.9	1183.9	528636
6	1	57.2	15			712774
7	1	59.1	15			145454
8	2	78.2	15	1475.8		326451
9	1	51.2	15			508679
10	2	76.8	15	957.2		689345
11	3	93.3	15	1805.7	1098.7	122621
12	2	67	15	1249		304153
13	3	95.1	15	1191.9	1756.9	484366
14	3	91.2	15	1698.8	1023.8	665289
15	2	83.3	15	1858.7		100613
16	2	70.2	15	1278.8		281782
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial18 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			18	VSG Frequency(MHz):		5256
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.5	15			464026
2	1	52.2	15			645006
3	1	64.9	15			78499
4	1	60.4	15			259832
5	3	94.2	15	1047.8	1783.8	439598
6	2	74.7	15	1710.3		621874
7	3	95.6	15	1038.4	1219.4	55936
8	3	89.7	15	1637.3	1164.3	236696
9	1	64.1	15			418946
10	1	63.1	15			600579
11	3	85.3	15	1727.7	1193.7	33617
12	1	59.8	15			215387
13	2	83.1	15	1825.9		396042
14	3	93.8	15	1420.2	1264.2	576211
15	1	62.6	15			11378
16	3	84.4	15	1805.6	1319.6	191957
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial19 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			19	VSG Frequency(MHz):		5257.2
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.2	18			332944
2	1	64.1	18			494262
3	3	90.1	18	1257.9	1137.9	652937
4	3	86.7	18	1657.3	983.3	150848
5	2	77.6	18	1411.4		312036
6	3	97.4	18	1242.6	1796.6	472197
7	3	85.1	18	1535.9	1341.9	632468
8	1	51.6	18			131753
9	1	57.4	18			292873
10	1	62.8	18			454000
11	1	51.2	18			615518
12	1	66	18			111785
13	1	63.6	18			273299
14	3	92.8	18	1768.2	1563.2	431884
15	3	87.6	18	1453.4	1626.4	592905
16	3	90.8	18	1156.2	1506.2	91558
17	3	92.9	18	1061.1	1383.1	252151
18	3	98	18	1223	929	413078
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial20 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			20	VSG Frequency(MHz):		5256.4
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	56.9	16			609748
2	1	57.3	16			76333
3	2	80.2	16	1489.8		246508
4	2	75	16	1367		416875
5	2	67.9	16	1343.1		587860
6	2	78.8	16	1599.2		55184
7	3	98.5	16	1199.5	1091.5	225387
8	3	84.4	16	946.6	1285.6	395809
9	1	64.7	16			567651
10	2	80	16	921		34202
11	2	71.9	16	1160.1		204616
12	3	99.4	16	1246.6	940.6	374567
13	3	95.1	16	1491.9	1023.9	544589
14	1	57.4	16			13194
15	1	64.2	16			184102
16	1	58.8	16			354646
17	1	50.7	16			525809
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial21 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			21	VSG Frequency(MHz):		5324.01
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81	11	1457		910167
2	1	51.1	11			213159
3	3	96.7	11	1895.3	1702.3	434883
4	3	92.7	11	1299.3	1279.3	658508
5	1	62.1	11			883748
6	2	67.2	11	1332.8		185430
7	1	63.3	11			409432
8	1	52.9	11			633080
9	2	81.3	11	1610.7		854932
10	2	73.4	11	1877.6		157904
11	2	79.6	11	1626.4		380928
12	2	76.1	11	1841.9		603647
13	2	71.4	11	1619.6		826836
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial22 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			22	VSG Frequency(MHz):		5321.21
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.5	18	1886.5		89102
2	3	94.6	18	990.4	1591.4	240957
3	2	67	18	1224		394240
4	3	85.1	18	1800.9	1646.9	544510
5	3	86.9	18	1602.1	1445.1	70099
6	1	55.3	18			223278
7	1	54.1	18			375951
8	3	91.3	18	1535.7	1146.7	526307
9	3	96.2	18	1664.8	1868.8	51378
10	1	61.2	18			204390
11	3	88.3	18	1888.7	1344.7	355514
12	3	93.2	18	1854.8	1515.8	506902
13	2	82.7	18	1314.3		32784
14	1	55	18			185602
15	2	79.7	18	1645.3		337333
16	1	58.1	18			491642
17	2	67.8	18	1696.2		13999
18	3	93.9	18	1782.1	1467.1	165908
19	1	51.8	18			319455
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial23 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			23	VSG Frequency(MHz):		5320.81
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	54.7	19			448581
2	3	92	19	1457	1486	590911
3	1	56.6	19			140493
4	3	89.7	19	1780.3	1390.3	284081
5	3	96.2	19	1889.8	990.8	428881
6	1	55.3	19			576288
7	3	94.8	19	1689.2	1497.2	122105
8	3	90.2	19	1326.8	1771.8	266198
9	2	66.9	19	1051.1		412229
10	2	72	19	1297		557041
11	3	86.7	19	1641.3	1489.3	104197
12	1	55.4	19			249848
13	2	68.8	19	1441.2		393914
14	1	58.2	19			539974
15	3	93.4	19	1785.6	1387.6	86460
16	1	54.5	19			232284
17	2	77.3	19	965.7		376508
18	2	82.4	19	964.6		521934
19	1	60	19			69033
20	2	70.6	19	1672.4		213556

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial24 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			24	VSG Frequency(MHz):		5321.21
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.8	18			399422
2	1	54.6	18			560885
3	1	59.5	18			56933
4	3	84.8	18	1560.2	973.2	217304
5	3	90	18	1840	1010	377792
6	1	58.4	18			540537
7	3	99.5	18	1093.5	1037.5	36898
8	2	79.5	18	1422.5		198025
9	1	62.1	18			359634
10	3	83.6	18	1173.4	1447.4	518473
11	3	94.9	18	1839.1	1170.1	17097
12	1	63.5	18			178542
13	2	79.6	18	1364.4		339041
14	2	77.8	18	1544.2		499738
15	2	71.4	18	1593.6		660310
16	2	79.4	18	1153.6		158348
17	2	68.8	18	1261.2		319461
18	1	54.9	18			480988
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial25 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			25	VSG Frequency(MHz):		5326.01
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.8	6	1865.2		1284761
2	2	79.8	6	1192.2		277502
3	3	92.2	6	1649.8	1809.8	599137
4	1	65.2	6			923577
5	3	87.3	6	1405.7	920.7	1244630
6	2	69.3	6	1160.7		237805
7	1	59.5	6			561128
8	1	55.7	6			883817
9	2	69.4	6	1485.6		1205420
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial26 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			26	VSG Frequency(MHz):		5325.61
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85	7	1797	1750	177904
2	3	89.3	7	987.7	1313.7	467954
3	1	50.5	7			759742
4	1	52.4	7			1050405
5	2	75.8	7	1088.2		142453
6	1	57.7	7			433163
7	2	73.3	7	1676.7		723132
8	3	93	7	1819	1490	1011682
9	1	50	7			106740
10	2	82.5	7	1510.5		396909
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial27 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			27	VSG Frequency(MHz):		5323.21
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	13	1765.1		457385
2	3	99.8	13	1894.2	1378.2	649016
3	3	87.8	13	918.2	1455.2	47115
4	1	55.8	13			240845
5	1	65.2	13			434565
6	2	78	13	1218		627641
7	2	83.3	13	1832.7		23378
8	2	77.2	13	1125.8		216751
9	2	73.1	13	1140.9		409885
10	2	75.8	13	1262.2		603652
11	3	91.1	13	1526.9	1647.9	794766
12	3	86.8	13	1014.2	1245.2	192657
13	1	64	13			387110
14	3	85.8	13	1386.2	1874.2	577864
15	2	72.4	13	1757.6		772119
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial28 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			28	VSG Frequency(MHz):		5324.01
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.5	11			195431
2	2	80.2	11	1730.8		418403
3	2	78.4	11	1747.6		640940
4	3	93.6	11	969.4	1148.4	864134
5	2	67.4	11	1239.6		167780
6	3	90.3	11	1365.7	1280.7	390481
7	2	75.3	11	1474.7		613844
8	3	84.2	11	1451.8	1534.8	835343
9	3	89	11	1764	1565	139896
10	1	64.5	11			363785
11	3	90.2	11	1855.8	1717.8	585171
12	1	61.6	11			810651
13	2	81.2	11	1424.8		112685
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial29 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			29	VSG Frequency(MHz):		5320.41
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69	20	1216		217877
2	1	55.8	20			363917
3	1	56.3	20			509147
4	3	84.8	20	960.2	1300.2	55196
5	2	71.4	20	1377.6		200224
6	3	96.9	20	1491.1	1263.1	344029
7	3	96.9	20	1309.1	1404.1	488676
8	1	55.2	20			37542
9	2	83.1	20	1639.9		182339
10	2	73.9	20	1035.1		327232
11	2	76.9	20	1756.1		471341
12	3	87.3	20	1185.7	1733.7	19578
13	1	54	20			164753
14	3	92.1	20	986.9	1454.9	308407
15	3	86.5	20	1115.5	1637.5	453275
16	2	80	20	1526		1796
17	2	78.4	20	1190.6		146713
18	3	98.2	20	1794.8	1517.8	290510
19	2	75.3	20	924.7		436314
20	1	64.7	20			582284

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial30 for 5250MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			30	VSG Frequency(MHz):		5320.41
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.1	20	1910.9		128704
2	1	64.2	20			274230
3	2	77.5	20	1452.5		418456
4	3	94.9	20	1734.1	1153.1	561890
5	3	99.4	20	1609.6	1682.6	110610
6	2	82.7	20	1808.3		255501
7	3	92.3	20	1903.7	1677.7	398676
8	3	96.6	20	1583.4	1321.4	543882
9	1	65.6	20			93305
10	3	98.8	20	1290.2	1060.2	237549
11	3	91.4	20	1194.6	1785.6	381571
12	2	75.1	20	1660.9		527564
13	1	66.3	20			75456
14	1	52.1	20			220700
15	1	58.1	20			365839
16	2	67.3	20	1311.7		509473
17	2	69.4	20	1337.6		57395
18	1	56.2	20			202750
19	1	65.4	20			347970
20	2	67.1	20	1663.9		491762

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type6 for 5250MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

EHT160_5570MHz

Short Pulse Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
1	30	96.67		60	Pass
2	30	100		60	Pass
3	30	90		60	Pass
4	30	96.67		60	Pass
Aggregate (Radar Types 1-4)	120	95.835		80	Pass
Long Pulse Radar Type	Minimum Number of Trials	Each Detection(%)	Total Detection(%)	Minimum Percentage of Successful Detection(%)	Pass/Fail
5	Center:10	100	100	80	Pass
	Low Edge:10	100			
	High Edge:10	100			
Frequency Hopping Radar Type	Minimum Number of Trials	Detection(%)		Minimum Percentage of Successful Detection(%)	Pass/Fail
6	30	100		70	Pass

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type1 for 5570MHz

Data Sheet for FCC Radar Type 1

Trial	VSG Frequency (MHz)	Pulse Repetition Frequency	Pulse Repetition Frequency	PRI	Test A/B	Successful Detection
		Number (1 to 23)	(Pulses Per Second)	(msec)	A/B	(Yes/No)
1	5553	7	1567.4	638	A	No
2	5552	6	1618.1	618	A	Yes
3	5561	22	1066.1	938	A	Yes
4	5538	18	1165.5	858	A	Yes
5	5633	19	1139	878	A	Yes
6	5624	20	1113.6	898	A	Yes
7	5610	17	1193.3	838	A	Yes
8	5553	2	1858.7	538	A	Yes
9	5521	8	1519.8	658	A	Yes
10	5546	12	1355	738	A	Yes
11	5595	14	1285.3	778	A	Yes
12	5611	5	1672.2	598	A	Yes
13	5595	21	1089.3	918	A	Yes
14	5494	4	1730.1	578	A	Yes
15	5571	13	1319.3	758	A	Yes
16	5537	-	892.1	1121	B	Yes
17	5648	-	999	1001	B	Yes
18	5579	-	540	1852	B	Yes
19	5578	-	756.4	1322	B	Yes
20	5534	-	387.4	2581	B	Yes
21	5617	-	1292	774	B	Yes
22	5557	-	841	1189	B	Yes
23	5574	-	429.4	2329	B	Yes
24	5576	-	727.3	1375	B	Yes
25	5506	-	396.7	2521	B	Yes
26	5502	-	583.1	1715	B	Yes
27	5566	-	397.9	2513	B	Yes
28	5570	-	597	1675	B	Yes
29	5619	-	440.7	2269	B	Yes
30	5617	-	513.3	1948	B	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type2 for 5570MHz

Data Sheet for FCC Radar Type 2

Trial	VSG Frequency (MHz)	Number Pulses per Burst (23-29)	Pulse Width (1-5)	PRI (150-230)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5550	25	2.1	183	Yes
2	5528	28	4.2	229	Yes
3	5576	29	4.6	180	Yes
4	5611	29	4.9	168	Yes
5	5516	25	2.4	220	Yes
6	5628	26	3	156	Yes
7	5496	24	1.7	172	Yes
8	5542	28	4.3	186	Yes
9	5565	24	1.9	199	Yes
10	5613	28	4.2	227	Yes
11	5573	29	4.7	176	Yes
12	5523	25	2.6	174	Yes
13	5559	27	3.8	163	Yes
14	5494	29	4.7	225	Yes
15	5528	23	1.3	216	Yes
16	5555	25	2.5	191	Yes
17	5508	27	3.8	154	Yes
18	5495	27	3.5	221	Yes
19	5515	28	4.4	162	Yes
20	5559	28	4	158	Yes
21	5568	26	2.7	203	Yes
22	5515	28	4.4	202	Yes
23	5493	29	4.8	194	Yes
24	5494	28	4.4	213	Yes
25	5536	23	1.4	159	Yes
26	5509	24	1.7	189	Yes
27	5519	26	3.2	206	Yes
28	5575	25	2.6	184	Yes
29	5615	29	5	196	Yes
30	5546	29	5	160	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type3 for 5570MHz

Data Sheet for FCC Radar Type 3

Trial	VSG Frequency (MHz)	Number Pulses per Burst (16-18)	Pulse Width (6-10)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5562	16	7.1	298	Yes
2	5516	18	9.2	302	Yes
3	5617	18	9.6	275	Yes
4	5591	18	9.9	488	Yes
5	5580	17	7.4	483	Yes
6	5547	17	8	223	Yes
7	5531	16	6.7	233	Yes
8	5637	18	9.3	374	Yes
9	5646	16	6.9	290	Yes
10	5549	18	9.2	291	Yes
11	5491	18	9.7	255	No
12	5641	17	7.6	306	Yes
13	5530	18	8.8	228	No
14	5539	18	9.7	277	Yes
15	5547	16	6.3	334	Yes
16	5599	17	7.5	393	Yes
17	5562	18	8.8	369	Yes
18	5524	17	8.5	313	Yes
19	5649	18	9.4	330	Yes
20	5603	18	9	230	Yes
21	5491	17	7.7	326	Yes
22	5576	18	9.4	234	Yes
23	5496	18	9.8	379	Yes
24	5601	18	9.4	225	Yes
25	5544	16	6.4	324	Yes
26	5576	16	6.7	245	Yes
27	5494	17	8.2	456	No
28	5596	17	7.6	416	Yes
29	5634	18	10	206	Yes
30	5601	18	10	272	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type4 for 5570MHz

Data Sheet for FCC Radar Type 4

Trial	VSG Frequency (MHz)	Number Pulses per Burst (12-16)	Pulse Width (11-20)	PRI (200-500)	Successful Detection
			(μs)	(μs)	(Yes/No)
1	5506	13	13.6	298	Yes
2	5548	15	18.2	302	Yes
3	5551	16	19.1	275	Yes
4	5556	16	19.7	488	Yes
5	5645	13	14.3	483	Yes
6	5529	14	15.6	223	Yes
7	5619	12	12.6	233	Yes
8	5609	16	18.3	374	Yes
9	5527	13	13.1	290	Yes
10	5649	15	18.2	291	Yes
11	5518	16	19.2	255	Yes
12	5576	14	14.6	306	Yes
13	5503	15	17.4	228	Yes
14	5548	16	19.2	277	Yes
15	5550	12	11.7	334	Yes
16	5582	13	14.4	393	Yes
17	5644	15	17.2	369	Yes
18	5616	15	16.7	313	Yes
19	5640	16	18.6	330	Yes
20	5644	15	17.7	230	Yes
21	5590	14	14.9	326	Yes
22	5528	16	18.7	234	Yes
23	5610	16	19.5	379	Yes
24	5549	16	18.5	225	Yes
25	5532	12	12	324	No
26	5636	12	12.6	245	Yes
27	5617	14	16	456	Yes
28	5531	14	14.7	416	Yes
29	5604	16	19.9	206	Yes
30	5645	16	19.8	272	Yes

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial1 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			1	VSG Frequency(MHz):		5570
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	64.4	9			579227
2	3	89.8	9	1304.2	1603.2	841365
3	3	94.9	9	1392.1	1424.1	18234
4	3	98.1	9	1823.9	1687.9	281420
5	2	68.2	9	984.8		546139
6	2	75.4	9	972.6		810074
7	1	59.2	9			1075177
8	3	90.6	9	1596.4	1909.4	248995
9	1	62	9			513976
10	3	89.7	9	1518.3	1534.3	776229
11	3	95.3	9	1116.7	1057.7	1040412
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial2 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			2	VSG Frequency(MHz):		5570
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70	17	1166		132436
2	3	85.3	17	1466.7	1352.7	292626
3	3	95.2	17	1087.8	1356.8	453362
4	1	54.1	17			616318
5	2	68.8	17	1007.2		112661
6	3	84.3	17	1625.7	1256.7	272945
7	2	81.6	17	1825.4		434348
8	3	92	17	1630	1426	593917
9	3	86.9	17	1842.1	1877.1	92421
10	2	71.7	17	1921.3		253426
11	3	92.5	17	1592.5	1555.5	413812
12	3	96.9	17	1430.1	1338.1	574368
13	3	91.7	17	1627.3	1159.3	72750
14	1	55.8	17			234292
15	1	59	17			395635
16	2	78	17	1193		556445
17	2	70.7	17	1532.3		53168
18	3	99.3	17	1022.7	1425.7	213870
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial3 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			3	VSG Frequency(MHz):		5570
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	98.9	19	1814.1	1539.1	354113
2	3	93.6	19	1609.4	1589.4	506434
3	3	86.1	19	1405.9	1550.9	31465
4	3	99.5	19	1100.5	1743.5	183493
5	1	53.6	19			337104
6	2	74.9	19	1507.1		489209
7	1	56.3	19			12808
8	1	52.4	19			165727
9	3	94.7	19	1456.3	1387.3	316976
10	1	57.5	19			471045
11	2	69.1	19	1134.9		622905
12	3	86.1	19	1024.9	1830.9	146027
13	2	70.4	19	1736.6		298828
14	3	96.5	19	1061.5	1678.5	450434
15	2	73.1	19	1144.9		604293
16	2	72.8	19	1874.2		127589
17	2	69	19	1556		279861
18	3	91.2	19	1064.8	1474.8	431418
19	1	63.5	19			586157
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial4 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			4	VSG Frequency(MHz):		5570
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	73.7	20	1292.3		103517
2	3	95.9	20	1400.1	1335.1	247474
3	3	88.7	20	999.3	1887.3	391918
4	3	98.3	20	1710.7	1190.7	536307
5	3	88.2	20	1571.8	1388.8	85412
6	2	77.7	20	1705.3		230205
7	3	97.9	20	1659.1	1026.1	374505
8	2	71.9	20	1625.1		519902
9	3	92.9	20	1667.1	1395.1	67502
10	1	53.2	20			213185
11	3	92.2	20	1699.8	1174.8	356508
12	1	59.2	20			503465
13	3	97.5	20	1147.5	1742.5	49765
14	3	88.6	20	1528.4	1444.4	194301
15	3	91.3	20	1832.7	918.7	338760
16	1	63.1	20			485122
17	3	96.2	20	1828.8	1507.8	31983
18	1	59.1	20			177179
19	2	70.6	20	1510.4		321661
20	2	81.6	20	1354.4		466758

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial5 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			5	VSG Frequency(MHz):		5570
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100) (μ sec)	Chirp Width (5-20) (MHz)	Pulse 1-to-2 Spacing (μ sec)	Pulse 2-to-3 Spacing (μ sec)	Starting Location Within Interval (μ sec)
1	2	70.2	10	1116.8		23781
2	3	97.8	10	954.2	1222.2	265327
3	1	66.3	10			508335
4	3	89.6	10	948.4	1452.4	748584
5	2	74.1	10	1072.9		991182
6	2	72.9	10	1092.1		235983
7	1	50.7	10			478237
8	1	51.2	10			720672
9	3	96.1	10	1544.9	1883.9	958686
10	2	73.8	10	948.2		206198
11	2	68.9	10	1625.1		447826
12	3	86.9	10	1122.1	1513.1	688804
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial6 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			6	VSG Frequency(MHz):		5570
Number of Bursts in Trial:			14	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	67.8	13	1016.2		798691
2	1	64.5	13			151251
3	3	97	13	1501	1313	357387
4	1	53.4	13			566076
5	1	60.2	13			773837
6	3	95.4	13	909.6	1226.6	125288
7	3	98	13	1462	1700	331925
8	2	71.8	13	994.2		539875
9	1	55.8	13			747862
10	1	52.9	13			100147
11	1	63.4	13			307774
12	3	99.3	13	1052.7	1697.7	513420
13	1	52.5	13			722946
14	3	98.4	13	1781.6	1735.6	74225
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial7 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			7	VSG Frequency(MHz):		5570
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.7	7	1101.3		394740
2	3	97.6	7	1613.4	992.4	683933
3	2	79.2	7	1243.8		975692
4	2	83.3	7	953.7		68550
5	2	77	7	1834		358744
6	1	63.6	7			650085
7	3	98.5	7	1677.5	1070.5	938563
8	1	59.6	7			32834
9	3	93.3	7	1607.7	1604.7	322644
10	2	75.9	7	1644.1		613124
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial8 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			8	VSG Frequency(MHz):		5570
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	79.5	17	1015.5		501236
2	3	99.1	17	1662.9	1831.9	660220
3	2	74.2	17	1313.8		159226
4	1	65.2	17			320765
5	2	76.9	17	1019.1		481258
6	3	96.6	17	1431.4	1749.4	640584
7	2	75.9	17	1305.1		139582
8	2	69.1	17	1719.9		300516
9	3	84.4	17	1331.6	1478.6	460230
10	1	55.3	17			624048
11	3	91.4	17	1021.6	910.6	119511
12	2	82.9	17	1339.1		280585
13	3	91.7	17	1513.3	1355.3	440412
14	3	87.9	17	967.1	1061.1	601939
15	1	52.9	17			100042
16	1	50.7	17			261511
17	1	61.2	17			422986
18	3	98.8	17	1765.2	974.2	581579
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial9 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			9	VSG Frequency(MHz):		5570
Number of Bursts in Trial:			11	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.8	8	1409.2		131130
2	2	67.2	8	1094.8		395224
3	3	84.4	8	1219.6	1218.6	658373
4	2	67.1	8	1039.9		923354
5	3	87.1	8	1793.9	1375.9	98519
6	2	75.8	8	1285.2		362400
7	1	51.1	8			627167
8	1	53.2	8			891480
9	2	72.1	8	1443.9		66152
10	1	62.7	8			330351
11	3	96.9	8	1085.1	1009.1	593345
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial10 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			10		VSG Frequency(MHz):	
Number of Bursts in Trial:			18		Successful Detection:	
					Yes	
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	55.2	17			524136
2	3	88.5	17	973.5	1521.5	20502
3	1	58.2	17			181858
4	2	71.2	17	1745.8		342215
5	2	71	17	1520		503246
6	2	73.9	17	1220.1		700
7	1	61.1	17			162115
8	2	71.2	17	1189.8		322689
9	2	82.7	17	1241.3		483759
10	3	94.9	17	1151.1	1139.1	643329
11	1	59.2	17			142200
12	2	77.1	17	1556.9		302918
13	3	94.3	17	1244.7	1732.7	462572
14	1	64.9	17			626009
15	3	97.2	17	1397.8	1597.8	121726
16	1	56.9	17			283645
17	3	88.8	17	1402.2	934.2	443369
18	1	55.8	17			606247
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial11 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			11	VSG Frequency(MHz):		5499.235
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	91.3	19	1260.7	1167.7	96650
2	2	80.3	19	1392.7		249095
3	2	76.2	19	1855.8		401111
4	1	52.4	19			555703
5	3	99.7	19	1276.3	1574.3	77774
6	3	83.8	19	1460.2	1634.2	229633
7	2	76.1	19	988.9		383360
8	3	91.5	19	1348.5	994.5	534711
9	1	62.4	19			59393
10	1	62	19			212172
11	3	98.4	19	1082.6	1102.6	363727
12	1	64	19			517515
13	2	73.6	19	1498.4		40405
14	2	74.5	19	1914.5		192747
15	1	63.1	19			346017
16	2	72.3	19	1146.7		498292
17	2	79.1	19	1661.9		21650
18	2	66.9	19	1127.1		174224
19	2	83.2	19	1206.8		326920
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial12 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			12	VSG Frequency(MHz):		5496.035
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.7	11			701980
2	2	70.6	11	1195.4		4223
3	1	64	11			227751
4	3	91.9	11	988.1	1654.1	449804
5	2	79.6	11	1807.4		673736
6	2	78.5	11	1106.5		897227
7	1	53.9	11			200181
8	1	66.6	11			423743
9	3	90.2	11	1236.8	959.8	645236
10	3	90.2	11	1476.8	1448.8	867872
11	1	52.2	11			172590
12	3	89.9	11	1900.1	978.1	395028
13	2	68.8	11	1511.2		618935
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial13 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			13	VSG Frequency(MHz):		5498.035
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	62.4	16			644422
2	3	97.4	16	934.6	1327.6	110607
3	2	80.9	16	1135.1		281434
4	2	82.5	16	1813.5		451514
5	2	70.6	16	1136.4		622643
6	1	52.8	16			89942
7	3	88.8	16	1323.2	1644.2	259563
8	2	74.4	16	1135.6		430673
9	3	95.2	16	1651.8	1030.8	600164
10	2	79.5	16	1375.5		68672
11	1	61.4	16			239791
12	3	99.1	16	1607.9	1320.9	408787
13	2	72.8	16	1846.2		580008
14	2	68.6	16	1045.4		47748
15	2	71.2	16	961.8		218318
16	3	84.8	16	941.2	1636.2	388146
17	1	64	16			560697
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial14 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			14	VSG Frequency(MHz):		5499.235
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	19	1326.1		23884
2	3	85.8	19	1573.2	1881.2	175818
3	2	80.3	19	1670.7		328650
4	2	73.7	19	1511.3		481087
5	2	77	19	965		5109
6	3	85.3	19	1753.7	1688.7	156956
7	2	77.3	19	1393.7		309907
8	3	88.5	19	928.5	1782.5	461222
9	3	96.6	19	1091.4	1579.4	613128
10	2	74	19	1887		138732
11	3	95.8	19	1778.2	1212.2	290573
12	2	67.2	19	1469.8		443516
13	3	86	19	1276	1292	594737
14	1	51.3	19			120366
15	1	60.2	19			273020
16	2	72.2	19	1835.8		424712
17	2	79.5	19	1068.5		577791
18	1	51.6	19			101396
19	2	76.2	19	1006.8		253684
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial15 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			15	VSG Frequency(MHz):		5494.035
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	93.6	6	1208.4	1390.4	858523
2	2	80.7	6	1358.3		1182345
3	1	51.6	6			174691
4	2	76.3	6	1351.7		497325
5	2	78.1	6	1441.9		819993
6	1	58.8	6			1143999
7	1	66.6	6			134938
8	3	91.1	6	1773.9	1473.9	456574
9	1	52.5	6			781040
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial16 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			16	VSG Frequency(MHz):		5496.035
Number of Bursts in Trial:			12	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	92.9	11	1588.1	1518.1	825224
2	1	56.8	11			71290
3	1	59.8	11			313485
4	2	82.7	11	1783.3		554517
5	2	81.9	11	1712.1		796738
6	2	76.1	11	1267.9		41426
7	2	68.2	11	1676.8		283281
8	1	66.4	11			526072
9	1	59.5	11			768107
10	3	95.2	11	1214.8	1899.8	11605
11	3	85.4	11	1300.6	1003.6	253097
12	1	62.1	11			495924
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial17 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			17	VSG Frequency(MHz):		5497.635
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	53.5	15			553429
2	3	94	15	1738	1131	732347
3	2	74.1	15	1238.9		167568
4	2	78.9	15	940.1		348961
5	3	93.1	15	1605.9	1183.9	528636
6	1	57.2	15			712774
7	1	59.1	15			145454
8	2	78.2	15	1475.8		326451
9	1	51.2	15			508679
10	2	76.8	15	957.2		689345
11	3	93.3	15	1805.7	1098.7	122621
12	2	67	15	1249		304153
13	3	95.1	15	1191.9	1756.9	484366
14	3	91.2	15	1698.8	1023.8	665289
15	2	83.3	15	1858.7		100613
16	2	70.2	15	1278.8		281782
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial18 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			18	VSG Frequency(MHz):		5497.635
Number of Bursts in Trial:			16	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	59.5	15			464026
2	1	52.2	15			645006
3	1	64.9	15			78499
4	1	60.4	15			259832
5	3	94.2	15	1047.8	1783.8	439598
6	2	74.7	15	1710.3		621874
7	3	95.6	15	1038.4	1219.4	55936
8	3	89.7	15	1637.3	1164.3	236696
9	1	64.1	15			418946
10	1	63.1	15			600579
11	3	85.3	15	1727.7	1193.7	33617
12	1	59.8	15			215387
13	2	83.1	15	1825.9		396042
14	3	93.8	15	1420.2	1264.2	576211
15	1	62.6	15			11378
16	3	84.4	15	1805.6	1319.6	191957
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial19 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			19	VSG Frequency(MHz):		5498.835
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	66.2	18			332944
2	1	64.1	18			494262
3	3	90.1	18	1257.9	1137.9	652937
4	3	86.7	18	1657.3	983.3	150848
5	2	77.6	18	1411.4		312036
6	3	97.4	18	1242.6	1796.6	472197
7	3	85.1	18	1535.9	1341.9	632468
8	1	51.6	18			131753
9	1	57.4	18			292873
10	1	62.8	18			454000
11	1	51.2	18			615518
12	1	66	18			111785
13	1	63.6	18			273299
14	3	92.8	18	1768.2	1563.2	431884
15	3	87.6	18	1453.4	1626.4	592905
16	3	90.8	18	1156.2	1506.2	91558
17	3	92.9	18	1061.1	1383.1	252151
18	3	98	18	1223	929	413078
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial20 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			20	VSG Frequency(MHz):		5498.035
Number of Bursts in Trial:			17	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	56.9	16			609748
2	1	57.3	16			76333
3	2	80.2	16	1489.8		246508
4	2	75	16	1367		416875
5	2	67.9	16	1343.1		587860
6	2	78.8	16	1599.2		55184
7	3	98.5	16	1199.5	1091.5	225387
8	3	84.4	16	946.6	1285.6	395809
9	1	64.7	16			567651
10	2	80	16	921		34202
11	2	71.9	16	1160.1		204616
12	3	99.4	16	1246.6	940.6	374567
13	3	95.1	16	1491.9	1023.9	544589
14	1	57.4	16			13194
15	1	64.2	16			184102
16	1	58.8	16			354646
17	1	50.7	16			525809
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial21 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			21	VSG Frequency(MHz):		5643.965
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	81	11	1457		910167
2	1	51.1	11			213159
3	3	96.7	11	1895.3	1702.3	434883
4	3	92.7	11	1299.3	1279.3	658508
5	1	62.1	11			883748
6	2	67.2	11	1332.8		185430
7	1	63.3	11			409432
8	1	52.9	11			633080
9	2	81.3	11	1610.7		854932
10	2	73.4	11	1877.6		157904
11	2	79.6	11	1626.4		380928
12	2	76.1	11	1841.9		603647
13	2	71.4	11	1619.6		826836
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial22 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			22	VSG Frequency(MHz):		5641.165
Number of Bursts in Trial:			19	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	75.5	18	1886.5		89102
2	3	94.6	18	990.4	1591.4	240957
3	2	67	18	1224		394240
4	3	85.1	18	1800.9	1646.9	544510
5	3	86.9	18	1602.1	1445.1	70099
6	1	55.3	18			223278
7	1	54.1	18			375951
8	3	91.3	18	1535.7	1146.7	526307
9	3	96.2	18	1664.8	1868.8	51378
10	1	61.2	18			204390
11	3	88.3	18	1888.7	1344.7	355514
12	3	93.2	18	1854.8	1515.8	506902
13	2	82.7	18	1314.3		32784
14	1	55	18			185602
15	2	79.7	18	1645.3		337333
16	1	58.1	18			491642
17	2	67.8	18	1696.2		13999
18	3	93.9	18	1782.1	1467.1	165908
19	1	51.8	18			319455
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial23 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			23	VSG Frequency(MHz):		5640.765
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	54.7	19			448581
2	3	92	19	1457	1486	590911
3	1	56.6	19			140493
4	3	89.7	19	1780.3	1390.3	284081
5	3	96.2	19	1889.8	990.8	428881
6	1	55.3	19			576288
7	3	94.8	19	1689.2	1497.2	122105
8	3	90.2	19	1326.8	1771.8	266198
9	2	66.9	19	1051.1		412229
10	2	72	19	1297		557041
11	3	86.7	19	1641.3	1489.3	104197
12	1	55.4	19			249848
13	2	68.8	19	1441.2		393914
14	1	58.2	19			539974
15	3	93.4	19	1785.6	1387.6	86460
16	1	54.5	19			232284
17	2	77.3	19	965.7		376508
18	2	82.4	19	964.6		521934
19	1	60	19			69033
20	2	70.6	19	1672.4		213556

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial24 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			24	VSG Frequency(MHz):		5641.165
Number of Bursts in Trial:			18	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	58.8	18			399422
2	1	54.6	18			560885
3	1	59.5	18			56933
4	3	84.8	18	1560.2	973.2	217304
5	3	90	18	1840	1010	377792
6	1	58.4	18			540537
7	3	99.5	18	1093.5	1037.5	36898
8	2	79.5	18	1422.5		198025
9	1	62.1	18			359634
10	3	83.6	18	1173.4	1447.4	518473
11	3	94.9	18	1839.1	1170.1	17097
12	1	63.5	18			178542
13	2	79.6	18	1364.4		339041
14	2	77.8	18	1544.2		499738
15	2	71.4	18	1593.6		660310
16	2	79.4	18	1153.6		158348
17	2	68.8	18	1261.2		319461
18	1	54.9	18			480988
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial25 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			25	VSG Frequency(MHz):		5645.965
Number of Bursts in Trial:			9	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	70.8	6	1865.2		1284761
2	2	79.8	6	1192.2		277502
3	3	92.2	6	1649.8	1809.8	599137
4	1	65.2	6			923577
5	3	87.3	6	1405.7	920.7	1244630
6	2	69.3	6	1160.7		237805
7	1	59.5	6			561128
8	1	55.7	6			883817
9	2	69.4	6	1485.6		1205420
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial26 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			26	VSG Frequency(MHz):		5645.565
Number of Bursts in Trial:			10	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	3	85	7	1797	1750	177904
2	3	89.3	7	987.7	1313.7	467954
3	1	50.5	7			759742
4	1	52.4	7			1050405
5	2	75.8	7	1088.2		142453
6	1	57.7	7			433163
7	2	73.3	7	1676.7		723132
8	3	93	7	1819	1490	1011682
9	1	50	7			106740
10	2	82.5	7	1510.5		396909
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial27 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			27	VSG Frequency(MHz):		5643.165
Number of Bursts in Trial:			15	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	71.9	13	1765.1		457385
2	3	99.8	13	1894.2	1378.2	649016
3	3	87.8	13	918.2	1455.2	47115
4	1	55.8	13			240845
5	1	65.2	13			434565
6	2	78	13	1218		627641
7	2	83.3	13	1832.7		23378
8	2	77.2	13	1125.8		216751
9	2	73.1	13	1140.9		409885
10	2	75.8	13	1262.2		603652
11	3	91.1	13	1526.9	1647.9	794766
12	3	86.8	13	1014.2	1245.2	192657
13	1	64	13			387110
14	3	85.8	13	1386.2	1874.2	577864
15	2	72.4	13	1757.6		772119
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial28 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			28	VSG Frequency(MHz):		5643.965
Number of Bursts in Trial:			13	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	1	61.5	11			195431
2	2	80.2	11	1730.8		418403
3	2	78.4	11	1747.6		640940
4	3	93.6	11	969.4	1148.4	864134
5	2	67.4	11	1239.6		167780
6	3	90.3	11	1365.7	1280.7	390481
7	2	75.3	11	1474.7		613844
8	3	84.2	11	1451.8	1534.8	835343
9	3	89	11	1764	1565	139896
10	1	64.5	11			363785
11	3	90.2	11	1855.8	1717.8	585171
12	1	61.6	11			810651
13	2	81.2	11	1424.8		112685
14						
15						
16						
17						
18						
19						
20						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial29 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			29	VSG Frequency(MHz):		5640.365
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	69	20	1216		217877
2	1	55.8	20			363917
3	1	56.3	20			509147
4	3	84.8	20	960.2	1300.2	55196
5	2	71.4	20	1377.6		200224
6	3	96.9	20	1491.1	1263.1	344029
7	3	96.9	20	1309.1	1404.1	488676
8	1	55.2	20			37542
9	2	83.1	20	1639.9		182339
10	2	73.9	20	1035.1		327232
11	2	76.9	20	1756.1		471341
12	3	87.3	20	1185.7	1733.7	19578
13	1	54	20			164753
14	3	92.1	20	986.9	1454.9	308407
15	3	86.5	20	1115.5	1637.5	453275
16	2	80	20	1526		1796
17	2	78.4	20	1190.6		146713
18	3	98.2	20	1794.8	1517.8	290510
19	2	75.3	20	924.7		436314
20	1	64.7	20			582284

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type5_Trial30 for 5570MHz

Data Sheet for FCC Radar Type 5						
Trial Number:			30	VSG Frequency(MHz):		5640.365
Number of Bursts in Trial:			20	Successful Detection:		Yes
Burst (8-20)	Number Pulses per Burst (1-3)	Pulse Width (50-100)	Chirp Width (5-20)	Pulse 1-to-2 Spacing	Pulse 2-to-3 Spacing	Starting Location Within Interval
		(μ sec)	(MHz)	(μ sec)	(μ sec)	(μ sec)
1	2	80.1	20	1910.9		128704
2	1	64.2	20			274230
3	2	77.5	20	1452.5		418456
4	3	94.9	20	1734.1	1153.1	561890
5	3	99.4	20	1609.6	1682.6	110610
6	2	82.7	20	1808.3		255501
7	3	92.3	20	1903.7	1677.7	398676
8	3	96.6	20	1583.4	1321.4	543882
9	1	65.6	20			93305
10	3	98.8	20	1290.2	1060.2	237549
11	3	91.4	20	1194.6	1785.6	381571
12	2	75.1	20	1660.9		527564
13	1	66.3	20			75456
14	1	52.1	20			220700
15	1	58.1	20			365839
16	2	67.3	20	1311.7		509473
17	2	69.4	20	1337.6		57395
18	1	56.2	20			202750
19	1	65.4	20			347970
20	2	67.1	20	1663.9		491762

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Radar Type6 for 5570MHz

Data Sheet for FCC Radar Type 6

Trial	Pulse Width	PRI	Pulses per Hop	Hopping Rate	Hopping Sequence Length	Successful Detection
	(μ sec)	(μ sec)		(kHz)	(msec)	(Yes/No)
1	1	333	9	0.333	300	Yes
2	1	333	9	0.333	300	Yes
3	1	333	9	0.333	300	Yes
4	1	333	9	0.333	300	Yes
5	1	333	9	0.333	300	Yes
6	1	333	9	0.333	300	Yes
7	1	333	9	0.333	300	Yes
8	1	333	9	0.333	300	Yes
9	1	333	9	0.333	300	Yes
10	1	333	9	0.333	300	Yes
11	1	333	9	0.333	300	Yes
12	1	333	9	0.333	300	Yes
13	1	333	9	0.333	300	Yes
14	1	333	9	0.333	300	Yes
15	1	333	9	0.333	300	Yes
16	1	333	9	0.333	300	Yes
17	1	333	9	0.333	300	Yes
18	1	333	9	0.333	300	Yes
19	1	333	9	0.333	300	Yes
20	1	333	9	0.333	300	Yes
21	1	333	9	0.333	300	Yes
22	1	333	9	0.333	300	Yes
23	1	333	9	0.333	300	Yes
24	1	333	9	0.333	300	Yes
25	1	333	9	0.333	300	Yes
26	1	333	9	0.333	300	Yes
27	1	333	9	0.333	300	Yes
28	1	333	9	0.333	300	Yes
29	1	333	9	0.333	300	Yes
30	1	333	9	0.333	300	Yes

~End of Report~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group