

RF EXPOSURE REPORT



Applicant: Compex Systems Pte Ltd
178 Paya Lebar Road #05-05 Singapore, 409030
Manufacturer: Compex Systems Pte Ltd
178 Paya Lebar Road #05-05 Singapore, 409030
EUT Description: Wireless module installed in Security Appliance
Brand Name: COMPEX
Model No.: WLE7002E25
FCC ID TK4WLE7002E25
Date of EUT Received: Sep. 11, 2025
Issue Date: Dec. 24, 2025

Approved By

John Yeh

We hereby certify that:

The above equipment was evaluated by SGS Taiwan Ltd. The evaluation in this report is in compliance with FCC Rule Part §1.1307 & KDB 447498 D04 v01.

The results of this report relate to the specific sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Revision History

Report Number	Revision	Description	Issue Date	Revised By	Remark
TESA2510000773ES	00	Original	Dec. 24, 2025	Kimmy Chiou	

Note:

- 1、The remark "" indicates modification of the report upon requests from certification body.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Contents

1	DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)	4
1.1	PRODUCT DESCRIPTION	4
1.2	EVALUATION SITE	4
1.3	ANTENNA INFORMATION:	5
1.4	RATED POWER	7
2	DETERMINATION OF MPE EXEMPTION	8
2.1	FCC	8
2.2	MULTIPLE RF SOURCES EVALUATION RESULTS	10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1 DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)

1.1 Product Description

EUT Description:	Wireless module installed in Security Appliance
Brand Name:	COMPEX
Model No.:	WLE7002E25
Platform	Product Name: Security Appliance  CHECK POINT™ Brand Name: Model No.: T90WC
Hardware Version:	V1.0
Firmware Version:	fw1_t0_dep_R82

1.2 Evaluation site

Laboratory		Site Address	FCC Designation number/ Registration Number	ISED Company Number	CAB Identifier
SGS Taiwan Ltd. Central RF Lab. (TAF code 3702)	☒	No. 134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, 24803, Taiwan.	TW0027/ 891563	4620A	TW3702
	☐	No. 2, Keji 1st Rd., Guishan Township, Taoyuan County, 333 Taiwan.	TW0028/ 200037	4620E	
	☐	1F, No. 8, Alley 15, Lane 120, Sec. 1, Nei Hu Road, Nei Hu District, Taipei City, 222 Taiwan.	TW0029/ 150169	23862	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.3 Antenna Information:

WLAN

Antenna Type	Antenna Part No.	Freq. (MHz)	Peak Antenna Gain (dBi)
Dipole	CKP-32505-006200-100-RS	2.4GHz	2.22
		5GHz	4.29

WWAN

Brand	Antenna Type	Antenna Part No.
INPAQ TECH-NOLOGY CO., LTD	Dipole	RFDPA231300SBMB802

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Operating Frequency (MHz)				Peak Gain (dBi)
LTE-Band 2	1850	~	1910	3.95
LTE-Band 4	1710	~	1755	3.95
LTE-Band 5	824	~	849	1.98
LTE-Band 7	2500	~	2570	3.95
LTE-Band 12	699	~	716	1.98
LTE-Band 13	777	~	787	1.98
LTE-Band 14	788	~	798	1.98
LTE-Band 17	704	~	716	1.98
LTE-Band 25	1850	~	1915	3.95
LTE-Band 26	824	~	849	1.98
LTE-Band 26 Part 90	814	~	824	1.98
LTE-Band 30	2305	~	2315	3.95
LTE-Band 38	2570	~	2620	3.95
LTE-Band 41_PC3	2496	~	2690	3.95
LTE-Band 41_PC2	2496	~	2690	3.95
LTE-Band 42_PC3	3450	~	3550	3.24
LTE-Band 42_PC2	3450	~	3550	3.24
LTE-Band 43	3700	~	3800	3.24
LTE-Band 48	3550	~	3700	3.24
LTE-Band 66	1710	~	1780	3.95
LTE-Band 70	1695	~	1710	3.95
LTE-Band 71	663	~	698	1.98
LTE-Band 106	896	~	901	1.98
n2	1850	~	1910	3.95
n5	824	~	849	1.98
n7	2500	~	2570	3.95
n12	699	~	716	1.98
n13	777	~	787	1.98
n14	788	~	798	1.98
n25	1850	~	1915	3.95
n26	824	~	849	1.98
n26 Part 90	814	~	824	1.98
n30	2305	~	2315	3.95
n38	2570	~	2620	3.95
n41	2496	~	2690	3.95
n48	3550	~	3700	3.24
n66	1710	~	1780	3.95
n70	1695	~	1710	3.95
n71	663	~	698	1.98
n77	3300	~	4200	3.24
n78	3300	~	3800	3.24
RedCap n2	1850	~	1910	3.95
RedCap n5	824	~	849	1.98
RedCap n7	2500	~	2570	3.95
RedCap n12	699	~	716	1.98
RedCap n25	1850	~	1915	3.95
RedCap n41	2496	~	2690	3.95
RedCap n66	1710	~	1780	3.95
RedCap n71	663	~	698	1.98
RedCap n78	3300	~	3800	3.24

Note: Antenna information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

1.4 Rated Power

Operating Frequency (MHz)		Max. Output Power (dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	FCC (NEW) MPE Base			
						separation distance(m)	ERPth (W)	ERP/ERPth	FCC Worst Case
LTE-Band 2	1850 ~ 1910	24.50	3.95	26.30	0.43	0.25	1.20	0.36	
LTE-Band 4	1710 ~ 1755	24.50	3.95	26.30	0.43	0.25	1.20	0.36	
LTE-Band 5	824 ~ 849	24.50	1.98	24.33	0.27	0.25	0.66	0.41	
LTE-Band 7	2500 ~ 2570	24.00	3.95	25.80	0.38	0.25	1.20	0.32	
LTE-Band 12	699 ~ 716	24.50	1.98	24.33	0.27	0.25	0.56	0.48	
LTE-Band 13	777 ~ 787	24.50	1.98	24.33	0.27	0.25	0.62	0.44	
LTE-Band 14	788 ~ 798	24.50	1.98	24.33	0.27	0.25	0.63	0.43	
LTE-Band 17	704 ~ 716	24.50	1.98	24.33	0.27	0.25	0.56	0.48	
LTE-Band 25	1850 ~ 1915	24.50	3.95	26.30	0.43	0.25	1.20	0.36	
LTE-Band 26	824 ~ 849	24.50	1.98	24.33	0.27	0.25	0.66	0.41	
LTE-Band 26 Part 90	814 ~ 824	24.50	1.98	24.33	0.27	0.25	0.65	0.42	
LTE-Band 30	2305 ~ 2315	23.00	3.95	24.80	0.30	0.25	1.20	0.25	
LTE-Band 38	2570 ~ 2620	24.50	3.95	26.30	0.43	0.25	1.20	0.36	
LTE-Band 41_PC3	2496 ~ 2690	25.00	3.95	26.80	0.48	0.25	1.20	0.40	
LTE-Band 41_PC2	2496 ~ 2690	27.00	3.95	28.80	0.76	0.25	1.20	0.63	V
LTE-Band 42_PC3	3450 ~ 3550	24.50	3.24	25.59	0.36	0.25	1.20	0.30	
LTE-Band 42_PC2	3450 ~ 3550	26.50	3.24	27.59	0.57	0.25	1.20	0.48	
LTE-Band 43	3700 ~ 3800	24.50	3.24	25.59	0.36	0.25	1.20	0.30	
LTE-Band 48	3550 ~ 3700	22.50	3.24	23.59	0.23	0.25	1.20	0.19	
LTE-Band 66	1710 ~ 1780	24.50	3.95	26.30	0.43	0.25	1.20	0.36	
LTE-Band 70	1695 ~ 1710	24.50	3.95	26.30	0.43	0.25	1.20	0.36	
LTE-Band 71	663 ~ 698	24.50	1.98	24.33	0.27	0.25	0.53	0.51	
LTE-Band 106	896 ~ 901	25.00	1.98	24.83	0.30	0.25	0.72	0.42	
n2	1850 ~ 1910	25.00	3.95	26.80	0.48	0.25	1.20	0.40	
n5	824 ~ 849	24.50	1.98	24.33	0.27	0.25	0.66	0.41	
n7	2500 ~ 2570	24.00	3.95	25.80	0.38	0.25	1.20	0.32	
n12	699 ~ 716	24.50	1.98	24.33	0.27	0.25	0.56	0.48	
n13	777 ~ 787	24.50	1.98	24.33	0.27	0.25	0.62	0.44	
n14	788 ~ 798	24.50	1.98	24.33	0.27	0.25	0.63	0.43	
n25	1850 ~ 1915	25.00	3.95	26.80	0.48	0.25	1.20	0.40	
n26	824 ~ 849	24.50	1.98	24.33	0.27	0.25	0.66	0.41	
n26 Part 90	814 ~ 824	24.50	1.98	24.33	0.27	0.25	0.65	0.42	
n30	2305 ~ 2315	23.00	3.95	24.80	0.30	0.25	1.20	0.25	
n38	2570 ~ 2620	25.00	3.95	26.80	0.48	0.25	1.20	0.40	
n41	2496 ~ 2690	25.00	3.95	26.80	0.48	0.25	1.20	0.40	
n48	3550 ~ 3700	23.00	3.24	24.09	0.26	0.25	1.20	0.22	
n66	1710 ~ 1780	24.50	3.95	26.30	0.43	0.25	1.20	0.36	
n70	1695 ~ 1710	24.50	3.95	26.30	0.43	0.25	1.20	0.36	
n71	663 ~ 698	24.50	1.98	24.33	0.27	0.25	0.53	0.51	
n77	3300 ~ 4200	24.50	3.24	25.59	0.36	0.25	1.20	0.30	
n78	3300 ~ 3800	24.50	3.24	25.59	0.36	0.25	1.20	0.30	
RedCap n2	1850 ~ 1910	25.00	3.95	26.80	0.48	0.25	1.20	0.40	
RedCap n5	824 ~ 849	24.50	1.98	24.33	0.27	0.25	0.66	0.41	
RedCap n7	2500 ~ 2570	24.00	3.95	25.80	0.38	0.25	1.20	0.32	
RedCap n12	699 ~ 716	24.50	1.98	24.33	0.27	0.25	0.56	0.48	
RedCap n25	1850 ~ 1915	25.00	3.95	26.80	0.48	0.25	1.20	0.40	
RedCap n41	2496 ~ 2690	25.00	3.95	26.80	0.48	0.25	1.20	0.40	
RedCap n66	1710 ~ 1780	24.50	3.95	26.30	0.43	0.25	1.20	0.36	
RedCap n71	663 ~ 698	24.50	1.98	24.33	0.27	0.25	0.53	0.51	
RedCap n78	3300 ~ 3800	24.50	3.24	25.59	0.36	0.25	1.20	0.30	

Note: PG information is provided by the applicant.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2 DETERMINATION OF MPE EXEMPTION

2.1 FCC

2.1.1 Single RF Source

As per §1.1307(b)(3)(i),

- (A) The available maximum time-averaged power is no more than 1 mW, regardless of separation distance. This exemption may not be used in conjunction with other exemption criteria other than those in paragraph (b)(3)(ii)(A) of this section. Medical implant devices may only use this exemption and that in paragraph (b)(3)(ii)(A);
- (B) Or the available maximum time-averaged power or effective radiated power (ERP), whichever is greater, is less than or equal to the threshold P_{th} (mW) described in the following formula. This method shall only be used at separation distances (cm) from 0.5 centimeters to 40 centimeters and at frequencies from 0.3 GHz to 6 GHz (inclusive). P_{th} is given by:

$$P_{th} \text{ (mW)} = \begin{cases} ERP_{20 \text{ cm}} (d/20 \text{ cm})^x & d \leq 20 \text{ cm} \\ ERP_{20 \text{ cm}} & 20 \text{ cm} < d \leq 40 \text{ cm} \end{cases}$$

Where

$$x = -\log_{10} \left(\frac{60}{ERP_{20 \text{ cm}} \sqrt{f}} \right) \text{ and } f \text{ is in GHz;}$$

and

$$ERP_{20 \text{ cm}} \text{ (mW)} = \begin{cases} 2040f & 0.3 \text{ GHz} \leq f < 1.5 \text{ GHz} \\ 3060 & 1.5 \text{ GHz} \leq f \leq 6 \text{ GHz} \end{cases}$$

d = the separation distance (cm);

Note: when 10-g extremity SAR applies, SAR test exemption may be considered by applying a factor of 2.5 to the SAR-based exemption thresholds.

- (C) Or using Table 1 and the minimum separation distance (R in meters) from the body of a nearby person for the frequency (f in MHz) at which the source operates, the ERP (watts) is no more than the calculated value prescribed for that frequency. For the exemption in Table 1 to apply, R must be at least $\lambda/2\pi$, where λ is the free-space operating wavelength in meters. If the ERP of a single RF source is not easily obtained, then the available maximum time-averaged power may be used in lieu of ERP if the physical dimensions of the radiating structure(s) do not exceed the electrical length of $\lambda/4$ or if the antenna gain is less than that of a half-wave dipole (1.64 linear value).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Table 1 to § 1.1307(b)(3)(i)(C) –

Single RF Sources Subject to Routine Environmental Evaluation

RF Source frequency (MHz)			Minimum Distance			Threshold ERP (W)
fL		fH	$\lambda L / 2\pi$		$\lambda H / 2\pi$	
0.3	-	1.34	159m	-	35.6m	1920 R ²
1.34	-	30	35.6m	-	1.6m	3450 R ² /f ²
30	-	300	1.6m	-	159mm	3.83 R ²
300	-	1500	159mm	-	31.8mm	0.0128 R ² f
1500	-	100000	31.8mm	-	0.5mm	19.2R ²

R= minimum separation distance in meter

f = frequency in MHz

2.1.2 Multiple RF Sources

In the case of fixed RF sources operating in the same time-averaging period, or of multiple mobile or portable RF sources within a device operating in the same time averaging period, if the sum of the fractional contributions to the applicable thresholds is less than or equal to 1 as indicated in the following equation.

$$\sum_{i=1}^a \frac{P_i}{P_{th,i}} + \sum_{j=1}^b \frac{ERP_j}{ERP_{th,j}} + \sum_{k=1}^c \frac{Evaluated_k}{Exposure Limit_k} \leq 1$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

2.1.3 Single RF Source Evaluation Results

ANT	Frequency (MHz)	Max. tune-up power (dBm)	Peak gain (dBi)	ERP (dBm)	ERP (W)	Permissible Minimum separation distance ($\lambda/2\pi$) (m)	R = actual Minimum separation distance(m)	ERP _{th} (W)	ERP/ERP _{th}	Pass/Fail	Simultaneous transmission modes					
											1	2	3	4	5	6
WiFi 2.4GHz	2462	21.12	2.22	21.19	0.132	0.0194	0.25	1.200	0.110	Pass	V					
WiFi 5.2GHz-WiFi 5.8GHz	5825	20.28	4.29	22.42	0.175	0.0082	0.25	1.200	0.146	Pass	V					
LTE-Band 41_PC2	2496	27	3.95	28.8	0.759	0.0191	0.25	1.200	0.633	Pass	V	V				

Conclusion: Source-base time average power is below Exemption Criteria and/or Routine Evaluation MPE thresholds, therefore the device is compliant FCC RF exposure requirement.

Note: For conservativeness, the lowest uplink frequency of each band is used to determine the minimum separation distance of that band. All the single RF source results (P or ERP) are less than their corresponding threshold (P_{th} or ERP_{th}), so they are exempt from RF exposure testing.

2.2 Multiple RF Sources Evaluation Results

Simultaneous transmission modes	Σ ERP/ERP _{th}	Criteria	Pass / Fail
1	0.743	1	Pass
2	0.779	1	Pass

Note:

1. $\Sigma(ERP/ERP_{th})$: This is a summation of [(ERP of RF source / exemption threshold ERP for RF source)].
Considering the collocated transmitters, the aggregated (ERP/ERP_{th}) is smaller than 1, and MPE of collocated transmitters is compliant

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.